



When you choose Teng Tools you immediately stand out from the crowd as an individual who is intent on achieving their goals.

Teng Tools offers hand tools in smart storage solutions for demanding professionals within the automotive, maintenance and engineering sectors as well as motor sport enthusiasts who aspire to use the same tools as top mechanics across the globe.

With close to 3,000 products in the wide range we cater for mechanics and craftsmen within industry, workshops, construction and automotive sectors.

Success is born out of organisation. With the Teng Tools 'Get Organised' concept you can build your ultimate tool kit in 3 simple steps. Choose you storage, choose your tool trays, click together – **Get Organised.**



#getorganised











MAKE THE RIGHT CHOICE

Every tool in this catalogue has been developed to help you work more efficiently. Our product development team have created 'Typically Teng' features on many products that have repeatedly earned us top ratings for value and performance and numerous recommendations in the trade and consumer press.

'Typically Teng' features will help you work better, smarter and faster. Features that include a unique tool storage system 'Get Organised', ratchets with quick release and flip reverse, ISO certified torque wrenches with in-built angular gauges, screwdrivers with T drive, hardened tips and ergonomically designed handles, 'Mega Bite' pliers with titanium coated joints and spanners with the 'Hip Grip' drive system for increased torque.

Our continuous development and quality improvement programmes have secured Teng Tools position as one of the leaders in markets around the world







PROFESSIONAL USERS

Teng Tools has become the first choice for many industrial users all over the world. Our unique 'Get Organised' system allows professionals to build a custom tool kit to suit their own individual needs.

Professionals in many industries may require tools to be stored in EVA foam. We have an extensive range of EVA tool trays that can be used with our clever storage options to create a bespoke tool kit ready for the demands of any workshop.

Teng Tools has been used in the toughest environments around the world and is built to last. We offer a complete solution of high quality tools at a reasonable price.

Our tools are used by companies that do not compromise on quality. Our extensive range offers an opportunity for buyers to find an optimal assortment with regard to quality, range and price.







STAND OUT FROM THE CROWD

Teng Tools users stand out from the crowd as individuals who are on the road to achieving their goals!

We have become synonymous with Speedway and Rallycross as well as supporting other motor sports & events around the world.

Our tools have become the only choice for many professional mechanics working in motor sport where wasting time searching for tools is not an option.

With our vast experience working with motor sport mechanics we know that tools needs to be easily adaptable to their needs. Our 'Get Organised' system is perfect for creating tool kits to suit the requirements of each technician allowing them to perform at their best every day.





10	Tool Kits Stack system tool kits EVA Tool cabinets with tools Portable tool kits	
64	Tool Storage Stack systems Tool cabinets Tool boxes Portable storage Accessories	
91	Get Organised System Tool trays EVA PS Trays	00000
150	Racking System & Workbenches Workshop storage Racking tool kits Workbenches Accessories Wall rack tool sets	
180	Socket Sets 1/4" drive 3%" drive 1/2" drive 3/4" drive 1" drive Mixed drive sets	60
210	Sockets & Accessories Ratchets Extension bars Adaptors Spinner handles Flex handles Sockets	00
235	Impact Tools Socket sets Impact drivers Bits Torque sticks Sockets	7 00
262	Spanners & Wrenches Combination spanners Ratchet Spanners Adjustable wrenches Slogging wrenches	
298	Hex & TX Keys Hex & TX key sets T-handles Screwdriver handles	
314	Torque Tools Torque wrenches Torque multipliers Accessories Torque testers	
328	Screwdrivers Screwdriver sets Power through screwdrivers Mini screwdrivers	
346	Bits & Drivers Bits sets Driver handles Couplers Accessories Bits Nut setters	
368	Insulated Tools Tool sets Insulated screwdrivers Insulated pliers	1000V
<i>378</i>	Pliers Cutters Combination pliers Long nose Water pump Circlip pliers Power grip pliers	1
400	Clamping Tools C clamp pliers Welding pliers F clamps Screw clamps Quick clamps	A
405	Cutting Tools Tin snips Pipe cutters Hacksaws Drill bits Taps & dies Knives	
418	Auto Service Tools Oil filter removers Files Pullers Crimping tools Hammers & punches Rivet guns	**
458	Air Tools Impact wrenches Ratchets Drills Saws Die grinders Blow guns	7
472	Measuring Tools Multimeter's Calipers Measuring tapes Squares Feeler gauges Levels	0_
480	Index Item ID Page Number	(i)



Tool k
Tool S
Get O
Rackii
Socke
Socke
Impac
Spann
Hex 8
Torqu
Screw
Bits &
Insula
Pliers
Clamp
Cuttin
Auto S
Air To
Meası





TOOL KITS

When you are working on your vehicle you take pride in what you are doing. You want the best. Better tools bring better results. When you choose Teng Tools you immediately stand out from the crowd as an individual who is ready to succeed.

Each tool kit has been compiled with the help of technicians from various trades





All tools are supplied in our unique TC Trays. Every tool has it's own place in each kit








MONSTER MEGA MASTER TOOL KIT





- Includes a 1/2" drive composite air gun together with a wide range of impact sockets
- All the tools are laid out in individual tool trays using the Teng Tools Get Organised system
- Easy to see if any tools have been mislaid or lost helping to prevent leaving them with the work piece
- Supplied in the Teng Tools double width TC810N top box and the TCW809N 9 drawer 53" wide roller cabinet

Item ID: TCMONSTER01






























Drawer 2/10



















Drawer 2/9







Drawer 6/9

Drawer 9/9



Contents:		
Drawer Number	Item ID	Description
1/10	TTD914N	14 piece screwdriver set
1/10	TTMD74	74 piece ratcheting bits driver set
1/10	TTMD12D	12 piece screwdriver set
1/10	TTX918N	8 piece screwdriver set
2/10	TTD912TXN	12 piece TX driver set
2/10	TTMI16	16 piece mini tool set
2/10	TT01	Add on tool tray
2/10	TTXMDTN	5 piece power thru screwdriver set
3/10	TT1435	35 piece 1/4" drive socket set
3/10	TT3819	19 piece 3/8" drive socket set
3/10	TT1205	5 piece 1/2" drive socket accessory set
3/10	TT1217	17 piece 1/2" drive socket set
3/10	TTXEXT13	13 piece extension bar set
4/10	TTAF32	32 piece 1/4" and 3/8" drive AF socket set
4/10	TT1215AF	15 piece 1/2" drive AF socket set
4/10	TT1211	11 piece 1/2" drive deep socket set
4/10	TT3816	16 piece 3/8" drive deep socket set
4/10	TTX00	Add on tool tray
5/10	TTHEX7	7 piece T handle hex driver set
5/10	TTHEX7AF	7 piece T handle AF hex driver set
5/10	TTHT28	28 piece hex and TX key set
5/10	TTTX7	7 piece T handle TX key set
5/10	TTX03	Add on tool tray
6/10	TTD441-T	8 piece plier set
6/10	TT474-7	4 piece 7" circlip plier set
6/10	TT00	Add on tool tray
6/10	TTX474-9	4 piece 9" circlip plier set
7/10	TTTM03	3 piece inspection tool set
7/10	TTBM	4 piece measuring tool set
7/10	TTSR04	4 piece scraper and removal tool set
7/10	TTNF12	12 piece needle file set
7/10	TTXF05	5 piece file set
8/10	TTDCT05	5 piece cutting tool set
8/10	TTK40	40 piece knife set
8/10	TTPC09	9 piece punch and chisel set
8/10	TTX03	Add on tool tray
9/10	TT1236	12 piece combination spanner set
9/10	TT6508R	8 piece ratcheting combination spanner set
9/10	TT6208	8 piece double open ended spanner set
9/10	TT6010M	10 midget combination spanners
9/10	TTX2032	7 piece combination spanner set

Contents:		
Drawer Number	Item ID	Description
10/10	TTX2640	7 piece combination spanner set
10/10	TT3592	8 piece AF combination spanner set
10/10	TTRORS	6 piece RORS wrench set
10/10	TT6506	6 piece double flex wrench set
10/10	TTBS35	35 piece bits set
1/9	TT9015HX	15 piece impact hex bit socket set
1/9	TT9212TX	12 piece impact TX bit set
1/9	TT9207	7 piece impact accessory set
1/9	TT9116N	16 piece 1/2" drive impact socket set
1/9	TTX3404	4 piece 3/4" drive socket accessory set
1/9	TTD9416	16 piece 3/4" drive impact socket set
1/9	TTX3414	14 piece 3/4" drive socket set
1/9	TTDAWM13M	Air Impact Wrench Set 13 Pieces
2/9	TTV440	4 piece insulated plier set
2/9	TTDV910N	10 piece insulated screwdriver set
2/9	TTHEX23	23 piece 1/2" drive hex bit socket set
2/9	TTXMDN	9 piece nut driver set
3/9	TTVG05	5 piece power grip plier set
3/9	TTADJ04	4 piece adjustable wrench set
3/9	TTCP121	121 piece crimping plier set
3/9	TTCP04	4 piece ratchet crimping plier set
3/9	TTX6311	11 piece double ring spanner set
4/9	TTPS09	9 piece general tool kit
4/9	TTX1292	1/2" drive angular gauge torque wrench
5/9	TTPSPG	4 Power grip pliers
5/9	TTX3892	3/8" drive torque wrench set
6/9	TTDTD34	34 piece tap and die rethreading set
6/9	TTD01	Add on tool tray
6/9	TTX01	Add on tool tray
7/9	TTNR81	Nut sert gun set
7/9	TTHR81	Rivet gun set
7/9	TTID20	20 piece impact driver set
7/9	TTHP08	8 piece hook and pin wrench set
7/9	TTXPB3	3 piece roll/heel bar set
9/9	TTOS16	16 piece oil service kit
9/9	TTSN11	11 piece extractor set
9/9	TT804	4 piece puller set
9/9	TTHC03	3 piece hose clamp set
9/9	TTXPB3A	3 piece pry bar set

Item ID: TCMONSTER01

Get organised[™] 13





MONSTER MEGA MASTER TOOL KIT

- A complete tool kit covering the majority of the requirements of most types of user
- All the tools are laid out in individual tool trays using the Teng Tools Get Organised system
 Easy to see if any tools have been mislaid or lost helping to prevent leaving them with the work piece
- Supplied in the Teng Tools double width TC810N top box and the TCW809N 9 drawer 53" wide roller cabinet

Item ID: TCMONSTER02

1185 Pieces





Contents:		
Drawer Number	Item ID	Description
1/10	TTD914N	14 piece screwdriver set
1/10	TTMD74	74 piece ratcheting bits driver set
1/10	TTMD12D	12 piece screwdriver set
1/10	TTX918N	8 piece screwdriver set
2/10	TTD912TXN	12 piece TX driver set
2/10	TTMI16	16 piece mini tool set
2/10	TT01	Add on tool tray
2/10	TTXMDTN	5 piece power thru screwdriver set
3/10	TT1435	35 piece 1/4" drive socket set
3/10	TT3819	19 piece 3/8" drive socket set
3/10	TT1205	5 piece 1/2" drive socket accessory set
3/10	TT1217	17 piece 1/2" drive socket set
3/10	TTXEXT13	13 piece extension bar set
4/10	TTAF32	32 piece 1/4" and 3/8" drive AF socket set
4/10	TT1215AF	15 piece 1/2" drive AF socket set
4/10	TT1211	11 piece 1/2" drive deep socket set
4/10	TT3816	16 piece 3/8" drive deep socket set
4/10	TTX00	Add on tool tray
5/10	TTHEX7	7 piece T handle hex driver set
5/10	TTHEX7AF	7 piece T handle AF hex driver set
5/10	TTHT28	28 piece hex and TX key set
5/10	TTTX7	7 piece T handle TX key set
5/10	TTX03	Add on tool tray
6/10	TTD441-T	8 piece plier set
6/10	TT474-7	4 piece 7" circlip plier set
6/10	TT00	Add on tool tray
6/10	TTX474-9	4 piece 9" circlip plier set
7/10	TTTM03	3 piece inspection tool set
7/10	TTBM	4 piece measuring tool set
7/10	TTSR04	4 piece scraper and removal tool set
7/10	TTNF12	12 piece needle file set
7/10	TTXF05	5 piece file set
8/10	TTDCT05	5 piece cutting tool set
8/10	TTK40	40 piece knife set
8/10	TTPC09	9 piece punch and chisel set
8/10	TTX03	Add on tool tray
9/10	TTX2640	7 piece combination spanner set
9/10	TT3592	8 piece AF combination spanner set
9/10	TTRORS	6 piece RORS wrench set
9/10	TT6506	6 piece double flex wrench set
9/10	TTBS35	35 piece bits set
10/10	TT1236	12 piece combination spanner set

Contents:		
Drawer Number	Item ID	Description
10/10	TT6508R	8 piece ratcheting combination spanner se
10/10	TT6208	8 piece double open ended spanner se
10/10	TT6010M	10 midget combination spanner
10/10	TTX2032	7 piece combination spanner se
1/9	TTBE18	18 piece stud extractor se
1/9	TT9015HX	15 piece impact hex bit socket se
1/9	TT9024	24 piece ½" and 3/8" drive impact socket se
1/9	TT9212TX	12 piece impact TX bit se
1/9	TT9207	7 piece impact accessory se
1/9	TT9116N	16 piece 1/2" drive impact socket se
1/9	TTX3404	4 piece 3/4" drive socket accessory se
1/9	TTD9416	16 piece 3/4" drive impact socket se
1/9	TTX3414	14 piece 3/4" drive socket se
2/9	TTV440	4 piece insulated plier se
2/9	TTDV910N	10 piece insulated screwdriver se
2/9	TTHEX23	23 piece 1/2" drive hex bit socket se
2/9	TTXMDN	9 piece nut driver se
3/9	TTVG05	5 piece power grip plier se
3/9	TTADJ04	4 piece adjustable wrench se
3/9	TTCP121	121 piece crimping plier se
3/9	TTCP04	4 piece ratchet crimping plier se
3/9	TTX6311	11 piece double ring spanner se
4/9	TTPS09	9 piece general tool ki
4/9	TTX1292	1/2" drive angular gauge torque wrencl
5/9	TTPSPG	4 Power grip plier
5/9	TTX3892	3/8" drive torque wrench se
6/9	TTDTD34	34 piece tap and die rethreading se
6/9	TTX01	Add on tool tra
6/9	TTD01	Add on tool tra
7/9	TTNR81	Nut sert gun se
7/9	TTHR81	Rivet gun se
7/9	TTID20	20 piece impact driver se
7/9	TTHP08	8 piece hook and pin wrench se
7/9	TTXPB3	3 piece roll/heel bar se
9/9	TTOS16	16 piece oil service ki
9/9	TTSN11	11 piece extractor se
9/9	TT804	4 piece puller se
9/9	TTHC03	3 piece hose clamp se
9/9	TTXPB3A	3 piece pry bar se
9/9	TTHC03	3 piece hose clamp se
9/9	TTXPB3A	3 piece pry bar se


Item ID: TCMONSTER02

Get organised[™] TENGIOOLS 15



MEGA MASTER TOOL KIT





- All the tools are laid out in individual tool trays using the Teng Tools Get Organised system
- Easy to see if any tools have been mislaid or lost helping to prevent leaving them with the work piece
- Supplied in a red Teng Tools 19 drawer stack system with a top box, middle box and roller cabinet
- Distinctive Teng Tools eyes logo on the drop front of the top box

Item ID: TCMM1001 N









Heavy Gauge Steel



5-Step Rust Protection



Comfort Grip Handle



5" Castor Wheels with Brakes



3 Step Ball Bearing Slides



Combination Lock













Drawer 4/6









Drawer 3/3

























Drawer 7/10

Drawer 8/10



Contents:		
Drawer Number	Item ID	Description
1/6	TM708	8 piece mini screwdriver set
1/6	1479MM	9 piece ball point hex key wrench set
1/6	1479AF	9 piece AF ball point hex key wrench set
1/6	1479TX	9 piece TX wrench set
4/6	TTHEX7	7 piece T handle hex drivers
4/6	TTNR81	Nutsert rivet set
4/6	TTTX7	7 piece T handle TX/TPX drivers
4/6	TTHR81	Rivet gun set
5/6	TT1236	12 piece metric combination spanner set
5/6	TTALU	32 piece socket clip rail set
5/6	TTTM03	3 piece inspection tool set
5/6	TT6208	8 piece open ended spanner set
6/6	TTPS09	9 piece general tool kit with PS tray
1/3	TTPC09	9 piece punch and chisel set
1/3	TTID20	20 piece 1/2" drive impact driver set
1/3	TTSR04	4 piece scraper and remover set
1/3	TT00	Add on tool tray
2/3	TTHP08	8 piece hook and pin wrench set
2/3	TT6506	6 piece double flex wrench set
2/3	TT6010M	10 piece midget combination spanner set
2/3	TT3592	8 piece AF combination spanner set
3/3	TTXPB3	3 piece roll/heel bar set
3/3	TTX6311	11 piece metric double ring spanner set
1/10	TTXEXT13	13 piece extension set
1/10	TT1205	5 piece 1/2" drive socket accessories
1/10	TT1435	35 piece 1/4" drive regular/deep metric socket set
1/10	TT3819	19 piece 3/8" drive metric socket set
1/10	TT1217	17 piece 1/2" drive regular metric socket set
2/10	TTTX23	23 piece 40/70mm TX bit socket set
2/10	TTHEX23	23 piece metric hex bit socket set
2/10	TTALU	32 piece socket clip rail set
2/10	TTXMDTN	5 piece power thru screwdriver set
2/10	TT9116N	16 piece 1/2" drive regular/deep impact socket set
3/10	TTX918N	8 piece Mega Drive screwdriver set
3/10	TT917N	7 piece Mega Drive screwdriver set
3/10	TT917TXN	7 piece TX/TPX Mega Drive screwdriver set
3/10	TTMD74	74 piece ratcheting bits driver set
3/10	TTMI16	16 piece mini plier/screwdriver set

Contents:		
Drawer Number	Item ID	Description
4/10	TTX474-9	4 piece 9" circlip plier set
4/10	TT440-T	4 piece Mega Bite plier set
4/10	TT474-7	4 piece 7" circlip plier set
4/10	TT474-5	4 piece 5" circlip plier set
4/10	TTHC03	3 piece hose clamp set
5/10	TTX1292	1/2" drive torque wrench
5/10	TTV440	4 piece 1000v insulated plier set
5/10	TTCP121	121 piece crimping tool set
5/10	TTV907N	7 piece 1000v screwdriver set
5/10	TT01	Add on tool tray with dividers
6/10	TTX01	Add on tool tray with dividers
6/10	TT804	2 in 1 puller set
6/10	TTOS16	16 piece oil service set
6/10	TTSN11	11 piece stud and nut remover set
6/10	TTTD17	17 piece tap and die set
7/10	TTX2032	7 piece metric combination spanner set
7/10	TTX3892	22 piece 3/8" drive torque wrench set
7/10	TTXPB3A	3 piece pry bar set
8/10	TTXMDN	9 piece nut driver set
8/10	TTPSPG	4 piece power grip pliers set
9/10	TTX2640	7 piece AF combination spanner set
9/10	TTTXH15	15 piece 1/2" drive long bits socket set
9/10	TT1215AF	15 piece 1/2" drive AF regular socket set
9/10	TTAF32	32 piece 1/4" and 3/8" drive regular/deep AF socket set
9/10	TTTX30	30 piece 1/4" and 3/8" drive TX, TPX and TX-E socket set
10/10	TTX3404	4 piece 3/4" drive socket accessories set
10/10	TTX3414	14 piece 3/4" drive metric socket set
-	ABS-TOP	ABS top for roller cabinet
-	580	Magnetic Bits tray

Item ID: TCMM1001 N

Get organised[™] TENGIOOLS 17



MEGA MASTER TOOL KIT

- 1,001 piece Mega Master tool kit
- A complete tool kit covering the requirements of most types of user
- All the tools are laid out in individual tool trays using the Teng Tools Get Organised system Easy to see if any tools have been mislaid or lost helping to prevent leaving them with the work piece
 - Supplied in a black Teng Tools 19 drawer stack system with a top box, middle box and roller cabinet all finished in a high gloss black

1001 Pieces






















Combination Lock

















Drawer 3/3



















Drawer 9/10



Drawer 7/10

Drawer 8/10



Contents:		
Drawer Number	Item ID	Description
1/6	TM708	8 piece mini screwdriver set
1/6	1479MM	9 piece ball point hex key wrench set
1/6	1479AF	9 piece AF ball point hex key wrench set
1/6	1479TX	9 piece TX wrench set
4/6	TTHEX7	7 piece T handle hex drivers
4/6	TTNR81	Nutsert rivet set
4/6	TTTX7	7 piece T handle TX/TPX drivers
4/6	TTHR81	Rivet gun set
5/6	TT1236	12 piece metric combination spanner set
5/6	TTALU	32 piece socket clip rail set
5/6	TTTM03	3 piece inspection tool set
5/6	TT6208	8 piece open ended spanner set
6/6	TTPS09	9 piece general tool kit with PS tray
1/3	TTPC09	9 piece punch and chisel set
1/3	TTID20	20 piece 1/2" drive impact driver set
1/3	TTSR04	4 piece scraper and remover set
1/3	TT00	Add on tool tray
2/3	TTHP08	8 piece hook and pin wrench set
2/3	TT6506	6 piece double flex wrench set
2/3	TT6010M	10 piece midget combination spanner set
2/3	TT3592	8 piece AF combination spanner set
3/3	TTXPB3	3 piece roll/heel bar set
3/3	TTX6311	11 piece metric double ring spanner set
1/10	TTXEXT13	13 piece extension set
1/10	TT1205	5 piece 1/2" drive socket accessories
1/10	TT1435	35 piece 1/4" drive regular/deep metric socket set
1/10	TT3819	19 piece 3/8" drive metric socket set
1/10	TT1217	17 piece 1/2" drive regular metric socket set
2/10	TTTX23	23 piece 40/70mm TX bit socket set
2/10	TTHEX23	23 piece metric hex bit socket set
2/10	TTALU	32 piece socket clip rail set
2/10	TTXMDTN	5 piece power thru screwdriver set
2/10	TT9116N	16 piece 1/2" drive regular/deep impact socket set
3/10	TTX918N	8 piece Mega Drive screwdriver set
3/10	TT917N	7 piece Mega Drive screwdriver set
3/10	TT917TXN	7 piece TX/TPX Mega Drive screwdriver set
3/10	TTMD74	74 piece ratcheting bits driver set
3/10	TTMI16	16 piece mini plier/screwdriver set

Contents:		
Drawer Number	Item ID	Description
4/10	TTX474-9	4 piece 9" circlip plier set
4/10	TT440-T	4 piece Mega Bite plier set
4/10	TT474-7	4 piece 7" circlip plier set
4/10	TT474-5	4 piece 5" circlip plier set
4/10	TTHC03	3 piece hose clamp set
5/10	TTX1292	1/2" drive torque wrench
5/10	TTV440	4 piece 1000v insulated plier set
5/10	TTCP121	121 piece crimping tool set
5/10	TTV907N	7 piece 1000v screwdriver set
5/10	TT01	Add on tool tray with dividers
6/10	TTX01	Add on tool tray with dividers
6/10	TT804	2 in 1 puller set
6/10	TTOS16	16 piece oil service set
6/10	TTSN11	11 piece stud and nut remover set
6/10	TTTD17	17 piece tap and die set
7/10	TTX2032	7 piece metric combination spanner set
7/10	TTX3892	22 piece 3/8" drive torque wrench set
7/10	TTXPB3A	3 piece pry bar set
8/10	TTXMDN	9 piece nut driver set
8/10	TTPSPG	4 piece power grip pliers set
9/10	TTX2640	7 piece AF combination spanner set
9/10	TTTXH15	15 piece 1/2" drive long bits socket set
9/10	TT1215AF	15 piece 1/2" drive AF regular socket set
9/10	TTAF32	32 piece 1/4" and 3/8" drive regular/deep AF socket set
9/10	TTTX30	30 piece 1/4" and 3/8" drive TX, TPX and TX-E socket set
10/10	TTX3404	4 piece 3/4" drive socket accessories set
10/10	TTX3414	14 piece 3/4" drive metric socket set
-	ABS-TOP	ABS top for roller cabinet
-	580	Magnetic Bits tray

ITEM ID:	Description
TCMM1001BK	Black Tool Kit with Teng Tools Logo on tool box
TCMM1001P	Black Tool Kit with a custom tool box sticker

Personalised Tool Box Sticker -

This is now available to you through your local stockist. Send us the image that you would like to use and we will customise your tool kit for you. Images need to be supplied as high resolution jpeg, eps, crr, or ai vector format.

^{*}Subject to artwork being supplied in the correct format.






Get organised[™] IENGIOOLS 19










- All the tools are laid out in individual tool trays using the Teng Tools Get Organised system
- Easy to see if any tools have been mislaid or lost helping to prevent leaving them with the work piece
- Supplied in a red Teng Tools 16 drawer stack system with a top box, middle box and roller cabinet with the distinctive Teng Tools eyes logo on the drop front of the top box

🖺 183.6 kg Item ID: TCMM1055N









Comfort Grip Handle

5" Castor Wheels with Brakes

3 Step Ball Bearing Slides

Combination Lock



3/6



Drawer









Drawer 1/3





Drawer 2/3











Drawer 5/7

Drawer 6/7

Drawer 7/7



Contents:		
Drawer Number	Item ID	Description
2/6	1476NTX1	8 piece fold up ball point TX key set
2/6	1477NX	8 piece fold up screwdriver key set
2/6	587H	Magnifying glass with LED light
4/6	TT1435	35 piece 1/4" drive regular/deep metric socket set
4/6	TT3819	19 piece 3/8" drive metric socket set
4/6	TT1218	18 piece 1/2" drive metric socket set
4/6	TT1211	11 piece 1/2" drive deep metric socket set
5/6	TT1236	12 piece metric combination spanner set
5/6	TT6010M	10 piece midget combination spanner set
5/6	TT6508RS	8 piece metric ratchet combination spanner set
5/6	TTADJ04	4 piece adjustable wrench set
6/6	TTHEX7	7 piece metric T handle hex key set
6/6	TTTX7	7 piece T handle TX driver set
6/6	TTHT28	28 piece hex and TX key set
6/6	TT804	4 piece puller set
1/3	TTD441-T	8 piece plier set
1/3	TT474-7	4 piece 7" circlip plier set
1/3	TTMI16	16 piece mini plier and screwdriver set
2/3	TTCP04	4 piece ratcheting crimping plier set
2/3	TTCP121	121 piece crimping tool set
2/3	TTV440	4 piece 1000 volt insulated plier set
2/3	TTV907N	7 piece 1000 volt insulated screwdriver set
3/3	TTTF10	10 piece flaring tool set
3/3	TTK40	40 piece knife set
3/3	TTDCT05	5 piece cutting tool set
1/7	TTD914N	14 piece screwdriver set
1/7	TT917TXN	7 piece TX driver set
1/7	TTMD74	74 piece ratcheting bits driver set
1/7	TTX918N	8 piece screwdriver set
2/7	TTHR81	Rivet gun set
2/7	TTNR81	Nutsert gun set
2/7	TTSD39	39 piece torque screwdriver set
2/7	TTBE18	18 piece stud extractor set
2/7	TTX1292	1/2" drive torque wrench
3/7	TTVG05	5 piece power grip plier set
3/7	TTID20	20 piece impact driver set
3/7	TTPC09	9 piece punch and chisel set
3/7	TTNF12	12 needle file set

Contents:	Contents:		
Drawer Number	Item ID	Description	
3/7	TTXEXT13	13 piece extension set	
4/7	TTAF32	32 piece 1/4" and 3/8" drive AF socket set	
4/7	TT1215AF	15 piece 1/2" drive AF socket set	
4/7	TTBM	4 piece measuring tool set	
4/7	TTTM08	8 piece inspection tool set	
4/7	TTXTB09	9 piece 3/8" drive spark plug socket set	
5/7	TTTXH15	15 piece 1/2" drive hex and TX socket set	
5/7	TTTX30	30 piece TX, TPX and TXE socket set	
5/7	TTRS15	15 piece 1/2" drive Ribe socket set	
5/7	TTBS35	35 piece 1/4" and 3/8" drive bit socket set	
5/7	TTX2032	7 piece metric combination spanner set	
6/7	TT9024	24 piece 1/4" and 3/8" drive metric impact socket set	
6/7	TT9207	7 piece 3/8" and 1/2" drive impact accessory set	
6/7	TT9116N	16 piece 1/2" drive metric impact socket set	
6/7	TTTS08	8 piece 1/2" drive wheel nut set	
6/7	TTXPB3	3 piece roll/heel bar set	
7/7	583M	Magnetic wrist band	
7/7	TM149	4 in 1 hook and pick set	
7/7	9850	6-24 volt circuit tester	
7/7	DB034	34 piece fully ground drill bit set	
	580	Magnetic bits tray	


Item ID: TCMM1055N

Get organised" Z1



STACK SYSTEM TOOL KIT





- All the tools are laid out in individual tool trays using the Teng Tools Get Organised system
- Easy to see if any tools have been mislaid or lost helping to prevent leaving them with the work piece
- Supplied in a red Teng Tools 16 drawer stack system with a top box, middle box and roller cabinet with the distinctive Teng Tools eyes logo on the drop front of the top box

Item ID: TCMM1055EV




















1/6





Drawer

3/6









Drawer 1/3



Drawer 2/3











Drawer 4/7



Drawer 5/7





Drawer 7/7





Contents:		
Drawer Number	Item ID	Description
2/6	1476NTX1	8 piece fold up ball point TX key set
2/6	1477NX	8 piece fold up screwdriver key set
2/6	587H	Magnifying glass with LED light
4/6	TT1435	35 piece 1/4" drive regular/deep metric socket set
4/6	TT3819	19 piece 3/8" drive metric socket set
4/6	TT1218	18 piece 1/2" drive metric socket set
4/6	TT1211	11 piece 1/2" drive deep metric socket set
5/6	TT1236	12 piece metric combination spanner set
5/6	TT6010M	10 piece midget combination spanner set
5/6	TT6508RS	8 piece metric ratchet combination spanner set
5/6	TTADJ04	4 piece adjustable wrench set
6/6	TTHEX7	7 piece metric T handle hex key set
6/6	TTTX7	7 piece T handle TX driver set
6/6	TTHT28	28 piece hex and TX key set
6/6	TT804	4 piece puller set
1/3	TTD441-T	8 piece plier set
1/3	TT474-7	4 piece 7" circlip plier set
1/3	TTMI16	16 piece mini plier and screwdriver set
2/3	TTCP04	4 piece ratcheting crimping plier set
2/3	TTCP121	121 piece crimping tool set
2/3	TTV440	4 piece 1000 volt insulated plier set
2/3	TTV907N	7 piece 1000 volt insulated screwdriver set
3/3	TTTF10	10 piece flaring tool set
3/3	TTK40	40 piece knife set
3/3	TTDCT05	5 piece cutting tool set
1/7	TTD914N	14 piece screwdriver set
1/7	TT917TXN	7 piece TX driver set
1/7	TTMD74	74 piece ratcheting bits driver set
1/7	TTX918N	8 piece screwdriver set
2/7	TTHR81	Rivet gun set
2/7	TTNR81	Nutsert gun set
2/7	TTSD39	39 piece torque screwdriver set
2/7	TTBE18	18 piece stud extractor set
2/7	TTX1292	1/2" drive torque wrench
3/7	TTVG05	5 piece power grip plier set
3/7	TTID20	20 piece impact driver set
3/7	TTPC09	9 piece punch and chisel set
3/7	TTNF12	12 needle file set

Contents:		
Drawer Number	Item ID	Description
3/7	TTXEXT13	13 piece extension set
4/7	TTAF32	32 piece 1/4" and 3/8" drive AF socket set
4/7	TT1215AF	15 piece 1/2" drive AF socket set
4/7	TTBM	4 piece measuring tool set
4/7	TTTM08	8 piece inspection tool set
4/7	TTXTB09	9 piece 3/8" drive spark plug socket set
5/7	TTTXH15	15 piece 1/2" drive hex and TX socket set
5/7	TTTX30	30 piece TX, TPX and TXE socket set
5/7	TTRS15	15 piece 1/2" drive Ribe socket set
5/7	TTBS35	35 piece 1/4" and 3/8" drive bit socket set
5/7	TTX2032	7 piece metric combination spanner set
6/7	TT9024	24 piece 1/4" and 3/8" drive metric impact socket set
6/7	TT9207	7 piece 3/8" and 1/2" drive impact accessory set
6/7	TT9116N	16 piece 1/2" drive metric impact socket set
6/7	802TTT	8 piece 1/2" drive wheel nut set
6/7	TTXPB3	3 piece roll/heel bar set
7/7	583M	Magnetic wrist band
7/7	TM149	4 in 1 hook and pick set
7/7	9850	6-24 volt circuit tester
7/7	DB034	34 piece fully ground drill bit set
-	580	Magnetic bits tray

Item ID: TCMM1055EV

Get organised** Z3



STACK SYSTEM TOOL KIT

- A complete tool kit covering the many of the requirements of most types of user
- The tools are laid out in individual tool trays using the Teng Tools Get Organised system
- Larger tools are fitted to the removable free standing side plate for easier storage and use
- Easy to see if any tools have been mislaid or lost helping to prevent leaving them with the work piece
- Supplied in a red Teng Tools 19 drawer stack system with a top box, middle box and roller cabinet with the distinctive Teng Tools eyes logo on the drop front of the top box
- A comprehensive selection of tools using 11 of the available 19 drawers ensuring that space is still available to add to the kit if needed

Item ID: TCMM715N








715























Drawer 5/6













Drawer 3/3



Drawer 1/10

Drawer 2/10

Drawer 3/10

Drawer 4/10

Continued 1









Drawer 5/10





Drawer 10/10

Drawer 9/10

Contents:		
Drawer Number	Item ID	Description
4/6	TTMI16	16 piece mini plier/screwdriver set
4/6	TTID20	20 piece 1/2" drive impact driver set
4/6	TTPC09	9 piece punch and chisel set
4/6	TT01	Add on tool tray with dividers
5/6	TT917N	7 piece Mega Drive screwdriver set
5/6	TT440-T	4 piece Mega Bite plier set
5/6	TT917TXN	7 piece TX/TPX Mega Drive screwdriver set
5/6	TTMD74	74 piece ratchetting bits driver set
6/6	TTPSPG	4 piece power grip pliers with PS tray
1/3	TT804	2 in 1 puller set
1/3	TTNR81	81 piece nut rivet set
1/3	TTTD17	17 piece tap and die set mm
1/3	TTHP08	8 piece hook and pin wrench set
2/3	TTHEX7	7 piece T handle hex drivers
2/3	TT474-7	4 piece 7" circlip plier set
2/3	TTTX7	7 piece T handle TX/TPX drivers
2/3	TTHR81	Rivet gun set
3/3	TTX6311	11 piece mm double ring spanner set
3/3	TTXPB3	3 piece roll bar set
1/10	TTXEXT13	13 piece extension set
1/10	TT1435	35 piece 1/4" drive regular/deep metric socket set
1/10	TT3819	19 piece 3/8" drive metric socket set
1/10	TT1217	17 piece 1/2" drive regular metric socket set
1/10	TT1205	5 piece 1/2" drive socket accessories

Contents:		
Drawer Number	Item ID	Description
2/10	TTX1292	1/2" drive torque wrench
2/10	TT9116N	16 piece 1/2" drive regular/deep impact socket set
2/10	TTHEX23	23 piece metric hex bit socket set
2/10	TTALU	32 piece socket clip rail set
2/10	TTTX23	23 piece 40/70mm TX bit socket set
7/10	TTX2032	7 piece metric combination spanner set
7/10	TT1236	12 piece metric combination spanner set
7/10	TTSN11	11 piece stud and nut remover set
7/10	TTOS16	16 piece oil service set
7/10	TTALU	32 piece socket clip rail set
8/10	TTX918N	8 piece Mega Drive screwdriver set
8/10	TTPS09	9 piece general tool kit with PS tray
9/10	TTX2640	7 piece AF combination spanner set
9/10	TT3592	8 piece AF combination spanner set
9/10	TTAF32	32 piece 1/4" and 3/8" drive regular/deep AF socket set
9/10	TT1215AF	15 piece 1/2" drive AF regular socket set
9/10	TTTX30	30 piece 1/4" and 3/8" drive TX, TPX and TX-E socket set


Item ID: TCMM715N

Get organised[™] 25



STACK SYSTEM TOOL KIT





- The tools are laid out in individual tool trays using the Teng Tools Get Organised system
- Larger tools are fitted to the removable free standing side plate for easier storage and use
- Easy to see if any tools have been mislaid or lost helping to prevent leaving them with the work piece
- Supplied in a red Teng Tools 16 drawer stack system with a top box, middle box and roller cabinet with the distinctive Teng Tools eyes logo on the drop front of the top box
- A comprehensive selection of tools using 11 of the available 16 drawers ensuring that space is still available to add to the kit if needed

Item ID: TCMM600








































Drawer 1/7

Drawer 2/7

Drawer 3/7

Drawer 4/7

Continued 1











Drawer 7/10

Side Plate TCW-SP

Contents:		
Drawer Number	Item ID	Description
4/6	TT1435	35 piece 1/4" drive regular/deep metric socket set
4/6	TT3819	19 piece 3/8" drive metric socket set
4/6	TT1217	17 piece 1/2" drive regular metric socket set
4/6	TT1205	5 piece 1/2" drive socket accessories
5/6	TT1236	12 piece metric combination spanner set
5/6	TT917N	7 piece Mega Drive screwdriver set
5/6	TT440	4 piece Mega Bite plier set
5/6	TTALU	32 piece socket clip rail set
6/6	TTPS09	Selection of general hand tools
1/3	TTXEXT13	13 piece extension set
1/3	TTX918N	8 piece Mega Drive screwdriver set
2/3	TTOS16	16 piece oil service set
2/3	TTMI16	16 piece mini plier/screwdriver set
2/3	TTHEX7	7 piece T handle hex drivers
2/3	TTTX7	7 piece T handle TX/TPX drivers
3/3	TT474-7	4 piece 7" circlip plier set
3/3	TT917TXN	7 piece TX/TPX Mega Drive screwdriver set
3/3	TTHEX23	23 piece metric hex bit socket set
3/3	TTTX23	23 piece 40/70mm TX bit socket set
1/7	TTX2032	7 piece metric combination spanner set
1/7	TT804	2 in 1 puller set
1/7	TTSN11	11 piece stud and nut remover set
1/7		Selection of general hand tools
2/7	TTX1292	1/2" drive torque wrench with flex handle

Contents:		
Drawer Number	Item ID	Description
2/7	TTTD17	17 piece tap and die set
2/7	TTPC09	9 piece punch and chisel set
2/7	TTHR81	81 piece hand rivet set
2/7	TT9116N	16 piece 1/2" drive regular/deep impact socket set
3/7	TTXPB3	3 piece roll bar set
3/7	TTPSPG	4 piece power grip pliers with PS tray
4/7	TTX2640	7 piece AF combination spanner set
4/7	TT3592	8 piece AF combination spanner set
4/7	TTAF32	32 piece 1/4" and 3/8" drive regular/deep AF socket set
4/7	TT1215AF	15 piece 1/2" drive AF regular socket set
4/7	TTALU	32 piece socket clip rail set
5/7	TTX3414	14 piece 3/4" drive metric socket set
5/7	TTX3404	4 piece 3/4" drive accessories
5/7	TTX34AF	14 piece 3/4" drive AF socket set
Side Plate	TCW-SP	10 tool hooks together with 16" water pump pliers, 24" bolt cutters, 18" adjustable wrench, a magnetic tool holder and a magnetic bits tray

Item ID: TCMM600

Get organised" **TENGIOOLS**



STACK SYSTEM TOOL KIT

- A complete tool kit covering the many of the requirements of most types of user
- The tools are laid out in individual tool trays using the Teng Tools Get Organised system
- Easy to see if any tools have been mislaid or lost helping to prevent leaving them with the work piece
- Supplied in a red Teng Tools 16 drawer stack system with a top box, middle box and roller cabinet with the distinctive Teng Tools eyes logo on the drop front of the top box
- A comprehensive selection of tools using 9 of the available 16 drawers ensuring that space is still available to add to the kit if needed

Item ID: TCMM479









479 Pieces











































Continued 1



TENGIOOLS


Drawer 6/10



Contents:		
Drawer Number	Item ID	Description
4/6	TT1435	35 piece 1/4" drive regular/deep metric socket set
4/6	TT3819	19 piece 3/8" drive metric socket set
4/6	TT1217	17 piece 1/2" drive regular metric socket set
4/6	TT1205	5 piece 1/2" drive socket accessories
5/6	TT1236	12 piece metric combination spanner set
5/6	TT917N	7 piece Mega Drive screwdriver set
5/6	TT440	4 piece Mega Bite plier set
5/6	TTALU	32 piece socket clip rail set
6/6	TTPS09	Selection of general hand tools
1/3	TTXEXT13	13 piece extension set
1/3	TTX918N	8 piece Mega Drive screwdriver set
2/3	TTOS16	16 piece oil service set
2/3	TTMI16	16 piece mini plier/screwdriver set
2/3	TTHEX7	7 piece T handle hex drivers
2/3	TTTX7	7 piece T handle TX/TPX drivers
3/3	TT474-7	4 piece 7" circlip plier set
3/3	TT917TXN	7 piece TX/TPX Mega Drive screwdriver set
3/3	TTHEX23	23 piece metric hex bit socket set
3/3	TTTX23	23 piece 40/70mm TX bit socket set

Contents:	Contents:		
Drawer Number	Item ID	Description	
1/7	TTX2032	7 piece metric combination spanner set	
1/7	TT804	2 in 1 puller set	
1/7	TTSN11	11 piece stud and nut remover set	
1/7		Selection of general hand tools	
2/7	TTX1292	1/2" drive torque wrench with flex handle	
2/7	TTTD17	17 piece tap and die set	
2/7	TTPC09	9 piece punch and chisel set	
2/7	TTHR81	81 piece hand rivet set	
2/7	TT9116N	16 piece 1/2" drive regular/deep impact socket set	
3/7	TTXPB3	3 piece roll bar set	
3/7	TTPSPG	4 piece power grip pliers with PS tray	

Item ID: TCMM479



Get organised**

TENGIOOLS 29



EVA TOOL KIT





- A complete tool kit covering the requirements of most types of user
- All the tools are laid out in 3 colour pre-cut EVA foam trays with each tool having it's own place
- Clearly shows if any tools are not in their correct place to prevent losing tools or leaving them in the work piece
- Supplied in the Teng Tools TC805NFX full depth 5 drawer top box and TCW806N1 6 drawer roller cabinet

158 kg Item ID: TCMME09A





















Drawer 1/5



Drawer 2/5



Drawer 3/5



Drawer 4/5



Drawer 5/5



Drawer 1/6



Drawer 2/6



Drawer 3/6



Drawer 4/6



Drawer 5/6



Drawer 6/6



Continued 1





Contents:		
Drawer Number	Item ID	Description
1/5	TTESK86	Socket Set 1/4 and 3/8in dr 86 Pieces
2/5	TTEISK73	Impact Socket Set 3/8 1/2in dr 73pcs
3/5	TTESK63	Socket Set 1/2 inch Drive 63 Pieces
4/5	TTEISK33	Impact Socket Set 3/4in Drive 33pcs
5/5	TTESK32	Socket Set 3/4 inch Drive 32 Pieces
1/6	TTEX23	Nut and T Handle Driver Set 23 Pieces

Contents:		
Drawer Number	Item ID	Description
2/6	TTESP31	Spanner Set Combination 31 Pieces
3/6	TTEVG11	Plier Set Power Grip 11 Pieces
4/6	TTEMD122N	Screwdriver Set 122 Pieces
5/6	TTESP37	Spanner Set Combination 37 Pieces
6/6	TTEMB17	Plier Set Power Grip 17 Pieces

Item ID: TCMME09A

BUILT TO LAST

Designed to exceed the demands of any professional workshop



Get organised" 31





EVA TOOL KIT

- A complete tool kit covering the requirements of most types of user
- All the tools are laid out in 3 colour pre-cut EVA foam trays with each tool having it's own place
- Clearly shows if any tools are not in their correct place to prevent losing tools or leaving them in the work piece Supplied in the Teng Tools TC806NF 6 drawer top box and TCW807N 7 drawer roller cabinet
- A comprehensive selection of tools using 7 of the available 13 drawers ensuring that space is still available to add to the kit if needed

Item ID: TCEMM417N 128 kg

417


EVA



Drawer **Heavy Gauge Steel 5-Step Rust Protection Comfort Grip Handle**



3 Step Ball Bearing Slides **Combination Lock**



Drawer 7/7

Drawer 6/7

Continued 1

Drawer 5/7

Contents:		
Drawer Number	Item ID	Description
6/6	TEDHEX7	7 piece T handle hex key set
6/6	TEDTX7	7 piece T handle TX key set
1/7	TEXEXT13	13 piece extension set
1/7	TED1489	89 piece 1/4" drive socket set
1/7	TED3836	36 piece 3/8" drive socket set
2/7	TEX1238	3/8" and 1/2" drive torque wrench set
2/7	TED1227	27 piece 1/2" drive socket set
2/7	TED441-T	5 piece plier set
3/7	TEX915N	5 piece screwdriver set
3/7	TED911N	11 piece screwdriver set
3/7	TED909TXN	9 piece TX driver set
4/7	TEXPB4	4 piece roll/heel bar set
4/7	TEDSD95	95 piece torque screwdriver set
4/7	TEDPC14	14 piece punch and chisel set

Contents:				
Drawer Number	Item ID	Description		
5/7	TEX2032	7 piece metric combination spanner set		
5/7	TED8012	12 piece metric combination spanner set		
5/7	TEDADJ4	4 piece adjustable wrench set		
6/7	TEXW05	5 piece wheel tool set		
6/7	TED9121	21 piece 1/2" drive impact socket set		
6/7	TEDHT42	42 piece hex and TX key set		

Item ID: TCEMM417N



Get organised[®] 33





EVA TOOL KIT

- A complete tool kit covering the requirements of most types of user
- All the tools are laid out in 3 colour pre-cut EVA foam trays with each tool having it's own place Clearly shows if any tools are not in their correct place to prevent losing tools or leaving them in the work piece Supplied in the Teng Tools TC806NF 6 drawer top box and TCW807N 7 drawer roller cabinet
- A comprehensive selection of tools using 6 of the available 13 drawers ensuring that space is still available to add to the kit if needed


Item ID: TCEMM249N 114 kg

249

EVA







Contents:				
Drawer Number	Item ID	Description		
5/6	TEDV440	4 piece 1000 volt insulated plier set		
5/6	TEDV909N	9 piece 1000 volt insulated screwdriver set		
6/6	TEDHEX7	7 piece T handle hex key set		
6/6	TEDTX7	7 piece T handle TX key set		
1/7	TEXEXT13	13 piece extension set		
1/7	TED1489	89 piece 1/4" drive socket set		
1/7	TED3836	36 piece 3/8" drive socket set		
2/7	TEX1238	3/8" and 1/2" drive torque wrench set		
2/7	TED1227	27 piece 1/2" drive socket set		
2/7	TED441-T	5 piece plier set		

Contents:				
Drawer Number	Item ID	Description		
3/7	TEX915N	5 piece screwdriver set		
3/7	TED911N	11 piece screwdriver set		
3/7	TED909TXN	9 piece TX driver set		
4/7	TEX2032	7 piece metric combination spanner set		
4/7	TED8012	12 piece metric combination spanner set		
4/7	TEDADJ4	4 piece adjustable wrench set		

Item ID: TCEMM249N













CHOICE | CUSTOMISATION | INNOVATION

All things that make Teng Tools the right choice for you.

Get organised**

TENGIOOLS 35



STACK SYSTEM TOOL KIT

- A complete tool kit covering the many of the requirements of most types of user
- The tools are laid out in individual tool trays using the Teng Tools Get Organised system
- Easy to see if any tools have been mislaid or lost helping to prevent leaving them with the work piece
 Supplied in a red Teng Tools SV style 16 drawer stack system with a top box, middle box and roller cabinet with the distinctive Teng Tools eyes logo on the drop front of the top box
- A comprehensive selection of tools using 9 of the available 16 drawers ensuring that space is still available to add to the kit if needed

Item ID: TCMM569EV








569 Pieces























Drawer 1/3







Drawer 1/7













Continued 1

Drawer 6/10

TENGIOOLS

Contents:		
Drawer Number	Item ID	Description
4/6	TTDCT05	5 piece cutting tool set
4/6	TT440	4 piece plier set
4/6	TTVG05	5 piece power grip plier set
5/6	TTPC09	9 piece punch and chisel set
5/6	TTCP121	121 piece crimping tool set
5/6	TTDTD34	34 piece tap and die set
6/6	TTPS09	9 piece general tool set
1/3	TT1435	35 piece 1/4" drive regular/deep metric socket set
1/3	TT3819	19 piece 3/8" drive metric socket set
1/3	TT1218	18 piece 1/2" drive regular metric socket set
1/3	TT1211	11 piece 1/2" drive deep metric socket set
2/3	TT03	Storage tray with 4 compartments
2/3	TT04	Storage tray with 8 compartments
2/3	TTD00	Storage tray with 4 compartments
1/7	TTD01	Storage tray with 8 compartments
1/7	TTD02	Storage tray with 16 compartments
1/7	TTX03	Storage tray with 8 compartments

Contents:		
Drawer Number	Item ID	Description
2/7	TT1236	12 piece metric combination spanner set
2/7	TT6208	8 piece double open ended spanner set
2/7	TTHEX7	7 piece T handle hex wrench set
2/7	ТТТХ7	7 piece T handle TX wrench set
2/7	TTX2032	7 piece metric combination spanner set
3/7	TTDB28	Fully ground drill bit set (1.0 to 13.0mm)
3/7	TT00	Storage tray with tool clips
3/7	TTHR81	Rivet gun set
3/7	TTTM08	8 piece inspection tool set
3/7	TTXF05	5 piece hand file set
4/7	TTMD74	74 piece bits driver set
4/7	TT917N	7 piece screwdriver set
4/7	TT917TXN	7 piece TX driver set
4/7	TTHT28	28 piece hex key set
4/7	TTX918N	8 piece screwdriver set

Item ID: TCMM569EV



WE TAKE PRIDE IN WHAT YOU DO

At Teng Tools we know better tools bring better results

Get organised[™]

TENGIOOLS 37



EXTRA WIDE ROLLER CABINET TOOL KIT

- **622** Pieces
- A complete tool kit covering many of the requirements of most types of user
- All the tools are laid out in individual tool trays using the Teng Tools Get Organised system
- Easy to see if any tools have been mislaid or lost helping to prevent leaving them with the work piece
- Supplied in the Teng Tools extra wide TCW207N 7 drawer 37" (950mm) wide roller cabinet
- A comprehensive selection of tools using 6 of the available 7 drawers ensuring that space is still available to add to the kit if needed

Item ID: TCMM622N





Drawer 1/7



Drawer 3/7



Drawer 5/7



Drawer 7/7






















Drawer 2/2



Drawer 4/7



Drawer 6/7





Contents:		
Drawer Number	Item ID	Description
1/7	TTXEXT13	13 piece extension set
1/7	TT1435	35 piece 1/4" drive regular/deep metric socket set
1/7	TT3819	19 piece 3/8" drive metric socket set
1/7	TT1217	17 piece 1/2" drive regular socket set
1/7	TT1205	5 piece 1/2" drive socket accessory set
1/7	TTHEX7	7 piece T handle hex driver set
1/7	TTTX7	7 piece T handle TX driver set
1/7	TTZ01	Add on tool tray
2/7	TTX2032	7 piece combination spanner set
2/7	TT1236	12 piece combination spanner set
2/7	TTSN11	11 piece extractor set
2/7	TTOS16	16 piece oil service kit
2/7	TTMI16	16 piece mini tool set
2/7	TT474-7	4 piece 7" circlip plier set
2/7	TT440	4 piece plier set
2/7	TTZVG03	3 piece power grip plier set
3/7	TTX2640	7 piece AF combination spanner set
3/7	TT3592	8 piece AF combination spanner set
3/7	TTAF32	32 piece 1/4" and 3/8" drive regular/deep AF socket set
3/7	TT1215AF	15 piece 1/2" drive regular AF socket set
3/7	TTTX30	30 piece 1/4" and 3/8" drive TX, TPX and TX-E socket set
3/7	TTTD17	17 piece tap and die set
3/7	TT804	4 piece 2 in 1 puller set
3/7	TTZ01	Add on tool tray

Contents:	Contents:		
Drawer Number	Item ID	Description	
4/7	TTX918N	8 piece screwdriver set	
4/7	TTPS09	9 piece general tool kit	
4/7	TT917N	7 piece screwdriver set	
4/7	TT917TXN	7 piece TX/TPX driver set	
4/7	TTZ01	Add on tool tray	
5/7	TTX1292	1/2" drive torque wrench	
5/7	TT9116N	16 piece 1/2" drive regular/deep impact socket set	
5/7	TTHEX23	23 piece metric hex bit set	
5/7	TTALU	32 piece socket clip rail set	
5/7	TTTX23	23 piece 40/70mm TX bit socket set	
5/7	TTID20	20 piece 1/2" drive impact driver set	
5/7	TTMD74	74 piece ratcheting bits driver set	
5/7	TTZ01	Add on tool tray	
6/7	TTX6311	11 piece metric double ring spanner set	
6/7	TTXPB3	3 piece roll/heel bar set	
6/7	TTXMB02	2 piece plier and adjustable wrench set	
6/7	TTNR81	Nutsert rivet set	
6/7	TTPC09	9 piece punch and chisel set	
6/7	TTZ01	Add on tool tray	

Item ID: TCMM622N

Get organised[™] TENGIOOLS 39



EVA TOOL KIT







- A complete tool kit covering the requirements of most types of user All the tools are laid out in 3 colour pre-cut EVA foam trays with each tool having it's own place
- Clearly shows if any tools are not in their correct place to prevent losing tools or leaving them in the work piece
- Supplied in the Teng Tools extra wide TCW207N 7 drawer 37" (950mm) wide roller cabinet
- A comprehensive selection of tools using 6 of the available 7 drawers ensuring that space is still available to add to the kit if needed

Item ID: TCEMM631N









Drawer 1/7



Drawer 3/7



Drawer 5/7



Drawer 7/7



Drawer



37" Wide Cabinet



Heavy Gauge Steel



5-Step Rust Protection



Comfort Grip Handle





5" Castor Wheels with Brakes



3 Step Ball Bearing Slides



Single Drawer Opening



Combination Lock



Drawer 2/7



Drawer 4/7



Drawer 6/7



Contents:		
Drawer Number	Item ID	Description
1/7	TTESK77	Socket Set Mixed Drives 77 Pieces
1/7	TEDHT42	Hex Key Set 42 Pieces
1/7	TEZ01	Tool Box Storage EVA Tray 3 Compartments
2/7	TTEX32	Spanner and File Set 32 Pieces
2/7	TEDDF7	Double Flex Wrench Set 7 Pieces EVA Tray
2/7	TEZ01	Tool Box Storage EVA Tray 3 Compartments
3/7	TTEMD122N	Screwdriver Set 122 Pieces
3/7	TEDV909N	Screwdriver Set 1000 Volt 9 Pieces
3/7	TEZ01	Tool Box Storage EVA Tray 3 Compartments
4/7	TTEMB11	Plier Set 11 Pieces
4/7	TEDV440	Plier Set 1000 Volt 4 Pieces EVA
4/7	TEZ01	Tool Box Storage EVA Tray 3 Compartments
5/7	TTESK85	Socket Set Mixed Drives 85 Pieces
5/7	TEDSD95	Torque Screwdriver Set 5 Pieces
5/7	TEZ01	Tool Box Storage EVA Tray 3 Compartments
6/7	TTEPS12	Tool Set General Tools 12 Pieces
6/7	TEAHR81	Rivet Gun Set 81 Pieces EVA Tray
6/7	TEABS50	Impact Bits Set 50 Pieces EVA Tray
6/7	TEZ01	Tool Box Storage EVA Tray 3 Compartments

Item ID: TCEMM631 N



Get organised**

TENGIOOLS 41





EXTRA WIDE ROLLER CABINET TOOL KIT


- A complete tool kit covering many of the requirements of most types of user
- All the tools are laid out in individual tool trays using the Teng Tools Get Organised system
- Easy to see if any tools have been mislaid or lost helping to prevent leaving them with the work piece Supplied in the Teng Tools double width TCW809N 9 drawer 53" wide roller cabinet
- A comprehensive selection of tools using 8 of the available 9 drawers ensuring that space is still available to add to the kit if needed

198 kg Item ID: TCMMIND08





569



















Drawer1/9





Drawer 3/9



Drawer 4/9



Drawer 5/9



Drawer 6/9



Drawer 7/9



Drawer 8/9



Drawer 9/9





Contents:		
Drawer Number	Item ID	Description
2/9	TTXEXT13	13 piece extension set
2/9	TT1435	35 piece 1/4" drive regular and deep metric socket set
2/9	TT3819	19 piece 3/8" drive regular metric socket set
2/9	TT1205	5 piece 1/2" drive socket accessories
2/9	TT1217	17 piece 1/2" drive regular metric socket set
3/9	TTX474-9	4 piece 9" circlip plier set
3/9	TT440-T	4 piece Mega Bite plier set
3/9	TTVG05	5 piece power grip plier set
3/9	TTDCT05	5 piece cutting tool set
4/9	TTXF05	5 piece 10" file set
4/9	TTTX30	30 piece 1/4" and 3/8" drive TX, TPX and TX-E socket set
4/9	TTBS35	35 piece 1/4" and 3/8" drive TX, TPX and TX-E set
4/9	TTTXH15	15 piece 1/2" drive long bits socket set
4/9	TTRS15	15 piece 1/2" drive RIL and spline bits socket set
5/9	TTX2640	7 piece AF spanner set
5/9	TTAF32	32 piece 1/4" and 3/8" drive regular and deep socket set
5/9	TT1215AF	15 piece 1/2" drive AF regular socket set
5/9	TT3592	8 piece AF combination spanner set
5/9	TT3816	16 piece 3/8" drive deep metric socket set
6/9	TTX918N	8 piece Mega Drive screwdriver set
6/9	TT917N	7 piece Mega Drive screwdriver set
6/9	TT917TXN	7 piece TX/TPX Mega Drive screwdriver set
6/9	TTMD74	74 piece ratchetting bits driver set
6/9	TTDB28	28 piece drill bits set 1-13mm

Contents:		
Drawer Number	Item ID	Description
7/9	TTX2032	7 piece metric combination spanner set
7/9	TT1236	12 piece metric combination spanner set
7/9	TT6508R	8 piece ratchetting combination spanner set
7/9	TT6208	8 piece open ended spanner set
7/9	TT474-7	4 piece 7" circlip plier set
8/9	TTX3404	4 piece 3/4" drive socket accessory set
8/9	TTHT28	28 piece hex and TX key set
8/9	TTHEX7	7 piece T handle hex driver set
8/9	TTTX7	7 piece T handle TX/TPX driver set
8/9	TTTM08	8 piece pick up tool set with light
9/9	TTX3414	14 piece 3/4" drive metric socket set
9/9	TT9207	7 piece 1/2" drive impact accessory sel
9/9	TT9120DN	20 piece 1/2" drive impact regular and deep socket se
9/9	TTID20	20 piece 1/2" drive industrial impact driver se
9/9	TTBM	4 piece measuring se

Item ID: TCMMIND08

Get organised[™]

TENGIOOLS 43





137 kg

TOOL KIT AND WORK STATION

- A complete tool kit combined with a top plate and back panels to create a work station
- The tools are laid out in individual tool trays using the Teng Tools Get Organised system
- The most commonly used tools are supplied in wall racks to keep them handy at the work station
- Easy to see if any tools have been mislaid or lost helping to prevent leaving them with the work piece
 Supplied in a red Teng Tools TCW807N 7 drawer roller cabinet complete with work top and panels
- A comprehensive selection of tools using 6 of the available 7 drawers ensuring that space is still available to add to the kit if needed

Item ID: TCMM545N







545 Pieces





Comfort Grip Handle

5" Castor Wheels with Brakes

3 Step Ball Bearing Slides

Combination Lock



Drawer 1/7



Drawer 2/7



Drawer 3/7



Drawer 4/7



Drawer 5/7



Drawer 6/7



Drawer 7/7

Continued 1



Contents:		
Drawer Number	Item ID	Description
Panel	WRFL05	5 piece file set on a wall rack
Panel	WRMB04	4 piece plier set on a wall rack
Panel	WRMD910N	10 piece screwdriver set on a wall rack
Panel	WRSP12	12 metric combination spanner set on a wall rack
1/7	TTXEXT13	13 piece extension set
1/7	TT1435	35 piece 1/4" drive regular and deep metric socket set
1/7	TT3819	19 piece 3/8" drive regular metric socket set
1/7	TT1218	18 piece 1/2" drive regular metric socket set
1/7	TTTXH15	15 piece 1/2" drive hex and TX bit socket set
2/7	TTXMDTN	5 piece screwdriver set
2/7	TTMD74	74 piece ratcheting bits driver set
2/7	TT917TXN	7 piece TX driver set
2/7	TTHEX7	7 piece T handle hex driver set
2/7	TTTX7	7 piece T handle TX driver set
3/7	TTXMDN	9 piece nut driver set
3/7	TTHR81	Rivet gun set
3/7	TT474-7	4 piece 7" circlip plier set
3/7	TT804	4 piece puller set
3/7	TT01	Add on tool tray with dividers

Contents:	Contents:		
Drawer Number	Item ID	Description	
4/7	TTX00	Add on tool storage tray	
4/7	TTPC09	9 piece punch and chisel set	
4/7	TTCP121	121 piece crimping tool set	
4/7	TTDTD34	34 piece tap and die set	
5/7	TTX2032	7 piece metric combination spanner set	
5/7	TTDCT05	5 piece cutting tool set	
5/7	TTTM08	8 piece inspection tool kit	
5/7	TTBM	4 piece measuring set	
6/7	TTX01	Add on tool tray with dividers	
6/7	TTPS09E	9 piece service tool set	

Item ID: TCMM545N



Get organised[™]

TENGIOOLS 45



ROLLER CABINET TOOL KIT

- A complete tool kit covering many of the requirements of most types of user
- All the tools are laid out in individual tool trays using the Teng Tools Get Organised system
- Easy to see if any tools have been mislaid or lost helping to prevent leaving them with the work piece
- Supplied in a red Teng Tools TCW808N 8 drawer roller cabinet
- A comprehensive selection of tools using 7 of the available 8 drawers ensuring that space is still available to add to the kit if needed

Item ID: TCMM546N

117 kg







546 Pieces

Heavy Gauge Steel



5-Step Rust Protection



Comfort Grip Handle



5" Castor Wheels with Brakes



3 Step Ball Bearing Slides



Combination Lock







Drawer 1/8

Drawer 2/8

Drawer 3/8

Drawer 4/8









Drawer 5/8

Drawer 6/8

Drawer 7/8

Drawer 8/8

Continued 1



Contents:		
Drawer Number	Item ID	Description
1/8	TT1205	5 piece 1/2" drive socket accessory set
1/8	TT1217-6	17 piece 1/2" drive regular metric socket set
1/8	TT1435	35 piece 1/4" drive regular/deep metric socket set
1/8	TT3819	19 piece 3/8" drive regular metric socket set
1/8	TTXEXT13	13 piece extension set
2/8	TT01	Add on tool tray with dividers
2/8	TT917N	7 piece screwdriver set
2/8	TT917TXN	7 piece TX driver set
2/8	TTMD74	74 piece ratcheting bits driver set
2/8	TTXMDTN	5 piece screwdriver set
3/8	TT01	Add on tool tray with dividers
3/8	TTCP121	121 piece crimping plier set
3/8	TTHEX7	7 piece T handle hex key set
3/8	TTHR81	Rivet gun set
3/8	TTX00	Add on tool tray
4/8	TTHT28	28 piece hex and TX key set
4/8	TTMD12D	12 piece screwdriver set
4/8	TTNF12	12 piece needle file set
4/8	TTSR04	4 piece scraper set
4/8	TTXF05	5 piece hand file set

Contents:		
Drawer Number	Item ID	Description
5/8	TT1236	12 piece metric combination spanner se
5/8	TT440-T	4 piece plier se
5/8	TT474-7	4 piece 7" circlip plier se
5/8	TT6208	8 piece metric double open ended spanner se
5/8	TTX2032	7 piece metric combination spanner se
6/8	TT804	4 piece puller se
6/8	TTALU	32 piece socket clip rail se
6/8	TTPC09	9 piece punch and chisel se
6/8	TTTXH15	15 piece 1/2" drive hex and TX socket se
6/8	TTXMDN	9 piece nut driver se
7/8	TTPS09	9 piece general tool ki
7/8	TTX01	Add on tool tray with divider

Item ID: TCMM546N





Get organised[™]

TENGIOOLS 47



ROLLER CABINET TOOL KIT



Drawer

Heavy Gauge Steel


5-Step Rust Protection

Comfort Grip Handle

Combination Lock

5" Castor Wheels with Brakes

3 Step Ball Bearing Slides



- All the tools are laid out in individual tool trays using the Teng Tools Get Organised system
- Easy to see if any tools have been mislaid or lost helping to prevent leaving them with the work piece
- Supplied in a red Teng Tools TCW807N 7 drawer roller cabinet
 - A comprehensive selection of tools using 6 of the available 7 drawers ensuring that space is still available to add to the kit if needed

Item ID: TCMM491N



















Drawer 5/7

Drawer 6/7

Drawer 7/7

Contents:		
Drawer Number	Item ID	Description
1/7	TTXMDN	9 piece nut driver set
1/7	TT1435	35 piece 1/4" drive regular/deep socket set
1/7	TT3819	19 piece 3/8" drive regular metric socket set
1/7	TT1236	12 piece metric combination spanner set
1/7	TT6208	8 piece metric double ended spanner set
2/7	TTXMDTN	5 piece power thru screwdriver set
2/7	TTMD74	74 piece ratcheting bits driver set
2/7	TTHEX7	7 piece metric hex T handle driver set
2/7	TT917N	7 piece screwdriver set
2/7	TT917TXN	7 piece TX/TPX screwdriver set
3/7	TTX00	Add on TTX tray
3/7	TT440-T	4 piece mega bite plier set
3/7	TTPC09	9 piece punch and chisel set
3/7	TTCP121	121 piece crimping tool set

Contents:		
Drawer Number	Item ID	Description
3/7	TTTX7	7 piece TX/TPX T handle drivers
4/7	TTX01	Add on tool tray with dividers
4/7	TTPS09	9 piece general tool kit with PS tray
5/7	TTXEXT13	13 piece extension set
5/7	TT1217	17 piece 1/2" drive regular metric 6 point socket set
5/7	TT1205	5 piece 1/2" drive socket accessories
5/7	TTTXH15	15 piece 1/2" drive 100mm long bit socket set
5/7	TTALU	32 piece socket clip rail set
6/7	TTX2032	7 piece metric combination spanner set
6/7	TTHR81	Rivet gun set
6/7	TT804	2 in 1 puller set
6/7	TT474-7	4 piece 7" circlip plier set
6/7	TT01	Add on tool tray with dividers

Item ID: TCMM491N



ROLLER CABINET TOOL KIT

- A complete tool kit covering many of the requirements of most types of user
- All the tools are laid out in individual tool trays using the Teng Tools Get Organised system
- Easy to see if any tools have been mislaid or lost helping to prevent leaving them with the work piece
- Supplied in a red Teng Tools TCW707EV 7 drawer roller cabinet
- A comprehensive selection of tools using 4 of the available 7 drawers ensuring that space is still available to add to the kit if needed

Item ID: TCMM277EV





Heavy Gauge Steel



5" Castor Wheels with Brakes







277 Pieces





Drawer 4/7

Drawer 2/7



Drawer 3/7

Drawer 7/7

Drawer 5/7

Drawer 6/7

Contents:		
Drawer Number	Item ID	Description
4/7	TTMD74	74 piece bits driver set
4/7	TT917N	7 piece screwdriver set
4/7	TT917TXN	7 piece TX driver set
4/7	TTHT28	28 piece hex and TX key set
4/7	TTX918N	8 piece screwdriver set

Item ID: TCMM277EV

Contents:		
Drawer Number	Item ID	Description
1/7	TT1435	35 piece 1/4" drive regular and deep metric socket set
1/7	TT3819	19 piece 3/8" drive regular metric socket set
1/7	TT1211	11 piece 1/2" drive deep metric socket set
1/7	TT1218	18 piece 1/2" drive regular metric socket set
1/7	TTXEXT13	3 piece extension set
2/7	TT1236	12 piece metric combination spanner set
2/7	TT6208	8 piece double open ended metric spanner set
2/7	TTHEX7	7 piece T handle hex driver set
2/7	TTTX7	7 piece T handle TX driver set
2/7	TTX2032	7 piece metric combination spanner set
3/7	TT440	4 piece plier set
3/7	TTVG05	5 piece power grip plier set
3/7	TTDCT05	5 piece cutting tool set
3/7	TTX1292	1/2" drive torque wrench

Get organised **TENGTOOLS**









- A complete tool kit covering many of the requirements of most types of user
- All the tools are laid out in 3 colour pre-cut EVA foam trays with each tool having it's own place
- Clearly shows if any tools are not in their correct place to prevent losing tools or leaving them in the work piece
- Supplied in the Teng Tools TCW807N 7 drawer roller cabinet

Hem ID: TCMME11A







Heavy Gauge Steel



5-Step Rust Protection



Comfort Grip Handle



5" Castor Wheels with Brakes



3 Step Ball Bearing Slides



Combination Lock



D------ 1 /7



Drawer 2/7



Drawer 3/7



Drawer 4/7



Drawer 5/7



Drawer 6/7



Drawer 7/7

Contents:		
Drawer Number	Item ID	Description
1/7	TTEMB11	Plier Set 11 Pieces
2/7	TTEMD98N	Screwdriver Set 98 Pieces
3/7	TTEPS12	Tool Set General Tools 12 Pieces
4/7	TTESK85	Socket Set Mixed Drives 85 Pieces
5/7	TTESK77	Socket Set Mixed Drives 77 Pieces
6/7	TTEX17	Torque and Hex Key Set 17 Pieces
7/7	TTEX32	Spanner and File Set 32 Pieces

Item ID: TCMME11A



EVA ROLLER CABINET TOOL KIT





- A complete tool kit covering many of the requirements of most types of user
- All the tools are laid out in 3 colour pre-cut EVA foam trays with each tool having it's own place
- Clearly shows if any tools are not in their correct place to prevent losing tools or leaving them in the work piece Supplied in the Teng Tools TCW807N 7 drawer roller cabinet
- - A comprehensive selection of tools using 5 of the available 7 drawers ensuring that space is still available to add to the kit if needed

Item ID: TCMME09C







Heavy Gauge Steel



5-Step Rust Protection



Comfort Grip Handle



5" Castor Wheels with Brakes



3 Step Ball Bearing Slides



Combination Lock









Drawer 1/7





Drawer 2/7

Drawer 5/7

Drawer 6/7

Drawer 7/7

Contents:		
Drawer Number	Item ID	Description
1/7	TTESK86	Socket Set 1/4 and 3/8in dr 86 Pieces
2/7	TTEX23	Nut and T Handle Driver Set 23 Pieces
3/7	TTESP31	Spanner Set Combination 31 Pieces
4/7	TTEMB17	Plier Set Power Grip 17 Pieces
5/7	TTEMD122N	Screwdriver Set 122 Pieces

Item ID: TCMME09C

Get organised **TENGTOOLS**



EVA ROLLER CABINET TOOL KIT





- A complete tool kit covering many of the requirements of most types of user
- All the tools are laid out in 3 colour pre-cut EVA foam trays with each tool having it's own place
- Clearly shows if any tools are not in their correct place to prevent losing tools or leaving them in the work piece Supplied in the Teng Tools TCW707EV 7 drawer roller cabinet
- A comprehensive selection of tools using just 3 of the available 7 drawers ensuring that space is still available to add to the kit if needed

Item ID: TCMME179









Heavy Gauge Steel



5-Step Rust Protection



5" Castor Wheels with Brakes




3 Step Ball Bearing Slides



Key Lock



....





Drawer 4/7

Drawer 1/7

Drawer 2/7



Drawer 5/7

Drawer 6/7

Drawer 7/7

Contents:		
Drawer Number	Item ID	Description
1/7	TTEPS25	Tool Set General Tools 25 Pieces
2/7	TTESK126	Socket Set 1/4 and 1/2in dr 126 Pieces
3/7	TTESP28	Spanner and Screwdriver Set 28 Pieces

Item ID: TCMME179



EVA TOP BOX TOOL KIT





All the tools are laid out in 3 colour pre-cut EVA foam trays with each tool having it's own place Clearly shows if any tools are not in their correct place to prevent losing tools or leaving them in the work piece Supplied in the Teng Tools TC805NFX full depth 5 drawer top box

Item ID: TCMME09B







Heavy Gauge Steel



5-Step Rust Protection



Comfort Grip Handle



3 Step Ball Bearing Slides



Combination Lock











Drawer 1/5

Drawer 2/5

Drawer 3/5

Drawer 4/5



Drawer 5/5

Contents:		
Drawer Number	Item ID	Description
1/5	TTESK86	Socket Set 1/4 and 3/8in dr 86 Pieces
2/5	TTEX23	Nut and T Handle Driver Set 23 Pieces
3/5	TTESP31	Spanner Set Combination 31 Pieces
4/5	TTEMB17	Plier Set Power Grip 17 Pieces
5/5	TTEMD122N	Screwdriver Set 122 Pieces

Item ID: TCMME09B

Get organised **TENGIOOLS**







MECHANICS STARTER KIT

- Mechanics starter kit built up using the Teng Tools Get Organised tool tray system
- Supplied in a 6 drawer red top box with 3 full width drawers and 3 smaller drawers secured with a key lock
- Drop front with the Teng Tools logo to cover the drawers when the box is closed

Item ID: TC820SV



26 kg

44 kg













Item ID: TC820SV





Drawer 5/6

Drawer 6/6

MECHANICS STARTER KIT

- A comprehensive mechanics starter kit built up using the Teng Tools Get Organised tool tray system
- Supplied in a 6 drawer red top box with 3 full width drawers and 3 smaller drawers secured with a combination lock
- Drop front with the Teng Tools logo to cover the drawers when the box is closed
- A handy lightweight plastic and aluminium tote tray is included for taking tools to the job in hand

Item ID: TC8140NF









Drawer 4/6





Drawer 6/6

Item ID: TC8140NF





Heavy Gauge Steel

140 Pieces



5-Step Rust Protection



Comfort Grip Handle



3 Step Ball Bearing Slides



Combination Lock

Contents:		
Drawer Number	Item ID	Description
4/6	TT1435	35 piece 1/4" drive regular/deep metric socket set
4/6	TT3819	19 piece 3/8" drive regular metric socket set
4/6	TT1217	17 piece 1/2" drive regular metric socket set
4/6	TT1205	5 piece 1/2" drive socket accessories set
5/6	TT1236	12 piece metric combination spanner set
5/6	TT917N	7 piece Mega Drive screwdriver set
5/6	TT440-T	4 piece Mega Bite plier set
5/6	TTALU	32 piece socket clip rail set
6/6	TTPS09	9 piece general tool kit

Tool Kits 🔼 📋

MECHANICS STARTER KIT

- A comprehensive mechanics starter kit built up using the Teng Tools Get Organised tool tray system
- Supplied in a 6 drawer red top box with 3 full width drawers and 3 smaller drawers secured with a combination lock
- Drop front with the Teng Tools logo to cover the drawers when
 the how is placed.
- the box is closed

 A handy lightweight plastic and aluminium tote tray is included

Item ID: TC8140P



140 Pieces



for taking tools to the job in hand

Drawer



Heavy Gauge Steel



5-Step Rust Protection



Comfort Grip Handle



3 Step Ball Bearing Slides



Combination Lock

Contents:		
Drawer Number	Item ID	Description
4/6	TT1435	35 piece 1/4" drive regular/deep metric socket set
4/6	TT3819	19 piece 3/8" drive regular metric socket set
4/6	TT1217	17 piece 1/2" drive regular metric socket set
4/6	TT1205	5 piece 1/2" drive socket accessories set
5/6	TT1236	12 piece metric combination spanner set
5/6	TT917N	7 piece Mega Drive screwdriver set
5/6	TT440-T	4 piece Mega Bite plier set
5/6	TTALU	32 piece socket clip rail set
6/6	TTPS09	9 piece general tool kit









1/6 2/6



Drawer 6/6

Item ID: TC8140P

Personalised Tool Box Sticker

This is now available to you through your local stockist. Send us the image that you would like to use and we will customise your tool kit for you. Images need to be supplied as high resolution jpeg, eps, crr, or ai vector format.

*Subject to artwork being supplied in the correct format.





Get organised TENG OOLS 55

SERVICE CASES

With quality, easy management and design in mind, we have developed a portable solution to organise your tools! It's called the Teng Tools Service Case and is an extension of the Teng Tools tool storage system.

Equipped with a code lock to protect your tools!

Case

- A moulded robust plastic body makes the case strong and stable.
- The transport castors are made of rubber making the case easy to pull and prevent it from sliding.
- The rubber feet mean the case does not slide around or damage painted surfaces.
- Carrying handles on the short and long sides to satisfy all needs.

Retractable telescopic handle makes it easy to transport the case



I need a kit that's easy to move around but I can't waste time searching for tools. This kit is so easy to transport and every tool is securely stored. Finally I have the kit I need!

Tools are secured with a plastic lid allowing a clear view of where each tool is stored

As a part of the Get Organised concept the case can hold o standard TT sets

Your kit. Your way.

- Four suggested complete mobile tool sets that suit most users.
- The case is also available without tools, so that you can choose any combination from the Teng Tools range of more than 160 different TT sets to create your own personal set of tools.

The centre
compartment sits
loose in the case
and can be easily
lifted out when you
need your tools

Get organised™



PORTABLE TOOL KIT


- Ideal for technicians
- Supplied in the unique Teng Tools TC-SC service case with the tools supplied in 9 Teng Tools TT trays
- Hard wearing flight case style carrying case with a combination lock and secure catches
- Complete with suspension wheels and retractable handle for easy carrying











Item ID: SC01

18 kg







Compartment 1

Compartment 2

Compartment 3

PORTABLE TOOL KIT

- Supplied in the unique Teng Tools TC-SC service case with the tools supplied in 9 Teng Tools TT trays
- Complete with suspension wheels and retractable handle for easy carrying

Hard wearing flight case style carrying case with a combination lock and secure catches



15 kg

Item ID: SC02



Contents:		
Compartment	Item ID	Description
1/3	TT440	4 piece Mega Bite plier set
1/3	TTMI16	16 piece mini plier and screwdriver set
1/3	TTCP121	Crimping plier with terminals and connectors
2/3	TTTM03	3 piece inspection tool set
2/3	TTNF12	12 piece needle file set
2/3	TTDB28	28 piece fully ground drill bit set
3/3	TT6508R	8 piece metric ratcheting combination spanner set
3/3	TTHT28	28 piece hex and TX key set
3/3	TTMD12D	12 piece double ended screwdriver set

232 Pieces

Item ID: SC02







Compartment 1 Compartment 2

Compartment 3

Tool Kits 🔤 🗐

15 kg

PORTABLE TOOL KIT

Item ID

TT440

TTMI16

TTMD12D

TT917N

TT917TXN

TTMD74

TT1435

TTBS35

- Supplied in the unique Teng Tools TC-SC service case with the tools supplied in 9 Teng Tools TT trays
- Hard wearing flight case style carrying case with a combination lock and secure catches
- Complete with suspension wheels and retractable handle for easy carrying

Description

Item ID: SC03

Contents:

1/3

1/3

1/3

2/3

2/3

2/3

3/3

3/3







4 piece plier set

12 piece screwdriver set

7 piece screwdriver set

7 piece TX driver set

74 piece ratcheting bits driver set

35 piece 1/4" drive bit socket set

3 piece inspection tool set

35 piece 1/4" drive regular and deep metric socket set

16 piece mini plier and screwdriver set





Compartment 2



Compartment 3

20 kg

PORTABLE TOOL KIT

- Supplied in the unique Teng Tools TC-SC service case with the tools supplied in 9 Teng Tools TT trays
- Hard wearing flight case style carrying case with a combination lock and secure catches
- Complete with suspension wheels and retractable handle for easy carrying

Item ID: SC04

Contents:		
Compartment	Item ID	Description
1/3	TT1236	12 piece combination spanner set
1/3	TT917N	7 piece Mega Drive screwdriver set
1/3	TT440-T	4 piece Mega Bite plier set
2/3	SCPS01	6 piece service tool set with ball pein hammer
3/3	TT1435	35 piece 1/4" drive regular/deep metric socket set
3/3	TT3819	19 piece 3/8" drive regular metric socket set
3/3	TT1218	17 piece 1/2" drive regular metric socket set

Item ID: SC04



100 Pieces



Compartment 1



Compartment 2




Compartment 3





PORTABLE TOOL KIT





- Hard wearing flight case style carrying case with a combination lock and secure catches
- Complete with suspension wheels and retractable handle for easy carrying



18 ka





Contents:		
Compartment	Item ID	Description
1/3	TT1236	12 piece combination spanner set
1/3	TT917N	7 piece Mega Drive screwdriver set
1/3	TT440-T	4 piece Mega Bite plier set
2/3	SCPS01E	6 piece service tool set with engineers hammer
3/3	TT1435	35 piece 1/4" drive regular/deep metric socket set
3/3	TT3819	19 piece 3/8" drive regular metric socket set
3/3	TT1218	17 piece 1/2" drive regular metric socket set

Item ID: SC04E







Compartment 1

Compartment 2

Compartment 3

PORTABLE TOOL KIT





- Supplied in the unique Teng Tools TC-SC service case with the tools supplied in 3 EVA trays especially designed to fit the service case
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs Hard wearing flight case style carrying case with a combination lock and secure catches Complete with suspension wheels and retractable handle for easy carrying





Contents:				
Compartment	Item ID	Description		
1/3	TEFMD54	54 piece screwdriver set		
2/3	TEFMB7	7 piece plier and hammer set		
3/3	TEFSK57	57 piece 1/4" and 3/8" drive socket and spanner set		

Item ID: SCE1







Compartment 1

Compartment 2

Compartment 3



PORTABLE TOOL KIT

- Supplied in the unique Teng Tools TC-SC service case with the tools supplied in 3 EVA trays especially designed to fit the service case
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs
- Hard wearing flight case style carrying case with a combination lock and secure catches
- Complete with suspension wheels and retractable handle for easy carrying

Item ID: SCE2



Contents:				
Compartment	Item ID	Description		
1/3	TEFMDI54	54 piece screwdriver set		
2/3	TEFMBP7	7 piece plier and ball pein hammer set		
3/3	TEFSK57	57 piece 1/4" and 3/8" drive socket and spanner set		

Item ID: SCE2







Compartment 2



Compartment 3



Get organised" [IENGIOOLS 61]



MINI STARTER KIT

- A selection of general hand tools in PS trays
- Supplied in a 2 drawer mini top box with 2 small drawers and storage space in the top compartment
- Drop front with the Teng Tools logo to cover the drawers when the box is closed

Item ID: TM035NF





Тор





Drawer 1

Drawer 2



Contents:	Contents:			
Drawer Number	Description			
Тор	1/4" drive regular sockets: 4, 5, 5.5, 6, 7, 8, 10, 12, 13mm 1/4' drive 2"extension, 1/4" bit ratchet 1/4" hex adaptor 1/4"hex bits: 4, 5.5, 6.5mm flat. PH1, PH2, PZ1, PZ2, TX10, TX15, TX20 Fold up bicycle tool set 4" Adjustable Wrench			
Drawer 1	6" side cutter, 7" High leverage combination plier			
Drawer 2	Combination spanners: 8, 9, 10, 11, 12, 13mm Screwdrivers: flat 5.5x75mm, PH1x75mm , insulated PH1 X 80mm			

Item ID: TM035NF

PORTABLE TOOL KIT

- A comprehensive selection of tools for service technicians
- Supplied in the Teng Tools 5 drawer cantilever tool box (TC540)
- Padlock facility and full length piano hinges with turned edges for added safety

Item ID: TC144D





FRP ratchet, universal joint, 2" and 4" extension bars, coupler adaptor, 3/8"F:1/4"M adaptor			
FRP ratchet, universal joint, 2½" and 6" extension bars 3/8"F:1/2"M T bar adaptor			
1/4" Drive 6 point sockets:			
4, 5, 5.5, 6, 7, 8, 10, 11, 12, 13mm			
6, 7, 8, 10, 12, 13mm			
1/2" Drive 12 point sockets:			
10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm			
TX10, TX15, TX20, 5mm hex, 6mm hex, PH1, PH2 PZ1, PZ2, 4mm flat, 5.5mm fla			
5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm			
9 piece ball point hex key set, 1.5, 2.0 & 2.5mm hex keys 10" adjustable wrench			
3.5mm, 5.5mm & 6.5mm flat, PHO, PH1, PH2 PZO, PZ1, PZ2, 4mm flat 1000 volt insulated			
8" combination, 8" long nose, 10" water pump, 6" side cutters 8" side cutters, 10" power grij			
Drill bit set, magnetic lamp, measuring tape, hacksaw with spare blades utility knife, centre punch, parallel pin punch set, soft face hammer ball pein hammer, tin snips, magnetic bracele			

Item ID: TC144D



PORTABLE TOOL KIT

- A comprehensive selection of tools for service technicians
- Supplied in the Teng Tools back pack for tools (TCSB)
- Shoulder straps and carrying handles make the kit easy to carry around
- Manufactured in polyester with an EVA plastic base, external pockets and a large internal compartment

Item ID: TC144E

ileili ib. ICIT	
1/4" Drive	FRP ratchet, universal joint, 2" and 4" extension bars, coupler adaptor, 3/8"F:1/4"M adaptor
1/2" Drive	FRP ratchet, universal joint, $2\frac{1}{2}$ " and 6" extension bars, $3/8$ "F:1/2"M T bar adaptor
1/4" Drive 6 poi	nt sockets:
Regular:	4, 5, 5.5, 6, 7, 8, 10, 11, 12, 13mm
Deep:	6, 7, 8, 10, 12, 13mm
1/2" Drive 12 po	int sockets:
Regular:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm
1/4" Hex Bits:	TX10, TX15, TX20, 5mm hex, 6mm hex, PH1, PH2, PZ1, PZ2, 4mm flat, 5.5mm flat
Spanners:	5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19mm
Wrenches:	9 piece ball point hex key set, 1.5, 2.0 & 2.5mm hex keys, 10" adjustable wrench
Screwdrivers:	3.5mm, 5.5mm & 6.5mm flat, PH0, PH1, PH2, PZ0, PZ1, PZ2, 4mm flat 1000 volt insulated
Pliers:	8" combination, 8" long nose, 10" water pump, 6" side cutters, 8" side cutters, 10" power grip
Service Tools:	Drill bit set, magnetic lamp, measuring tape, hacksaw with spare blades, utility knife, centre punch, parallel pin punch set, soft face hammer, ball pein hammer, tin snips, magnetic bracelet



144 Pieces

Item ID: TC144E

PORTABLE TOOL KIT

- A comprehensive selection of tools for mechanics
- Supplied in the Teng Tools Mega Rosso barn style tool box with aluminium clip rails and tools storage areas
- Padlock facility and full length piano hinges with turned edges for added safety

Item ID: TC187



1/4" Drive	30 socket clips, FRP ratchet, universal joint, 2" & 4" extensions, 3/8"F:1/4"M adaptor, coupler adaptor		
3/8" Drive	30 socket clips, FRP ratchet, universal joint, 6" extension, 1/2"F:3/8"M adaptor		
1/2" Drive	30 socket clips, FRP ratchet, universal joint, 2-1/2" and 6" extensions, 3/8"F:1/2"M adaptor		
1/4" Drive 12 po	int sockets:		
Regular:	4, 5, 5.5, 6, 7, 8, 10, 11, 12, 13mm		
Deep:	6, 7, 8, 10, 12, 13mm		
3/8" Drive 6 poir	3/8" Drive 6 point sockets:		
Regular:	8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22mm		
1/2" Drive 12 po	int sockets:		
Regular:	10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24, 27, 30, 32mm		
1/4" Hex Bits: TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40, 3mm, 4mm, 5mm, 7mm, 8mm, 10mm Hex, PH1, PH2, PZ1, PZ2, 4mm, 5.5mm, 7m			
Spanners:	8, 10, 11, 12, 13, 14, 15, 17, 19mm Ring holder		
Wrenches:	1.5, 2.0, 2.5mm hex keys		

Item ID: TC187

Get organised* IFNG OOLS 63

187



Teng Tools tool boxes and tool cabinets have been designed to meet the high demands made by professionals from all over the world. No details are left to chance when our tool boxes and roller cabinets are manufactured.

A full range of storage accessories, side tables, side drawers and tool panels are available and can be placed on both sides of all Teng Tools roller cabinets.

Build your ultimate tool kit by combining our storage & accessories







BUILT TO LAST

Designed to exceed the demands of any professional workshop



All of our tool storage is manufactured from heavy gauge, top quality steel. They are built to last!



During the manufacturing process our tool storage is powder coat painted with a 5-step rust prevention and undercoat.



Comfort grip handles. These top & middle boxes are supplied with rubber coated side handles while these tool cabinets are equipped with rubber soft grip transport handles.



Cabinets are fitted with castor wheels covered with high-quality rubber. Two fixed and two swivel with brakes. Fitted in a U-shaped bracket providing extra strength and stability.



All drawers are equipped with robust 3-step ball bearing slides allowing them to be fully extended easily to gain greater access to the tools.



Single drawer opening safety feature. On a selection of tool cabinets you can only open a single drawer at a time to avoid the cabinet falling over.



Improved combination locking system for extra security on all standard tool boxes and roller cabinets.



Keep you tools secure and safe when not in use with our selection of tool boxes and cabinets with a key lock.



Soft close drawers. A selection of tool cabinets are supplied with a soft close drawer function providing extra protection for the drawers contents.









STACK SYSTEM

- A 6 drawer top box (TC806NF) 3 drawer middle box (TC803N) and a 7 drawer roller cabinet (TCW807N) combined to create a stack system with 16 drawers
- Each full width drawer in the top and middle box is suitable for holding 4 TT trays
- The roller cabinet drawers will also hold a TTX tray as well as the 4 TT trays
- Each drawer is supplied with an EVA drawer mat
- A handy lightweight plastic and aluminium tote tray is included
- Drawers have ball bearing slides for a smoother and more reliable opening and closing action
- Use with the Teng Tools Get Organised system to build your ultimate tool kit



Item ID: TC816STACK



STACK SYSTEM

- A 6 drawer top box (TC806SV) 3 drawer middle box (TC803SV) and a 7 drawer roller cabinet (TCW707EV) combined to create a stack system with 16 drawers
- Each full width drawer in the top and middle box is suitable for holding 4 TT trays
- The roller cabinet drawers will also hold a TTX tray as well as the 4 TT trays
- Drawers have ball bearing slides for a smoother and more reliable opening and closing action
- Use with the Teng Tools Get Organised system to build your ultimate tool kit



Item ID: TC816SV

Tool Storage 🔤

STACK SYSTEM

- A 6 drawer top box (TC806NBK) that can be personalised, a 3 drawer middle box (TC803NBK) and a 10 drawer roller cabinet (TCW810NBK) combined to create a stack system with 19 drawers
- Each full width drawer in the top and middle box is suitable for holding 4 TT trays
- The roller cabinet drawers will also hold a TTX tray as well as the 4 TT trays
- Each drawer is supplied with an EVA drawer mat
- A handy lightweight plastic and aluminium tote tray is included
- Drawers have ball bearing slides for a smoother and more reliable opening and closing action
- Use with the Teng Tools Get Organised system to build your ultimate tool kit



Heavy Gauge Steel



5-Step Rust Protection



Comfort Grip Handle



5" Castor Wheels with Brakes



3 Step Ball Bearing Slides



Combination Lock

ITEM ID:	Description		
TC819NBK	Black Tool Kit with Teng Tools Logo on tool box		
TC819BK	Black Tool Kit with a custom tool box sticker		



Personalised Tool Box Sticker

This is now available to you through your local stockist. Send us the image that you would like to use and we will customise your tool kit for you. Images need to be supplied as high resolution jpeg, eps, crr, or ai vector format.

*Subject to artwork being supplied in the correct format.















EXTRA WIDE STACK SYSTEM

- A 10 drawer top box (TC810N) and a 6 drawer roller cabinet (TCW806LN) combined to create a stack system with 16 drawers
- The full width drawers are suitable for holding 8 Teng Tools TT trays plus 2 TTX trays
 - Each drawer is supplied with an EVA drawer mat and plastic trimmed handle
 Drawers have ball bearing slides for a smoother and more reliable opening and closing action
 - Use with the Teng Tools Get Organised system to build your ultimate tool kit



16 Drawer



53" Wide Cabinet



Heavy Gauge Steel



5-Step Rust Protection



Comfort Grip Handle



6" Castor Wheels with Brakes



3 Step Ball Bearing Slides



Combination Lock

Item ID: TCW816LNSTACK

EXTRA WIDE STACK SYSTEM

- A 10 drawer top box (TC810N) and a 9 drawer roller cabinet (TCW809N) combined to create a stack system with 19 drawers
- Each regular width drawer is suitable for holding 4 Teng Tools TT trays plus a TTX tray
- The full width drawers are suitable for holding 8 Teng Tools TT trays plus 2 TTX trays
- Each drawer is supplied with an EVA drawer mat and plastic trimmed handle
- Drawers have ball bearing slides for a smoother and more reliable opening and closing action
- Use with the Teng Tools Get Organised system to build your ultimate tool kit



Drawer



53" Wide Cabinet



Heavy Gauge Steel



5-Step Rust Protection



Comfort Grip Handle



6" Castor Wheels with Brakes



3 Step Ball Bearing Slides



Combination Lock



Item ID: TCW819STACK

Tool Storage 🝛

TOP BOX

- Drop front with the Teng Tools logo to cover the drawers when the box is closed
- Each full width drawer is suitable for holding 4 Teng Tools TT trays
- Supplied with an EVA drawer mat and plastic trimmed handle
- A handy lightweight plastic and aluminium tote tray is included
- Drawers have ball bearing slides for a smoother and more reliable opening and closing action
- Supplied with rubber feet to prevent it from sliding and to avoid scratching
- Use with the Teng Tools Get Organised system to build your ultimate tool kit

	Width mm	Depth mm	Height mm	Capacity kg
Overall	660	305	380	
Drawer 1	172	270	50	8
Drawer 2	172	270	50	8
Drawer 3	172	270	50	8
Drawer 4	572	270	50	20
Drawer 5	572	270	50	20
Drawer 6	572	270	75	20

Drawer thickness mm	Body frame thickness mm	kg
0.7	0.8	22





Heavy Gauge Steel



5-Step Rust Protection



Comfort Grip Handle



3 Step Ball Bearing Slides



Combination Lock



Item ID: TC806NF

TOP BOX

- Drop front with the Teng Tools logo to cover the drawers when the box is closed
- Each full width drawer is suitable for holding 4 Teng Tools TT trays
- Supplied with an EVA drawer mat and plastic trimmed handle
- A handy lightweight plastic and aluminium tote tray is included
- Drawers have ball bearing slides for a smoother and more reliable opening and closing action
- Supplied with rubber feet to prevent it from sliding and to avoid scratching
- Use with the Teng Tools Get Organised system to build your ultimate tool kit

	Width mm	Depth mm	Height mm	Capacity kg
Overall	660	305	380	
Drawer 1	172	270	50	8
Drawer 2	172	270	50	8
Drawer 3	172	270	50	8
Drawer 4	572	270	50	20
Drawer 5	572	270	50	20
Drawer 6	572	270	75	20

Drawer thickness mm	Body frame thickness mm	kg
0.7	0.8	22









Combination Lock



CUSTOM	
TOOLBOX	_
STICKER	IJ
AVAILAB	LE

_			_	
Persona	lised	Tool	Box	Sticker

This is now available to you through your local stockist. Send us the image that you would like to use and we will customise your tool kit for you. Images need to be supplied as high resolution jpeg, eps, crr, or ai vector format.

*Subject to artwork being supplied in the correct format.





ITEM ID:	Description
TC806NBK	Black Tool Kit with Teng Tools Logo on tool box
TC806NGM	Black Tool Kit with a custom tool box sticker

Get organised **TENGIOOLS**











SV-TOPBOX

- Drop front with the Teng Tools logo to cover the drawers when the box is closed
- Each full width drawer is suitable for holding 4 Teng Tools TT trays or equivalent
- Drawers have ball bearing slides for a smoother and more reliable opening and closing action
- Supplied with rubber feet to prevent it from sliding and to avoid scratching
- Use with the Teng Tools Get Organised system to build your ultimate tool kit

Drawer



Heavy Gauge Steel



5-Step Rust Protection



3 Step Ball Bearing Slides



Key Lock

	Width mm	Depth mm	Height mm	Capacity kg
Overall	660	305	380	
Drawer 1	172	270	50	8
Drawer 2	172	270	50	8
Drawer 3	172	270	50	8
Drawer 4	572	270	50	20
Drawer 5	572	270	50	20
Drawer 6	572	270	75	20

Drawer thickness mm	Body frame thickness mm	kg
0.7	0.8	22





LARGE CAPACITY TOP BOX

- 5 full width drawers
- Drop front with the Teng Tools logo to cover the drawers when the box is closed
- Each drawer is suitable for holding 4 Teng Tools TT trays plus a TTX tray
- A handy lightweight plastic and aluminium tote tray is included
- Drawers have ball bearing slides for a smoother and more reliable opening and closing action
- Supplied with rubber feet to prevent it from sliding and to avoid scratching
- Use with the Teng Tools Get Organised system to build your ultimate tool kit



Drawer



Heavy Gauge Steel



5-Step Rust Protection



Comfort Grip Handle



3 Step Ball Bearing Slides



Combination Lock

	Width mm	Depth mm	Height mm	Capacity kg
Overall	660	460	490	
Drawer 1	578	380	46	25
Drawer 2	578	380	46	25
Drawer 3	578	380	75	25
Drawer 4	578	380	75	25
Drawer 5	578	380	75	25

Drawer thickness mm	Body frame thickness mm	kg
1	1	44

Item ID: TC805NFX

Tool Storage 🐱

LARGE CAPACITY SV TOP BOX

- 5 full width drawers
- Drop front with the Teng Tools logo to cover the drawers when the box is closed
- Each drawer is suitable for holding 4 Teng Tools TT trays plus a TTX tray
- Drawers have ball bearing slides for a smoother and more reliable opening and closing action
- Supplied with rubber feet to prevent it from sliding and to avoid scratching
- Use with the Teng Tools Get Organised system to build your ultimate tool kit

	Width mm	Depth mm	Height mm	Capacity kg
Overall	660	460	490	
Drawer 1	578	380	46	25
Drawer 2	578	380	46	25
Drawer 3	578	380	75	25
Drawer 4	578	380	75	25
Drawer 5	578	380	75	25

Drawer thickness mm	Body frame thickness mm	kg
1	1	44



Drawer



Heavy Gauge Steel



5-Step Rust Protection



3 Step Ball Bearing Slides



Key Lock



Item ID: TC805SV

EXTRA WIDE TOP BOX

- Each drawer is suitable for holding 4 Teng Tools TT trays plus a TTX tray
- Supplied with an EVA drawer mat and plastic trimmed handle
- Drawers have ball bearing slides for a smoother and more reliable opening
- Supplied with rubber feet to prevent it from sliding and to avoid scratching
- Use with the Teng Tools Get Organised system to build your ultimate tool kit

	Width mm	Depth mm	Height mm	Capacity kg
Overall	1337	455	560	
Drawer 1	576	380	75	25
Drawer 2	576	380	75	25
Drawer 3	576	380	75	25
Drawer 4	576	380	75	25
Drawer 5	576	380	75	25
Drawer 6	576	380	75	25
Drawer 7	576	380	75	25
Drawer 8	576	380	75	25
Drawer 9	576	380	75	25
Drawer 10	576	380	75	25







53" Wide Cabinet



Heavy Gauge Steel



5-Step Rust Protection



Comfort Grip Handle



3 Step Ball Bearing Slides



Combination Lock

Item ID: TC810N



Get organised **TENGIOOLS**









MIDDLE BOX

- Each full width drawer is suitable for holding 4 Teng Tools TT trays
- Supplied with an EVA drawer mat and plastic trimmed handle
- Drawers have ball bearing slides for a smoother and more reliable opening and closing action
- Supplied with rubber feet to prevent it from sliding and to avoid scratching
- Use with the Teng Tools Get Organised system to build your ultimate tool kit





Drawer



Heavy Gauge Steel



5-Step Rust Protection



Comfort Grip Handle



3 Step Ball Bearing Slides



Combination Lock

	Width mm	Depth mm	Height mm	Capacity kg
Overall	660	305	250	
Drawer 1	572	270	50	20
Drawer 2	572	270	50	20
Drawer 3	572	270	75	20

Drawer thickness mm	Body frame thickness mm	kg
0.7	0.8	13.8

Item ID: TC803N

MIDDLE BOX

- Each full width drawer is suitable for holding 4 Teng Tools TT trays
- Supplied with an EVA drawer mat and plastic trimmed handle
- Drawers have ball bearing slides for a smoother and more reliable opening and closing action
- Supplied with rubber feet to prevent it from sliding and to avoid scratching
- Use with the Teng Tools Get Organised system to build your ultimate tool kit





Drawer



Heavy Gauge Steel



5-Step Rust Protection



Comfort Grip Handle



3 Step Ball Bearing Slides



Combination Lock

	Width mm	Depth mm	Height mm	Capacity kg
Overall	660	305	250	
Drawer 1	572	270	50	20
Drawer 2	572	270	50	20
Drawer 3	572	270	75	20

Drawer thickness mm	Body frame thickness mm	kg
0.7	0.8	13.8

Item ID: TC803NBK



SV - MIDDLE BOX

- Each full width drawer is suitable for holding 4 Teng Tools TT trays
- Drawers have ball bearing slides for a smoother and more reliable opening and closing action
- Supplied with rubber feet to prevent it from sliding and to avoid scratching
- Use with the Teng Tools Get Organised system to build your ultimate tool kit

	Width mm	Depth mm	Height mm	Capacity kg
Overall	660	305	250	
Drawer 1	572	270	50	20
Drawer 2	572	270	50	20
Drawer 3	572	270	75	20

Drawer thickness mm	Body frame thickness mm	kg
0.7	0.8	13.8



Drawer



Heavy Gauge Steel



5-Step Rust Protection



3 Step Ball Bearing Slides



Key Lock



Item ID: TC803SV

TOOL CABINET

- Two 75mm deep drawers and one 150mm deep for storing larger items
- Storage compartment in the base fitted with a Teng Tools combination lock for secure storage
 of larger items
- Low height making it ideal for use beneath a low workbench
- Each drawer is suitable for holding 4 Teng Tools TT trays plus a TTX tray
- Supplied with an ABS top mat and EVA drawer mats in each drawer
- Drawers have ball bearing slides for a smoother and more reliable opening and closing action
- Use with the Teng Tools Get Organised system to build your ultimate tool kit

	Width mm	Depth mm	Height mm	Capacity kg
Cabinet	670	460	656	
Cabinet + Wheels	670	460	770	
Drawer 1	575	380	75	25
Drawer 2	575	380	75	25
Drawer 3	575	380	150	30
Base Storage	610	420	250	

Drawer thickness mm	Body frame thickness mm	kg
1	1.2/1.0	43.4



Drawer



Heavy Gauge Steel



5-Step Rust Protection



Comfort Grip Handle



4" Castor Wheels with Brakes



3 Step Ball Bearing Slides



Combination Lock

Item ID: TCW803N

Get organised* TENGIOOLS 73











TOOL CABINET

- Three 75mm deep drawers and one 312mm deep drawer for storing large items
- Low height making it ideal for use beneath a low workbench
- Each drawer is suitable for holding 4 Teng Tools TT trays plus a TTX tray
- Supplied with an ABS top mat and EVA drawer mats in each drawer
- Drawers have ball bearing slides for a smoother and more reliable opening and closing action
- Use with the Teng Tools Get Organised system to build your ultimate tool kit

4 Drawer



Heavy Gauge Steel



5-Step Rust Protection



Comfort Grip Handle



4" Castor Wheels with Brakes



3 Step Ball Bearing Slides



Combination Lock

	Width mm	Depth mm	Height mm	Capacity kg
Cabinet	670	460	654	
Cabinet + Wheels	670	460	777	
Drawer 1	575	380	75	25
Drawer 2	575	380	75	25
Drawer 3	575	380	75	25
Drawer 4	575	380	312	25

Drawer thickness mm	Body frame thickness mm	kg
1	1.2/1.0	49

Item ID: TCW804N

TOOL CABINET

- Five 75mm deep drawers and one 150mm deep drawer for storing large items
- Low height making it ideal for use beneath a low workbench
- Each drawer is suitable for holding 4 Teng Tools TT trays plus a TTX tray
- Supplied with an ABS top mat and EVA drawer mats in each drawer

 Drawers have ball bearing slides for a smoother and more reliable opening and closing action
- Use with the Teng Tools Get Organised system to build your ultimate tool kit



6 Drawer



Heavy Gauge Steel



5-Step Rust Protection



Comfort Grip Handle



4" Castor Wheels with Brakes



3 Step Ball Bearing Slides



Combination Lock

	Width mm	Depth mm	Height mm	Capacity kg
Cabinet	670	460	656	
Cabinet + Wheels	670	460	770	
Drawer 1	575	380	75	25
Drawer 2	575	380	75	25
Drawer 3	575	380	75	25
Drawer 4	575	380	75	25
Drawer 5	575	380	75	25
Drawer 6	575	380	150	30

Drawer thickness mm	Body frame thickness mm	kg
1	1.2/1.0	59

Item ID: TCW806N

Tool Storage 🝛

TOOL CABINET

- Five 75mm deep drawers and one 312mm deep drawer for storing large items
- Each drawer is suitable for holding 4 Teng Tools TT trays plus a TTX tray
- Supplied with an ABS top mat and EVA drawer mats in each drawer
- Drawers have ball bearing slides for a smoother and more reliable opening and closing action
- Use with the Teng Tools Get Organised system to build your ultimate tool kit

	Width mm	Depth mm	Height mm	Capacity kg
Cabinet	670	460	812	
Cabinet + Wheels	670	460	960	
Drawer 1	575	380	75	25
Drawer 2	575	380	75	25
Drawer 3	575	380	75	25
Drawer 4	575	380	75	25
Drawer 5	575	380	75	25
Drawer 6	575	380	312	25

Drawer thickness mm	Body frame thickness mm	kg
1	1.2/1.0	61.2



Drawer



Heavy Gauge Steel



5-Step Rust Protection



Comfort Grip Handle



4" Castor Wheels with Brakes



3 Step Ball Bearing Slides



Combination Lock

Item ID: TCW806N1

TOOL CABINET

- Five 75mm deep drawers and two 150mm deep drawers for storing large items
- Each drawer is suitable for holding 4 Teng Tools TT trays plus a TTX tray
- Supplied with an ABS top mat and EVA drawer mats in each drawer
- Drawers have ball bearing slides for a smoother and more reliable opening and closing action
- Use with the Teng Tools Get Organised system to build your ultimate tool kit

	Width mm	Depth mm	Height mm	Capacity kg
Cabinet	670	460	813	
Cabinet + Wheels	670	460	950	
Drawer 1	575	380	75	25
Drawer 2	575	380	75	25
Drawer 3	575	380	75	25
Drawer 4	575	380	75	25
Drawer 5	575	380	75	25
Drawer 6	575	380	150	30
Drawer 7	575	380	150	30

Drawer thickness mm	Body frame thickness mm	kg
1	1.2/1.0	64



Drawer



Heavy Gauge Steel



5-Step Rust Protection



Comfort Grip Handle



5" Castor Wheels with Brakes



3 Step Ball Bearing Slides



Combination Lock

Item ID: TCW807N



Get organised 75









TOOL CABINET

- Seven 75mm deep drawers and one 150mm deep drawer for storing large items
- Each drawer is suitable for holding 4 Teng Tools TT trays plus a TTX tray
- Supplied with an ABS top mat and EVA drawer mats in each drawer
- Drawers have ball bearing slides for a smoother and more reliable opening and closing action
- browers indive built bearing sides for a sincolner und more reliable opening and closing ac
- Use with the Teng Tools Get Organised system to build your ultimate tool kit

8 Drawer

Heavy Gauge Steel



5-Step Rust Protection



Comfort Grip Handle



5" Castor Wheels with Brakes



3 Step Ball Bearing Slides



Combination Lock

	Width mm	Depth mm	Height mm	Capacity kg
Cabinet	670	460	813	
Cabinet + Wheels	670	460	955	
Drawer 1	576	380	75	25
Drawer 2	576	380	75	25
Drawer 3	576	380	75	25
Drawer 4	576	380	75	25
Drawer 5	576	380	75	25
Drawer 6	576	380	75	25
Drawer 7	576	380	75	25
Drawer 8	576	380	154	25

Drawer thickness mm	Body frame thickness mm	kg
1	1.2/1.0	61

Item ID: TCW808N

TOOL CABINET

- Six 50mm deep drawers, three 75mm deep drawers and one 150mm deep drawer for storing large items
- Each drawer is suitable for holding 4 Teng Tools TT trays plus a TTX tray
- Supplied with an ABS top mat and EVA drawer mats in each drawer
- Drawers have ball bearing slides for a smoother and more reliable opening and closing action
- Use with the Teng Tools Get Organised system to build your ultimate tool kit







Heavy Gauge Steel



5-Step Rust Protection



Comfort Grip Handle



5" Castor Wheels with Brakes



3 Step Ball Bearing Slides



Combination Lock

	Width mm	Depth mm	Height mm	Capacity kg
Cabinet	670	460	813	
Cabinet + Wheels	670	460	950	
Drawer 1	575	380	50	25
Drawer 2	575	380	50	25
Drawer 3	575	380	50	25
Drawer 4	575	380	50	25
Drawer 5	575	380	50	25
Drawer 6	575	380	50	25
Drawer 7	575	380	75	25
Drawer 8	575	380	75	25
Drawer 9	575	380	75	25
Drawer 10	575	380	150	30

Drawer thickness mm	Body frame thickness mm	kg
1	1.2/1.0	69

Item ID: TCW810N

Tool Storage 🝛

TOOL CABINET

- Six 50mm deep drawers, three 75mm deep drawers and one 150mm deep drawer for storing large items
- Each drawer is suitable for holding 4 Teng Tools TT trays plus a TTX tray
- Supplied with an ABS top mat and EVA drawer mats in each drawer
- Drawers have ball bearing slides for a smoother and more reliable opening and closing action
- Use with the Teng Tools Get Organised system to build your ultimate tool kit

	Width mm	Depth mm	Height mm	Capacity kg
Cabinet	670	460	813	
Cabinet + Wheels	670	460	950	
Drawer 1	575	380	50	25
Drawer 2	575	380	50	25
Drawer 3	575	380	50	25
Drawer 4	575	380	50	25
Drawer 5	575	380	50	25
Drawer 6	575	380	50	25
Drawer 7	575	380	75	25
Drawer 8	575	380	75	25
Drawer 9	575	380	75	25
Drawer 10	575	380	150	30

Drawer thickness mm	Body frame thickness mm	kg
1	1.2/1.0	69

10 Drawer

Heavy Gauge Steel

5-Step Rust Protection

Comfort Grip Handle

5" Castor Wheels with Brakes

3 Step Ball Bearing Slides

Combination Lock



EV - TOOL CABINET

- Five 75mm deep drawers and two 150mm deep for storing larger items
- Each drawer is suitable for holding 4 Teng Tools TT trays plus a TTX tray
- Drawers have ball bearing slides for a smoother and more reliable opening and closing action
- Use with the Teng Tools Get Organised system to build your ultimate tool kit

	Width mm	Depth mm	Height mm	Capacity kg
Cabinet	670	460	813	
Cabinet + Wheels	670	460	950	
Drawer 1	575	380	75	25
Drawer 2	575	380	75	25
Drawer 3	575	380	75	25
Drawer 4	575	380	75	25
Drawer 5	575	380	75	25
Drawer 6	575	380	150	30
Drawer 7	575	380	150	30

Drawer thickness mm	Body frame thickness mm	kg
1	1.2/1.0	64

7 Drawer





5" Castor Wheels with Brakes

3 Step Ball Bearing Slides

Key Lock

Item ID: TCW707EV













9 SERIES - TOOL CABINET

- 7 full width soft close drawers
- Each drawer has an individual opening mechanism secured with a combination lock
- Five 75mm deep drawers and two 150mm deep drawers for storing large items
- Each drawer is suitable for holding 4 Teng Tools TT trays plus a TTX tray
- Supplied with an ABS top mat and EVA drawer mats in each drawer
- Drawers have ball bearing slides for a smoother and more reliable opening and closing action
- Use with the Teng Tools Get Organised system to build your ultimate tool kit





Soft Close Drawers



Heavy Gauge Steel



5-Step Rust Protection



Comfort Grip Handle



5" Castor Wheels with Brakes



3 Step Ball Bearing Slides



Combination Lock

	Width mm	Depth mm	Height mm	Capacity kg
Cabinet	670	460	813	
Cabinet + Wheels	670	460	950	
Drawer 1	575	380	75	25
Drawer 2	575	380	75	25
Drawer 3	575	380	75	25
Drawer 4	575	380	75	25
Drawer 5	575	380	75	25
Drawer 6	575	380	150	30
Drawer 7	575	380	150	30

Drawer thickness mm	Body frame thickness mm	kg
1	1.2/1.0	64





	Width mm	Depth mm	Height mm	Capacity kg
Cabinet	953	460	767	
Cabinet + Wheels	953	460	960	
Drawer 1	860	380	812	15
Drawer 2	860	380	75	15
Drawer 3	860	380	75	15
Drawer 4	860	380	75	15
Drawer 5	860	380	75	15
Drawer 6	860	380	150	15
Drawer 7	860	380	150	15

Item ID: TCW207N

WIDE TOOL CABINET

- Only one drawer can be opened at a time to make the roller cabinet more stable
- Five 75mm deep drawers and two 150mm deep for storing larger items
- Each drawer is suitable for holding 6 Teng Tools TT trays together with 2 TTX trays and a TTZ tray
- Supplied with a rubber top mat, EVA drawer mats and plastic trimmed handles
- Drawers have ball bearing slides for a smoother and more reliable opening and closing action
- Use with the Teng Tools Get Organised system to build your ultimate tool kit





37" Wide Cabinet



Heavy Gauge Steel



5-Step Rust Protection



Comfort Grip Handle



5" Castor Wheels with Brakes



3 Step Ball Bearing Slides



Single Drawer Opening



Combination Lock

Tool Storage 🝛

EXTRA WIDE TOOL CABINET

- A selection of 13 different size drawers to suit all sorts of storage
- Supplied with an EVA drawer mat for storing other tools and items
- Drawers have ball bearing slides for a smoother and more reliable opening and closing action
- An additional storage compartment fitted with a combination lock for storage of larger items

•	Supplied with a wooden top plate to create a hard wearing work surface
•	Use with the Tena Tools Get Organised system to build your ultimate tool kit

	Width mm	Depth mm	Height mm	Capacity kg
Cabinet	1700	460	974	
Cabinet + Wheels	1700	460	1153	
Drawer 1	576	380	75	25
Drawer 2	576	380	75	25
Drawer 3	576	380	75	25
Drawer 4	576	380	75	25
Drawer 5	576	380	75	25
Drawer 6	576	380	150	25
Drawer 7	576	380	312	25
Drawer 8	288	380	75	25
Drawer 9	288	380	75	25
Drawer 10	288	380	75	25
Drawer 11	288	380	150	25
Drawer 12	288	380	150	25
Drawer 13	1567	380	120	40





















Item ID: TCW814N

EXTRA WIDE TOOL CABINET

- Three 65mm deep drawers, one 100mm deep and three 154mm deep drawers for storing large items
- Each drawer is suitable for holding 8 Teng Tools TT trays plus 2 TTX trays
- Supplied with an EVA mat in each drawer
- Drawers have ball bearing slides for a smoother and more reliable opening and closing action
- Supplied with a wooden top plate to create a hard wearing work surface
- Use with the Teng Tools Get Organised system to build your ultimate tool kit









Comfort Grip Handle

6" Castor Wheels with Brakes

3 Step Ball Bearing Slides

Combination Lock

	Width mm	Depth mm	Height mm	Capacity kg
Cabinet	1350	460	767	
Cabinet + Wheels	1350	460	937	
Drawer 1	1216	380	65	40
Drawer 2	1216	380	65	40
Drawer 3	1216	380	65	40
Drawer 4	1216	380	100	40
Drawer 5	1216	380	154	40
Drawer 6	1216	380	154	40

Drawer thickness mm	Body frame thickness mm	kg
1	1.2	121

Item ID: TCW806LN

Get organised **TENGIOOLS**











EXTRA WIDE TOOL CABINET

- Six 75mm deep drawers, two 150mm deep and one 124mm deep full width drawer for storing large items
- Each regular width drawer is suitable for holding 4 Teng Tools TT trays plus a TTX tray
- The full width drawer is suitable for holding 8 Teng Tools TT trays plus 2 TTX trays
- Supplied with an EVA mat in each drawer
- Drawers have ball bearing slides for a smoother and more reliable opening and closing action
- Supplied with a wooden top plate to create a hard wearing
 - Use with the Teng Tools Get Organised system to build your ultimate tool kit

	Width mm	Depth mm	Height mm	Capacity kg
Cabinet	1350	460	767	
Cabinet + Wheels	1350	460	937	
Drawer 1	1216	380	124	40
Drawer 2	575	380	75	25
Drawer 3	575	380	75	25
Drawer 4	575	380	75	25
Drawer 5	575	380	75	25
Drawer 6	575	380	75	25
Drawer 7	575	380	75	25
Drawer 8	575	380	150	25
Drawer 9	575	380	150	25

Drawer thickness mm	Body frame thickness mm	kg
1	1.2	136

Drawer



53" Wide Cabinet



Heavy Gauge Steel



5-Step Rust Protection



Comfort Grip Handle




6" Castor Wheels with Brakes



3 Step Ball Bearing Slides



Combination Lock



Item ID: TCW809N







Heavy Gauge Steel



5-Step Rust Protection



Key Lock



SIDE CUPBOARD

- Designed to fit on the side of a Teng Tools cabinet to create additional storage
- Fully lockable with a key lock
- Fitted shelf included making it ideal for storing aerosols and bulkier items
- 400(W)x200(D)x500(H) mm

Item ID: TCW-CAB



Heavy Gauge Steel



5-Step Rust Protection



Combination Lock



SIDE CABINET

- Designed to fit on the side of a Teng Tools cabinet to create additional storage
- Fully lockable with a combination lock
- When mounting to a cabinet with a back panel fitted a side plate (Item ID: TCW-SP01) must be used to install
- 382(W)x460(D)x795(H) mm

Item ID: TCW-CAB02



Drawer



Heavy Gauge Steel



5-Step Rust Protection



3 Step Ball Bearing Slides



Combination Lock



SIDE CABINET

- Designed to fit on the side of a Teng Tools cabinet to create additional storage
- Fully lockable with a combination lock
- Five 75mm deep drawers and two 150mm deep drawers for storing large items
- When mounting to a cabinet with a back panel fitted a side plate (Item ID: TCW-SP01) must be used to install

	Width mm	Depth mm	Height mm	Capacity kg
Overall	382	460	795	
Drawer 1	288	380	75	20
Drawer 2	288	380	75	20
Drawer 3	288	380	75	20
Drawer 4	288	380	75	20
Drawer 5	288	380	75	20
Drawer 6	288	380	150	20
Drawer 7	288	380	150	20

Item ID: TCW-CAB01



Heavy Gauge Steel



5-Step Rust Protection



Combination Lock



SIDE CABINET

- Designed to fit on the side of a Teng Tools cabinet to create additional storage
- Fully lockable with a combination lock
- When mounting to a cabinet with a back panel fitted a side plate (Item ID: TCW-SP01) must be used to install
- 382(W)x460(D)x795(H) mm

Item ID: TCW-CAB03



Heavy Gauge Steel



5-Step Rust Protection



ADD ON SHELVING UNIT

- Shelving unit for adding to the side of a Teng Tools cabinet to create additional storage
- Ideal for adding easy access storage with three open shelves
- 382(W)x460(D)x795(H) mm

Item ID: TCW-CAB04

Get organised"









ADD ON CANTILEVER DRAWER

- Set of 3 drawers in a cantilever style box
- Two drawers measure 460x90x50mm with a third deeper drawer measuring 460x90x110mm
- External dimensions 515(W)x350(H)x142(D)mm

Item ID: TCW-D3



PORTABLE SERVICE CASE

- Space for up to 9 Teng Tools TT trays
- Hard wearing flight case style carrying case with a combination lock and secure catches
- Robust moulded body with built in strength and durability
- Complete with suspension wheels and a flight case style retractable handle
- Handles on the end and side make it easy to carry
- Non slip rubber feet to prevent the case from sliding about
- Combination lock and snap tight catches keep the tools secure
- Designed to hold three Teng Tools TT trays in each of three compartments

Item ID: TC-SC



- An empty carrying case for use with four Teng Tools TT tool trays
- The ideal way to create an individual, fully portable tool set
- Click lock and integral carrying handle
- Supplied with shoulder straps to use as a back pack
- The underside of the case is fitted with rubber feet to stop it sliding

ITEM ID:	Description
TC-4	Portable carrying case
TC-4SBL	Spare straps



CARRYING CASE

- An empty carrying case for use with three Teng Tools TT tool trays
- The ideal way to create an individual, fully portable tool set
- Click lock and integral carrying handle
- The underside of the case is fitted with rubber feet to stop it sliding

Item ID: TC-3



TOOL BOX

- Plastic carrying case, ideal for carrying and storing tools
- Includes a tray with dividers for storing smaller items
- Double snap lock mechanism for a secure fit when closing the box

Item ID: TCP445C







MINI TOOL BOX

- Drop front with the Teng Tools logo to cover the drawers when the box is closed
- Drawers have ball bearing slides for a smoother and more reliable opening and closing action
- The underside of the box is fitted with rubber feet to prevent it from sliding
- Manufactured from heavy gauge top quality steel for rigidity and durability
- Powder coated with a 5 step rust prevention and undercoat to help prevent corrosion

	Width mm	Depth mm	Height mm	kg
Overall	275	150	146	2.9
Drawer 1	215	130	38	
Drawer 2	215	130	38	

Item ID: TC103NF



CANTILEVER TOOL BOX

- A professional quality box with 5 individual storage areas
- Carrying handle designed to fold to the sides to enable easy access to the tools
- Padlock facility and full length piano hinges with turned edges for added safety

ITEM ID:	Description
TC540	Cantilever Tool Box
TC-540W	4x wheels for the cantilever tool box



BARN STYLE TOOL BOX

- Complete with aluminium clip rails for storing sockets
- 30 each of 1/4", 3/8" and 1/2" drive socket clips included
- A lift out tool tray and tool storage areas provide extra space
- Carrying handle designed to fold to one side to enable easy access
- Padlock facility and full length piano hinges with turned edges for added safety

Item ID: TC450



TOOL BACK PACK

- Specifically designed for carrying tools
- Use the shoulder straps as a back pack or the carrying handles as a carrying bag
- Manufactured in polyester with EVA plastic base for durability
- Includes various external pockets for small tools

Item ID: TCSB



TOOL BAG

- Specifically designed for carrying tools
- Use the shoulder strap or the robust aluminium carrying handle with an ergonomic grip
- Includes various pockets and holders for storing tools

Item ID: TCSB16

Get organised 83









TOP BOX COVER

- Protective cover with the Teng Tools logo
- Fits Teng Tools standard size top boxes with 3, 4 or 6 drawers

Item ID: TC-COVER



ROLLER CABINET COVER

- Protective cover with the Teng Tools logo
- Fits Teng Tools standard size width and height roller cabinets

Item ID: TC-WC02



STACK SYSTEM COVER

- Protective cover with the Teng Tools logo
- Fits Teng Tools stack system using standard size top boxes, middle boxes & roller cabinets

Item ID: TC-COVER1



NON SLIP MAT

- Rubber mat for placing in tool boxes or tool box drawers
- 2mm thick to protect the tool box paint work
- Can also be used on work surface areas such as cabinet tops and work tops
- Resistant to oil and grease making it ideal for most workshops
- Simply cut to the required shape and size
- Supplied as a 2 meter x 45cm roll

Item ID: TC-MAT



TOOL CABINET TOP TRAY

- ABS tray designed to fit the top of Teng Tools roller cabinets
- Individual parts areas plus positioning for a middle box or top box to give a very organised work area
- Protects the top of the roller cabinet from scratches and marks

Item ID: ABS-TOP



TOTE TRAY

- Plastic tray with an aluminium handle for lighter weight
- Fitted with rubber feet on the base for less risk of scratching
- Rubber mat included to stop tools sliding around when being carried

Helps keep tools and components close to hand and organised

Item ID: TCA05







- Designed to secure a Teng Tools middle box to a Teng Tools cabinet
- Simply bolts to the middle box and clips on to the roller cabinet lip
- Prevents the middle box from tipping when moving the stack system

Item ID: TCF01



BRACKETS FOR TOP BOXES

- Designed to secure a Teng Tools top box to a Teng Tools cabinet
- Simply bolts to the top box and clips on to the roller cabinet lip
- Prevents the top box from tipping when moving the stack system

ITEM ID:	Suitable for	No. of Pieces
TCF02	Standard size top boxes	2
TCF03	53" extra wide top box	2



4 PIECE DIVIDER SET

- Interlocking black metal dividers for use in top box size drawers
- A simple way to create a drawer with 9 separate compartments

Item ID: TCDIVS



4 PIECE DIVIDER SET

- Interlocking black metal dividers for use in roller cabinet size drawers
- A simple way to create a drawer with 9 separate compartments

Item ID: TCDIVL

Get organised



MAGNETIC SIDE SHELF

- Creates extra storage quickly and easily with no drilling required
- Can be easily fitted to any flat ferrous material surface
- Powerful magnets for secure fixing
- Ideal for using on the side of a tool cabinet

ITEM ID:	Width mm	Depth mm	Height mm	No. of magnets	g
580K	230	98	136	2	625
580M	460	98	136	4	1194
580N	640	98	136	6	1232



MAGNETIC SIDE SHELF

- Magnetic side shelf for storing bottles and cans
- Creates extra storage quickly and easily with no drilling required
- Can be easily fitted to any flat ferrous material surface
- Powerful magnets for secure fixing
- Ideal for using on the side of a tool cabinet

ITEM ID:	Width mm	Depth mm	Height mm	No. of Can Holders	g
580CK	230	98	136	2	625
580CM	460	98	136	4	1194
580CN	640	98	136	6	1232



MAGNETIC SIDE SHELF

Creates extra storage quickly and easily with no drilling required

TENGIOOLS

- Can be easily fitted to any flat ferrous material surface
- Ideal for using on the side of a roller cabinet

ITEM ID:	Width	Depth	Height
	mm	mm	mm
580J	410	90	100

Can be easily lined to any har retrous material surface
 Powerful magnets for secure fixing











MAGNETIC SIDE SHELF

- Creates extra storage quickly and easily with no drilling required
- Can be easily fitted to any flat ferrous material surface
- · Powerful magnets for secure fixing
- Ideal for using on the side of a roller cabinet

ITEM ID:	Width mm	Depth mm	Height mm
580C	310	115	31
580D	210	115	31



MAGNETIC PLASTIC BOWL

- Creates storage for small parts quickly and easily with no drilling required
- Can be easily fitted to any flat ferrous material surface
- Powerful magnet for secure fixing
- Ideal for using on the side of a roller cabinet

ITEM ID:	Diameter mm	g
580Q	112	191
580R	150	400



SIDE SHELF FOR TOOL CABINET

- 300mm wide shelf for adding to the side of a Teng Tools roller cabinet
- Dimensions: 455x300mm

Item ID: TCA02



SIDE TABLE AND PAPER ROLL HOLDER

- Designed to fit on to the side of Teng Tools cabinets (fixings included)
- Fold out side tray (370 x 370mm) to create an additional working area
- Fixing bar for paper rolls up to 360mm width (paper roll not included)

Item ID: TCA01



SIDE TABLE FOR MOUNTING A VICE

- Designed to fit on to the side of Teng Tools cabinets (fixings included)
- Side shelf has fixing holes for the Teng Tools 4" vice (TCAV4)

Item ID: TCATV



WORKBENCH VICE

- Forged steel 4" (100mm)
- Interchangeable parallel jaws and removable V shaped jaws for holding pipes and tubes
- High wear resistance with S45S steel (HRC45-50 hardness) for durability and strength
- Maximum clamping force of 300kg/cm² to grip most items tightly

Item ID: TCAV4







SIDE PLATE

- Designed to fit on the side of a Teng Tools regular height tool cabinet
- Creates an additional storage area for hanging tools or adding hook in accessories.
- Supplied with a carrying handle and a fold out leg to create a free standing tool storage unit
- Dimensions: 460x640mm

Item ID: TCW-SP



SIDE PLATE

- Designed to fit on the side of a Teng Tools regular height tool cabinet
- Creates an additional storage area for hanging tools or adding hook in accessories
- Dimensions: 805(H)x4560(W)x25(D)mm

Item ID: TCW-SP01



HOOKS FOR SIDE PLATES AND PANELS

- Hooks for use with Teng Tools panels with square holes
- Screw fixing to fix the hook securely in place
- Ideal for hanging tools on a work station panel or a side plate on a roller cabinet

ITEM ID:	Description
TCW-HK10	7 x 90°, 3 x 45° hooks
TCW-HK02	10 double hooks
TCW-HK20	4 x 45° single, 4 x 45° double hooks, 4 x 90° single, 4 small and 4 large spring clips
TCW-HK45	10 45° hooks for TCW-SP side plate
TCW-HK90	10 90° hooks for TCW-SP side plate



SOCKET CLIP RAIL SET

- Four track aluminium section together with carrying handles
- 450mm overall length to fit in most tool boxes
- Supplied with 10 each socket clips in 1/4", 3/8" and 1/2" drive

Item ID: ALU450

SOCKET CLIP RAILS

- Aluminium section for mounting on the wall or in a tool box
- For use with Teng Tools socket clips in 1/4", 3/8", 1/2" or 3/4" drive

ITEM ID:	Description
ALU430	430mm single track socket rail
ALU1000-1	1 metre single track socket rail
ALU1000-4	1 metre four track socket rail

Get organised" [FNG OOLS 8









SOCKET CLIPS

- Packs of 10
- For storing sockets and accessories on clip rails

ITEM ID:	Description
ALU14	10 x 1/4" drive socket clips
ALU38	10 x 3/8" drive socket clips
ALU12	10 x 1/2" drive socket clips
ALU34	10 x 3/4" drive socket clips



MAGNETIC TOOL RAIL

- 6 individual magnets each with a capacity of 450g
- Designed to fix to the side of Teng Tools roller cabinets
- Also suitable for wall mounting or for use with other tool boxes
- Ideal for hanging up tools while working

Item ID: TC-MAG



WOOKTOPS FOR TOOL CABINETS

- 37mm thick work tops in hard wearing laminated wood
- Three sizes available to suit different roller cabinets

ITEM ID:	Length mm	Depth mm	Thickness mm	Suitable for
TC-TB02	672	460	37	TCW803N, TCW804N, TCW806N, TCW806N1, TCW807N, TCW808N, TCW810N, TCW707EV, TCW907X
TC-TB03	948	460	18	TCW207N
TC-TB01	1354	460	37	TCW806LN, TCW809N



HANDLES FOR TOP & MIDDLE BOXES

 A pair of side handles with soft grip for use with Teng Tools top boxes and middle boxes

Item ID: TCDSH



HANDLE FOR TOOL CABINETS

- Side handle for Teng Tools roller cabinets
- The soft grip handle gives improved comfort

Item ID: TCRFH



TOOL CABINET CASTOR WHEELS

- A set of four 5" (125mm) black castors with needle bearings
- 2" wide wheels give extra strength and stability
- Capacity of 170 kilos per castor or 500 kilos for the set of four
- Ideal for upgrading a Teng Tools roller cabinet for heavier use
- Two fixed and two swivel wheels with 2 stage brakes in the set

Item ID: TCNBC





TOOL BOX TRANSPORT TROLLEY

- Frame with a set of 4 wheels for Teng Tools regular top boxes
- Creates a mobile tool box
- Especially useful if the tool box is heavily laden with tools

Item ID: TCTMC



SIDE CABINET TRANSPORT TROLLEY

- Frame with a set of 4 wheels for Teng Tools side cabinets
- Creates a mobile tool box or storage unit
- Especially useful if the cabinet is heavily laden

Item ID: TCSMC



DRAWER LABELS

- A set of 156 different images of the Teng Tools trays
- High quality adhesive backing for sticking to tool box drawers
- Highlights what tools are stored in each drawer

Item ID: ST-TTP01



THREE LOCK SET

- Set of 3 key type locks for Teng Tools tool boxes
- One common key number
- Enables a stack system to be converted to have one common key on all locks

Item ID: TC-LOCK3



FIVE LOCK SET

- Set of five key type locks for Teng Tools tool boxes
- One common key number
- Enables a stack system to be converted to have one common key on all locks

Item ID: TC-LOCK5



BLANK KEY

- Blank key for Teng Tools key type locks
- For creating replacement keys

Item ID: TC-BKEY











Which lock to choose?



ITEM ID:	
TCDRK	
TCPRK	


Tool Box	Description	Lock
TC806SV	6 drawer top box	TCPRK
TC803SV	3 drawer middle box	TCDRK
TCW707EV	7 drawer roller cabinet	TCDRK
TCW-CAB	Side cupboard	TCPRK



Combination Locks

ITEM ID: TC-90CLOCK TC-180CLOCK

Tool Box	Description	Lock
TC805NFX	5 drawer top box	TC-90CLOCK
TC806NF	6 drawer top box	TC-90CLOCK
TC806NGM	6 drawer top box	TC-90CLOCK
TC803N	3 drawer middle box	TC-180CLOCK
TC803NBK	3 drawer middle box	TC-180CLOCK
TCW803N	3 drawer roller cabinet	TC-180CLOCK
TCW803N	Storage compartment	TC-90CLOCK
TCW804N	4 drawer roller cabinet	TC-180CLOCK
TCW806N	6 drawer roller cabinet	TC-180CLOCK
TCW806N1	6 drawer roller cabinet	TC-180CLOCK
TCW807N	7 drawer roller cabinet	TC-180CLOCK
TCW810N	10 drawer roller cabinet	TC-180CLOCK
TCW810NBK	10 drawer roller cabinet	TC-180CLOCK
TC810N	10 drawer double width top box	TC-90CLOCK
TCW207N	7 drawer 37" wide roller cabinet	TC-180CLOCK
TCW806LN	6 drawer double width roller cabinet	TC-180CLOCK
TCW809N	9 drawer double width roller cabinet	TC-180CLOCK
TCW-CAB01	Side cabinet	TC-180CLOCK
TCW-CAB02	Side cabinet	TC-180CLOCK
TCW-CAB03	Side cabinet	TC-90CLOCK



Get organise construction of the construction







When you think of organising your workplace or garage it can seem like a hassle, but when you 'Get Organised' with Teng Tools it allows you to work better, faster and saves you money.

The Get Organised System has become the preferred choice for key industrial users and top motor racing mechanics who recognise that organisation is key to efficiency and success. This concept allows you to build the ultimate tool kit in 3 simple steps: 1. Choose your storage, 2. Choose your tool trays, 3. Click together – Get Organised!



Don't waste space with tools you don't need! All tools are developed to fit the Get Organised system so you can fill your storage with a selection of tools to suit your exact needs










HOW DO THE TRAYS FIT?

CHOOSE THE TOOL TRAY SIZE BELOW TO FIT THE SPACE IN YOUR STORAGE:

Storing tools in hard to reach places and in an illogical manner can disrupt the workflow of any garage or workshop. The unique Tena Tools Get Organised System uses tool trays that click together to fit perfectly into your chosen storage solution. You do not have to waste time searching for tools anymore.

Every tool has its own specific place in your toolbox. You can rest assured knowing that any tool you need is easy to find and ready for the task whenever you need it. This creates a more efficient workflow and gives you more time to do what you do best every day.



Get organised™





000000

Storage Trays



CLIP RAIL SET

- Includes 2 clip rails and clips for 1/4", 3/8" and 1/2" drive sockets
- A protective mat is included in the bottom of the tray
- Removable lid and dove tail joints

2 x 260mm aluminium rails, 10 x 1/4" drive socket clips, 10 x 3/8" drive socket clips, 10 x 1/2" drive socket clips

Item ID: TTALU



STORAGE TRAY

- Includes plastic clips for holding spanners or screwdrivers
- A protective mat is included in the bottom of the tray
- Removable lid and dove tail joints

Item ID: TT00



STORAGE TRAY

- Storage tray with 7 compartments
- Ideal for storing small components and consumables
- Removable lid and dove tail joints

Item ID: TT01



STORAGE TRAY

- · Storage tray with 2 compartments
- Ideal for storing small components and consumables
- Removable lid and dove tail joints

Item ID: TT02



STORAGE TRAY

- Storage tray with 4 compartments
- Ideal for storing small components and consumables
- Removable lid and dove tail joints

Item ID: TT03



STORAGE TRAY

- Storage tray with 6 compartments
- Ideal for storing small components and consumables
 - Removable lid and dove tail joints

Item ID: TT04

Get Organised System 🞑



STORAGE TRAY

- Three colour pre-cut EVA foam Ideal for storing small items as part of a tool kit or work station
- Removable lid and dove tail joints

7 section storage tray

Item ID: TEA01



STORAGE TRAY

- 2 section storage tray
- Three colour pre-cut EVA foam
- Ideal for storing small items as part of a tool kit or work station
- Removable lid and dove tail joints

Item ID: TEA02



STORAGE TRAY

- Storage tray with 4 compartments
- Ideal for storing small components and consumables
- Removable lid and dove tail joints

Item ID: TTD00



STORAGE TRAY

EVA

EVA

- Storage tray with 8 compartments
- Ideal for storing small components and consumables
- Removable lid and dove tail joints

Item ID: TTD01



STORAGE TRAY

- Storage tray with 16 compartments
- Ideal for storing small components and consumables
- Removable lid and dove tail joints

Item ID: TTD02



STORAGE TRAY

- 4 section storage tray Three colour pre-cut EVA foam
- Ideal for storing small items as part of a tool kit or work station
- Removable lid and dove tail joints

Item ID: TED00



EVA









STORAGE TRAY

- 8 section storage tray
- Three colour pre-cut EVA foam
- Ideal for storing small items as part of a tool kit or work station

Item ID: TED01





STORAGE TRAY

- Storage tray with 1 compartment
- Ideal for storing additional tools, components and consumables
- A protective mat is included in the bottom of the tray

Item ID: TTX00





STORAGE TRAY

- Storage tray with 6 compartments
- Ideal for storing additional tools, components and consumables

Item ID: TTX01





STORAGE TRAY

- Storage tray with 4 compartments
- Ideal for storing additional tools, components and consumables

Item ID: TTX02





STORAGE TRAY

- Storage tray with 8 compartments
- Ideal for storing additional tools, components and consumables

Item ID: TTX03





- 4 section storage tray
- Three colour pre-cut EVA foam
- Ideal for storing small items as part of a tool kit or work station

Item ID: TEX02





STORAGE TRAY

- Storage tray with 6 compartments
- Ideal for storing small components and consumables

Item ID: TTZ01







EVA

STORAGE TRAY



- Three colour pre-cut EVA foam
- Ideal for storing small items as part of a tool kit or work station

Item ID: TEZ01

Get Organised System 💽

General Tool Kits





GENERAL TOOL SET



Includes measuring, striking and cutting tools as well as an adjustable wrench and power grip pliers

General Tools:

6" adjustable wrench, 10" adjustable wrench, 10" power grip plier, utility knife, 12" hack saw, soft face hammer, 3 meter tape measure, 200mm steel rule, 24oz (675g) ball pein hammer

Item ID: TTPS09





GENERAL TOOL SET

A selection of tools to compliment any tool kit Includes measuring, striking and cutting tools as well as an adjustable wrench and power grip pliers

6" adjustable wrench, 10" adjustable wrench, 10" power grip plier, utility knife, 12" hack saw, soft face hammer, 3 meter measuring tape, 200mm steel rule, 800g engineers hammer

Item ID: TTPS09E







SERVICE TOOL SET

- Especially designed for use in the Teng Tools TC-SC portable service case
- A set of general hand tools to compliment the other sets in a tool kit

9 Pieces

Measuring tape, hacksaw frame, utility knife, power grip plier, adjustable wrench, ball pein hammer

Item ID: SCPS01





SERVICE TOOL SET



- Especially designed for use in the Teng Tools TC-SC portable
- A set of general hand tools to compliment the other sets in a tool kit

Measuring tape, hacksaw frame, utility knife, power grip plier, adjustable wrench, engineers hammer

Item ID: SCPS01E

Get organised **TENGIOOLS**













PLIER AND HAMMER SET





- Includes pliers, adjustable wrench, knife, tin snips and a claw hammer
- Tools are held in place using three colour pre-cut EVA foam
- Designed to fit exactly in the Teng Tools TC-SC service case

General Tools:	
Pliers:	6" side cutters, 8" long nose pliers, 10" quick set water pump pliers
Wrenches	8" wide jaw adjustable wrench
Cutting Tools:	Utility knife, straight cut high leverage tin snips
Hammers:	16 oz claw hammer

Item ID: TEFMB7







PLIER AND HAMMER SET







- Tools are held in place using three colour pre-cut EVA foam
- Designed to fit exactly in the Teng Tools TC-SC service case

General Tools:	
Pliers:	6" side cutters, 8" long nose pliers, 10" quick set water pump pliers
Wrenches	8" wide jaw adjustable wrench
Cutting Tools:	Utility knife, straight cut high leverage tin snips
Hammers:	16 oz ball pein hammer

Item ID: TEFMBP7





GENERAL TOOL SET





- Includes measuring, striking and cutting tools as well as all the most commonly used pliers
- Tools are held in place using three colour pre-cut EVA foam
- Designed to fit exactly in the larger Teng Tools tool box drawers

General Tools:	
Cutting Tools:	12" hacksaw, craft knife with 10 spare 18mm snap off blades
Striking Tools:	Soft face hammer, 500g engineers style hammer, parallel pin punches (3, 4, 5, 6, 7, 8mm)
Pliers:	6" heavy duty side cutters, 7" high leverage combination pliers, 6" long nose pliers, 10" water pump pliers
Measuring Tools:	3 meter measuring tape

Item ID: TTEPS25









GENERAL TOOL SET

- Includes measuring, striking and cutting tools as well as adjustable wrenches
- Tools are held in place using three colour pre-cut EVA foam
- Designed to fit exactly in the larger Teng Tools tool box drawers

General Tools:	
Cutting Tools:	12" hacksaw, craft knife with 10 spare 18mm snap off blades
Striking Tools:	800gm engineers hammer, soft face hammer, cold chisels (150x18mm, 200x25mm), 150x5mm centre punch, parallel pin punches (3, 4, 5, 6, 7, 8mm)
Wrenches	6" and 10" adjustable wrenches
Measuring Tools:	3 meter measuring tape, 200mm steel rule

Item ID: TTEPS12

Get Organised System 💽

Socket Sets



SOCKET SET





- Regular and deep 6 point single hex sockets
- Chrome vanadium satin finish sockets
- Designed and manufactured to DIN and ISO standards

72 Teeth ratchet, l	72 Teeth ratchet, Universal Joint, 6" spinner handle										
Coupler adaptor, 2	Coupler adaptor, 2" & 4" Extension bars, 3/8"F x 1/4"M T-bar adaptor										
6 point sockets:	6 point sockets:										
Reg mm:	4	5	5.5	6	7	8	9				
	10	11	12	13							
O Deep mm:	6	7	8	10	12	13					
1/4" Hex bits:	\subseteq)	4, 5.5	*	TPX1	O, TPX15	, TPX20	•	5, 6		
	1) PH	11, PH2	*	P	Z1, PZ2					

Item ID: TT1435



SOCKET SET







- Regular and deep 6 point single hex sockets
- Chrome vanadium satin finish sockets
- Designed and manufactured to DIN3120/3124 and ISO2725

3/8"	3/8" Drive 6 point sockets:											
0	Reg AF:	3/8	7/16	1/2	9/16	5/8	11/16	3/4				
0	Deep AF:	3/8	7/16	1/2	9/16	5/8	11/16	3/4				
1/4"	Drive 6 poin	t sockets	:									
0	Reg AF:	3/16	7/32	1/4	9/32	5/16	11/32	3/8	7/16	1/2		
0	Deep AF:	3/16	7/32	1/4	9/32	5/16	11/32	3/8	7/16	1/2		

Item ID: TTAF32





SOCKET SET

- 1/4" drive regular and deep sockets
- A comprehensive range of 1/4" hex drive 25mm bits
- Supplied in the unique Teng Tools double width TC tray
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs
- Designed and manufactured to DIN and ISO standards

Designed and individuoled to Dirv and 150 standards												
72 Teeth ratchet, Universal Joint, Spinner handle, 2" & 4" Extension bars												
Coupler adaptor, 3/8"F x 1/4"M T-bar adaptor, 1/4"M x 1/4" Hex adaptor												
6 point sockets:												
Reg mm:	4	5	5.5	6	7	8	9					
	10	11	12	13								
O Deep mm:	4	5	5.5	6	7	8	9					
	10	12	13									
1/4" drive bit soc	kets:											
mm:	4	5.5	7									
TX:	10	15	20	25	27	30	40					
PZ:	1	2	3									
PH:	0	1	2	3								
1/4" Hex bits:	\subseteq	3, 4,	5.5, 7	(1)	TX8, TX	10, TX15	, TX20, 1	X25, TX2	7, TX30			
	TPX10, TPX15, TPX20, TPX20, TPX25, TPX27, TPX30, TPX40											
	PZO, PZ1, PZ2, PZ3 PHO, PH1, PH2, PH3, PH4											
	mm: 3, 4, 5, 6, 8, 10 1/8, 9/64, 5/32, 3/16, 1/4, 5/16											
	•) XZ	N: 5, 6									

Item ID: TED 1489

Get organised **TENGIOOLS**











SOCKET SET

mm

mm

- Regular 6 point single hex sockets Chrome vanadium satin finish sockets
- Designed and manufactured to DIN and ISO standards

72 Teeth	72 Teeth ratchet, Universal Joint, 3" Wobble extension bar, 10" Spinner handle										
Coupler o	Coupler adaptor, 1/2"F x 3/8"M T-bar adaptor										
Regular (5 point so	ckets:									
0	mm: 8 9 10 11 12 13 14 15 16										
	17 18 19 22										

Item ID: TT3819



SOCKET SET

- Deep 3/8" drive 6 point sockets Chrome vanadium satin finish sockets
- Designed and manufactured to DIN3120/3124 and ISO2725

Deep 6 point sockets:												
0	mm:	7	8	9	10	11	12	13	14	15		
	16 17 18 19 20 21 22											

Item ID: TT3816



SOCKET SET











- 3/8" drive regular length sockets
- A range of 1/4" drive socket bits covering hex and TX sizes
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs
- Designed and manufactured to DIN and ISO standards

72 Teeth ratchet, Universal Joint, 3" Wobble extension bar,										
1/2"F x 3/8"M T-bar adaptor, 10" Spinner handle										
Regular 6 point sockets:										
0	mm: 8 9 10 11 12 13 14 15 16								16	
		17	18	19	22					
3/8" Driv	e bit soc	kets:								
(1)	TX:	10	15	20	25	27	30	40	45	50
	mm:	3	4	5	5.5	6	7	8	10	12

Item ID: TED3836



BIT SOCKET SET







- Chrome vanadium satin finish sockets
- Designed and manufactured to DIN and ISO standards

3" Extens	3" Extension bar, 3/8"F x 1/4"M adaptor											
3/8" Drive bit sockets:												
(1)	TX:	10	15	20	25	27	30	40	45	50		
\$	TPX:	10	15	20	25	27	30	40	45	50		
0	TX-E:	E10	E12	E14	E16	E18						
1/4" Driv	1/4" Drive bit sockets:											
0	TX-E:	E4	E5	E6	E7	E8						

Item ID: TTTX30

Get Organised System 💽



BIT SOCKET SET







- Includes all the most commonly used screwdriver, hex and TX bits
- Chrome vanadium satin finish sockets

3/8"F x 1	3/8"F x 1/4"M adaptor, 1/4"F x 3/8"M adaptor												
3/8" Driv	3/8" Drive bit sockets:												
	mm:	3	4	5	5.5	6	7	8	10	12			
	AF:	1/8	5/32	3/16	7/32	1/4	5/16	3/8					
1/4" Driv	e bit soc	kets:											
(1)	TX:	10	15	20	25	27	30	40					
Θ	mm:	4	4.5	7									
(+)	PH:	0	1	2	3								
*	PZ:	1	2	3									

Item ID: TTBS35





SPARK PLUG SOCKET SET







- Spark plug socket set
- 3/8" drive extra long swivelling spark plug sockets for use in hard to reach places
- T bar with the Teng Tools T-HD handle for more comfortable use

2 Piece T-bar handle										
3/8" Drive	extra	ong swiv	elling sp	ark plug	sockets:					
0	mm:	14	16	21						

Item ID: TTXTB05





Item ID: TEXTBO5









SPARK PLUG SOCKET SET

- Extra long swivelling spark plug sockets for use in hard to reach places
- T bar with the Teng Tools T-HD handle for more comfortable use

2 Piece T-bar handle											
3/8" Drive ext	3/8" Drive extra long swivelling spark plug sockets:										
O mm: 14 16 21											






LONG T-BAR SOCKET SET







- Extra long socket set
- 3/8" drive extra long sockets for use in hard to reach places
- T bar with the Teng Tools T-HD handle for more comfortable use



Item ID: TTXTB09



RATCHET & ACCESSORIES SET







Socket accessory set

Designed and manufactured to DIN and ISO standards

72 Teeth ratchet, 5" & 10" Extension bars
Universal joint, 3/8"F x 1/2"M T-bar adaptor

Item ID: TT1205

Get organised"







mm





SOCKET SET

- Includes a 10" flex handle with ergonomic grip
- Chrome vanadium satin finish
- Designed and manufactured to DIN and ISO standards

10" Flex handle											
Deep 12 point sockets:											
0	mm:	10	11	12	13	14	15				
		16	17	18	19						

Item ID: TT1211



SOCKET SET

- 12 point bi-hex sockets
- Chrome vanadium satin finish sockets
- Designed and manufactured to DIN3120/3124 and ISO2725

Regular 1	Regular 12 point sockets:												
0	mm:	10	11	12	13	14	15	16	17	18			
		19	20	21	22	24	27	30	32				

Item ID: TT1217



SOCKET SET



- Chrome vanadium satin finish sockets
- Designed and manufactured to DIN3120/3124 and ISO2725

Regular 6	point so	ckets:								
0	mm:	10	11	12	13	14	15	16	17	18
		19	20	21	22	24	27	30	32	

Item ID: TT1217-6



SOCKET SET

mm



- Chrome vanadium satin finish sockets
- Designed and manufactured to DIN and ISO standards

72 Teeth ratchet, 2½" & 10" Extension bars												
Universal joint, 3/8"F x 1/2"M T-bar adaptor												
Regular 1	Regular 12 point sockets:											
0	mm: 10 11 12 13 14 15 16 17 18											
19 22 24												

Item ID: TT1218



SOCKET SET



Chrome vanadium satin finish sockets

Designed and manufactured to DIN and ISO standards

72 Teeth r	72 Teeth ratchet, 2½" & 10" Extension bars												
Universal	Universal joint, 3/8"F x 1/2"M T-bar adaptor												
Regular 6	Regular 6 point sockets:												
0	mm: 10 11 12 13 14 15 16 17 18												
		19	22	24									

Item ID: TT1218-6

mm

Get Organised System 💽













- Supplied in the unique Teng Tools double width TC tray
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs
- Designed and manufactured to DIN and ISO standards

72 Teeth ratchet, 2	72 Teeth ratchet, 2½" & 6" Extension bars											
Universal joint, 3/8"F x 1/2"M T-bar adaptor												
12 point sockets:	12 point sockets:											
Reg mm:	10	11	12	13	14	15	16	17	18			
	19	22	24									
O Deep mm:	10	11	12	13	14	15	16	17	18			
	19											

Item ID: **TED 1227**





SOCKET SET

- 1/2" drive regular and deep 12 point bi-hex sockets
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs
- Designed to fit exactly in the larger Teng Tools tool box drawers
- Can be used as a set on it's own or as part of the Teng Tools "Get Organised" system
- Designed and manufactured to DIN and ISO standards

72 Teeth ratchet, 2½", 5", 6" & 20" Extension bars, 3", 6" & 10" Wobble extension bars										
Universal joint, 1/2"F x 3/8"M adaptor, 1/2"F x 3/4"M adaptor										
Coupler adaptors for 5/16", 10mm & 12mm bits, Flex head adaptor										
12 point sockets:										
Reg mm:	8	9	10	11	12	13	14	15	16	
	17	18	19	20	21	22	24	25	26	
	27	28	29	30	32	34				
O Deep mm:	10	11	12	13	14	15	16	17	18	
	19	20	21	22	24	27	30	32	36	

Item ID: TTESK63



00000

SOCKET SET







- 12 point bi-hex sockets
- Chrome vanadium satin finish sockets
- Designed and manufactured to DIN3120/3124 and ISO2725

Regular 12 point sockets:											
C	AF:	3/8	7/16	1/2	9/16	5/8	11/16	3/4	13/16	7/8	
		15/16	1	1-1/16	1-1/8	1-3/16	1-1/4				

Item ID: TT1215AF



HEX BIT SOCKET SET







- Chrome vanadium satin finish sockets
- Designed and manufactured to DIN7422

Hex bit sockets mm:									
Length 55mm:	5	6	7	8	9	10	12	14	17
Length 100mm:	5	6	10	12	14	17			
Length 115mm:	8								

Item ID: TTHEX 16

mm EVA

Get organised[™] TENGIOOLS 1









HEX BIT SOCKET SET









- Grub screws to retain the bit in place, especially useful when working in difficult to reach places
- Designed and manufactured to DIN3126

10mm Hex bit add	10mm Hex bit adaptor, 12mm Hex bit adaptor, 2mm Hex mini screwdriver							
Hex bit sockets mm:								
Length 40mm:	10mm Hex Drive:	5	6	7	8	9	10	
	12mm Hex Drive:	12	14	17	19			
Length 115mm:	10mm Hex Drive:	5	6	7	8	9	10	
	12mm Hex Drive:	12	14	17	19			


Item ID: TTHEX23





TX BIT SOCKET SET





Item ID: TTTX18



TX BIT SOCKET SET





- Chrome vanadium satin finish bit holders included
- Grub screws to retain the bit in place, especially useful when working in difficult to reach places
- Designed and manufactured to DIN3126

10mm Hex bit ad	10mm Hex bit adaptor, 12mm Hex bit adaptor, 2mm Hex mini screwdriver								
TX bit sockets:									
Length 40mm:	10mm Hex Drive:	20	25	27	30	40	45	50	55
	12mm Hex Drive:	60	70						
Length 75mm:	10mm Hex Drive:	20	25	27	30	40	45	50	55
	12mm Hex Drive:	60	70						

Item ID: TTTX23



HEX & TX BIT SOCKET SET





- 100mm length for easier access in recesses
- Chrome vanadium satin finish sockets
- Designed and manufactured to DIN and ISO standards

TX bit sockets:									
Length 100mm:	20	25	27	30	40	45	50	55	60
Hex bit sockets mm:									
Length 100mm:	5	6	7	8	10	12			

Item ID: TTTXH15

Get Organised System 💽





RIBE & XZN BIT SOCKET SET



- 100mm length for easier access in recesses
- Chrome vanadium satin finish sockets
- Designed and manufactured to DIN and ISO standards

Ribe bit sockets:									
Length 100mm:	4	5	6	8	10	11	12	13	
XZN bit sockets:									
Length 100mm:	5	6	8	10	12	14	16		

Item ID: TTRS15





EXTENSION BARS SET



- Includes a selection of long and wobble extension bars
- Teng Tools T-HD handle included for a more comfortable grip
- Designed and manufactured to DIN and ISO standards

1/4" Drive	6" & 12" Extension bars, Universal joint
3/8" Drive	3" Wobble extension bar, 20" Extension bar, Universal joint, 3/8"F x 1/4"M T-bar adaptor
1/2" Drive	3" Wobble extension bar, 20" Extension bar, Universal joint

T-handle grip, 2mm & 2.5mm Mini Hex Screwdrivers

Item ID: TTXEXT13





EXTENSION BARS SET





- Includes a selection of long and wobble extension bars
- Teng Tools T-HD handle included for a more comfortable grip
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belong
- Designed and manufactured to DIN and ISO standards

1/4" Drive	6" & 12" Extension bars, Universal joint
3/8" Drive	3" Wobble extension bar, 20" Extension bar, Universal joint, 3/8"F x 1/4"M T-bar adaptor
1/2" Drive	3" Wobble extension bar, 20" Extension bar, Universal joint
	T-handle grip, 2mm & 2.5mm Mini Hex Screwdrivers

Item ID: TEXEXT13





RATCHET & ACCESSORIES SET





- Socket accessory set
- Quick release and twist reverse action for easier use
- Sliding T bar and extension bars also included
- Designed and manufactured to DIN and ISO standards

Quick release 72 teeth ratchet, 200mm & 400mm Extension bars Sliding T-bar

Item ID: TTX3404





RATCHET & ACCESSORIES SET





- Socket accessory set
- With safety locking system to avoid tools being dropped
- Quick release and twist reverse action for easier use
- Sliding T bar and extension bars also included
- Designed and manufactured to DIN and ISO standards

Quick release 72 teeth ratchet, 200mm & 400mm Extension bars

Sliding T-bar

Item ID: TTX3404S

Get organised **TENGIOOLS**





















RATCHET & ACCESSORIES SET







- Sliding T bar and 16" (400mm) extension also included
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belong
- Designed and manufactured to DIN and ISO standards

Quick release 72 teeth ratchet, 400mm Extension bar

Sliding T-bar

Item ID: TEX3403











- Chrome vanadium
- Satin finish for a better grip when handling the sockets
- 12 point single hexagon sockets for a better grip
- Designed and manufactured to DIN3120/3124

Regular 12 point sockets:										
0	AF:	7/8	15/16	1	1-1/16	1-1/8	1-3/16	1-1/4	1-5/16	1-3/8
		1-7/16	1-1/2	1-5/8	1-3/4	1-7/8				

Item ID: TTX34AF





SOCKET SET









- Satin finish for a better grip when handling the sockets 6 point single hexagon sockets for a better grip
- Designed and manufactured to DIN3120/3124

Regular 6 point sockets:										
0	mm:	19	21	22	24	27	30	32	33	34
		36	38	41	46	50				

Item ID: TTX3414





SOCKET SET







- Satin finish for a better grip when handling the sockets
- 6 point single hexagon sockets for a better grip
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs
- Designed and manufactured to DIN3120/3124

Regular 6 point sockets:									
0	mm:	22	24	27	30	32	36		
		38	41	46	50				

Item ID: TEX3410



SOCKET SET











- 3/4" drive regular sockets
- With safety locking system to avoid tools being dropped
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs
- Can be used as a set on it's own or as part of the Teng Tools "Get Organised" system
- Designed and manufactured to DIN and ISO standards

Quick rele	Quick release 72 teeth ratchet, 400mm Extension bar									
Sliding T-	bar, 19"	Flex han	dle							
Regular 6	point so	ockets:								
0	mm:	19	21	22	24	27	30	32	33	34
		36	38	41	46	50				
Regular 1	Regular 12 point sockets:									
0	AF:	7/8	15/16	1	1-1/16	1-1/8	1-3/16	1-1/4	1-5/16	1-3/8
	1-7/16 1-1/2 1-5/8 1-3/4 1-7/8									

Item ID: TTESK32

Get Organised System 🞑







- A full range of converters and adaptors from 1/4" to 1" drive Includes regular, magnetic and quick chuck holders for use with
- Designed and manufactured to DIN standard

1/4" Drive:	1/4" Hex Coupler, Hex bi	1/4" Hex Coupler, Hex bit adaptor, 50mm Hex bit adaptor						
3/8" Drive:	1/4" Hex Coupler, Hex bit adaptor, 50mm Hex bit adaptor							
1/2" Drive:		50mm Hex bit adaptor						
Step Up Adaptors:	1/4"F x 3/8"M	3/8" x 1/2"M						
	1/2"F x 3/4"F	3/4"M - 1"F						
Reducing Adaptors:	3/8"F x 1/4"M	1/2"F x 3/8"M						
		3/4"F x 1/2"M						
50mm & 70mm Magnetic bit holder, 50mm Chuck bit holder with quick release								

Item ID: TTADP17



SOCKET SET

17 Pieces









- Spanner and socket set
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs
- Designed to fit exactly in the Teng Tools TC-SC service case
- Can be used as a set on it's own or as part of the Teng Tools "Get Organised" system
- Designed and manufactured to DIN and ISO standards

1/4" Drive	72 Teeth ratchet, 2" & 3" extension bars, $3/8$ "F x $1/4$ "M adaptor, $1/4$ "Hex x $1/4$ "M adaptor, Coupler adaptor, Universal joint									
3/8" Drive	72 Teeth ratchet, 3" & 6" Extension bars, 1/2"F x 3/8"M adaptor, Coupler adaptor, Universal joint									
1/4" Drive 6 point sockets:										
Reg mm:	4	5	5.5	6	7	8	10	11	12	
	13									
O Deep mm:	6	7	8	10	12	13				
3/8" Drive 6 point sockets:										
Reg mm:	8	9	10	11	12	13	14	15	16	
	17	18	19	21	22					
Spark plug sockets mm:		16	21							
Combination Span	ners:		8, 9, 10 ,11, 12, 13, 14, 15, 16, 17, 18, 19 mm							

Item ID: TEFSK57



Get organised **TENGIOOLS** 107











SOCKET SET











- Includes 72 teeth quick release, twist reverse ratchets
- Speed brace for quickly transporting nuts and bolts
- A selection of extension bars and accessories
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs
- Can be used as a set on it's own or as part of the Teng Tools "Get Organised" system
- Designed and manufactured to DIN and ISO standards

1/4" Drive	71	72 Teeth ratchet, 6" Spinner handle, Universal joint, Coupler adaptor, 2", 3", 4", 6" & 12" Extension bars, 1/4"F x 3/8"M adaptor, Sliding T-bar, T-bar handle adaptor										
3/8" Drive	72 Teeth ratchet, Speed brace, Spinner handle, Universal Joint, 3", 5", 6", 10" & 20" Extension bars, $3/8$ "F x $1/4$ "M adaptor, $3/8$ "F x $1/2$ "M adaptor, Coupler adaptor											
1/4" Drive 6 point sockets:												
Reg mm:	4	4.5	5	5.5	6	7	8	9	10			
	11	12	13									
Deep mm:	4	5	5.5	6	7	8	9	10	11			
	12	13										
3/8" Drive 6 poin	t sockets	:										
Reg mm:	7	8	9	10	11	12	13	14	15			
	16	17	18	19	20	21	22					
O Deep mm:	7	8	9	10	11	12	13	14	15			
	16	17	18	19	20	21	22					
Spark plug sockets	mm:	16	18	21								

Item ID: TTESK86



SOCKET SET









- Includes FRP quick release, flip reverse ratchets
- Includes a wide selection of 25mm screwdriver bits together with adaptors and the mini bits ratchet
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs
- Can be used as a set on it's own or as part of the Teng Tools "Get Organised" system
- Designed and manufactured to DIN and ISO standards

Designed and manutactured to DIN and ISO standards											
1/4" Drive	Fli	Flip reverse ratchet, Mini bits ratchet, 4" Extension bar, Universal joint 6" Spinner handle, Coupler adaptor, $1/4$ "M x $1/4$ "Hex adaptor									
1/2" Drive	Flip reverse ratchet, 17" Flex handle, 5" & 10" Extension bars, Universal joint										
1/4" Drive 6 point sockets:											
Reg mm:	4	4.5	5	5.5	6	7	8	9	10		
	11	12	13								
O Deep mm:	7	8	10	11	13						
1/2" Drive 6 point sockets:											
Reg mm:	10	11	12	13	14	15	16	17	18		
	19	20	21	24	27	30	32	34			
O Deep mm:	10	13	16	17	18	19					
Spark plug sockets	mm:	16	18	21							
1/4" Hex bits:					3.5,	4, 4.5, 5	i.5 (x2),	6.5 (x2)	, 8 mm		
	(\$)	TI	PX10, TP	(15, TPX:	20 (x2),	TPX25 (>	(2), TPX2	7, TPX30	, TPX40		
	(*)	TX6, TX7, TX8, TX9, TX10, TX15, TX20 (x3), TX25 (x3), TX27, TX30 (x2), TX40									
	(+)	PH1 (x4), PH2 (x7), PH3 (x2) PZ1 (x4), PZ2 (x7), PZ3									
		2, 3, 4,	5, 6, 8			1, 2, 3	(+)	PH	2G (x3)		

Item ID: TTESK126







- Includes FRP quick release, flip reverse ratchets
- A selection of extension bars and adaptors to suit different
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs
- Can be used as a set on it's own or as part of the Teng Tools "Get Organised" system
- Designed and manufactured to DIN and ISO standards

1/4" Drive		Flip reverse ratchet, 6" Spinner handle, 6" & 12" Extension bars, Universal joint, T-bar & T-bar handle adaptor										
3/8" Drive		Flip reverse ratchet, 3" Wobble extension bar, 6" Extension bar, Universal joint, 3/8"F x 1/4"M adaptor, 3/8"F x 1/2"M adaptor, Rotating spinner handle										
1/2" Drive		Flip reverse ratchet, 6" Wobble extension bar, 10" Extension bar, Universal joint, 1/2"F x 3/8"M adaptor										
1/4" Drive 6 poir	1/4" Drive 6 point sockets:											
Reg mm:	4	5	5.5	6	7	8	9	10	11			
	12	13										
O Deep mm:	6	6 7 8 10 12 13										
3/8" Drive 6 poir	t sockets	:										
Reg mm:	8	9	10	11	12	13	14	15	16			
	17	18	19	22								
1/2" Drive 12 po	nt socket	s:										
Reg mm:	10	11	12	13	14	15	16	17	18			
	19	22										
1/2" Drive 6 poir	t imapct	sockets:	T									
Reg mm:	13	15	16	17	18	19	22	24				
O Deep mm:	13	15	16	17	18	19	22	24				

Item ID: TTESK77

















- **SOCKET SET**
 - An extensive range of short and long reach screwdriver, hex and TX bits
 - Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs
- Designed to fit exactly in the larger Teng Tools tool box drawers
- Can be used as a set on it's own or as part of the Teng Tools "Get Organised" system
- Designed and manufactured to DIN and ISO standards

3/8"	Drive							3	" Extens	ion bar	
1/4" Drive bit sockets:											
\bigcirc	mm:	4	5.5	7							
*	PZ:	1	2	3							
(+)	PH:	0	1	2	3						
	TX:	10	15	20	25	27	30	40			
Ŏ	TX-E:	E4	E5	E6	E7	E8					
	3/8" Drive bit sockets:										
	TX:	10	15	20	25	27	30	40	45	50	
	TPX:	10	15	20	25	27	30	40	45	50	
0	TX-E:	E10	E12	E14	E16	E18					
	Hex:	3	4	5	5.5	6	7	8	10	12	
1/2"	Drive bit soc	kets:									
	TX:	20	25	27	30	40	45	50	55	60	
	Long Hex:	5	6	7	8	10	12				
	Ribe:	4	5	6	8	10	11	12	13		
(XZN:	M5	M6	M8	M10	M12	M14	M16			

Item ID: TTESK85





00000

Impact Tools



IMPACT SOCKET SET









- Chrome molybdenum for use with power tools
- Designed and manufactured to DIN and ISO standards

3/8"F x 1/4"M impact adaptor											
1/4" Drive Impact 6 point sockets:											
Reg mm:	6	7	8	10	13						
3/8" Drive Impact 6 point sockets:											
Reg mm:	8	10	11	12	13	14	16	17	19		
O Deep mm:	8	10	11	12	13	14	16	17	19		

Item ID: TT9024



IMPACT SOCKET ACCESSORY SET





- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools

Impact Adaptors:	3/8"F x 1/2"M, 1/2"F x 3/4"M, 1/2"F x 3/8"M
Universal Joint, 3"	5" & 10" Extension bars

Item ID: TT9207



IMPACT SOCKET ACCESSORY SET



- A selection of extension bars and adaptors
- ANSI standard design for use with power tools with a ball bearing socket retainer
- Chrome molybdenum for use with power tools

Impact Adaptors:	3/8"F x 1/2"M, 1/2"F x 3/4"M, 1/2"F x 3/8"M
Universal Joint, 3",	5" & 10" Extension bars

Item ID: TT9207A



IMPACT SOCKET SET







- ANSI standard design for use with power tools with a ball bearing socket retainer
- Chrome molybdenum for use with power tools

1/2" Drive Impact 6 point sockets:											
Reg mm:	13	15	16	17	18	19	22	24			
O Deep mm:	13	15	16	17	18	19	22	24			

Item ID: TT9116N



IMPACT SOCKET SET







- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools
- Designed and manufactured to DIN3129

Locking Pins: 20x3.5mm, 25x3.5mm										
0-rings: 20x3mm, 24x3mm										
1/2" Drive Impact 6 point sockets:										
Reg mm:	13	15	16	17	18	19	22	24		
Deep mm: 13 15 16 17 18 19 22 24										

Item ID: TT9120DN



IMPACT SOCKET SET









- ANSI standard design for use with power tools with a ball bearing socket retainer
- Selection of extension bars and adaptors
- Supplied in the unique Teng Tools double width TC tray
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs

3" & 10" Extension bars, Universal joint, 3/8"F x 1/2"M & 1/2"F x 3/4"M Impact adaptors											
1/2" Drive Impact 6 point sockets:											
Reg mm:	13	15	16	17	18	19	22	24			
O Deep mm:	13	15	16	17	18	19	22	24			

Item ID: TED9121





mm



TORQUE STICK & WHEEL NUT SOCKET SET

- For the correct tightening of wheel nut sockets on cars
- When the correct torque is reached the torque stick socket end stops turning while the drive end springs back with each stroke
- Reduces the risk of sheared wheel nut bolts or distorted rims and
- Chrome molybdenum wheel nut sockets with protective inserts to avoid damage to wheels

3/8" x 1/2" Torque step up adaptor										
1/2" Drive Torque sticks:										
Nm: 90 110 120 140										
1/2" Drive wheel nut sockets:										
O mm:	17	19	21							

Item ID: TTTS08



TX IMPACT BIT SOCKET SET





- Chrome molybdenum for use with power tools
- DIN standard design for use with a retaining pin and ring

1/2" Drive In	1/2" Drive Impact TX bit sockets:												
★ TX:	10	15	20	25	27	30	40	45					
	50	55	60	70									

Item ID: TT9212TX











HEX IMPACT BIT SOCKET SET



- Chrome molybdenum for use with power tools
- DIN standard design for use with a retaining pin and ring
- Designed and manufactured to DIN3129

3/8" Drive Impact Hex bit sockets:									
mm:	4	5	6	7	8	10	12		
1/2" Drive Ir	1/2" Drive Impact Hex bit sockets:								
mm:	5	6	8	10	12	14	17	19	

Item ID: TT9015HX



IMPACT SOCKET SET

- mm EVA 7" impact extension bar included for reaching in to recessed
- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools
- Supplied in the unique Teng Tools double width TC tray

7" Extension bar,	7" Extension bar, Retaining rings & pins								
3/4" Drive Impac	t 6 point socl	cets:	-						
Reg mm:	19 (3/4")	24	27 (1-1/16")	30 (1-3/16")	32	33			
	34	36	38						

Item ID: TTD9416



IMPACT SOCKET SET









- Extension bars and adaptors included
- DIN & ANSI standard 1/2" drive sockets included
- Chrome molybdenum for use with power tools
- Designed to fit exactly in the larger Teng Tools tool box drawers
- Can be used as a set on it's own or as part of the Teng Tools "Get Organised" system

3/8" Drive	3"	3" Extension bar, 3/8"F x 1/2"M & 3/8"F x 1/4"F Impact adaptors, Coupler adaptor for 1/4" hex bits							
1/2" Drive		3", 5" & 10" Extension bars, Universal joint, 1/2"F x 3/4"M & 1/2"F x 3/8"M Impact adaptors, Coupler adaptor for 5/16" hex bits							
3/8" Drive Impact	6 point	sockets:	T -						
Reg mm:	8	10	11	12	13	14	15	16	17
	18	19							
O Deep mm:	8	10	11	12	13	14	16	17	19
1/2" Drive Impact	6 point	sockets:	T						
Reg mm:	8	10	11	12	13	14	15	16	17
	18	19	20	21	22	23	24	25	26
	27	28	29	30	32				
O Deep mm:	10	11	12	13	14	15	16	17	18
	19	21	22	24	27	28	29	30	32
	35	36							

Item ID: TTEISK73





IMPACT SOCKET SET







- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools
- Supplied in the unique Teng Tools drawer width TTX tray

3/4" Drive Impact 6 point sockets:									
Reg mm:	19 (3/4")	24	27 (1-1/16")	28					
	30 (1-3/16")	32	34	36					
O Deep mm:	19 (3/4")	24	27 (1-1/16")						
	30 (1-3/16")	32	33	36					

Item ID: TTX9415







IMPACT SOCKET SET









- Extension bars and adaptors included
- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools
- Designed to fit exactly in the larger Teng Tools tool box drawers
- Can be used as a set on it's own or as part of the Teng Tools "Get Organised" system

7" Extension bar,	7" Extension bar, Universal joint, 3/4"F x 1/2"M & 3/4"F x 1"M Impact adaptors								
3/4" Drive Impact 6 point sockets:									
Reg mm:	19	21	22	23	24	27	28	30	32
	33	34	36	38	41	46			
O Deep mm:	19	21	22	23	24	27	30	32	33
	34	36	38	41	46				

Item ID: TTEISK33



IMPACT DRIVER SET



Includes a range of impact bits for removing stubborn fastenings

Reversible impact driver, coupler adaptor, 5/16" Hex x 3/8"M adaptor									
5/16" Hex bits:	\bigcirc	6, 8, 10, 12	(+)	PH1, PH2, PH3, PH4					
Length 36mm		4, 5, 6, 8	(1)	TX30, TX40, TX45, TX50, TX55					

Item ID: TTID20



IMPACT DRIVER SET



- Includes a range of impact bits, impact sockets and screw extractors
- A complete set for removing stubborn fastenings

1/4" Drive reversible impact driver, Impact Bit Adaptor, 1/4" Hex x 1/4"M adaptor									
1/4" Drive	1/4" Drive Impact 6 point sockets: 🕊								
0	Reg mm:	8	10	13					
Screw Extra	tors:	1	2	3					
1/4" Hex II				3,	4, 5, 6	(1)	T.	X25, TX3	0, TX40
Length 50m	m	(+)	PH	12, PH3	*	P	Z2, PZ3		

Item ID: TTID19



TORQUE SCREWDRIVER SET





- Supplied in the unique Teng Tools double width TC tray Tools are held in place using three colour pre-cut EVA foam clearly
- showing where each tool belongs

1/4" Drive	1-5 Nm Torque screwdriver, Quick release chuck, Sliding T-bar, 6" Flexible extension, Ratchetting bits driver with assorted bits									
3/8" Drive		3/8"M x 5/16" Hex adaptor								
1/2" Drive		Reversible impact driver, 5/16" Hex bit adaptor								
5/16" Hex bits:	\bigcirc	6, 8, 10, 12	(1) T	X30, TX40, TX45, TX50, TX55						
Length 36mm	•	4, 5, 6, 8	(1)	PH1, PH2, PH3, PH4						
1/4" Hex bits:	() 3	.5, 4, 4.5, 5.5 (x2), 6.5, 8	(+)	PH1 (x3), PH2 (x6), PH3						
Length 25mm	*	PZ1 (x3), PZ2 (x6), PZ3		2, 3, 4, 5, 6, 8						
		1, 2, 3	(+)	PH2G (x3)						
	③	TX6, TX7, TX8, TX	(9, TX10,	TX15, TX20 (x3), TX25 (x3), TX27, TX30, TX40						
	(*)	TPX10, TPX15, TPX20 (x	(2), TPX2	5 (x2), TPX27, TPX30, TPX40						

Item ID: TEDSD95









IMPACT BIT SET

- Screwdriver, hex and TX bits in various lengths
- Metric and AF impact nut setters included
- New design impact bits and adaptors for higher torsion
- Suitable for use with impact power tools

60mm Impact magnetic bit holder, 60mm Impact quick chuck bit holder								
1/4" Drive Impact nut s	1/4" Drive Impact nut setters - Length 65mm							
O Size:	1/4"	8	10	13				
1/4" Hex Impact Bits:	(+)	PH1	, PH2 (x	2), PH3	⊕ PH	2G (x2)		1, 2
Length 30mm	♣ PZ1, PZ2 (x2), PZ3						3, 4 (x	2), 5, 6
	TX10, TX15, TX20 (x2), TX25 (x2), TX27, TX30 (x2), TX40							
1/4" Hex Impact Bits:		TX10, TX	15, TX20	, TX25, T	X27, TX3	0, TX40		1, 2, 3
Length 50mm			3,	4, 5, 6	(+)	PH2G	+	PZ2
1/4" Hex Impact Bits: Length 89mm	•	T	X20, TX2	5, TX30	⊕ PI	H2 (x2)		

Item ID: TTBS53



IMPACT BIT SET







- Designed for higher torsion
- Tools are held in place using three colour pre-cut EVA foam

60mm Impact magnetic	bit holder	, 60mm Impact quick chu	ck bit holder	
1/4" Hex Impact Bits:	(+)	PH1, PH2 (x2), PH3	→ PH2G (:	x2) 1, 2
Length 30mm	*	PZ1, PZ2 (x2), PZ3		3, 4 (x2), 5, 6
		TX10, TX15, TX20 (x2),	TX25 (x2), TX27	, TX30 (x2), TX40
1/4" Hex Impact Bits:	(+)	PH1, PH2, PH3		3, 4, 5, 6
Length 50mm	*	PZ1, PZ2, PZ3		1, 2, 3
	(1)	TX10, TX	15, TX20, TX25,	TX27, TX30, TX40

Item ID: TEABS50

Spanners & Wrenches



ANTI SLIP COMBINATION SPANNER SET





- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the
- Teng Tools anti slip design on the open end to give a much better grip





Item ID: TT8012







ANTI SLIP COMBINATION SPANNER SET

- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design on the ring and open end for contact with the flat side of the fastening
- Teng Tools anti slip design on the open end to give a much better grip
 - Tools are held in place using three colour pre-cut EVA foam

Combination Spanners: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm



Item ID: TED8012



MIDGET COMBINATION SPANNER SET



- Short stubby spanners for use in confined spaces
- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the fastening
- Chrome vanadium satin finish
- Designed and manufactured to DIN3113A

Midget Combination Spanners: 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

Item ID: TT6010M



COMBINATION SPANNER SET



- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the fastening
- Chrome vanadium satin finish
- Designed and manufactured to DIN3113A

Combination Spanners: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

Item ID: TT1236



COMBINATION SPANNER SET







- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the
- Tools are held in place using three colour pre-cut EVA foam
- Designed and manufactured to DIN3113A

Combination Spanners:

5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

Item ID: TED6515



COMBINATION SPANNER SET




- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the fastening
- Chrome vanadium satin finish
- Designed and manufactured to DIN3113A

Combination Spanners:

5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"

Item ID: TT3592















COMBINATION SPANNER SET



- Chrome vanadium, satin finish Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the fastening
- Designed and manufactured to DIN3113A

Combination Spanners:

20, 21, 22, 24, 27, 30, 32 mm

Item ID: TTX2032









COMBINATION SPANNER SET

- Chrome vanadium, satin finish
- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the
- Tools are held in place using three colour pre-cut EVA foam
- Designed and manufactured to DIN3113A

Combination Spanners:

20, 21, 22, 24, 27, 30, 32 mm

Item ID: TEX2032





COMBINATION SPANNER SET





- Chrome vanadium, satin finish
- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the fastening
- Designed and manufactured to DIN3113A

Combination Spanners:

13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"

Item ID: TTX2640



COMBINATION SPANNER SET







Teng Tools hip grip design for contact with the flat side of the fastening


Off set at 15° for easier use on flat surfaces

- Chrome vanadium satin finish
- Tools are held in place using three colour pre-cut EVA foam
- Designed to fit exactly in the larger Teng Tools tool box drawers
- Designed and manufactured to DIN and ISO standards

Combination Spanners:

5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32, 33, 34, 36, 38 mm

Item ID: TTESP31





mm

LONG REACH COMBINATION SPANNER SET

- Extra long for increased torque
- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side
- Designed and manufactured to DIN3113A

Combination Spanners:

20, 21, 22, 24, 27, 30, 32 mm

Item ID: TTXLMP12





SOCKET AND SPANNER SET





- Combination spanners and a range of socketry
- Tools are held in place using three colour pre-cut EVA foam
- Teng Tools hip grip design for contact with the flat side of the
- Chrome vanadium satin finish
- Designed to fit exactly in the larger Teng Tools tool box drawers
- Designed and manufactured to DIN and ISO standards

1/4"	Drive 6 poin	t sockets	:							
0	Reg AF:	3/16"	7/32"	1/4"	9/32"	5/16"	11/32"	3/8"	7/16"	1/2"
0	Deep AF:	3/16"	7/32"	1/4"	9/32"	5/16"	11/32"	3/8"	7/16"	1/2"
3/8"	Drive 6 poin	t sockets	:							
0	Reg AF:	3/8"	7/16"	1/2"	9/16"	5/8"	11/16"	3/4"		
0	Deep AF:	3/8"	7/16"	1/2"	9/16"	5/8"	11/16"	3/4"		
1/2"	1/2" Drive 12 point sockets:									
0	Reg AF:	3/8"	7/16"	1/2"	9/16"	5/8"	11/16"	3/4"	13/16"	7/8"
		15/16"	1"	1-1/8"	1-3/16"	1-1/4"				

Combination Spanners:

5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"

Item ID: TTEAF62



GENERAL TOOL SET







- Includes combination spanners, screwdrivers, hex keys, an adjustable wrench and a claw pick up tool
- Tools are held in place using three colour pre-cut EVA foam
- Designed to fit exactly in the larger Teng Tools tool box drawers
- Designed and manufactured to DIN and ISO standards

Combination Spanners:						
8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm						
General Tools:						
Wrenches	8" wide jaw adjustable					
Ball point hex keys:	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm					
Accessories:	600mm claw pick up tool					
Screwdrivers:	3.5x75 mm PH1x75 mm PZ1x75 mm PZ2x100 mm					

Item ID: TTESP28











COMBINATION SPANNER AND FILE SET

- 72 teeth ratcheting combination spanners with flip reverse
- Chrome vanadium satin finish
- The five most used 10" hand files included
- Tools are held in place using three colour pre-cut EVA foam
- Designed to fit exactly in the larger Teng Tools tool box drawers

Combination Spanners:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm

Ratchet Spanners:

8, 10, 11, 12, 13, 14, 17, 19 mm

10" Engineers Files:

Flat, Round, Half Round, Three Square & Hand Type Flat

Item ID: TTEX32

















RATCHET SPANNER SET





- 72 teeth ratchet spanners giving a 5° increment between clicks
- Reversible ratchet mechanism with a flip reverse lever
- Teng Tools hip grip design on the ring end
- Chrome vanadium satin finish
- Designed and manufactured to DIN ISO 1711-1 and DIN 3113A

Ratchet Spanners with flip reverse:

8, 10, 11, 12, 13, 14, 17, 19 mm

Item ID: TT6508R



RATCHET SPANNER SET



- 72 teeth ratchet spanners giving a 5° increment between clicks
- Reversible ratchet mechanism with a flip reverse lever
- Chrome vanadium satin finish
- Designed and manufactured to DIN ISO 1711-1 and DIN 3113A

Ratchet Spanners with flip reverse:

5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"

Item ID: TT6508RAF



RATCHET SPANNER SET





- 72 teeth ratchet spanners giving a 5° increment between clicks
- Reversible ratchet mechanism with hip grip & flip reverse lever
- Chrome vanadium satin finish
- Designed and manufactured to DIN ISO 1711-1 and DIN 3113A

Ratchet Spanners with flip reverse:

8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

Item ID: TT6511R



FLEXIBLE HEAD RATCHET SPANNER SET





- 72 teeth ratchet spanners giving a 5° increment between clicks
- Flexible head for use at an angle or for reversing the direction of use when ratcheting
- Chrome vanadium satin finish
- Removable lid and dove tail joints

Flexible head Ratchet Spanners: 8, 10, 11, 12, 13, 14, 17, 19 mm

Item ID: TT6508RF



RATCHET SPANNER SET







- 72 teeth ratchet spanners giving a 5° increment between clicks Reversible ratchet mechanism with hip grip & flip reverse lever
- Tools are held in place using three colour pre-cut EVA foam
- Designed and manufactured to DIN ISO 1711-1 and DIN 3113A

Ratchet Spanners with flip reverse:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

Item ID: TED6512R



RATCHET SPANNER SET



- 72 teeth ratchet spanners giving a 5° increment between clicks
- Simply turn over to reverse the direction of use when ratcheting
- Chrome vanadium satin finish
- Designed and manufactured to DIN ISO 1711-1 and DIN 3113A

Ratchet Spanners: 8, 10, 11, 12, 13, 14, 17, 19 mm

Item ID: TT6508RS



RATCHET SPANNER SET



- 72 teeth ratchet spanners giving a 5° increment between clicks
- Hip grip on the ring end, turn spanner over to change direction
- Chrome vanadium satin finish
- Designed and manufactured to DIN ISO 1711-1 and DIN 3113A

Ratchet Spanners:

8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

Item ID: TT6511RS



RATCHET SPANNER SET








- 72 teeth ratchet spanners giving a 5° increment between clicks
- Hip grip on the ring end, turn spanner over to change direction
- Tools are held in place using three colour pre-cut EVA foam
- Designed and manufactured to DIN ISO 1711-1 and DIN 3113A

Ratchet Spanners:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

Item ID: TED6512RS



SPANNER SET







- 72 teeth ratcheting combination spanners with flip reverse
- Double open ended and double ring spanners
- Chrome vanadium satin finish
- Tools are held in place using three colour pre-cut EVA foam
- Designed to fit exactly in the larger Teng Tools tool box drawers
- Designed and manufactured to DIN and ISO standards

Ratchet Spanners:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24, 27 mm

Double Open Ended Spanners:

6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32 mm

6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32 mm

Item ID: TTESP37





DOUBLE RING SPANNER SET



- Different size at each end to give 22 sizes in total Double curved heads offset at 75° for easier use on flat surfaces
- Chrome vanadium satin finish
- Teng Tools hip grip design for contact with the flat side of the
- Designed and manufactured to DIN838 and DIN3113A

Double Ring Spanners:

6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32 mm

Item ID: TTX6311



























DOUBLE OPEN ENDED SPANNER SET



- Different size at each end to give 16 sizes in total
- Open at each end off set at 15° for easier use
- Chrome vanadium satin finish
- Designed and manufactured to DIN3110 and DIN3113A

Double Open Ended Spanners:

6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm

Item ID: TT6208

DOUBLE RING SPANNER SET

- Different size at each end to give 16 sizes in total
- Double curved heads offset at 75° for easier use on flat surfaces
- Chrome vanadium satin finish
- Teng Tools hip grip design for contact with the flat side of the
- Tools are held in place using three colour pre-cut EVA foam
- Designed and manufactured to DIN838 and DIN3113A

Double Ring Spanners:

6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm

Item ID: TEX6308







EXTRA LONG DOUBLE RING SPANNER SET

- Different size at each end to give 12 sizes in total
- Extra long, flat design for extra torque
- Chrome vanadium satin finish
- Teng Tools hip grip design for contact with the flat side of the
- Designed and manufactured to DIN838 and DIN3113A

Extra long Double Ring Spanners:

8x10, 11x13, 12x14, 16x18, 17x19, 22x24 mm

Item ID: TTXFLS06



DOUBLE FLEX WRENCH SET



- Swivel end wrenches for fast pre-tightening and loosening
- Angle at 90° for added torque when applying the final tightening
- Extra torque for loosening stubborn fastenings
- Chrome vanadium satin finish
- Designed and manufactured to DIN3113A

Double Flex Wrenches

8x9, 10x11, 12x13, 14x15, 16x17, 18x19 mm

Item ID: TT6506











EXTRA LONG DOUBLE RING SPANNER SET

- Different size at each end to give 12 sizes in total
- Extra long, flat design for extra torque
- Chrome vanadium satin finish
- Teng Tools hip grip design for contact with the flat side of the
- Tools are held in place using three colour pre-cut EVA foam
- Designed and manufactured to DIN838 and DIN3113A

Extra long Double Ring Spanners:

8x10, 11x13, 12x14, 16x18, 17x19, 22x24 mm

Item ID: TEXFLS06





DOUBLE FLEX WRENCH SET









- Angle at 90° for added torque when applying the final tightening
- Extra torque for loosening stubborn fastenings
- Tools are held in place using three colour pre-cut EVA foam
- Designed and manufactured to DIN3113A

Double Flex Wrenches
8x9, 10x11, 12x13, 14x15, 16x17, 18x19 mm
B-flex Wrench:
1/4" Male x 1/4" Hex Female

Item ID: TEDDF7



RATCHETING OFFSET RING SPANNER SET





- Fibre reinforced reversible ratchet wrenches
- 18 teeth for extra strength and use in outdoor sites
- Double ended with 25° offset heads
- 12 point ring ends (6x8mm is 6 point)
- Chrome vanadium satin finish with FRP bodies

RORS Wrenches

6x8, 7x9, 10x13, 12x14, 17x19, 21x22 mm

Item ID: TTRORS





QUICK WRENCH SET





- Special design for loosening and tightening pipe and hose couplings
- Ideal for use in confined spaces
- Ring end has a clever design so that it opens up easily to access the nut on the coupling

Quick Wrenches

13, 17, 19, 22, 24, 27, 32 mm

Item ID: TTXQRS07



HOOK AND PIN WRENCH SET



- Includes a range of handles, pin and hook adaptors
- Chrome vanadium satin finish
- To be used for nuts designed and manufactured to DIN1804 & 1816
 - Wrench manufactured to DIN1810

Hook & Pin Wrenches	
Hook Handles:	3/4" to 2", 1-1/4" to 3", 2" to 4-3/4"
Pin Adaptors:	4, 5, 6 mm
Pins:	6, 8 mm

Item ID: TTHP08











ADJUSTABLE WRENCH SET





- Includes an 8" wide jaw adjustable wrench for added versatility
- Designed and manufactured to DIN3117 and ISO6787

Adjustable Wrenches	
6" (150 mm)	Capacity: 23.9 mm
8" (200 mm)	Capacity: 28.6 mm
10" (250 mm)	Capacity: 32.8 mm
8" (200 mm) Wide Jaw	Capacity: 38.6 mm

Item ID: TTADJ04



ADJUSTABLE WRENCH SET







- Includes regular style 6, 8 and 10" adjustable wrenches Also includes an 8" wide jaw adjustable wrench for added versatility
- Tools are held in place using three colour pre-cut EVA foam
- Designed and manufactured to DIN3117 and ISO6787

Adjustable Wrenches	
6" (150 mm)	Capacity: 24 mm
8" (200 mm)	Capacity: 28 mm
10" (250 mm)	Capacity: 33 mm
8" (200 mm) Wide Jaw	Capacity: 38.6 mm

Item ID: TEDADJ4

Hex & TX Keys



T HANDLE HEX KEY SET





- Ball point end on the long key end giving access at angles
- Regular hex end on the short arm gives the ability to apply higher torque
- Removable lid and dove tail joints

Ball Point T-Handle Hex Drivers:	
100 mm long:	2.5, 3, 4 mm
150 mm long:	5, 6, 7 mm
190 mm long:	8 mm

Item ID: TTHEX7



T HANDLE HEX KEY SET





- Regular hex end on the short and long arms gives the ability to apply higher torque
- Removable lid and dove tail joints

T-Handle Hex Drivers:	
100 mm long:	2.5, 3, 4 mm
150 mm long:	5, 6, 7 mm
190 mm long:	8 mm

Item ID: TTHEX7S









- Ball point end on the long key end giving access at angles of up to 30°
- Regular hex end on the short and long arms gives the ability to apply higher torque
- Removable lid and dove tail joints

Ball Point T-Handle Hex Drivers:		
100 mm long:	3/32", 1/8", 5/32"	
150 mm long:	3/16", 7/32", 1/4"	
190 mm long:	5/16"	

Item ID: TTHEX7AF



T HANDLE HEX KEY SET







- Ball point end on the long key end giving access at angles of
- Regular hex end on the short arm giving the ability to apply higher torque
- Tools are held in place using three colour pre-cut EVA foam

Ball Point T-Handle Hex Drivers:	
100 mm long:	2.5, 3, 4 mm
150 mm long:	5, 6, 7 mm
190 mm long:	8 mm

Item ID: TEDHEX7



<u> Ö</u>

T HANDLE TX AND TPX KEY SET

Removable lid and dove tail joints



Regular TX end on the short arm giving the ability to apply higher torque

T-Handle TX Drivers:	
100 mm long:	TX/TPX10, TX/TPX15, TX/TPX20
150 mm long:	TX/TPX25, TX/TPX27, TX/TPX30
(\$\hfill\) 190 mm long:	TX/TPX40

Item ID: TTTX7





T HANDLE TX KEY SET





- TPX end on the long key end for use with tamper proof TPX fastenings
- Regular TX end on the short arm giving the ability to apply higher torque
- Tools are held in place using three colour pre-cut EVA foam

T-Handle TX Drivers:	
100 mm long:	TX/TPX10, TX/TPX15, TX/TPX20
★ 150 mm long:	TX/TPX25, TX/TPX27, TX/TPX30
190 mm long:	TX/TPX40

Item ID: TEDTX7

Get organised 123











HEX AND TX WRENCH SET



- Includes a range of ball point keys covering metric and AF hex key & TX keys
- Removable lid and dove tail joints

Ball Point Hex & TX Keys:	
	1.5, 2, 2.5, 3, 4, 5, 6, 7, 8, 10 mm
	5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"
	TX8, TX9, TX10, TX15, TX20, TX25, TX27, TX30, TX40

Item ID: TTHT28











HEX, TX AND SCREWDRIVER KEY SET

- Includes metric and inch hex keys
- TX keys and mini TX keys
- Also includes a handy fold up key set including hex, TX and screwdriver blades
- Tools are held in place using three colour pre-cut EVA foam

Ball Point Hex & TX Keys:		
	1.5, 2, 2.5, 3, 4, 5, 6, 7, 8, 10 mm	
	5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"	
	TX8, TX9, TX10, TX15, TX20, TX25, TX27, TX30, TX40	
Mini TX Keys:		
	TX6, TX7, TX8, TX9, TX10, TX15	
Fold Up Key Set:		
	4, 5, 6mm Hex, TX25, TX30, 5.5mm Flat, PH2, PZ2	

Item ID: TEDHT42






NUT DRIVER SET



- 6 point socket ends for a perfect fit
- Chrome vanadium for greater strength and material flexibility
- Ergonomically designed bi-material handle for easy use with higher torque
- Hanging hole in the handle for use as a T handle or for use with a fall protection wire
- The handle is moulded around the blade which give a higher torque capacity




Item ID: TTXMDN



NUT AND T HANDLE DRIVER SET



- Includes metric nut drivers and T handle hex and TX/TPX drivers Ergonomically designed bi-material handles for higher torque
- Hanging hole in the handle for for use as a T handle for extra torque or with a fall protection wire
- The handle is moulded around the blade which gives a higher torque capacity
- Tools are held in place using three colour pre-cut EVA foam
- Designed to fit exactly in the larger Teng Tools tool box drawers



Item ID: TTEX23







GENERAL TOOL SET



- Includes a 1/2" drive torque wrench, hex and TX keys and a selection of inspection tools
- Tools are held in place using three colour pre-cut EVA foam
- Designed to fit exactly in the larger Teng Tools tool box drawers

T Handle Hex Keys:	
	2.5, 3, 4, 5, 6, 7, 8 mm
Hex & TX Keys:	
	1.5, 2, 2.5, 3, 4, 5, 6, 7, 8, 10 mm
	TX8, TX9, TX10, TX15, TX20, TX25, TX27, TX30, TX40
Fold Up Key Set:	
	4, 5, 6mm Hex, TX25, TX30, 5.5mm Flat, PH1, PZ2
General Tools:	
Torque Wrench:	1/2" drive, Range: 40-200Nm
Inspection Tools:	Magnifying glass & mirror (telescopic with extension up to 85cm), LED torch, Hook and pick set
Pick Up Tools	Magnetic pick up, Aluminium handle with interchangeable awl, Hook tools: 45° and 90°

Item ID: TTEX 17

Torque Tools





TORQUE SCREWDRIVER SET



- Includes a 1-5Nm 1/4" drive torque screwdriver
- Wide range of screwdriver bits and accessories Removable lid and dove tail joints

Torque	Torque Screwdriver 1-5Nm, 4" extension bar, Bit chuck holder						
25mm Long 1/4" Hex Drive Bits:							
(+)	PHO, PH1, PH2, PH3 PZ0, PZ1, PZ2, PZ3						
(+)	PH2G (x2)		2, 3, 4, 5 ,6 mm				
	ROB1, ROB2, ROB3	Θ	3, 4.5, 5.5, 6.5 mm				
(*)	TX8, TX9, TX10, TX15, TX20, TX25, TX27, TX30, TX40						
(2)	TPX10 TPX15 TPX20 TPX25 TPX30						

Item ID: TTSD39





TORQUE WRENCH SET





- Ideal set for automotive technicians
- Equipped with an in-built angular gauge for easier after tightening Click type mechanism when the required torque is reached
- Additional ft/lb reference scale (range 15-75 ft/lb)
- Marked to show the correct place where pressure should be applied
- Twist locking facility to ensure the set torque is maintained
- Reversible 24 teeth ratchet (DIN3122) giving 15° increments
- Designed to torque right hand (clockwise) fasteners
- Accurate to +/- 4% conforms to ISO6789 for assured accuracy
- Individually tested and certified at the time of manufacture

3/8" Drive Torque wrench (20-110Nm, 15-75 ft/lb), 3" and 5" extension bars, adaptorfor 10mm hex bits 10mm Hex Drive TX bits: TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40 3/8" Drive Crow Foot Wrenches 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

Item ID: TTX3892













TORQUE WRENCH SET



- Equipped with an in-built angular gauge for easier after tightening
- Additional ft/lb reference scale (range 30-150 ft/lb)
- Marked to show the correct place where pressure should be applied
- Twist locking facility to ensure the set torque is maintained
- Reversible 24 teeth ratchet (DIN3122) giving 15° increments
- Designed to torque right hand (clockwise) fasteners
- Accurate to +/- 4% conforms to ISO6789 for assured accuracy
- Individually tested and certified at the time of manufacture

1/2" Drive Torque wrench (40-210Nm, 30-150 ft/lb)

Item ID: TTX 1292















- Equipped with an in-built angular gauge for easier after tightening
- Click type mechanism to signal when the required torque is reached
- Additional ft/lb reference scale
- Marked to show the correct place where pressure should be applied
- Twist locking facility to ensure the set torque is maintained
- Reversible 24 teeth ratchet (DIN3122) giving 15° increments
- Designed to torque right hand (clockwise) fasteners Accurate to +/- 4% conforms to ISO6789 for assured accuracy
- Individually tested and certified at the time of manufacture
- Tools are held in place using three colour pre-cut EVA foam

Torque Wrenches					
3/8" Drive	20-110Nm (15-81ft/lb)				
1/2" Drive	40-210Nm (30-150 ft/lb)				

Item ID: TEX 1238





PRE SET TORQUE WRENCH SET



- Click type mechanism to signal when the required torque is reached
- Fixed setting for consistent torque application
- Robust 24 teeth ratchet mechanism for 15° increments
- Rubber grip for added comfort particularly with repeated use
- Accurate to +/- 4% conforms to ISO6789 for assured accuracy
- Individually tested and certified at the time of manufacture
- Rack included for storing the tools on a wall or workbench panel Designed and manufactured to DIN and ISO standards

1/2" Drive Pre Set Torque Wrenches 90, 110, 120, 140 Nm

Item ID: TTPSTQ04





TORQUE MULTIPLIER SET







- Includes a 1/2" drive torque wrench giving a range of 40 to 210Nm The MP1400 torque multiplier can the be used to multiply the torque
- at a ratio of 3:1 increasing the potential torque to 630Nm
- For use with 3/4" drive sockets

1/2" Drive Torque wrench (40-210Nm, 30-150 ft/lb) 1/2"F:3/4"M Torque multiplier (3 to 1 ratio) and maximum torque capacity 1,500Nm

Item ID: TTXMP12















- Includes a 1/2" drive torque wrench giving a range of 40 to 210Nm
- The MP1400 torque multiplier can then be used to multiply the torque at a ratio of 3:1 increasing the potential torque to 630Nm
- For use with 3/4" drive sockets
- Tools are held in place using three colour pre-cut EVA foam

1/2" Drive Torque wrench (40-210Nm, 30-150 ft/lb)

1/2"F:3/4"M Torque multiplier (3 to 1 ratio) and maximum torque capacity 1,500Nm

Item ID: TEXMP12

Screwdrivers





- TT-MV PLUS steel alloy for greater strength and material flexibilty
- Hanging hole in the handle for use as a T handle or with a fall

Ergonomically designed bi-material handle for easy use with higher

. The handle is moulded around the blade to give a higher torque

Screwdrivers:						
mm:	3 x 75	5.5 x 75	6.5 x 100			
mm:	PH0 x 75	PH1 x 75	PH2 x 100			
mm:	PZ2 x 100					

Item ID: TT917N



SCREWDRIVER SET







- TT-MV PLUS steel alloy for greater strength and material flexibilty
- Ergonomically designed bi-material handle for easy use with
- Hanging hole in the handle for use as a T handle or with a fall protection wire
- . The handle is moulded around the blade to give a higher torque capacity

Screwdrivers:					
mm:	3 x 75	3.5 x 100	5.5 x 75	5.5 x 125	
	6.5 x 38	6.5 x 100			
mm:	PH0 x 75	PH1 x 75	PH2 x 38	PH2 x 100	
mm:	PZO x 75	PZ1 x 75	PZ2 x 38	PZ2 x 100	

Item ID: TTD914N





SCREWDRIVER SET







- TT-MV PLUS steel alloy for greater strength and material flexibilty Ergonomically designed bi-material handle for easy use with
- Hanging hole in the handle for use as a T handle or with a fall protection wire
- The handle is moulded around the blade to give a higher torque

Screwdrivers:						
mm:	6.5 x 38	3 x 100	6.5 x 100	10 x 200		
	5.5 x 150	8 x 150				
mm:	PH2 x 38	PH3 x 150				

Item ID: TTX918N











SCREWDRIVER SET

















- TT-MV PLUS steel alloy for greater strength and material flexibilty Ergonomically designed bi-material handle for easy use with
- higher torque
- Hanging hole in the handle for use as a T handle or with a fall protection wire
- The handle is moulded around the blade to give a higher torque
- Tools are held in place using three colour pre-cut EVA foam

Screwdrivers:				
mm:	5.5 x 125			
	6.5 x 100			
mm:	PHO x 75	PH1 x 75	PH2 x 38	PH2 x 100
mm:	PZ1 x 75	PZ2 x 100		

Item ID: TED911 N





SCREWDRIVER SET









TT-MV PLUS steel alloy for greater strength and material flexibilty

- Ergonomically designed bi-material handle for easy use with
- Hanging hole in the handle for use as a T handle or with a fall protection wire
- The handle is moulded around the blade to give a higher torque
- Tools are held in place using three colour pre-cut EVA foam

Screwdrivers:					
mm:	5.5 x 150	6.5 x 150	8 x 150	10 x 200	
mm:	PH3 x 150				

Item ID: TEX915N





SCREWDRIVER SET







- Ergonomically designed bi-material handle for easy use with
- Hanging hole in the handle for use as a T handle or with a fall protection wire
- The handle is moulded around the blade to give a higher torque

Screwdrivers:							
mm: TX6 x 75 TX9 x 75							
mm: TPX10 x 100		TPX15 x 100	TPX20 x 100				
	TPX25 x 100	TPX30 x 100					

Item ID: TT917TXN



SCREWDRIVER SET



- TT-MV PLUS steel alloy for greater strength and material flexibilty Ergonomically designed bi-material handle for easy use with
- Hanging hole in the handle for use as a T handle or with a fall
- protection wire
- The handle is moulded around the blade to give a higher torque

Screwdrivers:						
mm:	TX6 x 75	TX7 x 75	TX8 x 75	TX9 x 75		
	TX10 x 100	TX15 x 100	TX20 x 100	TX25 x 100		
	TX27 x 100	TX30 x 100	TX40 x 100	TX45 x 125		

Item ID: TTD912TXN













- TT-MV PLUS steel alloy for greater strength and material flexibilty Ergonomically designed bi-material handle for easy use with
- Hanging hole in the handle for use as a T handle or with a fall protection wire
- . The handle is moulded around the blade to give a higher torque
- Tools are held in place using three colour pre-cut EVA foam

Screwdrivers:								
mm:	TX9 x 75							
	TX10 x 100	TX15 x 100	TX20 x 100					
	TX25 x 100	TX27 x 100	TX30 x 100					

Item ID: TED909TXN





SCREWDRIVER SET









- TT-MV PLUS steel alloy for greater strength and material flexibilty
- Ergonomically designed bi-material handle for easy use with
- Hanging hole in the handle for use as a T handle or with a fall protection wire
- . The handle is moulded around the blade to give a higher torque
- Tools are held in place using three colour pre-cut EVA foam
- Designed to fit exactly in the larger Teng Tools tool box drawers
- Can be used as a set on it's own or as part of the Teng Tools "Get Organised" system

Continued 1



Screwdrivers:						
mm:	2.5 x 75	3.5 x 75	3 x 100	4 x 100		
	5.5 x 75	5.5 x 150	6.5 x 38	6.5 x 100		
	6.5 x 150	8 x 150	10 x 200			
mm:	PHO x 75	PH1 x 38	PH1 x 75	PH2 x 38		
	PH2 x 100	PH3 x 150	PH4 x 200			
mm:	PZO x 75	PZ1 x 38	PZ1 x 100	PZ2 x 38		
	PZ2 x 100	PZ2 x 150	PZ3 x 150			

mm:	0.6x3.5, 0.6x4.5, 0.8x4 (x2), 0.8x5.5, 1.0x5.5 (x2), 1.2x6.5, 1.6x8
<u>•</u>	PH1 (x3), PH2 (x3), PH3 (x3)
*	PZ1 (x3), PZ2 (x3), PZ3 (x3)
★ TX:	6, 7, 8, 9, 10, 15, 20 (x3), 25 (x3), 27, 30, 40
🕏 ТРХ:	10, 15, 20 (x2), 25 (x2), 27, 30, 40
mm:	2, 3, 4, 5, 6, 8
ROB:	1, 2, 3
GR:	PH2G (x3)
50 mm Bits:	
mm:	0.6x3.5, 0.8x4, 0.8x5.5, 1x5.5, 1.2x6.5
(+)	PH1, PH2 (x2), PH3
*	PZ1, PZ2 (x2), PZ3
(♣) TX:	8, 10 (x2), 15, 20 (x2), 25 (x2), 27, 30
mm:	4, 5, 6, 8
6 In 1 Ratchetting	Bits Driver Set

Item ID: TTEMD122N























SCREWDRIVER SET

- TT-MV PLUS steel alloy for greater strength and material flexibilty
- Ergonomically designed bi-material handle for easy use with higher
- Hanging hole in the handle for use as a T handle or with a fall protection wire
- . The handle is moulded around the blade to give a higher torque
- Mini screwdrivers feature a rotating end piece for easier use
- Tools are held in place using three colour pre-cut EVA foam Designed to fit exactly in the larger Teng Tools tool box drawers

Screwdrivers:				
<u>√</u> mm:	2.5 x 75	4 x 100	5.5 x 125	
<u>√</u> mm:	PH0 x 60	PH1 x 80	PH2 x 100	
<u>√</u> mm:	PZ2 x 100			
mm:	TX8 x 75	TX9 x 75		
mm:	TPX10 x 100	TPX15 x 100	TPX20 x 200	
	TPX25 x 100	TPX30 x 100		
Mini Screwdrivers:				
mm:	2 x 40	2.5 x 40	3 x 40	
mm:	PH00 x 40	PH0 x 40	PH1 x 40	
mm:	TX6 x 40	TX7 x 40	TX8 x 40	
	TX9 x 40	TX10 x 40	TX15 x 40	
Power Through Scr	Power Through Screwdrivers:			
mm:	6.5 x 100	8 x 150	10 x 200	
mm:	PH2 x 100	PH3 x 150		

Continued 1

mm:	0.6x3.5, 0.6x4.5, 0.8x4 (x2), 0.8x5.5,		
(+)	1x5.5 (x2), 1.2x6.5, 1.6x8 PH1 (x3), PH2 (x3), PH3 (x3)		
*	PZ1 (x3), PZ2 (x3), PZ3 (x4)		
ТХ:	6, 7, 8, 10, 15, 20 (x3), 25 (x3), 27, 30, 40		
Ф ТРХ:	10, 15, 20 (x2), 25 (x2), 27, 30, 40		
mm:	2, 3, 4, 5, 6, 8		
ROB:	1, 2, 3		
GR:	PH2G (x3)		
6 In 1 Ratchetting Bits Driver Set			
Magnetic Charger For Magnetising / Demagnetising Screwdriver Tips			

Item ID: TTEMD98N















SCREWDRIVER & HEX KEY SET

- Selection of screwdrivers with other general tools
- Metric measuring tape
- Tools are held in place using three colour pre-cut EVA foam
- Designed to fit exactly in the Teng Tools TC-SC service case

Screwdrivers:			
mm:	6.5 x 100		
<u>√</u> mm:	4 x 101		
mm:	PH2 x 100		
<u>√</u> mm:	PH1 x 81		
mm:	PZ2 x 100		
<u>√</u> mm:	PZ1 x 81		

Ball Point Hex Keys:			
mm:	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 7.0, 10.0		
TX Keys:			
★ TX:	8, 9, 10, 15, 20, 25, 27, 30, 40		
25 mm Bits:			
mm:	3.5, 5.5, 8.0		
+	PH1, PH2, PH3		
+	PZ1, PZ2, PZ3		
(★) TX:	10, 15, 20, 25, 30, 40		
TPX:	20, 25, 30		
mm:	2, 3, 4, 5, 6, 8		
ROB:	1, 2, 3		
7 mm Hose Clip Drivers			
100 mm Quick Chuck Bits Driver			
5 m Measuring Tape - Metric Only			

Item ID: TEFMD54

















Selection of screwdrivers with other general tools

SCREWDRIVER AND HEX KEY SET

- Metric/Inch measuring tape
- Tools are held in place using three colour pre-cut EVA foam
- Designed to fit exactly in the Teng Tools TC-SC service case

Screwdrivers:		Ball Point He
mm:	6.5 x 100	O
<u>√</u>	4 x 101	
mm:	PH2 x 100	TX Keys:
<u>√</u> mm:	PH1 x 81	(*)
mm:	PZ2 x 100	25 mm Bits:
Mm:	PZ1 x 81	<u> </u>
		(+)
		(+)
		<u> </u>

Ball Point Hex Keys:			
mm:	1.5, 2.0, 2.5, 3.0, 4.0, 5.0, 6.0, 7.0, 10.0		
TX Keys:			
T X:	8, 9, 10, 15, 20, 25, 27, 30, 40		
25 mm Bits:			
mm:	3.5, 5.5, 8.0		
(+)	PH1, PH2, PH3		
(+)	PZ1, PZ2, PZ3		
TX:	10, 15, 20, 25, 30, 40		
Ф ТРХ:	20, 25, 30		
mm:	2, 3, 4, 5, 6, 8		
ROB:	1, 2, 3		
7 mm Hose Clip Drivers			
100 mm Quick Chuck Bits Driver			
5 m Measuring Tape - Metric & AF			

Item ID: TEFMDI54





SCREWDRIVER BLADE SET

- 22 screwdrivers in one set
- TT-MV PLUS steel alloy for greater strength and material flexibilty
- Ergonomically designed bi-material handle for easy use with
- Hanging hole in the handle for use as a T handle or with a fall protection wire

Screwdriver Blade	Screwdriver Blade Handle With 1/4" Shank				
Screwdriver Blades	:				
mm:	4 - 5.5				
(+)	PH1 - PH2				
mm:	PH3 - 6.5				
*	PZ1 - PZ2				
mm:	3 Ball - 3	4 Ball - 4	5 Ball - 5	6 Ball - 6	
TX:	10 - 15	20 - 25	30 - 40		

Item ID: TTMD12D











POWER THROUGH SCREWDRIVER SET

- Chrome vanadium blades for greater strength and material flexibilty
- Percussion cap and full length integral blade for use with a hammer to release stubborn screws
- Ergonomically designed bi-material handle for easy use with higher torque and faster speed
- The handle is moulded around the blade to ensure straightness and to allow larger blade wings which give a higher torque capacity

Screwdrivers:			
mm:	6.5 x 100	8 x 150	10 x 200
mm:	PH2 x 100	PH3 x 150	

Item ID: TTXMDTN



















POWER THROUGH SCREWDRIVER SET

- Chrome vanadium blades for greater strength and material flexibilty
- Percussion cap and full length integral blade for use with a hammer to release stubborn screws
- Ergonomically designed bi-material handle for easy use with higher
- The handle is moulded around the blade to give a higher torque
- Tools are held in place using three colour pre-cut EVA foam

Screwdrivers:				
mm:	6.5 x 100	8 x 150	10 x 200	
mm:	PH2 x 100	PH3 x 150		

Item ID: TEXMDTN

Tray Size







- Mini screwdrivers feature a rotating end piece for easier use when "transporting" the fastening
- Mini pliers feature high carbon steel construction and vinyl grip handles

Mini Screwdrivers:					
mm:	2.0 x 40	2.4 x 40	3.0 x 40		
mm:	PH00 x 40	PH0 x 40	PH1 x 40		
mm:	TX6 x 40	TX7 x 40	TX8 x 40		
	TX9 x 40	TX10 x 40	TX15 x 40		
Mini Pliers:	Mini Pliers:				
4 ½"	SIDE CUTTER				
4 ½"	END CUTTER				
5"	LONG NOSE PLIER				
5"	FLAT NOSE PLIER				

Item ID: TTMI16


Bits & Driver Sets



SOCKET & BITS SET



- Comprehensive selection of 25mm and 89mm 1/4" drive hex bits
- 1/4" drive regular sockets from 4 to 13mm
- Various drivers and accessories for use with bits and/or sockets



Item ID: TTMDQ49



SOCKET & BITS SET





217mm Quick chuck screwdriver handle, 1/4"M x 1/4" Hex adaptor					
1/4" Drive Regula	1/4" Drive Regular 6 point sockets:				
O mm:	4, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm				
1/4" Hex bits:					
Length 25mm:	3.5, 4.0, 4.5, 5.5 (x2), 6.5, 8.0 mm	PH2G (x3)			
	PH1 (x3), PH2 (x6), PH3	ROB1, 2, 3			
		X9, TX10, TX15, TX20 (x3), (25 (x3), TX27, TX30, TX40			
	TPX10, TPX15, TPX20 (x2), TPX25	(x2), TPX27, TPX30, TPX40			
	PZ1 (x3), PZ2 (x6), PZ3	2, 3, 4, 5, 6, 8			

Item ID: TTMDQ76







SOCKET & BITS SET

Comprehensive selection of 25mm 1/4" drive hex bits included T handle bits driver with quick chuck adaptor on the long end and a magnetic bits holder on the short end

75mm Quick chuck T handle, 1/4"M x 1/4" Hex adaptor				
1/4" Drive Regula	ır 6 point s	ockets:		
O mm:		5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm		
1/4" Drive TX-E b	it sockets:			
TX-E:			E	4, E5, E6, E7, E8
1/4" Hex bits:				
Length 25mm:	Θ	3.5, 5.5, 8 mm	*	PZ1, PZ2, PZ3
	①	PH1, PH2, PH3		2, 3, 4, 5, 6, 8
	(1)			TX9, TX10, TX15, TX27 TX30, TX40
	*	TPX10, TPX1		x2), TPX25 (x2), 27, TPX30, TPX40
	(+)	PH2G (x3		ROB1, 2, 3

Item ID: TTTHQ62



SOCKET & BITS SET





Reversible ratcheting bits driver, flexible extension and adaptor for use with bits and/or sockets

Ratcheting Quick chuck screwdriver handle, 1/4"M x 1/4" Hex adaptor, 150mm flexible extension bar				
1/4" Drive Regula	1/4" Drive Regular 6 point sockets:			
O mm:	4, 5, 5.5, 6,	7, 8, 9, 10, 11, 12, 13 mm		
1/4" Hex bits:				
Length 25mm:	3.5, 4.0, 4.5, 5.5 (x2), 6.5, 8.0 mm	PH2G (x3)		
	PH1 (x3), PH2 (x6), PH3	ROB1, 2, 3		
		X9, TX10, TX15, TX20 (x3), (25 (x3), TX27, TX30, TX40		
	TPX10, TPX15, TPX20 (x2), TPX25	(x2), TPX27, TPX30, TPX40		
	PZ1 (x3), PZ2 (x6), PZ3	2, 3, 4, 5, 6, 8		

Item ID: TTMDR84












- Various drivers and accessories for use with bits and/or sockets Includes the Teng Tools mini bits ratchet adaptor for use with the quick chuck bits driver to create a reversible 1/4" drive ratchet
- Tools are held in place using three colour pre-cut EVA foam



Item ID: TEAMDQ78



SCREWDRIVER BIT SET





- An extensive range of 1/4" hex drive 25mm screwdriver bits 2 quick chuck bit driver handles included giving a choice of
- shaft lengths Removable lid and dove tail joints

147mm & 183mm Quick chuck screwdriver handles				
1/4" Hex bits:				
Length 25mm:	Θ	3.5, 5.5, 8 mm	①	PH1, PH2, PH3
	*	PZ1, PZ2, PZ3		ROB1, 2, 3
	•	TX10, TX	(15, TX20,	TX25, TX30, TX40
			TPX	20, TPX25, TPX30
		2, 3, 4, 5, 6, 8		
Length 89mm:	(+)	PH1, PH2	Θ	3, 4 mm
	*	PZ1, PZ2	(1)	TX10, TX20, TX25

Item ID: TTMDQ38










SCREWDRIVER BIT SET

- An extensive range of 1/4" hex drive 25mm screwdriver bits
- Reversible, ratcheting bits driver, extension bars and adaptors included
- Removable lid and dove tail joints




Item ID: TTMD74



ANGLED RATCHETING BITS DRIVER SET

- Comprehensive selection of 25mm 1/4" drive hex bits
- Ratcheting bits driver with an adjustable handle angle to create a pistol type grip driver
- Removable lid and dove tail joints



Item ID: TTMDRT64












- Long reach bit and socket drivers set
- Comprehensive selection of 25mm 1/4" drive hex bits
- 1/4" drive regular sockets from 4 to 13mm
- Ideal for use in difficult to reach places



Item ID: TTXMD41N

64 Pieces

Insulated Tools



INSULATED SCREWDRIVER SET

- Approved for live working up to 1,000 volts
- Integrated protective insulation with two colours to clearly indicate if there is any damage
- Designed and manufactured to DIN5264, DIN5260 and IEC60900 (EN60900)

1000v Insulated Screwdrivers:		
mm:	4 x 100	5.5 x 125
mm:	PH1 x 80	PH2 x 100
mm:	PZ1 x 80	PZ2 x 100

Item ID: TTV706N













INSULATED SCREWDRIVER SET

- Approved for live working up to 1,000 volts
- Integrated protective insulation with two colours to clearly indicate if there is any damage
- Designed and manufactured to DIN5264, DIN5260 and IEC60900 (EN60900)

1000v Insulated Screwdrivers:			
mm:	2.5 x 75	4 x 100	5.5 x 125
mm:	PH0 x 60	PH1 x 80	PH2 x 100
mm:	PZ2 x 100		

Item ID: TTV907N



INSULATED SCREWDRIVER SET

- Approved for live working up to 1,000 volts
- Integrated protective insulation with two colours to clearly indicate if there is any damage
- Designed and manufactured to DIN5264, DIN5260 and IEC60900 (EN60900)

1000v Insulated S	crewdrivers:			
mm:	2.5 x 75	3 x 100	4 x 100	5.5 x 125
mm:	PH0 x 60	PH1 x 80	PH2 x 100	
mm:	PZ0 x 60	PZ1 x 80	PZ2 x 100	

Item ID: TTDV910N







- Approved for live working up to 1,000 volts
- Integrated protective insulation with two colours to clearly indicate if there is any damage
- A 100-250 volt tester is also included for checking circuits
- Tools are held in place using three colour pre-cut EVA foam
- Designed and manufactured to DIN5260, DIN5264 and IEC60900 (EN60900)

100-250v Voltage	100-250v Voltage Tester			
1000v Insulated S	crewdrivers:			
mm:	2.5 x 75	3 x 100	4 x 100	5.5 x 125
mm:	PH0 x 60	PH1 x 80	PH2 x 100	
mm:	PZ2 x 100			

Item ID: TEDV909N



INSULATED PLIER SET





- Approved for live working up to 1,000 volts
- Integrated protective insulation with two colours to clearly indicate if there is any damage
- TPR grip for a more secure and comfortable grip
- Designed and manufactured to DIN5745, DIN5746, DIN5749 and IEC60900 (EN60900)

1000v Insulated Pliers:	
SIDE CUTTER	6" / 150 mm
LONG NOSE	8" / 200 mm
COMBINATION PLIERS	7" / 175 mm
WIRE STRIPPING PLIERS	6" / 155 mm

Item ID: TTV440











INSULATED PLIER SET









- Approved for live working up to 1,000 volts
- Integrated protective insulation with two colours to clearly indicate if there is any damage
- TPR grip for a more secure and comfortable grip
- Tools are held in place using three colour pre-cut EVA foam
- Designed and manufactured to DIN5745, DIN5746, DIN5749 and IEC60900 (EN60900)

1000v Insulated Pliers:	
SIDE CUTTER	6" / 150 mm
LONG NOSE	8" / 200 mm
COMBINATION PLIERS	8" / 200 mm
WIRE STRIPPING PLIERS	6" / 155 mm

Item ID: TEDV440

Pliers



PLIER SET

- Vinyl grip for easier use in pockets or tool pouches All the most commonly used pliers in one set
- Pliers: SIDE CUTTER 6" / 155 mm COMBINATION 7" / 180 mm LONG NOSE 8" / 200 mm WATER PUMP 10" / 250 mm

Item ID: TT440



PLIER SET

- Vinyl grip for easier use in pockets or tool pouches
- All the most commonly used pliers in one set
- Supplied in the unique Teng Tools double width TC tray

Pliers:	
HEAVY DUTY SIDE CUTTER	6" / 160 mm
	8" / 200 mm
HIGH LEVERAGE COMBINATION	6" / 160 mm
	8" / 200 mm


Pliers:	
LONG NOSE	6" / 160 mm
	8" / 200 mm
WATER PUMP	7" / 180 mm
	10" / 250 mm

Item ID: TTD441



PLIER SET

4 Pieces



All the most commonly used pliers in one set

Pliers:	
SIDE CUTTER	6" / 155 mm
COMBINATION	7" / 180 mm
LONG NOSE	8" / 200 mm
WATER PUMP	10" / 250 mm

Item ID: TT440-T









- TPR grip for a more secure and comfortable grip
- All the most commonly used pliers in one set
- Supplied in the unique Teng Tools double width TC tray

Pliers:	
HEAVY DUTY SIDE CUTTER	6" / 160 mm
	8" / 200 mm
HIGH LEVERAGE COMBINATION	6" / 160 mm
	8" / 200 mm

Pliers:	
LONG NOSE	6" / 160 mm
	8" / 200 mm
WATER PUMP	7" / 180 mm
	10" / 250 mm

Item ID: TTD441-T



PLIER SET







- TPR grip for a more secure and comfortable grip
- All the most commonly used pliers in one set
- Supplied in the unique Teng Tools double width TC tray
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs

Pliers:	
SIDE CUTTER	5" / 135 mm
HEAVY DUTY SIDE CUTTERS	6" / 160 mm
HIGH LEVERAGE COMBINATION	8" / 200 mm
LONG NOSE	8" / 200 mm
WATER PUMP	10" / 250 mm

Item ID: TED441-T





PLIER & WRENCH SET



2 tools for gripping even the most stubborn nuts and bolts Supplied in the unique Teng Tools drawer width TTX tray

Pliers:		
QUICK ACTION WATER PUMP 10" / 250 mm		
Wrenches		
ALIGATOR ADJUSTABLE	8" / 200 mm	

Item ID: TTXMB02





PLIER & WRENCH SET





- 2 tools for gripping even the most stubborn nuts and bolts
- Supplied in the unique Teng Tools drawer width TEX tray
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs

Pliers:		
QUICK ACTION WATER PUMP	10" / 250 mm	
Wrenches		
ALIGATOR ADJUSTABLE	8" / 200 mm	

Item ID: TEXMB02











PLIER SET











PLIER SET







- Includes all the most commonly used pliers, circlip pliers and power grip pliers in one set
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs
- Designed to fit exactly in the larger Teng Tools tool box drawers
- Can be used as a set on it's own or as part of the Teng Tools "Get Organised" system

Pliers:		
HEAVY DUTY SIDE CUTTERS	8" / 200 mm	
HIGH LEVERAGE COMBINATION	7" / 180 mm	
LONG NOSE	8" / 200 mm	
WATER PUMP	10" / 250 mm	
Circlip Pliers:		
STRAIGHT INNER	7" / 175 mm	
BENT INNER	7" / 175 mm	
STRAIGHT OUTER	7" / 175 mm	
BENT OUTER	7" / 175 mm	
POWER GRIP Pliers:		
LONG NOSE STRAIGHT JAW	6" / 155 mm	
REGULAR CURVED JAW	4" / 100 mm	
	10" / 250 mm	

Item ID: TTEMB11

- Includes all the most commonly used pliers in one set
- TPR grip for a more secure and comfortable grip
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs
- Designed to fit exactly in the larger Teng Tools tool box drawers
- Can be used as a set on it's own or as part of the Teng Tools "Get Organised" system

Pliers:		
SIDE CUTTERS	5" / 135 mm	
	6" / 155 mm	
HEAVY DUTY SIDE CUTTERS	6" / 160 mm	
HEAVY DUTY SIDE CUTTERS	8" / 200 mm	
OFFSET HEAVY DUTY SIDE CUTTERS	8" / 200 mm	
CABLE CUTTERS	8" / 208 mm	
HIGH LEVERAGE COMBINATION	7" / 180 mm	
HIGH LEVERAGE COMBINATION	8" / 200 mm	
LONG NOSE	8" / 200 mm	
FLAT LONG NOSE	6" / 165 mm	
WIRE STRIPPERS	6" / 155 mm	
WATER PIIMP	7" / 180 mm	
WAICK FUMF	10" / 250 mm	
Circlip Pliers:		
STRAIGHT INNER	7" / 175 mm	
BENT INNER	7" / 175 mm	
STRAIGHT OUTER	7" / 175 mm	
BENT OUTER	7" / 175 mm	

Item ID: TTEMB17










- For use with inner and outer type circlips or snap rings
- 1.25mm tip and 10 to 25mm capacity
- Chrome vanadium construction
- Return spring for easier use
- Vinyl grip for easier use in pockets or tool pouches
- DIN5254

5" / 130 mm Circlip Pliers:		Capacity
CTRAICHT	INNER	10 - 25 mm
STRAIGHT	OUTER	10 - 25 mm
BENT	INNER	10 - 25 mm
	OUTER	10 - 25 mm

Item ID: TT474-5





- For use with inner and outer type circlips or snap rings
- 1.8mm tip and 19 to 60mm capacity Chrome vanadium construction
- Return spring for easier use
- Vinyl grip for easier use in pockets or tool pouches
- DIN5254

7" / 175 mm Circlip Pliers:		Capacity
STRAIGHT	INNER	19 - 60 mm
SIKAIGHI	OUTER	19 - 60 mm
BENT	INNER	19 - 60 mm
	OUTER	19 - 60 mm

Item ID: TT474-7

CIRCLIP PLIER SET







- For use with inner and outer type circlips or snap rings
- 1.8mm tip and 19 to 60mm capacity
- Chrome vanadium construction
- Return spring for easier use
- Vinyl grip for easier use in pockets or tool pouches

9" / 225 mm Circlip Pliers:		Capacity
CTDAICHT	INNER	40 - 100 mm
STRAIGHT	OUTER	40 - 100 mm
BENT	INNER	40 - 100 mm
	OUTER	40 - 100 mm

Item ID: TTX474-9



CIRCLIP PLIER SET







- Invisible return spring for easier operation
- For use with inner and outer type circlips or snap rings
- 1.8mm bearing steel tips for heavy duty applications
- Non slip tip angle enabling the ring to stock securely to the tip when compressing or expanding the circlip
- 19 to 60mm capacity
- Chrome vanadium construction
- Return spring for easier use
- Vinyl grip for easier use in pockets or tool pouches
- DIN5254

7" Circlip Pliers:		Capacity
CTD ALCUT	INNER	19 - 60 mm
STRAIGHT	OUTER	19 - 60 mm
BENT	INNER	19 - 60 mm
	OUTER	19 - 60 mm



Item ID: TT474-7E











POWER GRIP PLIER SET

- All the most commonly used power grip pliers in one set
- · Self locking with release lever
- With locking nut on adjustment knob for pre-setting, ideal for repeated use
- Wire cutter and crimper function
- Chrome vanadium

Power Grip Pliers:		
STANDARD ROUND JAW	4" / 100 mm	
	7" / 180 mm	
	10" / 250 mm	
LONG NOSE	4" / 100 mm	
	6" / 155 mm	

Item ID: TTVG05




POWER GRIP PLIER SET

- The most commonly used power grip pliers in one set
- Self locking with release lever
- With locking nut on adjustment knob for pre-setting, ideal for repeated use
- Wire cutter and crimper function
- Chrome vanadium

Power Grip Pliers:	
STANDARD ROUND JAW	4" / 100 mm
LONG NOSE	4" / 100 mm
	6" / 155 mm

Item ID: TTZVG03





5 Pieces

3 Pieces

POWER GRIP PLIER SET





- Includes all the most commonly used power grip pliers and welding pliers in one set
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs
- Designed to fit exactly in the larger Teng Tools tool box drawers
- Can be used as a set on it's own or as part of the Teng Tools "Get Organised" system

Power Grip Pliers:	
STANDARD ROUND JAW	4" / 100 mm
	7" / 180 mm
	10" / 250 mm
	12" / 300 mm
STANDARD FLAT JAW	10" / 250 mm
	12" / 300 mm
LONG NOSE	4" / 100 mm
	6" / 155 mm
	9" / 230 mm
C CLAMP PLIER	11" / 285 mm
SELF LEVELLING LOCKING PLIER	12" / 300 mm

Item ID: TTEVG11







WELDING PLIER SET



- Includes all the most commonly used welding pliers in one set Supplied in the unique Teng Tools PS tray
- Designed to fit exactly in Teng Tools tool box drawers
- Can be used as a set on it's own or as part of the Teng Tools "Get

Power Grip Pliers:	
LONG NOSE	6" / 155 mm
SHEET METAL GRIP	8" / 230 mm
WELDING GRIP	9" / 230 mm
C CLAMP PLIER	11" / 280 mm

Organised" system

Item ID: TTPSPG

Cutting Tools





CUTTING TOOL SET

- Includes high leverage tin snips for straight, left and right cutting Utility knife with retractable blade and ergonomic grip
- High carbon stainless steel blade industrial scissors
- Heavy duty cable cutters with compound leverage for easier cutting

Tin snips (straigth/left & straight/right), utility knife, scissors, heavy duty cable cutters

Item ID: TTDCT05



UTILITY AND CRAFT KNIFE SET

- Includes a selection of different knives to suit all types of use
- Spare blades included for each type of knife

Utility knife with auto load function, folding universal knife, folding mini utilty knife, hobby knife with 9mm blade, hobby knife with 18mm blade

5 x Regular knife blades, 10 x Mini knife blades, 10 x 9mm Snap off blades, 10 x 18mm Snap off blades

Item ID: TTK40

Service Tools





NEEDLE FILE SET

- All the most commonly used types of needle file in one handy set
- Removable lid and dove tail joints

Needle Files:

Hand, half round, three square, square, round, flat point, knife type, barrette, crossing, oval, feather edge, round edge flat

Item ID: TTNF12





HAND FILE SET



- 10" high carbon steel hand files
- Bi-material handle for a more comfortable grip
- 2nd cut to create a diamond pattern cutting surface for smoother filing
- Cut on both edges of the flat files for filing grooves, etc

Flat, Hand, Half Round, Round, Three square

Item ID: TTXF05

Get organised **TENGIOOLS**

5 Pieces









OIL SERVICE SET






- All the tools normally required for an oil service included in one
- Includes an oil filter wrench, drain plug set, spark plug sockets, metric feeler gauge set and a 3 in 1 inspection tool with magnetic pick up


3/8" Drive Accessories:	
3" & 10" wobble extensions, 1/2"F x 3/8" Male T-bar adaptor	
3/8" Drive Sockets:	
21mm regular 6 point socket, 16 & 21mm spark plug sockets	
Drain Plug Set:	
Bar, 5/16" hex x 3/8" hex, 11mm square x 12mm hex, 17mm hex x 1/2" hex, 8mm square x 3/8" square, 13mm square x 14mm hex, 8mm hex x 10mm hex	
Service Tools:	
Strap type oil filter wrench, 3 in 1 telescopic inspection tool, 21 piece feeler gauge set (0.005 mm - 1.0 mm)	

Item ID: TTOS16



SCRAPER SET





Scrapers:	
Gasket scraper	22mm wide blade, total length 245mm
Hooks & awl	Curved hook, 90° hook and awl

Item ID: TTSR04



AUTOMOTIVE SOCKET SET







- All the most commonly used specialist automotive sockets in one handy set
- Includes sockets for removing and installing injectors, oil sender and vacuum switches as well as various oxygen sensors

3/8" Drive Sockets:		
22 mm	Length: 90 mm	Oxygen sensor socket for Mitsubishi, Nissan, Opel, Vauxhall & VW
7/8"	Length: 80 mm	Vacuum switch socket
1-11/16"	Length: 74 mm	Oil sender socket
7/8"	Length: 30 mm	Offset oxygen sensor socket
1/2" Drive Sockets:		
29 mm	Length: 90 mm	Oxygen sensor socket for GM
27 mm	Length: 85 mm	Injector socket for M24
7/8"	Length: 50 mm	Heated oxygen sensor socket

Item ID: TTSS07



UNIVERSAL PULLER SET



- Three legged combination puller
- Supplied with an extra yoke for switching to two legged pulling
- Reversible legs for internal or external grip

Combination twin/triple 6" leg puller with 4" capacity

Item ID: TT804




HOSE CLAMP SET

- Range of sizes giving a capacity of 6 to 57mm (¼" to 2 ¼")
 Specially designed jaws prevent internal hoses from damage
- Lightweight and easy to use
- Non conductive

Hose clamps:
For hoses: 1/4"-3/4", 1/4"-1-1/4", 3/4"-2-1/4"

Item ID: TTHC03



HOOK AND PICK SET

- 4 piece hook and pick set
- Includes hooks, awls and picks for detail work and scribing
- Ideal for cleaning components and retrieving lost items in hard to reach places

Hooks & Picks: Straight Awl, 35° Hook tool, 90° Hook Tool, 125° Hook Tool

Item ID: TTMDP





FLARING TOOL SET

- Suitable for copper, brass and thin walled aluminium tubing
- 45° tube press flare pipes from 3/16" to 5/8" (4 to 14mm) diameter
- Heavy duty pipe cutter included for cutting pipes up to 32mm (1-1/4") diameter

2 piece double flaring tool set	
Pipe Cutter:	3-32 mm (1/8"-1-1/4")
Adaptors:	4, 4.75 (3/16"), 6 (1/4"), 8 (5/16"), 10, 12, 14 mm

Item ID: TTTF10






PRY BAR SET



• Includes roll/heel bars in three sizes to suit different applications

Roll heel bars:
12", 16", 20"

Item ID: TTXPB3















PRY BAR SET

3

Includes pry bars in three sizes and shapes to suit different applications

Roll heel bars:

12". 18". 22"

Item ID: TTXPB3A





PRY BAR SET





- Includes 3 roll/heel bars and a 20" tyre lever
- Tools are held in place using three colour pre-cut EVA foam

Roll heel bars: 12". 16". 20" Tyre Lever:

Item ID: TEXPB4





WHEEL TOOL SET





- 17" 1/2" drive flex handle for shifting stubborn wheel nuts
- A short extension bar for reaching into recessed wheel rims
- Long reach sockets with protective nylon sleeves to avoid damage to wheels
- Tools are held in place using three colour pre-cut EVA foam

1/2" Drive Accessories: 17" Flex Handle, 5" Extension bar Impact Wheel Nut Sockets: 17. 19. 21mm

Item ID: TEXW05



CRIMPING PLIER SET



- Multi function 9" crimping plier and wire stripper
- Use on insulated, non insulated terminals and connectors
- Wire stripping capacity from 0.75 to 6mm
- Cutting function for M2 to M5 bolt sizes
- Includes a range of insulated, non insulated terminals and connectors

Crimping Tool:

Multi function CP50 crimping tool

Terminals/connectors:

Red #6 ring terminals x 20 Blue #8 spade terminals x 20 Red butt connectors x 20 Rlue hutt connectors x 20 Blue 6.3x0.8mm female connectors x 20 Blue 6.3x0.8mm male connectors x 20

Item ID: TTCP121



CRIMPING PLIER SET



- Interchangeable ratchet crimping tool
- Automatic locking mechanism to ensure a consistent and correct crimping action
- Cutting function for M2 to M5 bolt sizes
- Includes a range of interchangeable heads
- Use on insulated, non insulated terminals and connectors

Crimping Tool:

Changeable ratchet crimping tool for insulated terminals 22-10 AWG

Terminals/connectors:

Die for non-insulated open barrel connector, commercial type 22-12 AWG (0.324 square mm - 3.31 square mm)

Die for non-insulated terminals 22-8 AWG (0.3 square mm - 8 square mm)

Other Tools:

Hex hey wrench 2.5mm

Item ID: TTCP04

Get Organised System 🞑





- Includes screw extractors, stud extractors and nut splitters
 Ideal for use with broken nuts, bolts, studs or screws
- 1/2" Drive Stud Extractors:
 6, 8, 10, 12 mm
 Screw Extractors:
 7/64", 9/64", 5/32", 1/4", 19/64"
 Nut Splitters:
 5 to 20mm, 14 to 27mm

Item ID: TTSN11



STUD EXTRACTOR SET







- Includes all the most commonly used sizes from 6mm (5/16")
- Designed for removing rounded or damaged bolt heads or nuts
- 4mm parallel pin punch included for clearing debris from the
- Chrome vanadium satin finish
- Designed and manufactured to DIN3120/3124 and ISO2725

3/8" Drive Stud Extractors:
6 (5/16"), 8, 10 (3/8"), 11 (7/16"), 12, 13 (1/2"), 14 (9/16"), 16 (5/8"), 17 mm
1/2" Drive Stud Extractors:
19, 21, 22, 24, 25 mm
3/4", 13/16", 7/8", 15/16", 1"
Parallel Pin Punch:
4mm (150mm length)

Item ID: TTBE18



000

FULLY GROUND DRILL BIT SET

- Standard drill bits for use with steel and cast iron, etc.
- Spiral angle of 28° for clean cutting
- Split point angle of 118° for better positioning
- Shank the same diameter as the tip
- Designed and manufactured to DIN338

Fully Ground Drill Bits:

1.0 (x3), 1.5 (x3), 2.0 (x2), 2.5 (x2), 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, 8.5, 9.0, 10.0, 10.5, 11.0, 12.0, 13.0

Item ID: TTDB28



INSPECTION SET

- Ideal set for finding and retrieving lost nuts and bolts, etc.
- An extending mirror and magnifier with adjustable heads
- The extending magnetic pick up tool helps retrieve items up to 4,500g
- Each tool extends up to 85cm and includes a pocket clip

Inspection Tools:

Telescopic magnifying glass Telescopic inspection mirror Telescopic magnetic pick up tool

Item ID: TTTM03

Get organised* 145









INSPECTION SET



Includes telescopic magnetic pick up, magnifying glass, inspection mirror, a flexible claw pick up and even an LED torch

Inspection Tools:

LED flashlight

length 310mm Flexible magnetic pick up Telescopic magnetic pick up length 160-480mm 38mm magnifying glass 1:3 with magnetic adaptor 38mm inspection mirror with magnetic adaptor 230mm flexible claw pick up tool Batteries AAA (2 pieces)

Item ID: TTTM08





BODYWORK HAMMER SET



A selection of hammers for use in the automotive body shop or metal working area

Hammers:

Dead blow hammers with 35 and 55mm diameter heads, crown face hammers with straight pein, pick heads and square milled face

Item ID: TTPSAD



RIVET GUN SET



- Aluminium alloy, forged steel upper handle with heat treated jaws for durability
- Suitable for aluminium and steel rivets from 2.4 to 4.8mm and stainless steel rivets up to 4.0mm
- Includes 75 assorted rivets in individual storage compartments

Hand rivetter:

4 nozzles to suit aluminium/steel blind rivets (2.4, 3.2, 4.0, 4.8 mm)

2.4mm (3/32") x 20 black 3.2mm (1/8") x 20 black 4.0mm (5/32") x 20 black 4.8mm (3/16") x 15 black

Accessories:

Nozzle wrench

Item ID: TTHR81



RIVET GUN SET



EVA



- Light weight design for more comfortable use
- PVC grip for added comfort
- Suitable for use with 2.4, 3.2, 4.0 and 4.8mm rivets
- Selection of rivets included
- Tools are held in place using three colour pre-cut EVA foam

Hand rivetter:

4 nozzles to suit aluminium/steel blind rivets (2.4, 3.2, 4.0, 4.8 mm)

Aluminium rivets:

2.4mm (3/32") x 20 black

3.2mm (1/8") x 20 black

4.0mm (5/32") x 20 black

4.8mm (3/16") x 15 black

Accessories:

Nozzle wrench

Item ID: TEAHR81

Get Organised System 💽



NUTSERT GUN SET


- Aluminium alloy, forged steel upper handle with heat treated jaws for durability
- Quick change, lockable threaded mandrels
- Mandrels for M3, M4, M5 and M6 included
- Includes 75 assorted nutserts in individual storage compartments

Nutsert Tool:	
4 quick change mandrels (M3 x 0.5, M4	x 0.7, M5 x 0.8, M6 x 1.0)
Aluminium rivets:	
M3 x 20 pieces	
M4 x 20 pieces	
M5 x 20 pieces	
M6 x 15 pieces	
Accessories:	
Nose piece wrench	

Item ID: TTNR81



PUNCH AND CHISEL SET



Punches:		
Centre	Length: 150 mm	5 mm
Parallel	Length: 150 mm	3, 4, 5, 6, 7, 8 mm
Flat cold chisels::		
150 mm		Width: 19 mm
200 mm		Width: 25 mm

Item ID: TTPC09



PUNCH AND CHISEL SET





- Parallel pin punches, flat cold chisels and centre punches
- High carbon steel hardened to HRC42 and tempered strike ends (HRC40 +/-5) for use with a hammer
- Automatic centre punch with spring loaded stroke for marking points quickly
- Tools are held in place using three colour pre-cut EVA foam

Punches:		
Centre	Length: 150 mm	4, 5, 8 mm, Automatic centre punch
Parallel	Length: 150 mm	3, 4, 5, 6, 7, 8 mm
Flat cold chisels::		
150 mm		Width: 19 mm
200 mm		Width: 25 mm
240 mm		Width: 26 mm
250 mm		Width: 25 mm

Item ID: TEDPC14



TAP AND DIE SET



- Suitable for repairing damaged threads from M3 to M12
- Tap and die holders included

A thread gauge is included to help identify the pitch of the thread
Metric dies:
3x0.5 mm, 4x0.7 mm, 5x0.8 mm, 6x1.0 mm, 8x1.25 mm, 10x1.5 mm, 12x1.75 mm
Metric taps:
3mm, 4mm, 5mm, 6mm, 8mm, 10mm, 12mm
Accessories:
Tap handle (capacity 3 to 12mm), die handle with adjustment screw (capacity 3 to 12mm), screw pitch gauge

Item ID: TTTD17












TAP AND DIE SET



- Includes taps and dies with interchangeable chucks
- Screw extractors also included to give a complete set for repairing threads
- Various accessories including drill bits, a screw pitch gauge and mini palm ratchet

Metric dies:

3x0.5 mm, 4x0.7 mm, 5x0.8 mm, 6x1.0 mm, 8x1.25 mm, 10x1.5 mm, 12x1.75 mm

3mm, 4mm, 5mm, 6mm, 8mm, 10mm, 12mm

Fully ground drill bits:

2.5, 3.3, 4.2, 5.0, 6.8, 8.5, 10.5 mm

Screw extractors:

1/8", 3/16", 15/64", 5/16", 3/8"

Accessories:

Screw pitch gauge, mini screwdriver hex (2.5x40mm), 1/4" extension bar, 3/8"F:1/4"M adaptor, 1/4" mini palm ratchet, 1/4" interchangeable die chuck, 1/4" tap chuck (x2 - M3-M8, M5-M12)

Item ID: TTDTD34



PIPE CUTTER SET

For cutting plastic, copper and brass pipes from 3 to 22mm diameter Deburring tool included for tidying up any sharp edges

Pipe Cutters: Capacity: 10, 12, 15, 22 mm Adjustable pipe cutter capacity: 3-22 mm Accessories: Deburring tool

Item ID: TTTC06

Measuring Tools



MEASURING TOOL SET



Includes a 4 function vernier caliper, steel rule, scriber and base square

Measuring Tools:		
Vernier caliper	mm/inch	150 mm/6"
Steel rule	mm	150
Base square	mm	100 x 70
Scriber TC tipped	mm	150

Item ID: TTBM

34 Pieces



MEASURING TOOL SET

Ideal for mechanics and technicians

Includes a 4 function digital caliper, CAT II multimeter, thread gauge and feeler gauge sets

Measuring Tools:		
Digital caliper	mm/inch	150mm/6"
Thread gauge set	mm/UNC	0.25-6.0mm, 4-42 UNC
Feeler gauge set	mm	100mm blades 0.05 to 1.0mm
Multimeter	AC, DC, voltage, current, resistance,	
	temperature, CATI 600	

Item ID: TTDAM

Get Organised System 💽





MEASURING TOOL SET





- Ideal for machinists and technicians
- Includes a digital 4 function caliper, micrometer and a dial indicator complete with a magnetic stand
- Tools are held in place using three colour pre-cut EVA foam

Measuring Tools:		
Digital caliper	mm/inch	150mm/6"
Micrometer	mm	0 to 25mm
Dial Indicator with stand		0-25mm measuring range
Magnetic stand with central loc	king	

Item ID: TEDIMM

Air Tools







AIR IMPACT WRENCH SET





- Compact and lightweight 1/2" drive impact wrench
- For use in confined spaces
- Supplied with stubby 1/2" drive impact sockets
- Supplied in the unique Teng Tools tray to be used within the Get Organised System

IMPACT SOCKETS - 1/2" STUBBY:		
10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm		
COMPACT IMPACT WRENCH SPECIFICATION:		
Square drive		1/2"
Bolt capacity	mm	M16
Free speed	rpm	8,000
Max torque (3 steps)	Nm	285/380/680
Max torque (3 steps)	ft-lb	210/280/501
Max reverse torque	Nm	770
Max reverse torque	ft-Ib	568
Hammer mechanism	type	Jumbo hammer
Sound level *	dB	102
Vibration **	m/s²	7.5
Minimum hose size	inch	3/8"
Air inlet	inch	1/4"
Air consumption at 100% int.	l/min	121
Air consumption at 100% int.	cfm	4.23
Air consumption at 15% int.	l/min	18
Air consumption at 15% int.	cfm	0.6
Length	mm	113
Weight	kg	1.3

 * A weighted sound pressure level at work station in accordance with EN ISO 15744

Item ID: TTDAWM13M

^{**} Vibration value according to EN ISO 28927-2











EXTRA LARGE MODULE

- Includes tool panels, base units with a work top and 2 wall cabinets
- Also includes a floor standing cupboard with shelves and 8 tool drawers
- A complete storage solution for the workshop
- Use on it's own or extend it further using the Teng Tools modular racking system

NEW





Item ID: RSMXL


2 Drawer modules that include 8 individual drawers supplied as standard



LARGE MODULE

- Includes tool panel, base unit with a drawer and a work top amd a wall cabinet
- Also includes a floor standing cupboard with shelves and 8 tool drawers
- A complete storage solution for the workshop
 - Use on it's own or extend it further using the Teng Tools modular racking system

NEW



Item ID: RSML



NEW



MEDIUM MODULE

- Includes tool panel, base unit with a work top as well as a wall cabinet
- Also includes a floor standing cupboard with shelves and 8 tool drawers
- A complete storage solution for the workshop
- Use on it's own or extend it further using the Teng Tools modular racking system

2 Drawer modules that include 8 individual drawers supplied as standard



Drawer







Combination Lock

Item ID: RSMM



NEW



SMALL MODULE

- Includes a lockable floor standing cupboard with shelves and 8 tool drawers
- A secure storage solution for the workshop
- Use on it's own or extend it further using the Teng Tools modular racking system

2 Drawer modules that include 8 individual drawers supplied as standard



Drawer



Heavy Gauge Steel



5-Step Rust Protection



3 Step Ball Bearing Slides



Combination Lock

Item ID: RSMS



RACKING TOOL KIT


- A comprehensive selection of 1,001 tools supplied in the Teng Tools Get Organised tool tray system
- All tools supplied in drawers with 3-step ball bearing slides
- A complete storage solution for the workshop
- Use on it's own or extend it further using the Teng Tools modular racking system















Drawer 13/14

Drawer 14/14

Contents:		
Drawer Number	Item ID	Description
1/14	TTXEXT13	13 piece extension set
1/14	TT1205	5 piece 1/2" drive socket accessories
1/14	TT1435	35 piece 1/4" drive regular/deep metric socket set
1/14	TT3819	19 piece 3/8" drive metric socket set
1/14	TT1217	17 piece 1/2" drive regular metric socket set
2/14	TTPC09	9 piece punch and chisel set
2/14	TTID20	20 piece 1/2" drive impact driver set
2/14	TTSR04	4 piece scraper and remover set
2/14	TT00	Add on tool tray
2/14	TTX3892	22 piece 3/8" drive torque wrench set
3/14	TTX3404	4 piece 3/4" drive socket accessories set
3/14	TTX3414	14 piece 3/4" drive metric socket set
3/14	TM708	8 piece mini screwdriver set
3/14	1479MM	9 piece ball point hex key wrench set
3/14	1479AF	9 piece AF ball point hex key wrench set

Contents:		
Drawer Number	Item ID	Description
3/14	1479TX	9 piece TX wrench set
4/14	TTTX23	23 piece 40/70mm TX bit socket set
4/14	TTHEX23	23 piece metric hex bit socket set
4/14	TTALU	32 piece socket clip rail set
4/14	TTXMDTN	5 piece power thru screwdriver set
4/14	TT9116N	16 piece 1/2" drive regular/deep impact socket set
5/14	TTHP08	8 piece hook and pin wrench set
5/14	TT6506	6 piece double flex wrench set
5/14	TT6010M	10 piece midget combination spanner set
5/14	TT3592	8 piece AF combination spanner set
5/14	TTX2032	7 piece metric combination spanner set
6/14	TTX918N	8 piece Mega Drive screwdriver set
6/14	TT917N	7 piece Mega Drive screwdriver set

Continued 1



es	O
UJ	

Contents:	Contents:			
Drawer Number	Item ID	Description		
6/14	TT917TXN	7 piece TX/TPX Mega Drive screwdriver set		
6/14	TTMD74	74 piece ratchetting bits driver set		
6/14	TTMI16	16 piece mini plier/screwdriver set		
7/14	TTX474-9	4 piece 9" circlip plier set		
7/14	TT440-T	4 piece Mega Bite plier set		
7/14	TT474-7	4 piece 7" circlip plier set		
7/14	TT474-5	4 piece 5" circlip plier set		
7/14	TTHC03	3 piece hose clamp set		
8/14	TTHEX7	7 piece T handle hex drivers		
8/14	TTNR81	81 piece nut rivet set		
8/14	TTTX7	7 piece T handle TX/TPX drivers		
8/14	TTHR81	81 piece hand rivet set		
8/14	TTXPB3	3 piece roll/heel bar set		
9/14	TTX1292	1/2" drive torque wrench		
9/14	TTV440	4 piece 1000v insulated plier set		
9/14	TTCP121	121 piece crimping tool set		
9/14	TTV907N	7 piece 1000v screwdriver set		
9/14	TTO1	Add on tool tray with dividers		
10/14	TT1236	12 piece metric combination spanner set		
10/14	TTTM03	3 piece inspection tool set		

Drawer Number	Item ID	Description
10/14	TT6208	8 piece open ended spanner se
10/14	TTX6311	11 piece metric double ring spanner so
10/14	TTALU	32 piece socket clip rail s
11/14	TTX01	Add on tool tray widh divide
11/14	TT804	2 in 1 puller s
11/14	TTOS16	16 piece oil service s
11/14	TTSN11	11 piece stud and nut remover s
11/14	TTTD17	17 piece tap and die s
12/14	TTPS09	9 piece general tool kit with PS tro
12/14	TTXPB3A	3 piece pry bar s
13/14	TTXMDN	9 piece nut driver s
13/14	TTPSPG	4 piece power grip pliers s
14/14	TTX2640	7 piece AF combination spanner s
14/14	TTTXH15	15 piece 1/2" drive long bits socket s
14/14	TT1215AF	15 piece 1/2" drive AF regular socket s
14/14	TTAF32	32 piece 1/4" and 3/8" drive regular/deep AF socket s
14/14	TTTX30	30 piece 1/4" and 3/8" drive TX, TPX and TX-E socket s



Modu	le Size	Drawer Modules Included	Number of Pieces	Item ID
XL		x3 *12 Drawers	1001	RSMXL1001
		x3 *12 Drawers	1001	RSML1001
M		x4 *16 Drawers	1001	RSMM1001



RACKING TOOL KIT

- A comprehensive selection of 715 tools supplied in the Teng Tools Get Organised tool tray system
- All tools supplied in drawers with 3-step ball bearing slides
- A complete storage solution for the workshop
- Use on it's own or extend it further using the Teng Tools modular racking system



















Drawer 1/10

Drawer 2/10

Drawer 3/10







Drawer 6/10



Drawer 7/10



Drawer 8/10





Drawer 9/10

Drawer 10/10

Contents:		
Drawer Number	Item ID	Description
1/10	TTX01	Empty 6 Compartment TTX Storage Tray
1/10	TTMI16	16 piece mini plier/screwdriver set
1/10	TTID20	20 piece 1/2" drive impact driver set
1/10	TTPC09	9 piece punch and chisel set
1/10	TT01	Add on tool tray with dividers
4/10	TTXEXT13	13 piece extension set
4/10	TT1435	35 piece 1/4" drive regular/deep metric socket set
4/10	TT3819	19 piece 3/8" drive metric socket set
4/10	TT1217	17 piece 1/2" drive regular metric socket set
4/10	TT1205	5 piece 1/2" drive socket accessories
5/10	TT804	2 in 1 puller set
5/10	TTNR81	81 piece nut rivet set
5/10	TTTD17	17 piece tap and die set mm
5/10	TTHP08	8 piece hook and pin wrench set
5/10	TTXPB3	3 piece roll bar set
2/10	TTX02	Empty 4 Compartment TTX Storage Tray
2/10	TT917N	7 piece Mega Drive screwdriver set
2/10	TT440-T	4 piece Mega Bite plier set
2/10	TT917TXN	7 piece TX/TPX Mega Drive screwdriver set
2/10	TTMD74	74 piece ratchetting bits driver set

Contents:			
Drawer Number	Item ID	Description	
6/10	TTX1292	1/2" drive torque wrench	
6/10	TT9116N	16 piece 1/2" drive regular/deep impact socket set	
6/10	TTTX23	23 piece 40/70mm TX bit socket set	
6/10	TTHEX23	23 piece metric hex bit socket set	
6/10	TTALU	32 piece socket clip rail set	
7/10	TTX03	Empty 8 Compartment TTX Storage Tray	
7/10	TTHEX7	7 piece T handle hex drivers	
7/10	TT474-7	4 piece 7" circlip plier set	
7/10	TTTX7	7 piece T handle TX/TPX drivers	
7/10	TTHR81	81 piece hand rivet set	
3/10	TTPSPG	4 piece power grip pliers with PS tray	
3/10	TTX6311	11 piece mm double ring spanner set	
8/10	TTALU	32 piece socket clip rail set	
8/10	TTOS16	16 piece oil service set	
8/10	TTSN11	11 piece stud and nut remover set	
8/10	TT1236	12 piece metric combination spanner set	
8/10	TTX2032	7 piece metric combination spanner set	

Continued 1



29	O
G 3	

Contents:			
Drawer Number	Item ID	Description	
9/10	TTPS09	9 piece general tool kit with PS tray	
9/10	TTX918N	8 piece Mega Drive screwdriver set	
10/10	TTTX30	30 piece 1/4" and 3/8" drive TX, TPX and TX-E socket set	
10/10	TT1215AF	15 piece 1/2" drive AF regular socket set	
10/10	TTAF32	32 piece 1/4" and 3/8" drive regular/deep AF socket set	
10/10	TT3592	8 piece AF combination spanner set	
10/10	TTX2640	7 piece AF combination spanner set	





Modu	le Size	Drawer Modules Included	Number of Pieces	Item ID
XL		x2 *8 Drawers	<i>7</i> 15	RSMXL715
		x2 *8 Drawers	<i>7</i> 15	RSML715
M		x3 *12 Drawers	<i>7</i> 15	RSMM715
5		x3 *12 Drawers	<i>7</i> 15	RSMS715



RACKING TOOL KIT

- A comprehensive selection of 569 tools supplied in the Teng Tools Get Organised tool tray system
- All tools supplied in drawers with 3-step ball bearing slides
- A complete storage solution for the workshop
- Use on it's own or extend it further using the Teng Tools modular racking system























Drawer 5/8

Drawer 6/8

Drawer 7/8

Drawer 8/8

Contents:			
Drawer Number	Item ID	Description	
1/8	TT1217	17 piece 1/2" drive regular metric socket set	
1/8	TT1205	5 piece 1/2" drive socket accessories	
1/8	TT3819	19 piece 3/8" drive regular metric socket set	
1/8	TT1435	35 piece 1/4" drive regular metric socket set	
1/8	TTXEXT13	13 piece extension set	
2/8	TTDCT05	5 piece cutting tool set	
2/8	TTVG05	5 piece power grip plier set	
2/8	TT440-T	4 piece Mega Bite plier set	
2/8	TTX474-9	4 piece 9" circlip plier set	
3/8	TTRS15	15 piece 1/2" drive RIL and spline bits socket set	
3/8	TTTXH15	15 piece 1/2" drive long bits socket set	
3/8	TTBS35	35 piece 1/4" and 3/8" drive TX, TPX and TX-E set	
3/8	TTTX30	30 piece 1/4" and 3/8" drive TX, TPX and TX-E socket set	
3/8	TTXF05	5 piece 10" file set	
4/8	TT3816	16 piece 3/8" drive deep metric socket set	
4/8	TT3592	8 piece AF combination spanner set	
4/8	TT1215AF	15 piece 1/2" drive AF regular socket set	
4/8	TTAF32	32 piece 1/4" and 3/8" drive socket set	
4/8	TTX2640	7 piece AF spanner set	
5/8	TTDB28	28 piece drill bits set 1-13mm	
5/8	TTMD74	74 piece ratchetting bits driver set	
5/8	TT917TXN	7 piece TX/TPX Mega Drive screwdriver set	
5/8	TT917N	7 piece Mega Drive screwdriver set	
5/8	TTX918N	8 piece Mega Drive screwdriver set	

Contents:			
Drawer Number	Item ID	Description	
6/8	TT6208	8 piece open ended spanner set	
6/8	TT6508R	8 piece ratchetting combination spanner set	
6/8	TT1236	12 piece metric combination spanner set	
6/8	TTX2032	7 piece metric combination spanner set	
6/8	TT474-7	4 piece 7" circlip plier set	
7/8	TTTM08	8 piece pick up tool set with light	
7/8	TTTX7	7 piece T handle TX/TPX driver set	
7/8	TTHEX7	7 piece T handle hex driver set	
7/8	TTHT28	28 piece hex and TX key set	
7/8	TTX3404	4 piece 3/4" drive socket accessory set	
8/8	TTBM	4 piece measuring set	
8/8	TTID20	20 piece 1/2" drive industrial impact driver set	
8/8	TT9120DN	20 piece 1/2" drive impact socket set - DIN standard	
8/8	TT9207	7 piece 1/2" drive impact accessory set	
8/8	TTX3414	14 piece 3/4" drive metric socket set	

Continued 1







Modu	le Size	Drawer Modules Included	Number of Pieces	Item ID
XL		x2 *8 Drawers	569	RSMXL569
		x2 *8 Drawers	569	RSML569
M		x2 *8 Drawers	569	RSMM569
S		*8 Drawers	569	RSM5569





RACKING TOOL KIT

- A comprehensive selection of 417 tools supplied in the Teng Tools Get Organised tool tray system
- All tools supplied in drawers with 3-step ball bearing slides
- A complete storage solution for the workshop
- Use on it's own or extend it further using the Teng Tools modular racking system













Drawer 3/7





Drawer 2/7



Drawer 5/7

Drawer 6/7

Drawer 7/7

Contents:		
Drawer Number	Item ID	Description
1/7	TED3836	36 piece 3/8" drive socket set
1/7	TED1489	89 piece 1/4" drive socket set
1/7	TEXEXT13	13 piece extension set
2/7	TED441-T	5 piece plier set
2/7	TED1227	27 piece 1/2" drive socket set
2/7	TEX1238	3/8" and 1/2" drive torque wrench set
3/7	TED909TXN	9 piece TX driver set
3/7	TED911N	11 piece screwdriver set
3/7	TEX915N	5 piece screwdriver set
4/7	TEDPC14	14 piece punch and chisel set
4/7	TEDSD95	95 piece torque screwdriver set
4/7	TEXPB4	4 piece roll/heel bar set
5/7	TEDADJ4	4 piece adjustable wrench set
5/7	TED8012	12 piece metric combination spanner set
5/7	TEX2032	7 piece metric combination spanner set
6/7	TEXW05	5 piece wheel tool set
6/7	TEDHT42	42 piece hex and TX key set
6/7	TED9121	21 piece 1/2" drive impact socket set
7/7	TEDTX7	7 piece T handle TX key set
7/7	TEDHEX7	7 piece T handle hex key set
7/7	TEX02	Empty TEX Storage Tray 4 Compartments


Continued 1







Module Size		Drawer Modules Included	Number of Pieces	Item ID
XL		x2 *8 Drawers	417	RSMXL417
		x2 *8 Drawers	417	RSML417
M		x2 *8 Drawers	417	RSMM417
S		*8 Drawers	417	RSMS417





RACKING TOOL KIT

- A comprehensive selection of 333 tools supplied in the Teng Tools Get Organised tool tray system
- All tools supplied in drawers with 3-step ball bearing slides
- A complete storage solution for the workshop
- Use on it's own or extend it further using the Teng Tools modular racking system





















Drawer 5/7

Drawer 6/7

Drawer 7/7

Contents:					
Drawer Number	Item ID	Description			
1/7	TTEX32	27 piece spanner set and 5 piece file set			
2/7	TTESK85	85 piece hex sockets and bits set			
3/7	TTESK77	77 piece 1/4", 3/8" and 1/2" drive socketry			
4/7	TTEX17	17 piece hex key, inspection and torque wrench			
5/7	TTEPS12	12 piece set of general tools			
6/7	TTEMD98N	98 piece screwdriver set			
7/7	TTEMB11	11 piece plier set			

Continued 1









Module Size		Drawer Modules Included	Number of Pieces	Item ID
XL		x2 *8 Drawers	333	RSMXL333
		x2 *8 Drawers	333	RSML333
M		x2 *8 Drawers	333	RSMM333
5		x2 *8 Drawers	333	RSMS333









Heavy Gauge Steel



5-Step Rust Protection



Combination Lock





BASE MODULE

- Includes uprights, tool panel, base unit with a work top and a wall
- The ideal starting pack to build a work station
- Use on it's own or as part of the Teng tools modular racking system

ITEM ID	Height mm	Height (Kickplate) mm	Width mm	Depth mm	Base Unit
RSMB0700	2030-2055	2095-2120	700	475	Empty
RSMB0800	2030-2055	2095-2120	800	475	Empty
RSMB1340	2030-2055	2095-2120	1340	475	Empty



SINGLE DRAWER MODULE

- Includes uprights, tool panel, base unit with a drawer and a work top as well as a wall cabinet
- The ideal starting pack to build a work station
- Use on it's own or extend it further using the Teng Tools modular racking system

ITEM ID	Height mm	Height (Kickplate) mm	Width mm	Depth mm	Base Unit
RSMSD0700	2030-2055	2095-2120	700	475	Single Drawer
RSMSD1340	2030-2055	2095-2120	1340	475	Single Drawer



Heavy Gauge Steel



5-Step Rust Protection





Combination Lock



Key Lock





BASE CABINET MODULE

- Includes uprights, tool panel, base unit with a work top and a wall
- Includes secure storage area with shelves & a lockable door
- The ideal starting pack to build a work station
- Use on it's own or as part of the Teng tools modular racking system

ITEM ID	Height mm	Height (Kickplate) mm	Width mm	Depth mm	Base Unit
RSMC0700	2030-2055	2095-2120	700	475	Shelf Cabinet
RSMC0800	2030-2055	2095-2120	800	475	Shelf Cabinet
RSMC1340	2030-2055	2095-2120	1340	475	Shelf Cabinet



Heavy Gauge Steel



5-Step Rust Protection



Combination Lock



3 Step Ball Bearing Slides





4 DRAWER MODULE

- Includes a drawer unit with 4 drawers to create an organised storage
- The ideal starting pack to build a work station
- Use on it's own or as part of the Teng tools modular racking system

ITEM ID	Height mm	Height (Kickplate) mm	Width mm	Depth mm	Base Unit
RSMFD0700	2030-2055	2095-2120	700	475	4 Drawer
RSMFD1340	2030-2055	2095-2120	1340	475	4 Drawer





Heavy Gauge Steel



5-Step Rust Protection





FULL HEIGHT CABINET

- Use on it's own or as part of the Teng tools modular racking system
- Adjustable feet for use on uneven floors
- $\overset{\cdot}{\text{Can}}$ be used with the Teng Tools kick plate (RSTKP0700) to raise
- Includes 4 shelves and a lockable door

ITEM ID	Height mm	Height (Kickplate) mm	Width mm	Depth mm	Number of Shelves
RSCH700450	2030-2055	2095-2120	700	475	4
RSCH800450	2030-2055	2095-2120	800	475	4
RSCH1340450	2030-2055	2095-2120	1340	475	4



Heavy Gauge Steel



5-Step Rust Protection





CORNER CABINET

- Use on it's own or as part of the Teng tools modular racking system
- Adjustable feet for use on uneven floors
- Can be used with the Teng Tools kick plate (RSTKPCC) to raise the height
- Includes 4 shelves and a lockable door

ITEM ID	Height mm	Height (Kickplate) mm	Width mm	Depth mm	Number of Shelves
RSCCH800	2030-2055	2095-2120	800	800	4



Heavy Gauge Steel



5-Step Rust Protection





FLOOR STANDING CABINET

- Use on it's own or as part of the Teng Tools modular racking system
- Adjustable feet for use on uneven floors
- Can be used with the Teng Tools kick plate (RSTKP700) to raise the working height
- Can be used with the Teng Tools work top (RSWB0700) to create a workbench
- Includes three shelves and a lockable door

ITEM ID	Height mm	Height (Kickplate) mm	Height (Kickplate & Worktop) mm	Width mm	Depth mm
RSC700450	800-825	865-890	900-925	700	475
RSC800450	800-825	865-890	900-925	800	475
RSC1340450	800-825	865-890	900-925	1340	475



Heavy Gauge Steel



5-Step Rust Protection



Combination Lock



WALL CABINET

- Use on it's own or as part of the Teng Tools modular racking system
- Designed to fix to the Teng Tools wall racking uprights
- Includes 2 shelves and a drop down lockable door

ITEM ID	Height mm	Width mm	Depth mm	Number of Shelves
RSCW700300	460	700	300	2
RSCW800300	460	800	300	2
RSCW1340300	460	1340	300	2









Heavy Gauge Steel



5-Step Rust Protection



SHELVING UNIT MODULE

- Easy to assemble sturdy racking unit
- Use on it's own or as part of the Teng Tools modular racking system
- Adjustable feet for use on uneven floors
- Includes 4 shelves that can be positioned at any height

ITEM ID	Height mm	Width mm	Depth mm	Max Load per shelf kg
RSK0700	2000	700	450	300
RSK0800	2000	800	450	300
RSK1350	2000	1350	450	160



CORNER SHELVING MODULE

- Easy to assemble sturdy racking unit
- Use on it's own or as part of the Teng Tools modular racking system
- Adjustable feet for use on uneven floors
- Includes 4 shelves that can be positioned at any height

ITEM ID	Height mm	Width mm	Depth mm	Max Load per shelf kg
RSKC02	2000	800	800	300



Heavy Gauge Steel



5-Step Rust Protection



3 Step Ball Bearing Slides



SHELVING & DRAWER UNIT

- Easy to assemble sturdy racking unit
 - Includes a 4 drawer module
- Use on it's own or as part of the Teng Tools modular racking system
- Adjustable feet for use on uneven floors
- Includes 2 regular shelves and a sliding shelf that can be positioned at any height

ITEM ID	Height mm	Width mm	Depth mm	Max Load per shelf kg
RSK0700A	2000	700	450	300
RSK1350A	2000	1350	450	160



- Mobile trolley
- A mobile work trolley with shelves and a drawer
- Two fixed castors and two swivelling castors with brakes
- Two shelves and a ball bearing slide drawer
- Ideal for moving parts and equipment around the work place

ITEM ID	Height mm	Height (Wheels) mm	Width mm	Depth mm
TR070	770	932	700	450
TR135	770	932	1339	450





Heavy Gauge Steel



5-Step Rust Protection



3 Step Ball Bearing Slides



DRAWER MODULES

- Designed for use with the Teng Tools modular racking system
- Four drawers with ball bearing slides
- Drawers designed for use with the Teng Tools Get Organised system

ITEM ID	Height mm	Width mm	Depth mm
RSD070004	310	603	378
RSD135004	413	1215	378



Heavy Gauge Steel



5-Step Rust Protection



RACKING SYSTEM SHELVES

Fixed shelf for use as part of the Teng Tools modular racking system

ITEM ID	Item	Height mm	Width mm	Depth mm
RSS0700	Shelf	35	698	445
RSS0800	Shelf	35	795	445
RSS1350	Shelf	35	1335	445
RSTSB	Brackets (x4)	For fixing shelves at an angle		



Heavy Gauge Steel



5-Step Rust Protection



RACKING SYSTEM CORNER SHELF

Corner shelf for use as part of the Teng Tools modular racking system

ITEM ID	Item	Height mm	Width mm	Depth mm
RSSC01	Shelf	35	795	795



Heavy Gauge Steel



5-Step Rust Protection



RACKING SYSTEM SLIDING SHELVES

Sliding shelf for use as part of the Teng Tools modular racking system

ITEM ID	Height mm	Width mm	Depth mm
RSSS700	22.5	583	430
RSSS1350	22.5	1223	430



Heavy Gauge Steel



5-Step Rust Protection



KICK PLATES

- Raises the height of the unit
- Especially designed for use with Teng Tools floor standing cabinets
- Fully adjustable feet to compensate for uneven floors

ITEM ID	Suitable for:	Width mm
RSTKP700	700mm wide floor standing cabinet	700
RSTKP800	800mm wide floor standing cabinet	800
RSTKP1340	1340mm wide floor standing cabinet	1340
RSTKPCC	800mm corner cabinet	800



WORK TOPS

- Manufactured in hard wearing double density 37mm thickness board
- Laminated and finished with an edging strip to create a work top that is hard wearing and easy to keep clean

ITEM ID	Length mm	Depth mm	Height mm
RSWB0700	696	443	37
RSWB0800	792	443	37
RSWB1340	1332	443	37








Heavy Gauge Steel








TOOL PANELS

- Designed to fit to the Teng Tools modular wall racking uprights
- Use with Teng Tools hooks, wall racks and shelves for extra storage

ITEM ID	Height mm	Width mm
RSTP0700	730	682
RSTP0800	730	779
RSTP1340	730	1319





INDUSTRIAL QUALITY WORKBENCHES

- Sturdy, laminated granite effect work surface with black edging
 - Adjustable legs to give a working height of between 707 & 927mm


ITEM ID	Length mm	Depth mm	kg
TWB1500	1500	800	53
TWB2000	2000	800	69



WORKBENCH PANEL KIT

- A panel kit complete with uprights and fixings for use with the Teng Tools workbench
- Converts a workbench into a work station
- Uses the Teng Tools square hole system for use with a wide range of hooks and accessories

ITEM ID	Suitable for	Width mm	No. of Panels	
TWB-1500A	TWB1500	1500	2	
TWB-2000A	TWB2000	2000	4	





Convert your cabinet into a **WORKSTATION**





- Preconfigured pack including panels, uprights, fixing bars, a header and a work top
- Designed to fit on top of Teng Tools cabinets
- Creates a single width work station

ITEM ID	Suitable for			
TC-S01	Standard Size Tool Cabinets			
TC-SL01	53" Wide Tool Cabinets			



WORK STATION LEFT/RIGHT ADD-ON PANEL SET

- Preconfigured pack including panels, brackets, fixing bars, a header, a work top and a side leg
- Designed to fit with a Teng Tools cabinet wihen a panel set has already been installed
- Creates a double width work station

ITEM ID	Suitable for	Side
TC-S03AL	Standard Size Tool Cabinets	Left Add-on
TC-SL03AL	53" Wide Tool Cabinets	Left Add-on
TC-S03AR	Standard Size Tool Cabinets	Right Add-on
TC-SLO3AR	53" Wide Tool Cabinets	Right Add-on









WORK STATION ADD-ON PANEL SET

- Preconfigured pack including panels, brackets, fixing bars, a header and a work top
- Designed to fit with a Teng Tools cabinet wihen a panel set has already been installed
- Creates a double width work station

ITEM ID	Suitable for
TC-SO2	Standard Size Tool Cabinets
TC-SLO2	53" Wide Tool Cabinets







Heavy Gauge Steel



5-Step Rust Protection



TOOL PANEL SET FOR TCW207N

- Preconfigured pack including panels, fixing bar, a header and
- Designed to fit on top of an extra wide 37" Teng Tools roller cabinet
- Creates an extra wide single width work station with a high level back panel

ITEM ID	Suitable for	Number of Panels
TC-SO3	TCW207N	2
TC-S04	TCW207N	1



PORTABLE TOOL PANELS

- The ideal way to store tools when they need to be moved around the work place
- The unit is 1.6m tall on castors
- Tool panels can be fitted to either side
- For use with Teng Tools wall racks and workbench accessories

ITEM ID	Front Panels	Back Panels
TPM01	2	0
TPM02	2	2



Heavy Gauge Steel



5-Step Rust Protection



PORTABLE WORK STATION WITH TOOLS

- Portable work station with tools
- A single sided portable work station (TPM01) supplied with tools
- Includes four wall rack sets covering screwdrivers, pliers, spanners and T handle hex keys
- The ideal movable tool station for use around the work place

Contents	
Item ID	Description
WRMD910N	10 Piece Screwdriver Wall Rack
WRMB04	Plier Set 4 Pieces Wall Rack
WRSP12	Spanner Set Combn MM 12pcs Wall Rack
WRHEX07	Hex Key Set T Handle 7pcs Wall Rack

Item ID: TPT01



Heavy Gauge Steel



5-Step Rust Protection



Combination Lock



WALL HANGING TOOL CABINET

- Panels have square peg holes for use with the range of Teng Tools
- Ideal for use with workbenches or on top of any standard width Teng Tools roller cabinet

ITEM ID	Width mm	Height mm	Depth mm	kg
TCB80	660	600	305	15
TCB80A	660	600	455	16.5







Heavy Gauge Steel



5-Step Rust Protection



Combination Lock



WALL HANGING TOOL CABINET

- Designed for wall mounting, heavy duty mounting brackets included Peg board included on the inner back of the cabinet and on the inner
- Ideal for use with workbenches to create a self contained working

IT	EM ID	Width mm	Height mm	Depth mm	kg
TC	B80C	820	900	250	24





Heavy Gauge Steel



5-Step Rust Protection



Combination Lock

WALL HANGING TOOL CABINET

- Inside panel has square peg holes for use with the range of Teng
- Designed for wall mounting, heavy duty mounting brackets included
- Ideal for use with workbenches to create a self contained working

ITEM ID	Width mm	Height mm	Depth mm	kg
TCB135	1335	700	200	35.75





Heavy Gauge Steel



5-Step Rust Protection



Combination Lock

WALL HANGING TOOL CABINET

- Inside panel has square peg holes for use with the range of Teng
- Designed for wall mounting, heavy duty mounting brackets included
- Ideal for use with workbenches to create a self contained working

ITEM ID	Width mm	Height mm	Depth mm	kg
TCB180	1800	700	200	50



HOOK ON TRAYS

- Parts tray for tool panels
 - Designed to hook in to the square holes on Teng Tools panelsand
- Ideal for storing accessories, components, small tools, etc.

ITEM ID	Width mm	Depth mm	Height mm	g
TCT01	230	101	139	431
TCT02	460	101	140	796
тстоз	640	103	141	1100





HOOK ON CAN HOLDER

- Aerosol can holder for tool panels
- Designed to hook in to the square holes on Teng Tools panels
- Ideal for storing aerosol cans, bottles, etc.

ITEM ID	Width mm	Depth mm	Height mm	No. of Can Holders	g
TCC01	230	98	136	2	411
TCC02	460	99	137	4	778
TCC03	640	100	138	6	1093



*T-bar not included

HOOK ON TOOL HOLDER

- Hook tool holder for tool panels
- Designed to hook in to the square holes on Teng Tools panels
- Ideal for storing tools such as T bars etc

Item ID: TCT04



LED WORK LIGHT

- 660mm wide light bar with 80 built in white LED lights
- 7.2 watts (2,040 lumen) to give a powerful light source
- Magnetic attachment for fixing quickly and simply with no drilling
- Ideal for use with workbenches as a light source

ITEM ID	Region
589ME	Europe
589MU	UK
589MA	Aus / NZ



LED LIGHT BAR

- 255mm wide light bar with 9 built in white LED lights
- 120 light distribution angle to illuminate a wide area
- Magnetic attachment for fixing quickly and simply with no drilling required
- Requires 3 AA batteries (not included)
- Ideal for use with workbenches as a light source

Length	Width	Height	Light	Magnetic Pull	g
mm	mm	mm	Lumen	Nm	
255	40	29	20	30 x2	188

Item ID: 587J



HOOKS FOR SIDE PLATES AND PANELS

- Hooks for use with Teng Tools panels with square holes
- Screw fixing to fix the hook securely in place
- Ideal for hanging tools on a work station panel or a side plate on a roller cabinet

ITEM ID:	Description
TCW-HK10	7 x 90°, 3 x 45° hooks
TCW-HK02	10 double hooks
TCW-HK20	4 x 45° single, 4 x 45° double hooks, 4 x 90° single, 4 small and 4 large spring clips
TCW-HK45	10 45° hooks for TCW-SP side plate
TCW-HK90	10 90° hooks for TCW-SP side plate



WALL RACKS

A comprehensive range of tool holders that are ideal to attach to tool panels above a bench or to mount directly on the wall. The holders are perfect for the storage of tools you use frequently, they create order and make the tools easy to reach.

Attach to tool
panels or
mount on the
wall so that all
tools are easy
to reach.

There is a space marked out for each tool so it is easy to see which tool is missing.

> Template and fittings included.



Get organised™





ANTI SLIP COMBINATION SPANNER SET



- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design on the ring and open end for contact with the flat side of the fastening
- Teng Tools anti slip design on the open end to give a much
- Supplied with a wall rack for fixing to the wall or a workbench

Anti Slip Combination Spanners:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm



Item ID: WR8012



COMBINATION SPANNER SET




- Off set at 15° for easier use on flat surfaces Teng Tools hip grip design for contact with the flat side of the
- Chrome vanadium satin finish
- Supplied with a wall rack for fixing to the wall or a workbench
- Designed and manufactured to DIN3113A

Combination Spanners:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

Item ID: WRSP12







LONG REACH COMBINATION SPANNER SET

- Extra long for increased torque
- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the
- Supplied with a wall rack for fixing to the wall or a workbench
- Designed and manufactured to DIN3113A

Extra Lona Combination Spanners: 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19 mm

Item ID: WRSP12LMP







RATCHET SPANNER SET

- 72 teeth ratchet spanners giving a 5° increment between clicks
- Simply turn over to reverse the direction of use when ratcheting
- Chrome vanadium satin finish
- Supplied with a wall rack for fixing to the wall or a workbench
- Designed and manufactured to DIN ISO 1711-1 and DIN 3113A

Ratchet Spanners:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

Item ID: WRSP12RS











mm

LONG DOUBLE RING SPANNER SET

- Different size at each end to give 10 sizes in total
- Extra long, flat design for extra torque and easier access
- Chrome vanadium satin finish
- Teng Tools hip grip design for contact with the flat side of the fastening
- Supplied with a wall rack for fixing to the wall or a workbench

Extra long Double Ring Spanners:

8x10, 11x13, 12x14, 17x19, 22x24 mm

Item ID: WRFLS05



DOUBLE FLEX WRENCH SET

- · Swivel end wrenches for fast pre-tightening and loosening
- Angle at 90° for added torque when applying the final tightening
- Extra torque for loosening stubborn fastenings
- Chrome vanadium satin finish
- Supplied with a wall rack for fixing to the wall or a workbench

Double Flex Wrenches 8x9, 10x11, 12x13, 14x15, 16x17, 18x19 mm

Item ID: WRDF06



PRE SET TORQUE WRENCH SET



- Click type mechanism to signal when the required torque is reached
- Fixed setting for consistent torque application
- Robust 24 teeth ratchet mechanism for 15° increments
- Rubber grip for added comfort particularly with repeated use
- Accurate to +/- 4% conforms to ISO6789 for assured accuracy
- Individually tested and certified at the time of manufacture
- Rack included for storing the tools on a wall or workbench panel

Designed and manufactured to DIN and ISO standards

90, 110, 120, 140 Nm

Item ID: TTPSTQ04

1/2" drive preset torque wrenches



- Ball point end on the long key end giving access at angles of up to 30°
- Regular hex end on the short arm to apply higher torque to stubborn fastenings
- Supplied with a wall rack for fixing to the wall or a workbench

Ball Point T-Handle Hex Drivers:		
100 mm long:	2.5, 3, 4 mm	
150 mm long:	5, 6, 7 mm	
190 mm long:	8 mm	

Item ID: WRHEX07





- Ball point end on the long key end giving access at angles of up to 30°
- Regular hex end on the short arm to apply higher torque to stubborn fastenings
- Supplied with a wall rack for fixing to the wall or a workbench
- Template and fixings included

Ball Point T-Handle Hex Drivers:		
100 mm long:	3/32", 1/8", 5/32"	
150 mm long:	3/16", 7/32", 1/4"	
190 mm long:	5/16"	

Item ID: WRHEX07AF



- TPX type on the long key end for tamper proof TX fastenings
- Regular TX end on the short arm to apply higher torque to stubborn fastenings
- Supplied with a wall rack for fixing to the wall or a workbench

T-Handle TX Drivers:	
100 mm long:	TX/TPX10, TX/TPX15, TX/TPX20
150 mm long:	TX/TPX25, TX/TPX27, TX/TPX30
190 mm long:	TX/TPX40

Item ID: WRTX07



SCREWDRIVER RACK







- TT-MV PLUS steel alloy for greater strength and material flexibilty
- Ergonomically designed bi-material handle for easy use with higher
- The handle is moulded around the blade to ensure straightness
- Supplied with a wall rack for fixing to the wall or a workbench

SCREWDRIVERS:			
mm:	3 x 100	5.5 x 75	5.5 x 150
	6.5 x 150	8 x 150	
mm:	PH0 x 75	PH1 x 75	PH2 x 100
mm:	PZ1 x 75	PZ2 x 100	

Item ID: WRMD10N



POWER THROUGH SCREWDRIVER SET

- Chrome vanadium blades for greater strength
- Percussion cap and full length integral blade for use with a hammer
- Ergonomically designed bi-material handle for easy use with higher torque
- The handle is moulded around the blade to ensure straightness
- Supplied with a wall rack for fixing to the wall or a workbench

SCREWDRIVERS:			
mm:	6.5 x 100	8 x 150	10 x 200
mm:	PH2 x 100	PH3 x 150	

Item ID: WRMDT05N





TPR





INSULATED SCREWDRIVER SET

- Approved for live working up to 1,000 volts
- Protective insulation with two colours to clearly indicate if there is any damage to the insulation
- Supplied with a wall rack for fixing to the wall or a workbench
- Designed and manufactured to DIN5264, DIN5260 and IEC60900

1000v Insulated Screwdrivers:		
mm:	3 x 100	5.5 x 125
mm:	PH1 x 80	PH2 x 100
mm:	PZ2 x 100	

Item ID: WRMDV05N



INSULATED SCREWDRIVER SET







- Approved for live working up to 1,000 volts
- Protective insulation with two colours to clearly indicate if there is any damage to the insulation
- Supplied with a wall rack for fixing to the wall or a workbench
- Designed and manufactured to DIN5264, DIN5260 and IEC60900

100 - 250v Voltage Tester				
1000v Insulated S	crewdrivers:			
mm:	2.5 x 75	3 x 100	4 x 100	5.5 x 125
mm:	PH1 x 80	PH2 x 100		

Item ID: WRMDV07N



- **INSULATED PLIER SET**
- Approved for live working up to 1,000 volts
- Protective insulation with two colours to clearly indicate if there is any damage to the insulation
- TPR grip for a more secure and comfortable grip
- Supplied with a wall rack for fixing to the wall or a workbench
- Designed and manufactured to DIN5745, DIN5746, DIN5749 and IEC60900 (EN60900)

1000v Insulated Pliers:	
SIDE CUTTER	6" / 150 mm
HEAVY DUTY SIDE CUTTERS	8" / 200 mm
LONG NOSE	8" / 200 mm
COMBINATION PLIERS	7" / 175 mm

Item ID: WRMBV04



PLIER SET

- TPR grip for a more secure and comfortable grip
- All the most commonly used pliers in one set
- Supplied with a wall rack for fixing to the wall or a workbench

PLIERS:		
SIDE CUTTER	6" / 155 mm	
HIGH LEVERAGE COMBINATION	7" / 180 mm	
LONG NOSE	8" / 200 mm	
WATER PUMP	10" / 250 mm	

Item ID: WRMB04





HAND FILE SET

- 10" high carbon steel hand files
- Bi-material handle for a more comfortable grip
- 2nd cut to create a diamond pattern cutting surface for
- Cut on both edges of the flat files for filing grooves, etc
- Supplied with a wall rack for fixing to the wall or a workbench



Flat, Hand, Half Round, Round, Three square

Item ID: WRFL05



PUNCH AND CHISEL SET

- Parallel pin punches, flat cold chisels and centre punches
- High carbon steel hardened to HRC42 and tempered strike ends (HRC40 +/-5) for use with a hammer
- Supplied with a wall rack for fixing to the wall or a workbench

Punches:		
Centre	Length: 150 mm	5 mm
Parallel	Length: 150 mm	3, 4, 5, 6, 7, 8 mm
Flat cold chisels::		
150 mm		Width: 19 mm
200 mm		Width: 25 mm
250 mm		Width: 25 mm

Item ID: WRPC10





WOOD CHISEL SET

- Includes a range of blade sizes from 6 to 25mm
- Finely ground and lacquer protected for corrosion protection
- Impact resistant soft grip handle with a percussion cap for striking
- Each chisel is supplied with a plastic blade cover for safer storage Supplied with a wall rack for fixing to the wall or a workbench

6, 10, 12, 16, 18, 20 & 25 mm

Item ID: WRWC07

Get organised **TENGIOOLS**

10 Pieces

SOCKET SETS

A good socket set is one of the most important things to have in your tool collection. Do not try and get away with skimping to save some cash in the short term when choosing a socket set. You can guarantee that when you choose Teng Tools you will not be let <u>down!</u>

SOCKET SET FEATURES:

R

Retractable handle, especially designed for comfort and durability. Clear layout makes it easier to see which tools are missing



The divider, which keeps the tools in place, is attached by a hinge on the outer edge so it can be moved to one side when using the tool set.

Rubber feet to prevent the box from sliding and which protects against scratching.























- Regular 6 point single hexagon sockets for a better grip
- Chrome vanadium satin finish sockets
- Supplied in the unique Teng Tools case with a snap lock
- Hard wearing hinge with a metal pin for longer life
- Designed and manufactured to DIN and ISO standards

Stubby 72 teet	Stubby 72 teeth ratchet									
Regular 6 point sockets:										
Omn	1: 5.5	6	7	8	10	12	13			

Item ID: T1408



- A basic no nonsense set of 1/4" drive sockets
- Chrome vanadium
- Satin finish for a better grip when handling the socket
- 6 point hexagon sockets for a better fit
- Ball bearing recess on the female end to grip the ratchet or power bar
- Designed and manufactured to DIN and ISO standards
- Supplied in a handy pocket sized holder with a clip rail facility for adding additional sockets or accessories

Flip Reverse Ratch	Flip Reverse Ratchet										
2" Extension Bar											
Regular 6 point so	Regular 6 point sockets:										
O mm:	4	5	5.5	6	7	8					
	9	10	11	12	13						

Item ID: M1413N1



SOCKET SET







- Regular 6 point single hexagon sockets for a better grip
- Chrome vanadium satin finish sockets
- A selection of screwdriver and hex bits
- Supplied in the unique Teng Tools case with a snap lock
- Hard wearing hinge with a metal pin for longer life
- Designed and manufactured to DIN and ISO standards

1/4" Mini bits ratchet											
Magnetic bits holder, 1/4"M x 1/4" Hex adaptor											
Regular 6 point sockets:											
mm: 8 9 10 11 12 13											
1/4" Hex bits:	$\overline{\bigcirc}$	4.5, 5	.5, 6.5	•		4, 5 ,6					
	(+)	→ PH1, PH2 → PZ1, PZ2									

Item ID: T1419



SOCKET SET







- Regular 6 point single hexagon sockets for a better grip
- Chrome vanadium satin finish sockets
- A selection of screwdriver and TX bits
- Supplied in the unique Teng Tools case with a snap lock
- Hard wearing hinge with a metal pin for longer life
- Designed and manufactured to DIN and ISO standards

1/4" Mini bits ratchet												
Magnetic bits holder, 1/4"M x 1/4" Hex adaptor												
Regular 6 point sockets:												
O mm:	5.5	5.5 6 7 8 9 10 13										
1/4" Hex bits:	\subseteq	4, 5.5, 6.5 TX10, TX15, TX20										
	→ PH1, PH2 → PZ1, PZ2											

Item ID: T1420





- - mm
- Regular 6 point single hexagon sockets for a better grip
- Chrome vanadium satin finish sockets
- A selection of screwdriver and TX bits
- Supplied in the unique Teng Tools case with a snap lock
- Hard wearing hinge with a metal pin for longer life
- Designed and manufactured to DIN and ISO standards

72 Teeth ratchet											
Coupler adaptor, 2" Extension bar											
Regular 6 point sockets:											
O mm:	4	5	5.5	6	7	8	10	12	13		
1/4" Hex bits:	\subseteq	4, 5	.5, 6.5	(1	KT (, TX20					
	(+) PH	1, PH2	(-	*	PZ	Z1, PZ2				

Item ID: **T1422**



SOCKET SET

3, 5, 6

- Regular 6 point single hexagon sockets for a better grip Chrome vanadium satin finish sockets
- A selection of screwdriver, hex and TX bits

→ PH1, PH2

Supplied in the unique Teng Tools case with a snap lock Hard wearing hinge with a metal pin for longer life

Designed and manufactured to DIN and ISO standards

Flip reverse ratchet 3" Extension bar, Universal Joint, Bits holder

Regular 6 point so	ckets:									
O mm:	4	5	5.5	6	7	8	10	11	12	1
1/4" Hex bits:	\in)	4, 5.5	() זאַז	0, TX15,	TX20			

Item ID: T1424



SOCKET SET

mm

- Regular 6 point single hexagon sockets for a better grip
- Chrome vanadium satin finish sockets
- A 4" adjustable wrench and a selection of bits
- Supplied in the unique Teng Tools case with a snap lock
- Hard wearing hinge with a metal pin for longer life
- Designed and manufactured to DIN and ISO standards

1/4" Mini bits ratchet											
4" Adjustable wrench, 1/4"M x 1/4" Hex adaptor, 2" Extension bar											
Regular 6 point sockets:											
O mm:	4	5	5.5	6	7	8	10	12	13		
1/4" Hex bits:	\subseteq	4, 5	.5, 6.5	(T)	, TX20					
	(+) PH	1, PH2	(-	*	PZ	11, PZ2				

Item ID: T1423



SOCKET SET







- Regular 6 point single hexagon sockets for a better grip
- Chrome vanadium satin finish sockets
- A selection of screwdriver, hex and TX bits
- Supplied in the unique Teng Tools case with a snap lock
- Hard wearing hinge with a metal pin for longer life
- Designed and manufactured to DIN and ISO standards

72 Teeth flexible ratchet 3" Extension bar, Universal Joint, Coupler adaptor Regular 6 point sockets: 5.5 10 11 12 13 mm: 1/4" Hex bits: 4, 5.5 TX10, TX15, TX20 PH1, PH2 3, 5, 6

Item ID: T1424S

Get organised **TENGIOOLS** 183



mm













- Regular and deep 6 point single hexagon sockets for a better grip
- Chrome vanadium satin finish sockets
- A selection of screwdriver, hex and TX bits
- Supplied in the unique Teng Tools case with a snap lock
- Hard wearing hinge with a metal pin for longer life
- Designed and manufactured to DIN and ISO standards

Flip reverse ratchet, Universal Joint, Hex Keys: 1.5, 2 & 2.5mm											
Coupler adaptor, 2" & 4" Extension bars, 3/8"F x 1/4"M T-bar adaptor											
6 point sockets:											
Reg AF:	3/16	7/32	1/4	9/32	5/16	11/32	3/8	7/16	1/2		
O Deep AF:	3/16	1/4	5/16	3/8	7/16	1/2					
1/4" Hex bits:)	4, 5.5			5, 6					
	→ PH1, PH2 → PZ1, PZ2										

Item ID: T1435AF



SOCKET SET







- Regular and deep 6 point single hexagon sockets for a better grip
- Chrome vanadium satin finish sockets
- A selection of screwdriver, hex and TX bits
- Supplied in the unique Teng Tools case with a snap lock
- Hard wearing hinge with a metal pin for longer life
- Designed and manufactured to DIN and ISO standards

Flip reverse ratche	Flip reverse ratchet, Universal Joint, Hex Keys: 1.5, 2 & 2.5mm										
Coupler adaptor, 2" & 4" Extension bars, 3/8"F x 1/4"M T-bar adaptor											
6 point sockets:											
Reg mm:	4	4 5 5.5 6 7 8 10 11 12 13									
O Deep mm:	6	7	8	10	12	13					
1/4" Hex bits:	\in)	4, 5.5	() TX	10, TX15	, TX20			5, 6	
	4	→ PH1, PH2 → PZ1 , PZ2									

Item ID: T1436











SOCKET SET

- Regular and deep 6 point single hexagon sockets for a better grip
- Chrome vanadium satin finish sockets
- A selection of screwdriver, hex and TX bits
- Supplied in the unique Teng Tools carrying case
- Hard wearing case with distinctive branding
- Tools clearly laid out to easily identify which tool belongs where Designed and manufactured to DIN and ISO standards

• Designed and manufactured to DIN and ISO standards												
Flip reverse ratche	t, Unive	rsal Joir	nt, Spinn	ner hand	le							
Coupler adaptor, 2" & 4" Extension bars, 3/8"F x 1/4"M T-bar adaptor												
6 point sockets:												
Reg mm: 4 4.5 5 5.5 6 7 8 9												
10 11 12 13												
Reg AF:	3/16	7/32	1/4	9/32	5/16	11/32	3/8	7/16	1/2			
O Deep mm:	6	7	8	10	12	13						
O Deep AF:	1/4	5/16	3/8	7/16	1/2							
1/4" drive bit soc	kets:											
mm:	4	5.5	7									
ТХ:	10	15	20	25	27							
PH:	1	2										
1/4" Hex bits:		•	4, 5.5	(•)	5, 6						
→ PH1, PH2 → PZ1, PZ2												

Item ID: T1460

















- 1/4" drive regular and deep sockets A comprehensive range of 1/4" hex drive 25mm bits
- Supplied in the unique Teng Tools double width TC tray
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs
- Designed and manufactured to DIN and ISO standards

72 Teeth ratchet, I	Universal	Joint, S _I	oinner ha	ındle, 2"	& 4" Ex	tension b	ars			
Coupler adaptor, 3	3/8"F x	1/4"M T	-bar ada	ptor, 1/4	I"M x 1/	'4" Hex	adaptor			
6 point sockets:										
Reg mm:	4	5	5.5	6	7	8	9			
	10	11	12	13						
O Deep mm:	4	5	5.5	6	7	8	9			
	10	12	13							
1/4" drive bit soc	kets:									
mm:	4	5.5	7							
TX:	10	15	20	25	27	30	40			
PZ:	1	2	3							
PH:	0	1	2	3						
1/4" Hex bits:	\subseteq	3, 4,	5.5, 7	(1)	TX8, TX	10, TX15	, TX20, T	X25, TX2	7, TX30	
	*	TPX10, TPX15, TPX20, TPX20, TPX25, TPX27, TPX30, TPX40								
	*) PZC), PZ1, PZ	Z2, PZ3	PHO, PH1, PH2, PH3, PH4				3, PH4	
		mm: 3, 4, 5, 6, 8, 10								

XZN: 5, 6

Item ID: **TED 1489**



SOCKET SET







- Regular and deep 6 point single hex sockets
- Chrome vanadium satin finish sockets
- Designed and manufactured to DIN and ISO standards

72 Teeth ratchet, l	Jniversal	Joint, 6	" spinner	handle						
Coupler adaptor, 2" & 4" Extension bars, 3/8"F x 1/4"M T-bar adaptor										
6 point sockets:										
Reg mm:	4	5	5.5	6	7	8	9			
	10	11	12	13						
O Deep mm:	6	7	8	10	12	13				
1/4" Hex bits:	\subseteq)	4, 5.5	*	TPX1	O, TPX15	, TPX20		5, 6	
	(+) PH	11, PH2	*	P	Z1, PZ2				

Item ID: TT1435



SOCKET SET







- 6 point single hexagon socket for a better grip
- Chrome vanadium
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Supplied with a clip rail with socket clips for easy storage as a set Designed and manufactured to DIN3120/3124 and ISO2725

Regular 6 point so	ckets:					
O mm:	4	4.5	5	5.5	6	7
	8	9	10	11	12	13

Item ID: M1412















- •
- Long sockets for extra reach
 - Chrome vanadium
 - Satin finish for a better grip when handling the socket
 - 6 point single hexagon socket for a better grip
 - Ball bearing recess on the female end to grip the ratchet
 - Supplied with a clip rail with socket clips for easy storage as a set
 - Designed and manufactured to DIN3120/3124 and ISO2725

Clip rail (Length 165mm), 1/4" drive socket clips x9									
Deep 6 point sockets:									
O mm:	4	5	6	7	8	9	10	12	13

Item ID: M1407



SOCKET SET





- All the most commonly used sizes in one handy set
- Chrome vanadium
- S2 steel bits pressed in to the socket
- Satin finish for a better grip when handling the socket
- Designed for use with TX fastenings
- Supplied with a clip rail with socket clips for easy storage as a set

Clip rail (Length 110mm), 1/4" drive socket clips x7									
TX bit sockets:									
(*)	TX:	10	15	20	25	27	30	40	

Item ID: M1408TX



- A basic no nonsense set of 3/8" drive sockets
- Chrome vanadium
- 6 point hexagon sockets for a better fit
- Ball bearing recess on the female end to grip the ratchet
- Designed and manufactured to DIN and ISO standards
- Supplied in a handy pocket sized holder with a clip rail facility for adding additional sockets or accessories

Flip Reverse Ratchet, 3" Extension Bar										
Regular 6 point sockets:										
O mm:	8	10	11	12	13	14				
	15	16	17	19						

Item ID: M3812N1




SOCKET SET







- Regular 6 point single hexagon sockets for a better grip
- Chrome vanadium satin finish sockets
- A selection of screwdriver, hex and TX bits
- Supplied in the unique Teng Tools case with a snap lock
- Hard wearing hinge with a metal pin for longer life
- Designed and manufactured to DIN and ISO standards



Item ID: **T3834**





- - - mm
- Includes the Teng Tools stubby flex head ratchet Regular 6 point single hexagon sockets for a better grip
- Chrome vanadium satin finish sockets
- A selection of screwdriver, hex and TX bits
- Supplied in the unique Teng Tools case with a snap lock
- Designed and manufactured to DIN and ISO standards

72 Teeth flexible head ratchet, 3" & 6" Extension Bars											
Coupler adaptor, 1/2"F x 3/8"M T-bar adaptor											
Regular 6 point sockets:											
O mm:	Omm: 8 10 11 12 13 14 15 17 19										
1/4" Hex bits: 3, 4, 5.5 TX10, TX15, TX20, TX25, TX27, TX30, TX40											
PH1, PH2, PH3 PZ1, PZ2, PZ3 3, 4, 5, 6											

Item ID: T3834S



SOCKET SET







- Regular and deep 6 point single hexagon sockets for a better grip
- Chrome vanadium satin finish sockets
- A selection of screwdriver, hex and TX bits
- Hard wearing case with distinctive branding
- Tools clearly laid out to easily identify which tool belongs where
- Designed and manufactured to DIN and ISO standards

Flip reverse ratche	Flip reverse ratchet, Universal joint, 4" & 6" Extension Bars										
Coupler adaptor, 1/2"F x 3/8"M T-bar adaptor											
6 point sockets:											
Reg AF:	5/16	3/8	7/16	1/2	9/16	5/8	11/16	3/4	13/16	7/8	
O Deep AF:	3/8	7/16	1/2	9/16	11/16	3/4					
Spark Plug Socket	s mm:	16	21								
1/4" Hex bits:	1/4" Hex bits: 4, 5.5 TX10, TX15, TX20 5, 6										
→ PH1, PH2 → PZ1, PZ2											

Item ID: T3835AF







SOCKET SET

- Regular and deep 6 point single hexagon sockets for a better grip
- Chrome vanadium satin finish sockets
- A selection of screwdriver, hex and TX bits
- Hard wearing case with distinctive branding

PH1, PH2

Tools clearly laid out to easily identify which tool belongs where Designed and manufactured to DIN and ISO standards

-											
Flip reverse ratche	t, Unive	rsal joir	nt, 3" W	obble ex	tension	bar, 6"	Extensi	on Bar			
Coupler adaptor, 1/2"F x 3/8"M T-bar adaptor											
6 point sockets:											
Reg mm:	8	9	10	11	12	13	14	15	16	17	
	18	19	21	22							
O Deep mm:	8	10	12	13	17	19					
Spark Plug Socket	s mm:	16	21								
1/4" Hex bits: (-) 4, 5.5 (*) TX10, TX15, TX20									5, 6		

PZ1, PZ2

Item ID: T3839













- Regular and 6 point single hexagon sockets for a better grip
- Combination spanners
- Chrome vanadium satin finish sockets and spanners
- A selection of screwdriver, hex and TX bits
- Hard wearing case with distinctive branding
- Tools clearly laid out to easily identify which tool belongs where
- Designed and manufactured to DIN and ISO standards

Flip reverse ratchet, Universal joint, 6" Extension Bar											
Coupler adaptor, 1/2"F x 3/8"M T-bar adaptor											
Regular 6 point sockets:											
O mm:	8	9	10	11	12	13	14	15	16	17	
	18	19	21	22							
Combination Span	ners:					8, 10,	11, 12,	13, 14,	15, 17,	19 mm	
1/4" Hex bits:	\bigcirc		4, 5.5 x TX10, TX15, TX20 5							5, 6	
	(+)	PH	PH1, PH2 + PZ1, PZ2								

Item ID: T3840



SOCKET SET





- Regular 6 point single hex sockets
- Chrome vanadium satin finish sockets
- Designed and manufactured to DIN and ISO standards

72 Teeth i	ratchet, l	Jniversal	Joint, 3'	" Wobble	extensio	n bar, 10	O" Spinn	er handle		
Coupler a	daptor, 1	/2"F x :	3/8"M T	-bar ada	ptor					
Regular 6	point so	ckets:								
0	mm:	8	9	10	11	12	13	14	15	16
		17	18	19	22					

Item ID: TT3819











SOCKET SET

- 3/8" drive regular length sockets
- A range of 1/4" drive socket bits covering hex and TX sizes
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs
- Designed and manufactured to DIN and ISO standards

_	besigned and manoracioned to birt and too standards										
72 Teeth	72 Teeth ratchet, Universal Joint, 3" Wobble extension bar,										
1/2"F x 3/8"M T-bar adaptor, 10" Spinner handle											
Regular 6 point sockets:											
0	mm:	8	9	10	11	12	13	14	15	16	
		17	18	19	22						
3/8" Dri	ve bit soc	kets:									
(TX:	10	15	20	25	27	30	40	45	50	
	mm:	3	4	5	5.5	6	7	8	10	12	

Item ID: TED3836



SOCKET SET







- Regular and deep 6 point single hex sockets
- Chrome vanadium satin finish sockets
- Designed and manufactured to DIN3120/3124 and ISO2725

3/8"	3/8" Drive 6 point sockets:											
0	Reg AF:	3/8	7/16	1/2	9/16	5/8	11/16	3/4				
0	Deep AF:	3/8	7/16	1/2	9/16	5/8	11/16	3/4				
1/4"	Drive 6 poin	t sockets	:									
0	Reg AF:	3/16	7/32	1/4	9/32	5/16	11/32	3/8	7/16	1/2		
0	Deep AF:	3/16	7/32	1/4	9/32	5/16	11/32	3/8	7/16	1/2		

Item ID: TTAF32





- Deep 3/8" drive 6 point sockets Chrome vanadium satin finish sockets
- Designed and manufactured to DIN3120/3124 and ISO2725

Deep 6 po	Deep 6 point sockets:													
0	mm:	7	8	9	10	11	12	13	14	15				
		16	17	18	19	20	21	22						

Item ID: TT3816



SOCKET & TOOL SET







- Regular 6 point single hexagon sockets for a better grip
- A range of combination spanners, pliers and screwdrivers
- Chrome vanadium satin finish sockets and spanners
- A selection of screwdriver, hex and TX bits
- Hard wearing case with distinctive branding
- Tools clearly laid out to easily identify which tool belongs where Designed and manufactured to DIN and ISO standards

Flip reverse ratchet, 3" & 6" Extension bars, Bits driver, Magnetic bits holder												
Coupler adaptor, 1	/2"F x	3/8"M T	-bar ada	ptor								
Regular 6 point so	ckets:											
mm: 8 9 10 11 12 13 14 15 16												
17 18 19 20 22												
Combination Spani	ners:				8, 10 ,	11, 12, 13	3, 14, 15	, 16, 17,	19 mm			
Screwdrivers:		Θ	3	5.5	6.5	(+)	PH0	PH1	PH2			
Pliers:		6" Sic	le Cutter	s, 7" Con	nbination	, 8" Lon	g Nose,	10" Wate	r Pump			
1/4" Hex bits:	(*)	TX8, TX1	TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40, TX45, TX50									
3, 4, 5, 6, 8, 10 + PHO, PH1, PH2, PH3												
4, 5.5, 7 + PZ1, PZ2, PZ3												

Item ID: T3867



SOCKET & TOOL SET







- Regular 6 point single hexagon sockets for a better grip
- A range of combination spanners together with an adjustable wrench, power grip plier, pliers and screwdrivers
- Chrome vanadium satin finish sockets and spanners
- Hard wearing case with distinctive branding
 - Tools clearly laid out to easily identify which tool belongs where

• D	esigne	d and r	manufa	ctured	to DIN	and I	SO star	ndards		
Flip rever	se ratche	t, Univer	sal Joint,	3" & 6	' Extensi	on bars				
Coupler a	daptor, 1	/2"F x	3/8"M T	-bar ada	ptor					
Regular 6	point so	ckets:								
0	mm:	8	10	12	13	14	15	16	17	18
		19	21							
0	AF:	7/16	1/2	9/16	11/16					
Spark Plu	g Socket	s mm:	16	21						
Combinat	ion Span	ners:				8, 10,	12, 13, 14	4, 15, 16	, 17, 18,	19 mm
							7/16	", 1/2",	9/16",	11/16"
Screwdriv	ers:		Θ	3	5.5	6.5	(+)	PH0	PH1	PH2
Pliers:			6" Sid	le Cutter	s, 7" Cor	nbination	ı, 8" Lon	g Nose,	10" Wate	r Pump
Power Gri	ip Pliers:								7" Cur	ved jaw
Adjustable	e Wrench	:						8"	Phosphat	e Finish

Item ID: T3848











SOCKET & TOOL SET







- Regular 6 point single hexagon sockets for a better grip
- Combination spanners, adjustable wrench, a hex key set, LED light, utility knife, hook and pick set, measuring tape, gun saw, claw hammer, magnetic pick up, pliers and screwdrivers
- Chrome vanadium satin finish sockets and spanners
- Hard wearing case with distinctive branding
- Tools clearly laid out to easily identify which tool belongs where
- Designed and manufactured to DIN and ISO standards

Flip reverse ratchet, 5" Extension bar, Universal Joint, Bits driver, Magnetic bits holder													
Coupler ada	Coupler adaptor, 1/2"F x 3/8"M T-bar adaptor												
Regular 6 p	oint so	ckets:											
0	mm:	8	10	11	12	13	14	15	17	19			
		20	21	22									
LED Light w Hook & pick		,	•		, ,		٠	adjustal	ole wrend				
Combination	1 Span	ners:						6,	7, 8, 10,	11 mm			
		3 5.5 6.5 (4) PH1 PH2											
Screwdrivers	s:			3	5.5	6.5	$\widehat{\mathbf{+}}$	PH1	PH2				
Screwdrivers Pliers:	s:		6" Sid		5.5 s, 7" Con		, 8" Lon			r Pump			
		(*)		le Cutter		nbination			10" Wate	r Pump 5.5, 6.5			
Pliers:		*	TX10, TX	le Cutter	s, 7" Con , TX25, T	nbination	0, TX40	g Nose,	10" Wate	5.5, 6.5			
Pliers:		****	TX10, TX	le Cutter	s, 7" Con , TX25, T	x27, TX3	0, TX40	g Nose,	10" Wate	5.5, 6.5			

Item ID: TM079



SOCKET & TOOL SET







- Regular 6 point single hexagon sockets for a better grip
- Combination spanners, adjustable wrench, a hex key set, LED light, utility knife, hook and pick set, measuring tape, gun saw, engineers hammer, magnetic pick up, pliers and screwdrivers
- Chrome vanadium satin finish sockets and spanners
- Hard wearing case with distinctive branding
- Tools clearly laid out to easily identify which tool belongs where
- Designed and manufactured to DIN and ISO standards

Flip reverse ratchet, 5" Extension bar, Universal Joint, Bits driver, Magnetic bits holder Coupler adaptor, 1/2"F x 3/8"M T-bar adaptor Regular 6 point sockets: 10 13 15 17 19 mm: 21 22

LED Light with clip, 5m Measuring tape, Utility knife, Telescopic magnet, Gun saw, Hook & pick set, 500g Engineers hammer, Folding hex key set, 8" wide jaw adjustable wrench

1 , , , ,	3
Combination Spanners:	6, 7, 8, 10, 11 m
Screwdrivers:	3 5.5 6.5 PH1 PH2
Pliers:	6" Side Cutters, 7" Combination, 8" Long Nose, 10" Water Pun
1/4" Hex bits:) TX10, TX15, TX20, TX25, TX27, TX30, TX40 4.5, 5.5, 6
) TPX20, TPX25, TPX30 + PH1, PH2, PH3, PH2G (x
) 4, 5, 6 (+) PZ1, PZ2, PZ3 () 1, 2

Item ID: TM079E



SOCKET SET







- 6 point single hexagon socket for a better grip
- Chrome vanadium
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Supplied with a clip rail with socket clips for easy storage as a set

Designed and manufactured to DIN3120/3124 and ISO2725

Clip rail (Clip rail (Length: 370mm), 3/8" Drive socket clips x16												
Regular 6	point so	ckets:											
0	mm:	7	8	9	10	11	12	13	14	15			
		16	17	18	19	20	21	22					

Item ID: M3816





- Long sockets for extra reach
- Chrome vanadium
- Satin finish for a better grip when handling the socket
- 6 point single hexagon socket for a better grip
- Ball bearing recess on the female end to grip the ratchet
- Supplied with a clip rail with socket clips for easy storage as a set
- Designed and manufactured to DIN3120/3124 and ISO2725

Clip rail (Clip rail (Length: 165mm), 3/8" Drive socket clips x7											
Deep 6 p	oint sock	ets:										
0	mm:	10	12	13	14	15	17	19				

Item ID: M3807



SOCKET SET

- 4430 stainless steel making it ideal for the food, medical, aerospace and marine industries or for use in any acidic environment
- 6 point single hexagon sockets for a better grip
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Supplied with a clip rail with socket clips for easy storage as a set
- Designed and manufactured to DIN3120/3124 and ISO2725

Clip rail, 3	Clip rail, 3/8" Drive socket clips x14, 3" & 5" Extension bars												
Regular st	tainless s	teel 6 po	oint sock	ets:									
0	mm:	8	9	10	11	12	13	14	15	16			
17 18 19													


Item ID: MS3814



BIT SOCKET SET

mm





Item ID: TTTX30

TX-E: E4



E6 E7 E8

BIT SOCKET SET

Includes all the most commonly used screwdriver, hex and TX bits

Chrome vanadium satin finish sockets

3/8"F x 1	3/8"F x 1/4"M adaptor, 1/4"F x 3/8"M adaptor												
3/8" Driv	e bit soc	kets:											
	mm:	3	4	5	5.5	6	7	8	10	12			
	AF:	1/8	5/32	3/16	7/32	1/4	5/16	3/8					
1/4" Driv	e bit soc	kets:											
(*)	TX:	10	15	20	25	27	30	40					
$\overline{\bigcirc}$	mm:	4	4.5	7									
(+)	PH:	0	1	2	3								
*	PZ:	1	2	3									

Item ID: TTBS35









HEX BIT SOCKET SET





- Chrome vanadium
- S2 steel bits pressed in to the socket
- Satin finish for a better grip when handling the socket
- Designed for use with fastenings with a hexagon hole
- Use with in-hex screws or grub screws
- Designed and manufactured to DIN7422
- Supplied with a clip rail with socket clips for easy storage as a set

Clip rail (I	Length:	165mm),	3/8" D	rive sock	et clips x	9				
3/8" Driv	e bit soc	kets:								
	mm:	3	4	5	5.5	6	7	8	10	12

Item ID: M3812



HEX BIT SOCKET SET







- Chrome vanadium
- S2 steel bits pressed in to the socket
- Satin finish for a better grip when handling the socket
- Designed for use with fastenings with a hexagon hole
- Use with in-hex screws or grub screws
- Supplied with a clip rail with socket clips for easy storage as a set

Clip rail (Lo	Clip rail (Length: 165mm), 3/8" Drive socket clips x8											
3/8" Drive	bit soc	kets:										
	AF: 3/32 1/8 5/32 3/16 7/32 1/4 5/16 3/8											

Item ID: M3811



TPX BIT SOCKET SET





- Chrome vanadium
- S2 steel bits pressed in to the socket
- Satin finish for a better grip when handling the socket
- Designed for use with tamper proof TX fastenings
- Supplied with a clip rail with socket clips for easy storage as a set

Clip rail (Clip rail (Length: 165mm), 3/8" Drive socket clips x9											
3/8" Driv	e bit soc	kets:										
\$	TPX: 10 15 20 25 27 30 40 45 50											

Item ID: M3813TPX



TX BIT SOCKET SET







- S2 steel bits pressed in to the socket
- Satin finish for a better grip when handling the socket
- Designed for use with tamper proof TX fastenings
- Supplied with a clip rail with socket clips for easy storage as a set

Clip rail (Length: 165mm), 3/8" Drive socket clips x9											
3/8" Drive	bit soc	kets:									
(TX:	10	15	20	25	27	30	40	45	50	

Item ID: M3813TX



TX-E BIT SOCKET SET







- TX-E Clip rail set
- Chrome vanadium
- Ball bearing recess on the female end to grip the ratchet
- Designed for use with protruding TX head screws
- Supplied with a clip rail with socket clips for easy storage as a set

Clip rail (Clip rail (Length: 165mm), 3/8" Drive socket clips x5, 1/4" Drive socket clips x5												
3/8" Driv	3/8" Drive bit sockets:												
0	TX-E:	E10	E12	E14	E16	E18							
1/4" Driv	1/4" Drive bit sockets:												
0	TX-E:	E4	E5	E6	E7	E8							

Item ID: M3814





SPARK PLUG SOCKET SET







- Spark plug socket set
- 3/8" drive extra long swivelling spark plug sockets for use in hard to reach places
- T bar with the Teng Tools T-HD handle for more comfortable use

2 Piece T-bar handle											
3/8" Drive extra	3/8" Drive extra long swivelling spark plug sockets:										
O mm:	14	16	21								

Item ID: TTXTB05













SPARK PLUG SOCKET SET

- Extra long swivelling spark plug sockets for use in hard to reach places
- T bar with the Teng Tools T-HD handle for more comfortable use

2 Piece T-bar handle										
3/8" Drive extra	long swiv	elling sp	ark plug	sockets:						
O mm:	14	16	21							

Item ID: TEXTB05





LONG T-BAR SOCKET SET







- Extra long socket set
- 3/8" drive extra long sockets for use in hard to reach places
- T bar with the Teng Tools T-HD handle for more comfortable use

2 Piece T-l	bar hand	lle							
3/8" Drive	e extra l	ong sock	ets:						
0	mm:	8	10	12	13	14	17	19	

Item ID: TTXTB09





- **SOCKET SET**
- 12 point bi-hexagon sockets for easier alignment to the fastening
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Designed and manufactured to DIN and ISO standards
- Supplied in a handy pocket sized holder with a clip rail facility for adding additional sockets or accessories

Flip Reverse Ratchet, 5" Extension Bar											
Regular 12 point sockets:											
O mm:	8	10	12	13	14	15					
17 18 19 24											

Item ID: M1212N1



SOCKET SET







- 12 point bi-hex sockets for easier alignment to the fastening
- Chrome vanadium satin finish sockets
- Hard wearing case with distinctive branding
- Tools clearly laid out to easily identify which tool belongs where
- Designed and manufactured to DIN and ISO standards

Flip reverse ratchet, 2½" & 6" Extension bars												
Universal joint, 3/8"F x 1/2"M T-bar adaptor												
Regular 12	point s	ockets:										
0	AF:	3/8	7/16	1/2	9/16	5/8	11/16	3/4	13/16	7/8		
		15/16	1	1-1/16	1-1/8	1-3/16	1-1/4					

Item ID: T1220AF

























- 12 point bi-hex sockets for easier alignment to the fastening
- Chrome vanadium satin finish sockets
- Hard wearing case with distinctive branding
- Tools clearly laid out to easily identify which tool belongs where
- Designed and manufactured to DIN and ISO standards

Flip revers	Flip reverse ratchet, 21/2" & 6" Extension bars												
Universal joint, 3/8"F x 1/2"M T-bar adaptor													
Regular 1	2 point s	ockets:											
Mm: 10 11 12 13 14 15 16 17 18													
19 21 22 24 27 30 32													

Item ID: **T1221**



SOCKET SET







- 6 point single hexagon sockets for a better grip
- Chrome vanadium satin finish sockets
- Hard wearing case with distinctive branding
- Tools clearly laid out to easily identify which tool belongs where
- Designed and manufactured to DIN and ISO standards

evers	e ratche	t, 2½" 8	& 6" Exte	ension ba	ırs					
ersal	joint, 3/	8"F x 1,	/2"M T-l	ar adap	tor					
lar 6	point so	ckets:								
<u>)</u>	mm:	10	11	12	13	14	15	16	17	18
		19	21	22	24	27	30	32		
	ersal	ersal joint, 3/	lar 6 point sockets: 10 10	orsal joint, 3/8"F x 1/2"M T-L lar 6 point sockets:	rsal joint, 3/8"F x 1/2"M T-bar adap lar 6 point sockets:	mm: 10 11 12 13	rsal joint, 3/8"F x 1/2"M T-bar adaptor lar 6 point sockets: 10	rsal joint, 3/8"F x 1/2"M T-bar adaptor lar 6 point sockets: mm: 10 11 12 13 14 15	rsal joint, 3/8"F x 1/2"M T-bar adaptor lar 6 point sockets: mm: 10 11 12 13 14 15 16	rsal joint, 3/8"F x 1/2"M T-bar adaptor lar 6 point sockets: 10

Item ID: T1221-6

- 12 point bi-hex sockets for easier alignment to the fastening
- Chrome vanadium satin finish sockets
- Hard wearing case with distinctive branding
- Tools clearly laid out to easily identify which tool belongs where
- Designed and manufactured to DIN and ISO standards

Flip revers	Flip reverse ratchet, 5" Extension bar												
Universal joint, 3/8"F x 1/2"M T-bar adaptor													
Regular 1	2 point s	ockets:											
0	AF:	3/8	7/16	1/2	9/16	5/8	3/4	13/16	15/16	1			
		1-1/8	1-1/4										
0	mm:	10	12	13	14	15	16	17	18	19			
•		21	22	24	27	30	32						

Item ID: T1230



SOCKET SET







- 6 point single hexagon sockets for a better grip
- Chrome vanadium satin finish sockets

Flip reverse ratchet, 5" & 10" Extension bars

- Hard wearing case with distinctive branding
- Tools clearly laid out to easily identify which tool belongs where
- Designed and manufactured to DIN and ISO standards

Universal joint, 3/	/8"F x 1 _/	/2"M T-l	bar adap	tor, Hex	keys: 1.5	, 2, 2.5n	ım					
6 point sockets:												
Reg mm:	10	11	12	13	14	15	16	17	18			
	19	20	21	22	23	24	27					
O Deep mm:	13	14	15	16	17	18	19	24				
Spark plug sockets mm: 16 21												

Item ID: T1234

Socket Sets 🔤





MECHANICS SOCKET SET









10x13mm "Rigger Jigger" double ring spanner and screwdrivers

Regular and deep 12 point bi-hex sockets for easier alignment to

- Hard wearing case with distinctive branding
- Tools clearly laid out to easily identify which tool belongs where
- Designed and manufactured to DIN and ISO standards

Flip reverse	Flip reverse ratchet, 17" Flex handle, 2½", 5" & 10" Extension bars												
Universal joint, 3/8"F x 1/2"M T-bar adaptor													
Regular 12 point sockets:													
0	AF:	3/8	1/2	9/16	19/32	11/16	25/32	13/16	1				
0	mm:	10	11	12	13	14	15	16	17	18			
		19	20	21	22	23	24	27	30	32			
Deep 12 po	int socl	kets:											
0	mm:	10	13	17	19								
Spark plug	sockets	mm:	16	21									
Screwdrivers: 5.5 6.5 PZ1 PZ2													
Double ring	Double ring spanner: 10 x 13mm (Rigger Jigger)												

Item ID: **T1244**









SOCKET & TOOL SET

- 12 point bi-hex sockets for easier alignment to the fastening
- A range of combination spanners, pliers and screwdrivers
- Chrome vanadium satin finish sockets and spanners
- Hard wearing case with distinctive branding
- Tools clearly laid out to easily identify which tool belongs where
- Designed and manufactured to DIN and ISO standards

Screwdrivers: 3 5.5 6.5 PHO PH1 PH2 Pliers: 6" Side cutter, 7" Combination, 8" Long nose, 10" Water pump												
Regular 12 point sockets: mm: 10 11 12 13 14 15 16 17 18 19 21 22 27 30 32 32 30 32 32 30 32 30 32 30 32 30	Flip reverse ratchet, 2½" & 6" Extension bars, Bits driver, Magnetic bits holder											
mm: 10 11 12 13 14 15 16 17 18 19 21 22 27 30 32<	Universal joint, 3/8"F x 1/2"M T-bar adaptor											
19 21 22 27 30 32	Regular 12 point sockets:											
Combination spanners: 8, 10, 11, 12, 13, 14, 15, 16, 17, 19 mm Screwdrivers: 3 5.5 6.5 PH0 PH1 PH2 Pliers: 6" Side cutter, 7" Combination, 8" Long nose, 10" Water pump	mm: 10 11 12 13 14 15 16 17 18											
Screwdrivers: 3 5.5 6.5 PHO PH1 PH2 Pliers: 6" Side cutter, 7" Combination, 8" Long nose, 10" Water pump	19 21 22 27 30 32											
Pliers: 6" Side cutter, 7" Combination, 8" Long nose, 10" Water pump	Combination spanners: 8, 10, 11, 12, 13, 14, 15, 16, 17, 19 mm											
	Screwdrivers:		Θ	3	5.5	6.5	(+)	PH0	PH1	PH2		
1/4" Hex bits: TX8. TX10. TX15. TX20. TX25. TX27. TX30. TX40. TX45. TX50	Pliers: 6" Side cutter, 7" Combination, 8" Long nose, 10" Water pump											
, , ,,,,,,	1/4" Hex bits: TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40, TX45, TX50											
3, 4, 5, 6, 8, 10 4, 5.5, 7 PZ1, PZ2, PZ3		3, 4, 5, 6, 8, 10 4, 5.5, 7 PZ1, PZ2, PZ3								Z2, PZ3		
PHO, PH1, PH2, PH3												

Item ID: **T1268**











RATCHET & ACCESSORIES SET







Socket accessory set

Designed and manufactured to DIN and ISO standards

72 Teeth ratchet, 5" & 10" Extension bars

Universal joint, 3/8"F x 1/2"M T-bar adaptor

Item ID: TT1205



SOCKET SET







- Includes a 10" flex handle with ergonomic grip
- Chrome vanadium satin finish
- Designed and manufactured to DIN and ISO standards

10" Flex handle										
Deep 12 point sockets:										
0	mm:	10	11	12	13	14	15			
_		16	17	18	19					

Item ID: TT1211



SOCKET SET







- 12 point bi-hex sockets
- Chrome vanadium satin finish sockets
- Designed and manufactured to DIN3120/3124 and ISO2725

Regular 1	Regular 12 point sockets:											
0	mm:	10	11	12	13	14	15	16	17	18		
		19	20	21	22	24	27	30	32			

Item ID: TT1217



SOCKET SET







- 6 point single hex sockets
- Chrome vanadium satin finish sockets
- Designed and manufactured to DIN3120/3124 and ISO2725

	Regular 6 point sockets:											
ſ	0	mm:	10	11	12	13	14	15	16	17	18	
L			19	20	21	22	24	27	30	32		

Item ID: TT1217-6



SOCKET SET







- 12 point bi-hex sockets Chrome vanadium satin finish sockets
- Designed and manufactured to DIN and ISO standards

72 Teeth ratchet, 2½" & 10" Extension bars											
Universal joint, 3/8"F x 1/2"M T-bar adaptor											
Regular 12 point sockets:											
0	mm:	10	11	12	13	14	15	16	17	18	
		19	22	24							

Item ID: TT1218









mm

- 6 point single hex sockets
- Chrome vanadium satin finish sockets
- Designed and manufactured to DIN and ISO standards

72 Teeth ratchet, 2½" & 10" Extension bars												
Universal joint, 3/8"F x 1/2"M T-bar adaptor												
	Regular 6 point sockets:											
Γ	0	mm:	10	11	12	13	14	15	16	17	18	
			19	22	24							

Item ID: TT1218-6



SOCKET SET









- 1/2" drive regular and deep sockets
- Supplied in the unique Teng Tools double width TC tray
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs
- Designed and manufactured to DIN and ISO standards

72 Teeth ratchet, 21/2" & 6" Extension bars										
Universal joint, 3/8"F x 1/2"M T-bar adaptor										
12 point sockets:										
Reg mm:	10	11	12	13	14	15	16	17	18	
	19	22	24							
O Deep mm:	10	11	12	13	14	15	16	17	18	
	19									

Item ID: TED 1227



SOCKET SET










- 1/2" drive regular and deep 12 point bi-hex sockets
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs
- Designed to fit exactly in the larger Teng Tools tool box drawers
- Can be used as a set on it's own or as part of the Teng Tools "Get Organised" system
- Designed and manufactured to DIN and ISO standards



Item ID: TTESK63



SOCKET SET







- 12 point bi-hex sockets
- Chrome vanadium satin finish sockets
- Designed and manufactured to DIN3120/3124 and ISO2725

Regular 12 point sockets:											
0	AF:	3/8	7/16	1/2	9/16	5/8	11/16	3/4	13/16	7/8	
		15/16	1	1-1/16	1-1/8	1-3/16	1-1/4				

Item ID: TT1215AF















- 12 point bi-hexagon socket for easier alignment to the fastening
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
 - Supplied with a clip rail with socket clips for easy storage as a set
- Designed and manufactured to DIN3120/3124 and ISO2725

Clip rail (Length: 430mm), 1/2" Drive socket clips x15

Regular 12 point sockets:

O AF:	
_	

AF:	3/8	7/16	1/2	9/16	5/8	11/16	3/4	13/16	7/8
	15/16	1	1-1/16	1-1/8	1-3/16	1-1/4			

Item ID: M1215AF



SOCKET SET







- 12 point bi-hexagon socket for easier alignment to the fastening
- Chrome vanadium
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Supplied with a clip rail with socket clips for easy storage as a set
- Designed and manufactured to DIN3120/3124 and ISO2725

Clip rail (1	enath: 4	130mm)	1/2"	Drive	snrket	rlins	x15

Rec	ıular	12	point	sock	cets:

kegular i	iz poini s	ockers:								
0	mm:	10	12	13	14	15	16	17	18	19
		21	22	24	27	30	32			

Item ID: M1215MM



SOCKET SET







- Long sockets for extra reach
- Chrome vanadium
- Satin finish for a better grip when handling the socket
- 12 point bi-hexagon socket for easier alignment to the fastening Ball bearing recess on the female end to grip the ratchet
- Supplied with a clip rail with socket clips for easy storage as a set
- Designed and manufactured to DIN3120/3124 and ISO2725

Clip rail (I	Length: 1	210mm) ,	1/2" D	rive socke	et clips x	8				
Deep 12 p	oint soc	kets:								
0	mm:	13	14	15	17	19	21	22	24	

Item ID: M1207



SOCKET SET








- Long sockets for extra reach
- Chrome vanadium
- Satin finish for a better grip when handling the socket
- 6 point single hexagon socket for a better grip
- Ball bearing recess on the female end to grip the ratchet
- Supplied with a clip rail with socket clips for easy storage as a set
- Designed and manufactured to DIN3120/3124 and ISO2725

Clip rail (I	Clip rail (Length: 210mm), 1/2" Drive socket clips x8										
Deep 6 po	Deep 6 point sockets:										
0	mm:	13	14	15	17	19	21	22	24		

Item ID: M1208-6













- 4430 stainless steel making it ideal for the food, medical, aerospace and marine industries or for use in any acidic environment 6 point single hexagon sockets for a better grip
- Long sockets for extra reach Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Supplied with a clip rail with socket clips for easy storage as a set
- Designed and manufactured to DIN3120/3124 and ISO2725

Clip rail,	Clip rail, 1/2" Drive socket clips x3									
Deep stair	nless stee	el 6 poin	t sockets:							
0	mm:	17	19	21						

Item ID: MS 1203











HEX BIT SOCKET SET

- Chrome vanadium satin finish sockets Designed and manufactured to DIN7422
- Hex bit sockets mm: Length 55mm: 7 8 9 10 12 14 17 Length 100mm: 5 6 10 12 14 17 Length 115mm:

Item ID: TTHEX16



HEX BIT SOCKET SET







- Chrome vanadium satin finish bit holders included Grub screws to retain the bit in place, especially useful when working in difficult to reach places
- Designed and manufactured to DIN3126

10mm Hex bit add	10mm Hex bit adaptor, 12mm Hex bit adaptor, 2mm Hex mini screwdriver										
Hex bit sockets mm:											
Length 40mm:	10mm Hex Drive:	5	6	7	8	9	10				
	12mm Hex Drive:	12	14	17	19						
Length 115mm:	10mm Hex Drive:	5	6	7	8	9	10				
12mm Hex Drive: 12 14 17 19											

Item ID: TTHEX23



TX BIT SOCKET SET





TX bit sockets:											
Length 55mm:	20	25	27	30	40	45	50	55	60		
Length 110mm:	20	25	27	30	40	45	50	55	60		

Item ID: TTTX18











TX BIT SOCKET SET









- Chrome vanadium satin finish bit holders included
- Grub screws to retain the bit in place, especially useful when working in difficult to reach places
- Designed and manufactured to DIN3126

10mm Hex bit add	10mm Hex bit adaptor, 12mm Hex bit adaptor, 2mm Hex mini screwdriver										
TX bit sockets:											
Length 40mm:	10mm Hex Drive:	20	25	27	30	40	45	50	55		
	12mm Hex Drive:	60	70								
Length 75mm:	10mm Hex Drive:	20	25	27	30	40	45	50	55		
	12mm Hex Drive:	60	70								

Item ID: TTTX23



HEX & TX BIT SOCKET SET





- 100mm length for easier access in recesses
- Chrome vanadium satin finish sockets
- Designed and manufactured to DIN and ISO standards

TX bit sockets:												
Length 100mm:	20	25	27	30	40	45	50	55	60			
Hex bit so	Hex bit sockets mm:											
Length 100mm:	5	6	7	8	10	12						

Item ID: TTTXH15



RIBE & XZN BIT SOCKET SET





- 100mm length for easier access in recesses
- Chrome vanadium satin finish sockets
- Designed and manufactured to DIN and ISO standards

Ribe bit sockets:												
Length 100mm:	4	5	6	8	10	11	12	13				
XZN bit sockets:												
Length 100mm:	5	6	8	10	12	14	16					

Item ID: TTRS15



HEX BIT SOCKET SET







- Chrome vanadium
- S2 steel bits pressed in to the socket
- Satin finish for a better grip when handling the socket
- Designed for use with fastenings with a hexagon hole
- Use with in-hex screws or grub screws
- Designed and manufactured to DIN7422
- Supplied with a clip rail with socket clips for easy storage as a set

Clip rail (L	ength: 2	220mm),	1/2" D	rive sock	et clips x	9				
Hex bit so	ckets:									
•	mm:	5	6	7	8	9	10	12	14	17

Item ID: M1212



HEX BIT SOCKET SET







- Chrome vanadium
- S2 steel bits pressed in to the socket
- Satin finish for a better grip when handling the socket
- Designed for use with fastenings with a hexagon hole
- Use with in-hex screws or grub screws
- Designed and manufactured to DIN7422
- Supplied with a clip rail with socket clips for easy storage as a set

Clip rail (L	Clip rail (Length: 220mm), 1/2" Drive socket clips x9										
Hex bit so	Hex bit sockets:										
	AF:	3/16	7/32	1/4	9/32	5/16	3/8	1/2	9/16	5/8	

Item ID: M1209AF





HEX BIT SOCKET SET





- Chrome vanadium
- 100mm long bits for reaching in to recesses
- S2 steel bits pressed in to the socket
- Satin finish for a better grip when handling the socket
- Designed for use with fastenings with a hexagon hole
- Use with in-hex screws or grub screws
- Designed and manufactured to DIN7422
- Supplied with a clip rail with socket clips for easy storage as a set

Clip rail (I	Clip rail (Length: 160mm), 1/2" Drive socket clips x6											
Hex bit so	Hex bit sockets (Length 100mm):											
	mm: 5 6 7 8 10 12											

Item ID: M1211



TX-E BIT SOCKET SET



- Chrome vanadium
- Satin finish for a better grip when handling the socket Ball bearing recess on the female end to grip the ratchet
- Designed for use with protruding TX head screws Supplied with a clip rail with socket clips for easy storage as a set

Clip rail (Length: 220mm), 1/2" Drive socket clips x9										
TX-E bit sockets:										
0	TX-E:	E10	Ell	E12	E14	E16	E18	E20	E22	E24

Item ID: M1210



TPX BIT SOCKET SET



9 Pieces

- Chrome vanadium
- S2 steel bits pressed in to the socket
- Satin finish for a better grip when handling the socket
- Designed for use with tamper proof TX fastenings
- Supplied with a clip rail with socket clips for easy storage as a set

Clip rail (Length: 220mm), 1/2" Drive socket clips x9										
TPX bit sockets:										
TPX: 20 25 27 30 40 45 50 55 60										

Item ID: M1213TPX



TX BIT SOCKET SET






- Chrome vanadium
- S2 steel bits pressed in to the socket
- Satin finish for a better grip when handling the socket
- Designed for use with TX fastenings

Supplied will a clip full will socker clips for easy storage as a ser												
Clip rail (Length: 220mm), 1/2" Drive socket clips x9												
TX bit sockets:												
TX: 20 25 27 30 40 45 50 55 60												

Item ID: M1213TX













- Regular 6 point single hexagon sockets for a better grip
- Chrome vanadium satin finish sockets
- Supplied in the unique Teng Tools carrying case
- Hard wearing case with distinctive branding
- Tools clearly laid out to easily identify which tool belongs where
- Designed and manufactured to DIN and ISO standards

Quick release 72 teeth ratchet, 200mm & 400mm Extension bars												
Sliding T-bar												
Regular 6	Regular 6 point sockets:											
0	mm: 19 21 22 24 27 30 32 33 34											
36 38 41 46 50												

Item ID: T3418-6





RATCHET & ACCESSORIES SET





mm

- Socket accessory set
- Quick release and twist reverse action for easier use
- Sliding T bar and extension bars also included
- Designed and manufactured to DIN and ISO standards

Quick release 72 teeth ratchet, 200mm & 400mm Extension bars

Sliding T-bar

Item ID: TTX3404



SOCKET SET









- Regular 6 point single hexagon metric sockets for a better grip
- Regular 12 point bi-hex AF sockets for easier alignment
- Chrome vanadium satin finish sockets
- Supplied in the unique Teng Tools carrying case
- Hard wearing case with distinctive branding
- Tools clearly laid out to easily identify which tool belongs where
- Designed and manufactured to DIN and ISO standards

Quick release 72 teeth ratchet, 100mm, 200mm & 400mm Extension bars												
Sliding T-bar												
Regular 6	Regular 6 point sockets:											
0	mm:	19	21	24	27	32	34	36	50			
Regular 1	Regular 12 point sockets:											
0	AF:	7/8	1	1-1/8	1-3/16	1-5/16	1-1/2	1-5/8	1-3/16	2		

Item ID: T3422S





RATCHET & ACCESSORIES SET







- Quick release and twist reverse action for easier use
- Sliding T bar and 16" (400mm) extension also included
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belong
- Designed and manufactured to DIN and ISO standards

Quick release 72 teeth ratchet, 400mm Extension bar

Sliding T-bar

Item ID: TEX3403







RATCHET & ACCESSORIES SET



- Socket accessory set
- With safety locking system to avoid tools being dropped
- Quick release and twist reverse action for easier use
- Sliding T bar and extension bars also included
- Designed and manufactured to DIN and ISO standards

Quick release 72 teeth ratchet, 200mm & 400mm Extension bars Sliding T-bar

Item ID: TTX3404S





SOCKET SET







- Chrome vanadium
- Satin finish for a better grip when handling the sockets
- 12 point single hexagon sockets for a better grip
- Designed and manufactured to DIN3120/3124

Regular 12 point sockets:												
0	AF:	7/8	15/16	1	1-1/16	1-1/8	1-3/16	1-1/4	1-5/16	1-3/8		
)		1-7/16	1-1/2	1-5/8	1-3/4	1-7/8						

Item ID: TTX34AF





SOCKET SET







- Chrome vanadium
- Satin finish for a better grip when handling the sockets
- 6 point single hexagon sockets for a better grip
- Designed and manufactured to DIN3120/3124

Regular 6 point sockets:											
0	mm:	19	21	22	24	27	30	32	33	34	
		36	38	41	46	50					

Item ID: TTX3414



- 3/4" drive regular sockets
- With safety locking system to avoid tools being dropped
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs
- Can be used as a set on it's own or as part of the Teng Tools "Get Organised" system
- Designed and manufactured to DIN and ISO standards

44		large.	



SOCKET SET








- Chrome vanadium
- Satin finish for a better grip when handling the sockets
- 6 point single hexagon sockets for a better grip
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs
- Designed and manufactured to DIN3120/3124

Regular 6 point sockets:										
0	mm:	22	24	27	30	32	36			
		38	41	46	50					

Item ID: TEX3410



Item ID: TTESK32















- mm

- Regular 12 point bi-hex sockets
- Chrome vanadium satin finish sockets
- Supplied in a metal carrying case
- Designed and manufactured to DIN and ISO standards

Flip reverse ratchet head with quick release, 22" handle bar											
T-bar adaptor, 200mm & 400mm Extension bars											
Regular 12 point s	ockets:										
O mm:	mm: 36 41 46 50 55 60										
65 70 75 80											

Item ID: M1115MM

Mixed Drive Sets



SOCKET SET







- 6 point 1/4" drive single hexagon sockets for a better grip
- 12 point 1/2" drive bi-hex sockets for easier alignment
- Chrome vanadium satin finish sockets
- An extensive range of screwdriver, hex, XZN and TX bits
- Hard wearing case with distinctive branding
- Tools clearly laid out to easily identify which tool belongs where
- Designed and manufactured to DIN and ISO standards

1/4" Drive	Fli	p reverse	e ratchet,	Bi-flex v	vrench, 4	l" Extens	ion bar,	Coupler adaptor					
1/2" Drive		Flip re	verse rat			xtension "M T-bar							
1/4" Drive Regular 6 point sockets:													
O mm:	4	5	5.5	6	7	8	10	11	12				
	13												
1/2" Drive Regular 12 point sockets:													
O mm:	17	18											
	19	20	21	22	23	24	27						
Hex Keys								1.5, 2,	2.5 mm				
1/4" Hex bits:		TX8,	TX10, TX	15, TX20	, TX25, T	X27, TX3	0, TX40						
		1/8", 9,	/64", 5/	32", 3/	16", 7/3	2", 1/4	", 3/8"						
	3, 4, 5, 6, 8, 10 + PHO, PH1, PH2, PH3												
PZ1, PZ2, PZ3 4, 5.5, 7 M5, M6													

Item ID: **T1272**






SOCKET & TOOL SET









- Combination spanners, screwdrivers and screwdriver bits
- Chrome vanadium satin finish sockets and spanners
- Hard wearing case with distinctive branding
- Tools clearly laid out to easily identify which tool belongs where Designed and manufactured to DIN and ISO standards

1/4" Drive							" Extensi Imm Maç		•		
1/2" Drive		Flip rev	erse rato				ars, 5/1 adaptor,				
1/4" Drive 6 poin	t sockets	:									
Reg mm:	4	4.5	5	5.5	6	7	8	9	10		
	11	12	13								
O Deep mm:	4	5	6	7	8	9	10	11	12		
	13										
1/2" Drive 6 point sockets:											
Reg mm:	10	11	12	13	14	15	17	19	22		
	24	27	30	32							
Spark plug sockets	mm:	21									
Screwdrivers:	\bigcirc	3	4	(+)	PH1	PH2	*	PZ1	PZ2		
Combination Span	ners:					8	3, 10, 12,	13, 14,	17 mm		
1/4" Hex bits:	(*)	TX8,	TX10, TX	X15, TX20	D, TX25,	TX27, TX3	30, TX40				
	3, 4, 5, 6, 8, 10 + PHO, PH1, PH2, PH3, PH4										
	*	PZ), PZ1, P	Z2, PZ3	Θ	4, 5.5, 7					
5/16" Hex bits:	(T	X45, TX5	0, TX55							
T110											

Item ID: TM095





SOCKET SET









- 6 point 1/4" & 3/8" drive sockets for a better grip
- 12 point 1/2" drive bi-hex sockets for easier alignment
- Combination spanners, double flex wrenchesr and adjustable wrench
- Chrome vanadium satin finish sockets and spanners
- Hard wearing case with distinctive branding
 Tools clearly laid out to easily identify which tool belongs where
 Designed and manufactured to DIN and ISO standards

ned and r	manufa	ctured	to DIN	l and IS	O star	ndards			
	Flip reverse ratchet, 3" & 6" Extension bars, Coupler adaptor, 3/8"F x 1/4"M, 3/8"F x 1/2"M T-bar adaptors, Universal joint								
	2½" & 10" Extension bars, 1/2"F x 3/8"M T-bar adaptor, Flex head adaptor								
oint sockets	s:								
n: 4	5	6	7	8	10	12	13		
n: 6	7	8	10	12	13				
oint sockets	;:								
n: 8	9	10	12	13	14	15	16	17	
18	19	21	22						
kets mm:	16	21							
point socke	ts:								
n: 19	24	27	30	32					
enches:					8x9, 1	0x11, 12	x13, 14x	15 mr	
anners:			8, 9,	10, 11, 1	2, 13, 14	4, 15, 16	, 17, 18,	19 mr	
nch:								10	
	TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40								
*	TPX10,	TPX15, TF	PX20, TP)	X25, TPX	27, TPX30), TPX40			
	3, 4, 5, 6, 8, 10 + PHO, PH1, PH2, PH3								
(+)	PZ1, PZ2, PZ3 (4, 5.5, 7 (5) M5, M6								
	n: 4 n: 6 noint sockets n: 8 18 kets mm: point socke n: 19 enches: canners:	File Si-file Si-file	Flip revers Bi-flex wrenc	Flip reverse ratchet, 3/8"F x 1/4"M, 3/8" 21/2" & 10" Exten	Flip reverse ratchet, University University	Flip reverse ratchet, Universal joint, Bi-flex wrench, Coupler adaptor, Bits dr Flip reverse ratchet, 3" & 6" Extension 3/8"F x 1/4"M, 3/8"F x 1/2"M T-bar 2½" & 10" Extension bars, 1/2"F 100int sockets: 11	Bi-flex wrench, Coupler adaptor, Bits driver, Mag Flip reverse ratchet, 3" & 6" Extension bars, 03/8"F x 1/4"M, 3/8"F x 1/2"M T-bar adaptors 21/2" & 10" Extension bars, 1/2"F x 3/8"N Flex	Flip reverse ratchet, Universal joint, 2" & 3" Extension Bi-flex wrench, Coupler adaptor, Bits driver, Magnetic bit Flip reverse ratchet, 3" & 6" Extension bars, Coupler a 3/8"F x 1/4"M, 3/8"F x 1/2"M T-bar adaptors, Univers 2½" & 10" Extension bars, 1/2"F x 3/8"M T-bar a Flex head of the flex	


Item ID: TM106

TENGIOOLS Get organised 205









- Chrome vanadium satin finish sockets and spanners
- Supplied in the unique Teng Tools carrying case
- Hard wearing case with distinctive branding
- Tools clearly laid out to easily identify which tool belongs where
- Designed and manufactured to DIN and ISO standards

1/4" Drive		Flip reverse ratchet, 5/16" Hex coupler, 6" Flexible extension, 2" & 4" Extension bars, Spinner handle, Universal joint, 1/4"F x 3/8"M adaptor, 4" T-bar									
3/8" Drive				. ,		t holder, /8"F x 1					
1/2" Drive	ı	Flip reverse ratchet, 5/16" Hex coupler, $2\frac{1}{2}$ " & 10" Extension bars, $1/2$ "F x $3/8$ "M adaptor, Spin disc									
1/4" Drive 6 poir	nt sockets	:									
Reg mm:	4	5	6	7	8	10	12				
Reg AF:	3/16	6 7/32 1/4 9/32 3/8 7/16									
3/8" Drive 6 point sockets:											
Reg mm:	8	9	10	12	13	14	15	16	17		
O Deep mm:	8	9	10	12	13	14	15	16	17		
Reg AF:	3/8	7/16	1/2	9/16	11/16	3/4	13/16	7/8			
O Deep AF:	3/8	7/16	1/2	9/16	11/16	3/4	13/16	7/8			
Spark plug socket	s mm:	16	21								
1/2" Drive 6 poin	nt sockets	:									
Reg mm:	17	24	27	32							
Reg AF:	11/16	3/4	13/16	7/8	1	1-3/16					
Double flex wrenc	hes:					8x9, 1	0x11, 12	x13, 14	15 mm		
Combination Span	ners:			8, 9,	10, 11, 1	12, 13, 14	4, 15, 16	, 17, 18,	19 mm		
Adjustable wrench	:	10"									
1/4" Hex bits:		TX10, TX15, TX20, TX25, TX30, TX40 4, 5.5, 7							, 5.5, 7		
		3, 4, 5, 6, 7, 10			/8", 9/	64", 5/3	32", 3/1	6", 1/4"	', 5/16'		
	*	PZ1, P	PZ1, PZ2, PZ3 + PH1, PH2, PH3								
						-					

TX45, TX50

5/16" Hex bits: Item ID: TM111



SOCKET SET

AF











- Chrome vanadium satin finish sockets and spanners
- A range of combination spanners and adjustable wrench
- Hard wearing case with distinctive branding
- Tools clearly laid out to easily identify which tool belongs where

 Designed and manufactured to DIN and ISO standards 											
1/4" Drive		F	lip revers	se ratche	, Univer	sal joint,		Extensio Coupler o			
3/8" Drive		Flip rever				sion bars, adaptor,					
1/2" Drive	21/2"	2½" & 10" Extension bars, Flex head adaptor, 1/2"F x 3/8"M adaptor									
1/4" Drive 6 point sockets:											
Reg mm:	4	4 5 5.5 6 7 8 10 11 12									
	13										
O Deep mm	6	7	8	10	12	13					
Reg AF	3/16	716 7/32 1/4 9/32 5/16 11/32 3/8 7/16 1/2									
3/8" Drive 6 point sockets:											
Reg mm:	. 8	9	10	11	12	13	14	15	16		
	17	18	19	21	22						
Reg AF:	5/16	3/8	7/16	1/2	9/16	5/8	11/16	3/4	13/16		
	7/8										
Spark plug socke	ets mm:	16	21								
1/2" Drive 12 p	oint socke	ts:									
Reg mm:	: 19	24	27	30	32						
Ratcheting bits d	river, Spai	ner ring	, 8" Adju	ıstable w	rench						
Combination Spa	nners:			8, 9,	10, 11, 1	12, 13, 14	4, 15, 16	, 17, 18,	19 mm		
1/4" Hex bits:		TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40									
		3, 4, 5, 6, 8, 10 1/8", 9/64", 5/32", 3/16", 1/4", 3/8"									
	*	PZ1 (x2), PZ2 (x2), PZ3 PH0, PH1 (x2), PH3									
	Ŏ	4, 5.5, 7 (x2) M5, M6									
						J					

Item ID: TM 127



















- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs
- Designed to fit exactly in the Teng Tools TC-SC service case
- Can be used as a set on it's own or as part of the Teng Tools "Get Organised" system
- Designed and manufactured to DIN and ISO standards

1/4" Drive	72 Teeth ratchet, 2" $\&$ 3" extension bars, 3/8"F x 1/4"M adaptor, $1/4$ "Hex x 1/4"M adaptor, Coupler adaptor, Universal joint									
3/8" Drive		72 Teeth ratchet, 3" & 6" Extension bars, 1/2"F x 3/8"M adaptor, Coupler adaptor, Universal joint								
1/4" Drive 6 point sockets:										
Reg mm:	4	5	5.5	6	7	8	10	11	12	
	13									
O Deep mm:	6	7	8	10	12	13				
3/8" Drive 6 poin	t sockets	:								
Reg mm:	8	9	10	11	12	13	14	15	16	
	17	18	19	21	22					
Spark plug sockets	mm:	: 16 21								
Combination Span	ners:	8, 9, 10 ,11, 12, 13, 14, 15, 16, 17, 18, 19 mm						19 mm		

Item ID: TEFSK57













SOCKET SET

- Includes 72 teeth quick release, twist reverse ratchets
- Speed brace for quickly transporting nuts and bolts
- A selection of extension bars and accessories
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs
- Can be used as a set on it's own or as part of the Teng Tools "Get Organised" system
- Designed and manufactured to DIN and ISO standards

1/4" Drive	72 Teeth ratchet, 6" Spinner handle, Universal joint, Coupler adaptor, 2", 3", 4", 6" & 12" Extension bars, 1/4"F x 3/8"M adaptor, Sliding T-bar, T-bar handle adaptor									
3/8" Drive	72 Teeth ratchet, Speed brace, Spinner handle, Universal Joint, 3", 5", 6", 10" & 20" Extension bars, $3/8$ "F x $1/4$ "M adaptor, $3/8$ "F x $1/2$ "M adaptor, Coupler adaptor									
1/4" Drive 6 point sockets:										
Reg mm:	4	4.5	5	5.5	6	7	8	9	10	
	11	12	13							
O Deep mm:	4	5	5.5	6	7	8	9	10	11	
	12	13								
3/8" Drive 6 poin	t sockets	:								
Reg mm:	7	8	9	10	11	12	13	14	15	
	16	17	18	19	20	21	22			
Deep mm:	7	8	9	10	11	12	13	14	15	
	16	16 17 18 19 20 21 22								
Spark plug sockets	mm:									

Item ID: TTESK86

























SOCKET SET













- Includes FRP quick release, flip reverse ratchets
- Includes a wide selection of 25mm screwdriver bits together with adaptors and the mini bits ratchet
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs
- Can be used as a set on it's own or as part of the Teng Tools "Get Organised" system
- Designed and manufactured to DIN and ISO standards

1/4" Drive	Fli _l	Flip reverse ratchet, Mini bits ratchet, 4" Extension bar, Universal joint 6" Spinner handle, Coupler adaptor, 1/4"M x 1/4"Hex adaptor									
1/2" Drive	Flip reverse ratchet, 17" Flex handle, 5" & 10" Extension bars, Universal joint										
1/4" Drive 6 point sockets:											
Reg mm:	4	4.5	5	5.5	6	7	8	9	10		
	11	12	13								
O Deep mm:	7	7 8 10 11 13									
1/2" Drive 6 point sockets:											
Reg mm:	10	11	12	13	14	15	16	17	18		
	19	20	21	24	27	30	32	34			
O Deep mm:	10	13	16	17	18	19					
Spark plug sockets	mm:	16	18	21							
1/4" Hex bits:	$\overline{\bigcirc}$				3.5,	4, 4.5, 5	i.5 (x2),	6.5 (x2)), 8 mm		
	TPX10, TPX15, TPX20 (x2), TPX25 (x2), TPX27, TPX30, TPX40										
	TX6, TX7, TX8, TX9, TX10, TX15, TX20 (x3), TX25 (x3), TX27, TX30 (x2), TX40										
	(+)	PH1 (x4), PH2	(x7), P	H3 (x2)	*	PZ1 (x4), PZ2 (>	(7), PZ3		

2, 3, 4, 5, 6, 8

1, 2, 3

PH2G (x3)


Item ID: TTESK 126

- Includes FRP quick release, flip reverse ratchets
- A selection of extension bars and adaptors to suit different applications
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs
- Can be used as a set on it's own or as part of the Teng Tools "Get Organised" system
- Designed and manufactured to DIN and ISO standards

9											
1/4" Drive		Flip reverse ratchet, 6" Spinner handle, 6" & 12" Extension bars, Universal joint, T-bar & T-bar handle adaptor									
3/8" Drive		Flip reverse ratchet, 3" Wobble extension bar, 6" Extension bar, Universal joint, $3/8$ "F x $1/4$ "M adaptor, $3/8$ "F x $1/2$ "M adaptor, Rotating spinner handle									
1/2" Drive	Flip reverse ratchet, 6" Wobble extension bar, 10" Extension bar, Universal joint, 1/2"F x 3/8"M adaptor										
1/4" Drive 6 poin	t sockets	sockets:									
Reg mm:	4	5	5.5	6	7	8	9	10	11		
	12	13									
O Deep mm:	6	7	8	10	12	13					
3/8" Drive 6 poin	ıt sockets	:									
Reg mm:	8	9	10	11	12	13	14	15	16		
	17	18	19	22							
1/2" Drive 12 po	int socke	ts:									
Reg mm:	10	11	12	13	14	15	16	17	18		
	19	22									
1/2" Drive 6 poir	point imapct sockets:										
Reg mm:	13	15	16	17	18	19	22	24			
O Deep mm:	13	15	16	17	18	19	22	24			

Item ID: TTESK77

Socket Sets 🧿



SOCKET SET











- An extensive range of short and long reach screwdriver, hex and TX bits
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs
- Designed to fit exactly in the larger Teng Tools tool box drawers
 Can be used as a set on it's own or as part of the Teng Tools "Get Organised" system
- Designed and manufactured to DIN and ISO standards

3/8"	Drive	e 3" Extension bar										
1/4"	1/4" Drive bit sockets:											
Θ	mm:	4	5.5	7								
*	PZ:	1	2	3								
(+)	PH:	0	1	2	3							
(1)	TX:	10	15	20	25	27	30	40				
0	TX-E:	E4	E5	E6	E7	E8						
3/8"	3/8" Drive bit sockets:											
(1)	TX:	10	15	20	25	27	30	40	45	50		
	ТРХ:	10	15	20	25	27	30	40	45	50		
0	TX-E:	E10	E12	E14	E16	E18						
	Hex:	3	4	5	5.5	6	7	8	10	12		
1/2"	Drive bit soc	kets:										
	TX:	20	25	27	30	40	45	50	55	60		
	Long Hex:	5	6	7	8	10	12					
•	Ribe:	4	5	6	8	10	11	12	13			
	XZN:	M5	M6	M8	M10	M12	M14	M16				

Item ID: TTESK85





SOCKETS & ACCESSORIES

The socket range includes drives from ¼" to 1" and includes six-point sockets and twelve-point sockets, metric and imperial sizes as well as TX-E.

A wide range of bit sockets for six-point, TX and TPX is supplemented further by a range of adapters for use with the comprehensive range of bits, found in the screwdriver range.





All sockets are produced according to Teng Tools "hip grip" system, which means the socket grips on the flat surfaces of the nut rather than on the corner. This system helps to prevent damage to nuts and bolts and makes it possible to grip nuts and bolts which already have damaged corners.



TENGTON





MINI BITS RATCHET





- 1/4" hex drive reversible bits ratchet
- Overall length 90mm making it very compact and easy to keep in the pocket
- Flip reverse mechanism for quickly changing between tightening and loosening
- Chrome vanadium satin finish drop forged steel
- For use with 1/4" drive hex bits
- 8mm double hexagon ring spanner on the other end

Item ID: 1400B

RATCHET HEAD & BITS HOLDER



- Fine tooth mini ratchet head
- Designed for use together with any 1/4" hex drive bit holder
- 1/4" square drive for use with sockets and accessories
- 1/4" hexagon drive for use with screwdriver bits and accessories
- 72 teeth for use in confined spaces
- Flip reverse for quickly and easily changing between tightening and loosening
- Designed and manufactured to DIN3122D

Item ID: RHA14



NEW MINI PALM RATCHET



- Gearless palm ratchet
- 1/4" sauare drive for use with sockets and accessories
- 1/4" hexagon drive for use with screwdriver bits and accessories
- Handle designed for easy rotation with the fingers
- Use with an extension bar to create a ratcheting T bar
- Gearless mechanism for use in confined spaces
- Twist reverse for quickly and easily changing between tightening and loosening

Item ID: PM14

MINI PALM RATCHET





- Handle designed for use in the palm of the hand
- Use with an extension bar to create a ratcheting T bar
- For use in confined spaces
- Twist reverse for quickly and easily changing between tightening and
- Slim design together with a bi-material grip for extra comfort

Item ID: 1400M

MINI RATCHET



- Shorter handle for easier use in confined spaces
- 72 teeth giving 5 degree increments between
- Twist reverse for quickly and easily changing between tightening and loosening
- Slim design together with a bi-material grip for extra comfort
- Designed and manufactured to DIN3122D



Item ID: 1400-72MN

72 TEETH RATCHETS



- 72 teeth giving 5 degree increments between clicks
- Twist reverse for quickly and easily changing between tightening and
- Slim design together with a bi-material grip for extra comfort
- Designed and manufactured to DIN3122D

ITEM ID:	Drive	Reverse	Quick Release	No. of Teeth	Length mm	9
1400-72N	1/4"	Twist		72	150	110
3800-72N	3/8"	Twist	Υ	72	203	265
1200-72N	1/2"	Twist	Υ	72	250	400



Sockets & Accessories

FLEX HEAD RATCHETS



- Shorter handle for easier use in confined spaces
- Flexible ratchet head with locking mechanism for use at different angles
- 72 teeth giving 5 degree increments between clicks
- Twist reverse for quickly and easily changing between tightening and loosening
- Slim design together with a bi-material grip for extra comfort

ITEM ID:	Drive	Reverse	Quick Release	No. of Teeth	Length mm	g
1400-72SN	1/4"	Twist		72	121	114
3800-72SN	3/8"	Twist	Υ	72	178	270
1200-72SN	1/2"	Twist	Υ	72	190	395

FLIP REVERSE RATCHETS



- Fibre reinforced handle with three metal plates for added strength
- 45 teeth giving 8 degree increments between clicks
- Flip reverse for quickly and easily changing between tightening and loosening
- Quick release for easier changing between different sockets and accessories
- Bi-material grip for extra comfort
- Designed and manufactured to DIN3122D

ITEM ID:	Drive	Reverse	Quick Release	Max Torque	No. of Teeth	Length mm	g
1400FRP	1/4"	Flip	Υ	62Nm	45	150	96
3800FRP	3/8"	Flip	Υ	202Nm	45	203	227
1200FRP	1/2"	Flip	Υ	152Nm	45	255	358

STAINLESS STEEL RATCHETS





- Ideal for the food, medical, aerospace and marine industries or for use in any acidic environment
- Fibre reinforced handle with integral metal plates for added strength
- 36 teeth giving 10 degree increments between clicks
- Flip reverse for quickly and easily changing between tightening and loosening
- Quick release for easier changing between different sockets and accessories

ITEM ID:	Drive	Reverse	Quick Release	No. of Teeth	Length mm	g
MS3800	3/8"	Flip	Υ	36	204	424
MS1200	1/2"	Flip	Υ	36	266	900

LONG ARM FLEXIBLE RATCHET





- 400mm long handle for added torque when needed
- Flexible ratchet head with locking mechanism for use at different angles
- 45 teeth giving 8 degree increments between clicks
- Twist reverse for quickly and easily changing between tightening and loosening
- Quick release for easier changing between different sockets and accessories
- Bi-material grip for extra comfort

Item ID: 1200F

LONG ARM RATCHET





- 400mm long handle for added torque when needed
- 45 teeth giving 8 degree increments between clicks
- Twist reverse for quickly and easily changing between tightening and loosening
- Quick release for easier changing between different sockets and accessories
- Bi-material grip for extra comfort

Item ID: 1200L

HEAVY DUTY RATCHETS



- Twist reverse for quickly and easily changing between tightening and loosening
- Quick release for easier changing between different sockets and accessories
- Rubber grip on the handle for a better grip particularly in wet or oily conditions
- Ball bearing socket retainer on the square drive to securely grip the socket

ITEM ID:	Drive	Reverse	Quick Release	No. of Teeth	Length mm	g
M3400-72	3/4"	Twist	Υ	72	505	2000
M1100-72	1"	Twist	Υ	72	800	4060



HEAVY DUTY RATCHET





- Detachable head to enable the bar to be used as a power bar
- 24 teeth giving 15 degree increments between clicks
- Flip reverse for quickly and easily changing between tightening and loosening
- Quick release for easier changing of sockets
- Ball bearing socket retainer on the square drive
- Knurled grip area on the handle for a better grip particularly in wet or oily conditions
- Designed and manufactured to DIN3122D

ITEM ID:	Drive	Reverse	Quick Release	No. of Teeth	Length mm	g
M1100	1"	Flip	Υ	24	665	4410

HEAVY DUTY RATCHET HEAD



- For use with the 1" power bar (M110020)
- 24 teeth giving 15 degree increments between clicks
- Flip reverse for quickly and easily changing between tightening and loosening
- Quick release for easier changing between different sockets and accessories
- Ball bearing socket retainer on the square
- drive to securely grip the socket

 Designed and manufactured to DIN3122D

ITEM ID:	Drive	Reverse	Quick Release	No. of Teeth	Length mm	g
M110010	1"	Flip	Υ	24	165	1740

POWER BAR



- For use as a ratchet handle together with the M110010 ratchet head
- Can be used to create a power bar or T bar together with the M110030 T bar adaptor
- Chrome vanadium
- · Satin finish for a better grip when handling sockets
- Ball bearing socket retainer on the square drive to securely grip the socket
- Knurled grip area on the handle for a better grip particularly in wet or oily conditions

Item ID: M110020



RATCHET SERVICE KITS

- Full service kit for ratchets
- Includes a set of replacement parts for the ratchet mechanism
- Simple and quick to fit so the ratchet does not need to be sent away
- Reduces the amount of time that the ratchet is out of use

TEM ID:	Drive	Service Kit For:
1400-72NRK	1/4"	1400-72N & 1400-72SN
1400FRPRK	1/4"	1400FRP
3800-72NRK	3/8"	3800-72N & 3800-72SN
3800FRPRK	3/8"	3800FRP
MS3800RK	3/8"	MS3800
1200-72NRK	1/2"	1200-72N & 1200-72SN
1200FRPRK	1/2"	1200FRP
MS1200RK	1/2"	MS1200
1201RK	1/2"	1201
1201ARK	1/2"	1201A
1200FRK	1/2"	1200F & 1200L
M3400-72RK	3/4"	M3400-72
M1100-72RK	1"	M1100-72
M1100RK	1"	M1100 & M110010



Sockets & Accessories

EXTENSION BARS



- Ball bearing recess on the female end to grip the ratchet
- Ball bearing socket retainer on the male end to securely grip the socket.
- Designed and manufactured to DIN3123B
- Supplied with a metal socket clip for use with a socket rail

			Ler	Length			
ITEM ID:	Drive	Steel	AF mm		Lock	g	
M140020-C	1/4"	Chrome Vanadium	2"	50	N	22	
M140023-C	1/4"	Chrome Vanadium	3"	75	N	35	
M140021-C	1/4"	Chrome Vanadium	4"	100	N	46	
M140022-C	1/4"	Chrome Vanadium	6"	150	N	65	
M140038-C	1/4"	Flexible Extension	6"	150	N	26	
M140024-C	1/4"	Chrome Vanadium	12"	305	N	126	
M380020-C	3/8"	Chrome Vanadium	3"	75	N	75	
MS380020-C	3/8"	Stainless Steel	3"	75	N	72	
M380023-C	3/8"	Chrome Vanadium	5"	125	N	120	
MS380023-C	3/8"	Stainless Steel	5"	125	N	118	
M380021-C	3/8"	Chrome Vanadium	6"	150	N	145	
M380022-C	3/8"	Chrome Vanadium	10"	254	N	420	
M380024-C	3/8"	Chrome Vanadium	20"	500	N	506	
M120020-C	1/2"	Chrome Vanadium	21/2"	63.5	N	105	
M120021-C	1/2"	Chrome Vanadium	5"	125	N	222	
MS120021-C	1/2"	Stainless Steel	5"	125	N	222	
M120023-C	1/2"	Chrome Vanadium	6"	150	N	240	
M120022-C	1/2"	Chrome Vanadium	10"	255	N	420	
M120024-C	1/2"	Chrome Vanadium	20"	500	N	855	
M340020-C	3/4"	Chrome Vanadium	4"	100	N	400	
M340020S-C	3/4"	Chrome Vanadium	4"	100	Υ	450	
M340021-C	3/4"	Chrome Vanadium	8"	200	N	700	
M340021S-C	3/4"	Chrome Vanadium	8"	200	Υ	750	
M340022-C	3/4"	Chrome Vanadium	16"	400	N	1400	
M340022S-C	3/4"	Chrome Vanadium	16"	400	γ	1400	
M110040	1"	Chrome Vanadium	8"	200	N	1350	
M110050	1"	Chrome Vanadium	16"	400	N	2400	

WOBBLE EXTENSION BARS



- Ball point end allows the socket to be turned even at an angle
- Ideal for use in confined spaces
- · Satin finish for a better grip when handling sockets
- Ball bearing recess on the female end to grip the ratchet
- Ball bearing socket retainer on the male end to securely grip the socket
- Supplied with a metal socket clip for use with a socket rail

			Length		
ITEM ID:	Drive	Steel	AF	mm	g
M380020W-C	3/8"	Chrome Vanadium	3"	75	63
M380021W-C	3/8"	Chrome Vanadium	6"	150	145
M380022W-C	3/8"	Chrome Vanadium	10"	255	234
M120020W-C	1/2"	Chrome Vanadium	3"	75	105
M120021W-C	1/2"	Chrome Vanadium	6"	150	240
M120022W-C	1/2"	Chrome Vanadium	10"	255	420





EXTENSION BARS SET



- Includes a selection of long and wobble extension bars
- Teng Tools T-HD handle included for a more comfortable grip

		J
•	Designed and manufactured to DIN and ISO standards	

1/4" Drive	6" & 12" Extension bars, Universal joint
3/8" Drive	3" Wobble extension bar, 20" Extension bar, Universal joint,
3/ 0 Drive	3/8"F x 1/4"M T-bar adaptor
1/2" Drive	3" Wobble extension bar, 20" Extension bar, Universal joint
	T-handle grip, 2mm & 2.5mm Mini Hex Screwdrivers

Item ID: TTXEXT13

Get organised** Z15









EXTENSION BARS SET





- Includes a selection of long and wobble extension bars
- Teng Tools T-HD handle included for a more comfortable grip
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belong
- Designed and manufactured to DIN and ISO standards

1/4" Drive	6" & 12" Extension bars, Universal joint
3/8" Drive	3" Wobble extension bar, 20" Extension bar, Universal joint, 3/8"F x 1/4"M T-bar adaptor
1/2" Drive	3" Wobble extension bar, 20" Extension bar, Universal joint
	T-handle arin 2mm & 2 5mm Mini Hex Screwdrivers

Item ID: TEXEXT13

UNIVERSAL JOINTS

- Head rotates through 180° for use at different
- Ideal for use in confined spaces

1/2"

3/4"

Chrome vanadium

M120030-C

M340030-C

- Satin finish for a better grip when handling
- Ball bearing recess on the female end to grip

securely Designe	Ball bearing socket retainer on the male end to securely grip the socket Designed and manufactured to DIN3123C Supplied with a metal socket clip for use with						
a socke		i illeidi soci	ei clip	Tor use with			
ITEM ID:	Drive	Length mm	g				
M140030-C	1/4"	33	23				
M380030-C	3/8"	50	65				

69

108

165

570



ADAPTORS

- Satin finish for a better grip when handling sockets
- Ball bearing socket retainer on the male end to securely grip the socket
- Supplied with a metal socket clip for use with a socket rail



ITEM ID:	Drive	Steel	T-Drive Facility	Adaptor	Length mm	g
M140036-C	1/4"	Chrome Vanadium	N	1/4"F - 3/8"M	25	20
M140037	1/4"	Chrome Vanadium	N	1/4"M - 1/4"Hex	25	7
M140039	1/4"	Chrome Vanadium	N	1/4"M - 1/4"Hex	30	10
M380035-C	3/8"	Chrome Vanadium	Υ	3/8"F - 1/4"M	25.4	20
M380036-C	3/8"	Chrome Vanadium	Υ	3/8"F - 1/2"M	36	45
MS380036-C	3/8"	Stainless Steel	Υ	3/8"F - 1/2"M	36	45
M380037	3/8"	Chrome Vanadium	N	1/4"Hex - 3/8"M	32	14
M120036-C	1/2"	Chrome Vanadium	Υ	1/2"F - 3/8"M	39.5	55
MS120036-C	1/2"	Stainless Steel	Υ	1/2"F - 3/8"M	39.5	55
M120037-C	1/2"	Chrome Vanadium	N	1/2"F - 3/4"M	39.5	55
M340085-C	3/4"	Chrome Vanadium	N	3/4"F - 1"M	62	370
M340086-C	3/4"	Chrome Vanadium	Υ	3/4"F - 1/2"M	40	52
M110030	1"	Chrome Vanadium	Υ	1" T-Bar Adaptor	82	620



SOCKET ADAPTOR SET



- A selection of extension bars and adaptors in one handy set
- A full range of converters and adaptors from 1/4" to 1" drive Includes regular, magnetic and quick chuck holders for use with 1/4" hex bits
- Designed and manufactured to DIN standard

1/4" Drive:	1/4" Hex Coupler, Hex bit adaptor, 50mm Hex bit adaptor					
3/8" Drive:	1/4" Hex Coupler, Hex bit adaptor, 50mm Hex bit adaptor					
1/2" Drive:	50mm Hex bit adaptor					
Step Up Adaptors:	1/4"F x 3/8"M	3/8" x 1/2"M				
	1/2"F x 3/4"F	3/4"M - 1"F				
Reducing Adaptors:	3/8"F x 1/4"M	1/2"F x 3/8"M				
		3/4"F x 1/2"M				
50mm & 70mm Magnetic bit holder, 50mm Chuck bit holder with quick release						

Item ID: TTADP17

Sockets & Accessories

COUPLER ADAPTORS

- Coupler adaptors for holding various bits
- Chrome vanadium
- Satin finish for a better grip when handling the
- Retaining spring to hold the bit in place
- Designed and manufactured to DIN3126
- Supplied with a metal socket clip for use with a socket rail



ITEM ID:	Drive	Coupler For	Length mm	g
M140060-C	1/4"	1/4" Hex Bits	25	20
М380060-С	3/8"	1/4" Hex Bits	28	32
M380061-C	3/8"	10mm Hex Bits	28	32
M120060-C	1/2"	5/16" Hex Bits	38	88
M120061-C	1/2"	10mm Hex Bits	38	56
M120062-C	1/2"	12mm Hex Bits	38	62
M120063-C	1/2"	1/4" Hex Bits	25	88

INSERT ADAPTORS

- Quickly steps up from one drive to the next
- Magnets retain the socket in place
- Ideal for use where space is limited or where a regular adaptor is not suitable



ITEM ID:	Drive	Adaptor	Length mm	g
M140036M	1/4"	1/4"F - 3/8"M	28	18
M380036M	3/8"	3/8"F - 1/2"M	30	30
M120037M	1/2"	1/2"F - 3/4"M	45	86
M340085M	3/4"	3/4"F - 1"M	54	130

INSERT ADAPTOR SET









- 4 piece insert adaptor set
- Enables the use of smaller drive ratchets and accessories with larger sockets, etc.
- Magnets retain the socket in place
- Ideal for use where space is limited or where a regular adaptor is not suitable

Step Up Adaptors:	1/4"F x 3/8"M	3/8" x 1/2"M
	1/2"F x 3/4"F	3/4"M - 1"F

Item ID: MX04

SLIDING T-BARS



- Use to create a T bar for fast transporting of the fastening
- Chrome vanadium
- Satin finish for a better grip when handling sockets
- Ball bearing socket retainer on the male end for secure grip
- Designed and manufactured to DIN3122A

ITEM ID:	Drive	Safety Lock	Length mm	g
M140050-C	1/4"	N	106	40
М380050-С	3/8"	N	170	122
M120050-C	1/2"	N	243	300
M340050-C	3/4"	N	450	450
M340050S-C	3/4"	Υ	450	450

SPEED BRACES



- Designed to transport fastenings more quickly
- Ball bearing socket retainer on the square drive for secure grip
- Chrome vanadium
- Satin finish for a better grip when handling sockets
- Knurled grip area on the handle for a better grip particularly in wet or oily conditions

ITEM ID:	Drive	Length mm	g
M380011-C	3/8"	380	310
M120011-C	1/2"	420	585

FLEXIBLE SPINNER HANDLE



- Flexible spring wound shaft for easier access in confined spaces
- Overall length 275mm
- For use with 1/4" drive sockets and accessories
- Ergonomically designed bi-material handle for easy use with higher torque and faster speed
- Hole in the handle for hanging or for use as a T handle for extra torque or with a fall protection wire if needed



Item ID: MD514N

Get organised **TENGIOOLS**



SPINNER HANDLE



- 6" (150mm) spinner handle and extension bar
- Ergonomically designed bi-material handle for easy use particularly in wet or oily conditions
- 1/4" drive female intake in the handle to enable use as an extension har
- Chrome vanadium
- Satin finish for a better grip when handling sockets
- Ball bearing recess on the female end to grip the ratchet or power bar
- Ball bearing socket retainer on the male end to securely grip the socket
- Designed and manufactured to DIN3122E
- Supplied with a metal socket clip for use with a socket rail



Item ID: M140015-C

ROTATING SPINNER HANDLE



- 10" (250mm) spinner handle and extension bar
- Rotating handle end creates an easy to use grip especially when using together with a ratchet
- Ergonomically designed bi-material handle for easy use particularly in wet or oily conditions
- 3/8" drive female intake in the handle to enable use as an extension bar
- Chrome vanadium
- Satin finish for a better grip when handling sockets
- Ball bearing recess on the female end to grip the ratchet or power bar
- Ball bearing socket retainer on the male end to securely grip the socket
- Designed and manufactured to DIN3122E
- Supplied with a metal socket clip for use with a

Item ID: PT3810R



FLEXIBLE SPINNER HANDLE



- Long reach flexible socket driver
- Flexible spring wound shaft for easier access in confined spaces
- Protected by a plastic sleeve to avoid pinching
- Overall length 555mm
- For use with 1/4" drive sockets and accessories
- Ergonomically designed bi-material handle for easy use with higher torque and faster speed
- Hole in the handle for hanging or for use as a T handle for extra torque or with a fall protection wire if needed



Item ID: MD514L

SPINNER HANDLE



- 10" (250mm) spinner handle and extension bar
- Ergonomically designed bi-material handle for easy use particularly in wet or oily conditions
- 3/8" drive female intake in the handle to enable use as an extension bar
 - Chrome vanadium
- Satin finish for a better grip when handling sockets
- Ball bearing recess on the female end to grip the ratchet or power bar
- Ball bearing socket retainer on the male end to securely grip the socket
- Designed and manufactured to DIN3122E
- Supplied with a metal socket clip for use with a socket rail



Item ID: M380015-C

FLEX HANDLES



- Designed for extra torque to use with stubborn nuts and bolts
- Ball bearing socket retainer on the square drive for secure grip
- Satin finish for a better grip when handling sockets
- Ergonomically designed bi-material handle for easy use particularly in wet or oily conditions
- Designed and manufactured to DIN3122F

		Length			
ITEM ID:	Drive	AF	mm		g
M380010A-C	3/8"	10"	250	Offset Shaft	375
M120010-C	1/2"	10"	265		492
1201	1/2"	17"	450		894
1201A	1/2"	24"	600		1198
M340070-C	3/4"	19"	480		1880
M340070S-C	3/4"	19"	480	Safety Locking	1880
M110070	1"	25"	650		3550

FLEX HANDLE SERVICE KITS

- Includes a set of replacement parts for the square drive
- Simple to fit so the flex handle does not need to be sent away
- Reduces the time that the flex handle is out of use

ITEM ID:	Drive	Service Kit For:
1201RK	1/2"	1201
1201ARK	1/2"	1201A
M120010RK	1/2"	M120010RK
M340070RK	3/4"	M340070-C
M340070SRK	3/4"	M340070S-C
M110070RK	1"	M110070

Sockets & Accessories

SPARK PLUG SOCKETS


- Chrome vanadium
- Rubber insert holds the spark plug in place to prevent it dropping
- Satin finish for a better grip when handling the socket
- 6 point single hexagon socket for a better grip
- Ball bearing recess on the female end to grip the ratchet
- Supplied with a metal socket clip for use with a socket rail



ITEM ID:	Drive	Size	Width mm	Length mm	Thread Size	g
М380039-С	3/8"	14mm	20	64	8	73
M380040-C	3/8"	16mm	21.4	64	10	100
M380041-C	3/8"	16mm Flexible	22	85	10	117
M380042-C	3/8"	18mm	23.5	70	12	130
M380046-C	3/8"	21mm	28	70	14	160
M380047-C	3/8"	21mm Flexible	28	91	14	169
M120040-C	1/2"	16mm	21.4	70	10	165
M120042-C	1/2"	18mm	24.2	70	12	165
M120046-C	1/2"	21mm	28	70	14	165

T-BAR SPARK PLUG SOCKETS

- Extra long swivelling spark plug socket
- Long reach bar ideal for use in hard to reach places
- Universal joint at the socket
- Includes a T bar for fast pretightening and additional torque



	1		1		1				
ITEM ID:	Drive	Size mm	D mm	C mm	L mm	g			
TBUSP14	3/8"	14	18.8	60	520	380			
TBUSP16	3/8"	16	21.8	60	520	400			
TBUSP21	3/8"	21	27.8	60	520	440			
T-HD01	200mm	200mm x 8mm spare bar for use with T-bar spark plug sockets							

FLEX HEAD ADAPTOR



- Use to convert an extension bar into a flex handle
- Head rotates through 180° for use at different
- Designed for extra torque to use with stubborn nuts and bolts
- Can also be used straight to transport fastenings more quickly
- Chrome vanadium
- Satin finish for a better grip when handling the adaptor
- Supplied with a metal socket clip for use with a socket rail

Item ID: M120080-C




T-BAR HANDLE

- T bar handle grip
 - Plastic handle for use with T bars
- Use with Teng Tools extra long extension bars and 3/8"F:1/4"M T bar adaptors
- Creates a much more comfortable grip



Item ID: T-HD



00






REGULAR METRIC SOCKETS



- 6 point single hexagon socket for a better grip
- Chrome vanadium
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Designed and manufactured to DIN3120/3124 and ISO2725
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size mm	L mm	T mm	D1 mm	D2 mm	g
M140504-C	4	25	3.6	6.9	12	10
M1405045-C	4.5	25	3.6	7.5	12	12
M140505-C	5	25	4.2	8.1	12	12
M1405055-C	5.5	25	4.2	8.8	12	12
M140506-C	6	25	4.8	9.4	12	12
M140507-C	7	25	4	10.9	12	13
M140508-C	8	25	4	11.4	12	13
M140509-C	9	25	4.5	11.9	13.2	13
M140510-C	10	25	6	12.9	14.7	17
M140511-C	11	25	6	12.9	16	20
M140512-C	12	25	7	13.4	16.9	21
M140513-C	13	25	7.5	13.9	17.7	24

REGULAR AF SOCKETS



- 6 point single hexagon socket for a better grip
- Chrome vanadium
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Designed and manufactured to DIN3120/3124 and ISO2725
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size	L mm	T mm	D1 mm	D2 mm	g
M140106-C	3/16"	25	3.6	8	12	12
M140107-C	7/32"	25	4.2	8.8	12	12
M140108-C	1/4"	25	4.8	10	12	12
M140109-C	9/32"	25	4	10.9	12	13
M140110-C	5/16"	25	4	12	12	13
M140111-C	11/32"	25	4.5	13.2	13.2	18
M140112-C	3/8"	25	4.5	14.7	14.4	19
M140114-C	7/16"	25	6	16	16	22
M140116-C	1/2"	25	7.2	17.7	17.7	28



DO'S & DONT'S OF **SOCKETRY**



Use the right drive



Use the correct socket size





Do not use with impact tools



Check the thread direction



Do not use TPX on a TX fastenings



Keep it clean and dry



Do not use poles to increase leverage



Use light oil on ratchet mechanisms

DEEP METRIC SOCKETS



- 6 point single hexagon socket for a better grip
- Long sockets for extra reach
- Chrome vanadium
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Designed and manufactured to DIN3120/3124 and ISO2725
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size mm	L mm	T mm	D1 mm	D2 mm	g
M140604-C	4	49.5	5	8	11.8	23
M140605-C	5	49.5	5.5	8	11.8	25
M1406055-C	5.5	49.5	5.5	8.8	11.8	26
M140606-C	6	49.5	6.5	9.4	11.8	26
M140607-C	7	49.5	10.5	10.9	11.8	27
M140608-C	8	49.5	10.5	11.8	11.8	30
M140609-C	9	49.5	11.5	12.8	12.8	37
M140610-C	10	49.5	13	14.5	14.5	38
M140611-C	11	49.5	14	15.6	15.6	43
M140612-C	12	49.5	15	16.6	16.6	46
M140613-C	13	49.5	17	17.6	17.6	48



All sockets are produced according to Teng Tools "hip grip" system, which means the socket grips on the flat surfaces of the nut rather than on the corner. This system helps to prevent damage to nuts and bolts and makes it possible to grip nuts and bolts which already have damaged corners.

DEEP AF SOCKETS




- 6 point single hexagon socket for a better grip
- Long sockets for extra reach
- Chrome vanadium
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Designed and manufactured to DIN3120/3124 and ISO2725
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size	L mm	T mm	D1 mm	D2 mm	g
M140206-C	3/16"	49.5	5	8	11.8	24
M140207-C	7/32"	49.5	5.5	8.8	11.8	26
M140208-C	1/4"	49.5	6.5	10	11.8	27
M140209-C	9/32"	49.5	10.5	10.8	11.8	26
M140210-C	5/16"	49.5	10.5	11.8	11.8	30
M140211-C	11/32"	49.5	11.5	12.8	11.8	34
M140212-C	3/8"	49.5	12.5	14.5	14.5	37
M140214-C	7/16"	49.5	14.5	15.8	15.8	44
M140216-C	1/2"	49.5	16.5	17.6	17.6	48

TX-E BIT SOCKETS











- Chrome vanadium
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Designed for use with protruding TX head screws
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size	Size mm	L mm	T mm	D1 mm	D2 mm	g
M140704-C	E4	3.5	23.1	3.5	5.8	12	7
M140705-C	E5	4.5	24.8	4.5	6.8	12	8
M140706-C	E6	4.5	24.8	4.5	8	12	9
M140707-C	E7	5.6	24.8	5.6	9.4	12	10
M140708-C	E8	6	24.8	6	10.4	12	10

PH BIT SOCKETS



- Chrome vanadium
- S2 steel bits pressed in to the socket
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Designed for use with Phillips type screws and fastenings Designed and manufactured to DIN5260
 - Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size	L1 mm	L2 mm	D mm	g
M141300-C	PH0	32	15	12	13
M141301-C	PH1	32	15	12	13
M141302-C	PH2	32	15	12	13
M141303-C	PH3	32	15	12	13

FLAT BIT SOCKETS



- Chrome vanadium
- S2 steel bits pressed in to the socket
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Designed for use with slotted type screws and fastenings
- Designed and manufactured to DIN5264
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Width mm	Thickness mm	L1 mm	L2 mm	D mm	g
M141404-C	4	0.8	32	15	12	13
M1414055-C	5.5	1.0	32	15	12	13
M141407-C	7	1.4	32	15	12	14

PZ BIT SOCKETS



- Chrome vanadium
- S2 steel bits pressed in to the socket
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet Designed for use with Pozi Drive type screws and fastenings
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size	L1 mm	L2 mm	D mm	g
M141601-C	PZ1	32	15	12	13
M141602-C	PZ2	32	15	12	13
M141603-C	PZ3	32	15	12	13

TX BIT SOCKETS



- Chrome vanadium
- S2 steel bits pressed in to the socket
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Designed for use with fastenings with a TX hole
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size	Size mm	L1 mm	L2 mm	D mm	g
M141210T-C	TX10	2.5	32	15	12	13
M141215T-C	TX15	3	32	15	12	13
M141220T-C	TX20	3.5	32	15	12	13
M141225T-C	TX25	4.5	32	15	12	13
M141227T-C	TX27	5	32	15	12	14
M141230T-C	TX30	5.5	32	15	12	14
M141240T-C	TX40	6.5	32	15	12	14

Sockets & Accessories





REGULAR METRIC SOCKETS



- 6 point single hexagon socket for a better grip
- Chrome vanadium
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Designed and manufactured to DIN3120/3124 and ISO2725
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size mm	L mm	T mm	D1 mm	D2 mm	g
M380507-C	7	25.7	4	10.8	17.1	21
M380508-C	8	25.7	4.5	12	17.1	25
M380509-C	9	25.7	5	13.1	17.1	26
M380510-C	10	25.7	5	14.7	17.1	26
M380511-C	11	25.7	7	16	17.1	26
M380512-C	12	25.7	7	17.1	16.5	29
M380513-C	13	25.7	7	18.3	16.9	32
M380514-C	14	25.7	9	19.5	17.8	40
M380515-C	15	25.7	10	20.4	17.8	43
M380516-C	16	29	10	22.1	18.9	43
M380517-C	17	29	10	23.3	18.9	50
M380518-C	18	29	15.5	24.2	20	56
M380519-C	19	29	15.5	25.7	21	64
M380520-C	20	29	15.5	26.7	22	71
M380521-C	21	29	15.5	27.7	23	78
M380522-C	22	29	15.5	29.8	24	82

REGULAR AF SOCKETS



- 6 point single hexagon socket for a better grip
- Chrome vanadium
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Designed and manufactured to DIN3120/3124 and ISO2725
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size	L mm	T mm	D1 mm	D2 mm	g
M380110-C	5/16"	25.7	4.5	11.7	17.1	23
M380112-C	3/8"	25.7	5	14.2	17.1	24
M380114-C	7/16"	25.7	7	16.3	17.1	26
M380116-C	1/2"	25.7	7	18.3	16.9	34
M380118-C	9/16"	25.7	9	19.5	17.8	38
M380120-C	5/8"	29	10	22.1	18.9	46
M380122-C	11/16"	29	10	24.2	20	50
M380124-C	3/4"	29	12	25.7	21	60
M380126-C	13/16"	29	13	27.7	23	68
M380128-C	7/8"	29	13	29.5	24	75








STAINLESS STEEL SOCKETS





- Satin finish for a better grip when handling the socket
- 6 point single hexagon socket for a better grip
- Ball bearing recess on the female end to grip the ratchet
 - Designed and manufactured to DIN3120/3124 and ISO2725
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size mm	L mm	T mm	D1 mm	D2 mm	g
MS380519-C	8	26	6	12.1	16.8	22
MS380508-C	9	26	6	13	16.8	22
MS380509-C	10	26	6	14.6	16.8	23
MS380510-C	11	26	7	16	16.8	25
MS380511-C	12	26	7.4	16.8	16.5	24
MS380512-C	13	26	7.4	18	17.5	28
MS380513-C	14	26	10.5	19.2	17.8	29
MS380514-C	15	26	11.5	20.5	18	30
MS380515-C	16	29	13	21.8	18.5	41
MS380516-C	17	29	13	23	19	44
MS380517-C	18	29	13	24.2	20	47
MS380518-C	19	29	13.5	25.4	21	54

DEEP METRIC SOCKETS



- 6 point single hexagon socket for a better grip
- Long sockets for extra reach
- Chrome vanadium
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
 Designed and manufactured to DIN3120/3124 and ISO2725
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size mm	L mm	T mm	D1 mm	D2 mm	g
M380607-C	7	45.5	10	10.8	16.5	40
M380608-C	8	45.5	12	12	16.5	50
M380609-C	9	45.5	14	13.1	16.5	55
M380610-C	10	45.5	15	14.7	16.5	60
M380611-C	11	45.5	17	16.5	16.5	70
M380612-C	12	45.5	18	17.1	17.1	75
M380613-C	13	45.5	18	18.5	18.5	85
M380614-C	14	50	18	19.5	19.5	95
M380615-C	15	53	20	20.4	20.4	100
M380616-C	16	53	20	22	22	105
M380617-C	17	56	20	23.3	23.3	120
M380618-C	18	56	20	24.2	24.2	125
M380619-C	19	56	20	25.7	25.7	130
M380620-C	20	63.5	22	26.8	26.8	140
M380621-C	21	63.5	22	27.7	27.7	165
M380622-C	22	63.5	22	29.5	29.5	165

Sockets & Accessories


DEEP AF SOCKETS



- 6 point single hexagon socket for a better grip
- Long sockets for extra reach
- Chrome vanadium
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Designed and manufactured to DIN3120/3124 and ISO2725
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size	L mm	T mm	D1 mm	D2 mm	g
M380212-C	3/8"	45.5	15	14.2	16.5	43
M380214-C	7/16"	45.5	17	16.5	16.5	50
M380216-C	1/2"	45.5	18	18.5	18.5	62
M380218-C	9/16"	50	18	19.5	19.5	72
M380220-C	5/8"	53	20	22	22	97
M380222-C	11/16"	56	20	24.2	24.2	125
M380224-C	3/4"	56	22	25.7	25.7	130
M380226-C	13/16"	63.5	22	27.7	27.7	140
M380228-C	7/8"	63.5	22	29.5	29.5	165

T-BAR SOCKETS



- 6 point single hexagon socket for a better grip
- Extra long sockets for extra reach
- Chrome vanadium
- Satin finish for a better grip when handling the socket
- Supplied with a sliding T bar for quicker tightening & loosening

ITEM ID:	Size mm	L mm	D mm	g
TBSKT07	7	300	10	200
TBSKT08	8	300	10	200
TBSKT10	10	300	10	220
TBSKT12	12	300	10	240
TBSKT13	13	300	10	240
TBSKT14	14	300	10	240
TBSKT17	17	300	12	340
TBSKT19	19	300	12	360
T-HD01	200mm x 8n	ım Replacement	bar for use with	T-bar sockets



T-BAR SOCKET SET







- Extra long sockets for extra reach
- 6 point single hexagon socket for a better grip T bar with the Teng Tools T-HD handle for more comfortable use
- Chrome vanadium satin finish for a better grip
- Supplied with a sliding T bar for quicker tightening & loosening
- Supplied in a handy tool roll style wallet

2 Piece T-bar handle									
300mm long deep sockets:									
0	mm:	7	8	10	12	13	14	17	19

Item ID: TBW10

TX-E BIT SOCKETS








- ${\sf Chrome\ vanadium}$
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Designed for use with protruding TX head screws
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size	Size mm	L mm	T mm	D1 mm	D2 mm	g
M380710-C	E10	7.2	28	7.2	13	17	25
M380712-C	E12	7.7	28	7.7	15	17	25
M380714-C	E14	9.6	28	9.6	16.3	18	30
M380716-C	E16	10.8	28	10.8	20	20	35
M380718-C	E18	12	28	12	22	22	40





- Chrome vanadium
- S2 steel bits pressed in to the socket
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Designed for use with fastenings with a hexagon hole
- Use with in-hex screws or grub screws Designed and manufactured to DIN7422
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size mm	L1 mm	L2 mm	D mm	g
M381503-C	3	49.5	23	17.9	38
M381504-C	4	49.5	23	17.9	38
M381505-C	5	49.5	23	17.9	38
M3815055-C	5.5	49.5	23	17.9	38
M381506-C	6	49.5	23	17.9	38
M381507-C	7	49.5	23	17.9	40
M381508-C	8	49.5	23	17.9	44
M381510-C	10	49.5	23	17.9	52
M381512-C	12	49.5	23	22	56

HEX BIT SOCKETS

- Chrome vanadium
- S2 steel bits pressed in to the socket
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Designed for use with fastenings with a hexagon hole
- Use with in-hex screws or grub screws
- Designed and manufactured to DIN7422
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size	L1 mm	L2 mm	D mm	g
M381103-C	3/32"	49.5	23	17.9	38
M381104-C	1/8"	49.5	23	17.9	38
M381105-C	5/32"	49.5	23	17.9	38
M381106-C	3/16"	49.5	23	17.9	38
M381107-C	7/32"	49.5	23	17.9	38
M381108-C	1/4"	49.5	23	17.9	38
M381110-C	5/16"	49.5	23	17.9	44
M381112-C	3/8"	49.5	23	17.9	44

TPX BIT SOCKETS



- Chrome vanadium
- S2 steel bits pressed in to the socket
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Designed for use with fastenings with a TX hole with a security pin
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size	Size mm	L1 mm	L2 mm	D mm	g
M381210-C	TPX10	2.5	49.5	23	17.9	38
M381215-C	TPX15	3	49.5	23	17.9	38
M381220-C	TPX20	3.5	49.5	23	17.9	38
M381225-C	TPX25	4.5	49.5	23	17.9	38
M381227-C	TPX27	5	49.5	23	17.9	38
M381230-C	TPX30	5.5	49.5	23	17.9	38
M381240-C	TPX40	6.5	49.5	23	17.9	38
M381245-C	TPX45	7.5	49.5	23	17.9	38
M381250-C	TPX50	8.8	49.5	23	17.9	38

TX BIT SOCKETS

- Chrome vanadium
- S2 steel bits pressed in to the socket
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Designed for use with fastenings with a TX hole
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size	Size mm	L1 mm	L2 mm	D mm	g
M381210T-C	TX10	2.5	49.5	23	17.9	38
M381215T-C	TX15	3	49.5	23	17.9	38
M381220T-C	TX20	3.5	49.5	23	17.9	38
M381225T-C	TX25	4.5	49.5	23	17.9	38
M381227T-C	TX27	5	49.5	23	17.9	38
M381230T-C	TX30	5.5	49.5	23	17.9	38
M381240T-C	TX40	6.5	49.5	23	17.9	38
M381245T-C	TX45	7.5	49.5	23	17.9	38
M381250T-C	TX50	8.8	49.5	23	17.9	38

Sockets & Accessories





REGULAR METRIC SOCKETS



- 12 point bi-hexagon socket for easier alignment
- Chrome vanadium
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Designed and manufactured to DIN3120/3124 and ISO2725
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size mm	L mm	T mm	D1 mm	D2 mm	g
M120508-C	8	38	9	13	21.8	43
M120509-C	9	38	10	14.5	21.8	45
M120510-C	10	38	10	15.5	21.8	45
M120511-C	11	38	10	16.7	21.8	47
M120512-C	12	38	10	18	21.8	49
M120513-C	13	38	10	19.2	21.8	50
M120514-C	14	38	10	20.5	21.8	50
M120515-C	15	38	14	21	21.8	51
M120516-C	16	38	14.3	22.5	23.3	55
M120517-C	17	38	15.3	24.2	23	57
M120518-C	18	38	16.7	24.7	23	61
M120519-C	19	38	17.3	26.3	24	63
M120520-C	20	38	18	27	23.7	66
M120521-C	21	38	18	28	24	68
M120522-C	22	40	18	29.8	26	92
M120523-C	23	40	18	30.8	27	92
M120524-C	24	40	20	31.8	26	95
M120525-C	25	40	20	33.4	28	136
M120526-C	26	40	20	34.8	29	140
M120527-C	27	43	20	35.8	30	148
M120528-C	28	43	20	37.8	31	172
M120529-C	29	43	20	38.8	32	180
M120530-C	30	43	22	39.8	33	172
M120532-C	32	43	23	41.8	35	189
M120534-C	34	45.5	23	43.8	36	223

REGULAR METRIC 6 POINT SOCKETS mm

- 6 point single hexagon socket for a better grip
- Chrome vanadium
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Designed and manufactured to DIN3120/3124 and ISO2725
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size mm	L mm	T mm	D1 mm	D2 mm	g
M1205106-C	10	38	10	15.5	21.8	45
M1205116-C	11	38	10	16.7	21.8	47
M1205126-C	12	38	10	18	21.8	49
M1205136-C	13	38	10	19.2	21.8	50
M1205146-C	14	38	10	20.5	21.8	50
M1205156-C	15	38	14	21	21.8	51
M1205166-C	16	38	14.3	22.5	23.3	55
M1205176-C	17	38	14.3	24.2	23	57
M1205186-C	18	38	15.3	24.7	23	61
M1205196-C	19	38	16.7	26.3	24	63
M1205206-C	20	38	17.3	27	24	66
M1205216-C	21	38	18	28	24	71
M1205226-C	22	40	18	29.8	26	97
M1205236-C	23	40	18	30.8	27	96
M1205246-C	24	40	18	31.8	26	93
M1205256-C	25	40	20	33.4	28	136
M1205266-C	26	40	20	34.8	29	140
M1205276-C	27	43	20	35.8	30	148
M1205286-C	28	43	20	37.8	31	172
M1205296-C	29	43	20	38.8	32	180
M1205306-C	30	43	20	39.8	33	180
M1205326-C	32	43	22	41.8	35	201
M1205336-C	33	45.5	23.5	42.8	35	235
M1205346-C	34	45.5	23.5	43.8	36	223









- 12 point bi-hexagon socket for easier alignment
- Chrome vanadium
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Designed and manufactured to DIN3120/3124 and ISO2725
 - Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size mm	L mm	T mm	D1 mm	D2 mm	g
M120112-C	3/8"	38	9	14.7	21.8	46
M120114-C	7/16"	38	9	17	21.8	50
M120116-C	1/2"	38	10	19	21.8	52
M120118-C	9/16"	38	12.5	20.8	21.8	55
M120119-C	19/32"	38	16	21	20.8	51
M120120-C	5/8"	38	14.3	23.3	22.5	62
M120122-C	11/16"	38	14.3	24.7	23	72
M120124-C	3/4"	38	20	26.3	24	76
M120125-C	25/32"	38	16	26.8	24	66
M120126-C	13/16"	38	20	28.8	24	80
M120128-C	7/8"	40	21	29.8	26	95
M120130-C	15/16"	40	21	31.8	26	110
M120132-C	1"	43	21	33.4	27.3	120
M120134-C	1-1/16"	43	23	35.8	28.7	145
M120136-C	1-1/8"	43	23	37.8	31	150
M120138-C	1-3/16"	43	23	39.8	33	190
M120140-C	1-1/4"	43	23	41.8	34	205

STAINLESS STEEL SOCKETS



- 4430 stainless steel making it ideal for the food, medical, aerospace and marine industries or for use in any acidic environment
- Satin finish for a better grip when handling the socket
 - 6 point single hexagon socket for a better grip
- Ball bearing recess on the female end to grip the ratchet
- Designed and manufactured to DIN3120/3124 and ISO2725
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size mm	L mm	T mm	D1 mm	D2 mm	g
MS1205106-C	10	38.5	10	15.5	21.5	50
MS1205116-C	11	38.5	10	16.7	21.5	51
MS1205126-C	12	38.5	10	18	21.5	51
MS1205136-C	13	38.5	10	19.2	21.5	53
MS1205146-C	14	38.5	10	20.5	21.5	55
MS1205156-C	15	38.5	13	21.1	21.6	55
MS1205166-C	16	38.5	13	22.5	23	65
MS1205176-C	17	38.5	13	24.2	23	75
MS1205186-C	18	38.5	13	25.5	23.5	83
MS1205196-C	19	38.5	16.7	26	24	76
MS1205216-C	21	39	17	27.5	79	76
MS1205246-C	24	39.5	18	31.5	26	102

DEEP METRIC 12 POINT SOCKETS mm

- 12 point bi-hexagon socket for easier alignment
- Chrome vanadium
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Designed and manufactured to DIN3120/3124 and ISO2725
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size mm	L mm	T mm	D1 mm	D2 mm	g
M120610-C	10	79	17	15.5	22	125
M120611-C	11	79	18	16.7	22	130
M120612-C	12	79	19	18	22	130
M120613-C	13	79	21	19.2	22	135
M120614-C	14	79	25	20.5	22	135
M120615-C	15	79	28	21.5	22	135
M120616-C	16	79	31	22.5	23.3	150
M120617-C	17	79	24	24.2	24.2	155
M120618-C	18	79	34	25.4	25.4	165
M120619-C	19	79	34	26.7	26.7	190
M120620-C	20	79	34	27.8	27.8	195
M120621-C	21	79	34	27.8	27.8	184
M120622-C	22	79	34	29.8	29.8	230
M120624-C	24	79	34	31.8	28.5	240
M120627-C	27	79	34	35.8	32	280
M120630-C	30	79	34	39.8	35	360
M120632-C	32	79	34	41.3	36.5	380
M120636-C	36	79	34	46	41	390

DEEP METRIC 6 POINT SOCKETS



- 6 point single hexagon socket for a better grip
- Chrome vanadium
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet Designed and manufactured to DIN3120/3124 and ISO2725
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size	L mm	T mm	D1 mm	D2 mm	g
M1206136-C	13	79	21	19.2	22	135
M1206146-C	14	79	25	20.5	22	135
M1206156-C	15	79	28	21.5	22	135
M1206166-C	16	79	31	22.5	23.3	150
M1206176-C	17	79	34	24.2	24.2	155
M1206186-C	18	79	34	25.4	25.4	165
M1206196-C	19	79	34	26.7	26.7	190
M1206246-C	24	79	34	31.8	31.8	240


DEEP STAINLESS STEEL SOCKETS













- 4430 stainless steel making it ideal for the food, medical, aerospace and marine industries or for use in any acidic environment
- Satin finish for a better grip when handling the socket
- 6 point single hexagon socket for a better grip
- Ball bearing recess on the female end to grip the ratchet
- Designed and manufactured to DIN3120/3124 and ISO2725
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size mm	L mm	T mm	D1 mm	D2 mm	g
MS1206176-C	17	79	33	24.2	24.2	149
MS1206196-C	19	79	33	26.5	26.5	183
MS1206216-C	21	79	33	27.5	27.5	187

HEX BIT SOCKETS

mm







- Chrome vanadium
- S2 steel bits pressed in to the socket
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Designed for use with fastenings with a hexagon hole
- Use with in-hex screws or grub screws
- Designed and manufactured to DIN7422
 - Supplied with a metal socket clip for use with a socket rail


ITEM ID:	Size mm	L1 mm	L2 mm	D mm	g
M121505-C	5	55	20.5	22	52
M121506-C	6	55	20.5	22	54
M121507-C	7	55	20.5	22	60
M121508-C	8	55	20.5	22	62
M121509-C	9	55	20.5	22	66
M121510-C	10	55	20.5	22	72
M121512-C	12	55	20.5	22	80
M121514-C	14	55	20.5	22	96
M121517-C	17	55	20.5	25	154
M121519-C	19	60	23	25.9	182

LONG HEX BIT SOCKETS












- Chrome vanadium
- S2 steel bits pressed in to the socket
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Designed for use with fastenings with a hexagon hole
- Use with in-hex screws or grub screws
- Designed and manufactured to DIN7422
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size mm	L1 mm	L2 mm	D mm	g
M122505-C	5	100	65.5	22	60
M122506-C	6	100	65.5	22	60
M122506A-C	6	115	80	22	100
M122507-C	7	100	65.5	22	80
M122508-C	8	100	65.5	22	80
M122508A-C	8	115	80	22	120
M122510-C	10	100	65.5	22	100
M122510L-C	10	175	140	22	150
M122512-C	12	100	65.5	22	120
M122514-C	14	100	65.5	22	153
M122517-C	17	100	65.5	25	225



Sockets & Accessories

HEX BIT SOCKETS




- Chrome vanadium
- S2 steel bits pressed in to the socket
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Designed for use with fastenings with a hexagon hole
- Use with in-hex screws or grub screws
- Designed and manufactured to DIN7422
- Supplied with a metal socket clip for use with a socket rail


ITEM ID:	Size	L1 mm	L2 mm	D mm	g
M121106-C	3/16"	55	20	22	55
M121107-C	7/32"	55	20	22	55
M121108-C	1/4"	55	20	22	55
M121109-C	9/32"	55	20	22	60
M121110-C	5/16"	55	20	22	62
M121112-C	3/8"	55	20	22	67
M121116-C	1/2"	55	20	22	85
M121118-C	9/16"	55	20	22	100
M121120-C	5/8"	55	20	22	120

RIBE BIT SOCKETS









- Chrome vanadium
- S2 steel bits pressed in to the socket
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Designed for use with fastenings with a multi spline Ribe type hole
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size	L1 mm	L2 mm	D mm	g
M122704-C	04	100	65	22	70
M122705-C	05	100	65	22	70
M122706-C	06	100	65	22	70
M122708-C	08	100	65	22	70
M122709-C	09	100	65	22	70
M122710-C	10	100	65	22	90
M122711-C	11	100	65	22	100
M122712-C	12	100	65	22	110
M122713-C	13	100	65	22	120

XZN BIT SOCKETS



- Chrome vanadium
- S2 steel bits pressed in to the socket
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet Designed for use with fastenings with a multi point XZN type hole
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size	L1 mm	L2 mm	D mm	g
M122805-C	05	100	65	22	70
M122806-C	06	100	65	22	70
M122808-C	08	100	65	22	70
M122809-C	09	100	65	22	70
M122810-C	10	100	65	22	90
M122812-C	12	100	65	22	110
M122814-C	14	100	65	22	130
M122816-C	16	100	65	22	160

TPX BIT SOCKETS



- Chrome vanadium
- S2 steel bits pressed in to the socket
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet Designed for use with fastenings with a TX hole with a security pin
- Supplied with a metal socket clip for use with a socket rail

	ITEM ID:	Size	Size mm	L1 mm	L2 mm	D mm	g
1	M121220-C	TPX20	3.5	55	20.5	22	60
	M121225-C	TPX25	4.5	55	20.5	22	60
1	M121227-C	TPX27	5	55	20.5	22	60
	M121230-C	TPX30	5.5	55	20.5	22	60

MIZIZZJ-C	IIAZJ	4.5	"	20.3		00
M121227-C	TPX27	5	55	20.5	22	60
M121230-C	TPX30	5.5	55	20.5	22	60
M121240-C	TPX40	6.5	55	20.5	22	68
M121245-C	TPX45	7.5	55	20.5	22	68
M121250-C	TPX50	8.8	55	20.5	22	68
M121255-C	TPX55	11.1	55	20.5	22	68
M121260-C	TPX60	13.1	55	20.5	22	68

Get organised **TENGIOOLS** 231


TX BIT SOCKETS



- Chrome vanadium
- S2 steel bits pressed in to the socket
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Designed for use with fastenings with a TX hole
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size	Size mm	L1 mm	L2 mm	D mm	g
M121220T-C	TX20	3.5	55	20.5	22	60
M121225T-C	TX25	4.5	55	20.5	22	60
M121227T-C	TX27	5	55	20.5	22	60
M121230T-C	TX30	5.5	55	20.5	22	65
M121240T-C	TX40	6.5	55	20.5	22	65
M121245T-C	TX45	7.5	55	20.5	22	68
M121250T-C	TX50	8.8	55	20.5	22	68
M121255T-C	TX55	11.1	55	20.5	22	68
M121260T-C	TX60	13.1	55	20.5	22	68

TX-E BIT SOCKETS






- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Designed for use with protruding TX head screws
 Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size	Size mm	L mm	T mm	D1 mm	D2 mm	g
M120710-C	E10	9.5	37.8	9.5	13.1	23.5	39
M120711-C	Ell	9.5	37.8	9.5	14.1	23.5	42
M120712-C	E12	9.5	37.8	9.5	14.9	23.5	43
M120714-C	E14	12.3	37.8	12.3	16.7	23.5	44
M120716-C	E16	13	37.8	13	19.1	23.5	49
M120718-C	E18	13	37.8	13	20.9	23.5	52
M120720-C	E20	13	37.8	13	23.7	23.5	60
M120722-C	E22	16.1	37.8	16.1	26.1	26.1	82
M120724-C	E24	16.4	37.8	16.4	28	28	102

LONG TX BIT SOCKETS



- S2 steel bits pressed in to the socket
- Satin finish for a better grip when handling the socket Ball bearing recess on the female end to grip the ratchet
- Designed for use with fastenings with a TX hole
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size	Size mm	L1 mm	L2 mm	D mm	g
M122220T-C	TX20	3.5	100	65.5	22	60
M122225T-C	TX25	4.5	100	65.5	22	60
M122227T-C	TX27	5	100	65.5	22	65
M122230T-C	TX30	5.5	100	65.5	22	70
M122240T-C	TX40	6.5	100	65.5	22	75
M122245T-C	TX45	7.5	100	65.5	22	80
M122250T-C	TX50	8.8	100	65.5	22	100
M122255T-C	TX55	11.1	100	65.5	22	100
M122260T-C	TX60	13.1	100	65.5	22	100
M122270T-C	TX70	15.5	100	65.5	22	100

Sockets & Accessories





REGULAR METRIC SOCKETS



- 6 point single hexagon socket for a better grip
- Chrome vanadium
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Designed and manufactured to DIN3120/3124 and ISO2725
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size mm	L mm	T mm	D1 mm	D2 mm	g
M3405196-C	19	50	14	29.2	33	180
M3405216-C	21	50	14	31.2	33	180
M3405226-C	22	50	14	32.2	36	220
M3405246-C	24	51	16	34.2	36	230
M3405266-C	26	52	18	36	36	240
M3405276-C	27	52	22	38	36	240
M3405306-C	30	54	24	42	38	260
M3405326-C	32	56	26	44	38	310
M3405336-C	33	56	26	46	38	330
M3405346-C	34	56	26	47	38	350
M3405366-C	36	58	28	50	38	430
M3405386-C	38	60	28	52	42	500
M3405416-C	41	64	30	56	45	570
M3405466-C	46	68	34	62	45	690
M3405506-C	50	72	36	68	48	830

REGULAR AF SOCKETS



- 12 point bi-hexagon socket for easier alignment
- Chrome vanadium
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Designed and manufactured to DIN3120/3124 and ISO2725
- Supplied with a metal socket clip for use with a socket rail


						_
ITEM ID:	Size	L	T	D1	D2	
	mm	mm	mm	mm	mm	g
M340124-C	3/4"	50	14	29.2	33	180
M340128-C	7/8"	51	18.1	32.2	36.2	195
M340130-C	15/16"	51	18.1	34.5	36.2	200
M340132-C	1"	51	24	37	37	200
M340134-C	1-1/16"	51	24	38.3	37	200
M340136-C	1-1/8"	51	24.3	40	38.5	230
M340138-C	1-3/16"	53	25.2	42	38.5	255
M340140-C	1-1/4"	55	28	44	38.5	275
M340142-C	1-5/16"	55	28	46	38.5	300
M340144-C	1-3/8"	57	29.7	48	42.3	360
M340146-C	1-7/16"	57	29.7	50	42.3	380
M340148-C	1-1/2"	60	31.1	52.1	45.2	440
M340152-C	1-5/8"	63	33.7	56.1	45.2	515
M340156-C	1-3/4"	65	33.7	60	48	610
M340158-C	1-13/16"	67	35.7	62	48	635
M340160-C	1-7/8"	69	37.2	64	48.3	690
M340164-C	2"	71	38.6	68.2	48.3	755

HEX BIT SOCKETS











- Chrome vanadium
- S2 steel bits pressed in to the socket
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Designed for use with fastenings with a hexagon hole Use with in-hex screws or grub screws
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size mm	L1 mm	L2 mm	D mm	g
M341514-C	14	78.5	25	36	326
M341517-C	17	78.5	25	36	330
M341519-C	19	78.5	25	36	334
M341522-C	22	78.5	25	36	338



REGULAR METRIC SOCKETS



- 12 point bi-hexagon socket for easier alignment
- Chrome vanadium
- Satin finish for a better grip when handling the socket
- Ball bearing recess on the female end to grip the ratchet
- Designed and manufactured to DIN3120/3124 and ISO2725

ITEM ID:	Size mm	L mm	T mm	D1 mm	D2 mm	g
M110536	36	65.3	31.2	51	45.2	440
M110541	41	70.2	33.8	57.1	45.2	550
M110546	46	74.5	37.5	64.6	49.4	810
M110550	50	75.3	38.1	69.9	55.2	995
M110555	55	80	40	76.2	57.3	1160
M110558	58	80	40	79.2	57.3	1250
M110560	60	84	41	82.1	57.3	1410
M110565	65	87.3	46.2	88	57.3	1540
M110570	70	93.4	51.5	94	68.1	2020
M110575	75	96.1	51.5	94	68.1	2020
M110580	80	103.6	55.3	105	68.1	2500

IMPACT TOOLS

An extensive range of impact tools, sockets and accessories designed specifically for use together with battery powered and pneumatic tools with a high torque capacity.

- Sockets available in ¼", ¾", ½", ¾" and 1"drives in all standard metric sizes and imperial sizes, from 6 mm to 95 mm and ¾16" to 1½" with standard, deep and thin walled options.
- Can be ordered individually or in sets for DIN or ANSI standards to suit all applications within the workshop and automotive industry.
- The ½", ¾", 1" and 1½" versions in the DINstandard are designed for use with a locking pin and ring to increase safety when working with pneumatic tools.



Full range of accessories including extension bars, adapter drives & universal joints



Made from chrome-molybdenum according to GGG-W-6608 to guarantee quality



Get organised









REGULAR IMPACT SOCKET SET







- ANSI standard design for use with power tools with a ball bearing
- Chrome molybdenum for use with power tools
- Supplied on a 290mm clip rail for storage as a set

Clip ra	Clip rail (Length: 290mm), 3/8" Drive socket clips x8											
Impact	Impact 6 point sockets:											
Reg mm: 8 10 11 13 14 16 17 19												

Item ID: **9381**



DEEP IMPACT SOCKET SET







- ANSI standard design for use with power tools with a ball bearing
- Chrome molybdenum for use with power tools
- Supplied on a 290mm clip rail for storage as a set

Clip rail (Length: 290mm), 3/8" Drive socket clips x8										
Impact 6 point sockets:										
O Deep mm:	8	10	11	13	14	16	17	19		

Item ID: 9386



IMPACT SOCKET SET







- Chrome molybdenum for use with power tools
- Designed and manufactured to DIN and ISO standards

3/8"F x 1/4"M ii	3/8"F x 1/4"M impact adaptor												
1/4" Drive Impact 6 point sockets:													
Reg mm:	6	7	8	10	13								
3/8" Drive Impac	3/8" Drive Impact 6 point sockets:												
Reg mm:	8	10	11	12	13	14	16	17	19				
O Deep mm:	8	10	11	12	13	14	16	17	19				

Item ID: **TT9024**



Socket Sets



REGULAR IMPACT SOCKET SET







- ANSI standard design for use with power tools with a ball bearing socket retainer
- Chrome molybdenum for use with power tools
- Supplied on a clip rail for storage as a set

Clip rail (Length:	Clip rail (Length: 290mm), 1/2" Drive socket clips x10											
Impact 6 point sockets:												
Reg mm:	10	11	12	13	14	17	19	21				
	22	24										

Item ID: **9121**







DEEP IMPACT SOCKET SET





mm

- ANSI standard design for use with power tools with a ball bearing socket retainer
- Chrome molybdenum for use with power tools
- Supplied on a clip rail for storage as a set

Clip rail (Length: 290mm), 1/2" Drive socket clips x10											
Impact 6 point sockets:											
O Deep mm:	10	11	12	13	14	17	19	21			
	22	24									

Item ID: 9126



IMPACT SOCKET ACCESSORY SET



- A selection of extension bars and adaptors
- ANSI standard design for use with power tools with a ball bearing
- Chrome molybdenum for use with power tools

Impact Adaptors:	3/8"F x 1/2"M, 1/2"F x 3/4"M, 1/2"F x 3/8"M
Universal Joint, 3",	, 5" & 10" Extension bars

Item ID: TT9207A





STUBBY IMPACT SOCKET SET



- Short reach for use in confined spaces
- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools
- Black phosphate finish for easy identification as an impact socket accessory
- Ring and pin fixing hole on the female end to secure the socket to the air gun
- Designed and manufactured to DIN3129

Clip rail (Length: 2	Clip rail (Length: 290mm), 1/2" Drive socket clips x10										
Impact 6 point sockets:											
O Deep mm:	Deep mm: 10 11 12 13 14 15 16 17										
	19	21	22	24							

Item ID: 9207S12



IMPACT SOCKET SET









- ANSI standard design for use with power tools with a ball bearing socket retainer
- Chrome molybdenum for use with power tools

1/2" Drive Impact 6 point sockets:											
Reg mm:	13	15	16	17	18	19	22	24			
O Deep mm:	13	15	16	17	18	19	22	24			

Item ID: TT9116N



IMPACT SOCKET ACCESSORY SET



- ____
- A selection of extension bars and adaptors
- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools

Impact Adaptors:	3/8"F x 1/2"M, 1/2"F x 3/4"M, 1/2"F x 3/8"M
Universal Joint, 3",	5" & 10" Extension bars

Item ID: TT9207

Get organised" [ENGIOOLS 237







IMPACT SOCKET SET

DRIVE Pieces

mm

- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools
- Designed and manufactured to DIN3129

Locking Pins: 20x3.5mm, 25x3.5mm											
0-rings: 20x3mm, 24x3mm											
1/2" Drive Impact 6 point sockets:											
Reg mm:	13	15	16	17	18	19	22	24			
Deep mm: 13 15 16 17 18 19 22 24											

Item ID: TT9120DN



IMPACT SOCKET SET







- ANSI standard design for use with power tools with a ball bearing socket retainer
- Selection of extension bars and adaptors
- Supplied in the unique Teng Tools double width TC tray
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs

3" & 10" Extension bars, Universal joint, 3/8"F x 1/2"M & 1/2"F x 3/4"M Impact adaptors											
1/2" Drive Impact 6 point sockets:											
Reg mm:	13	15	16	17	18	19	22	24			
O Deep mm:	13	15	16	17	18	19	22	24			

Item ID: TED9121










TORQUE STICK & WHEEL NUT SOCKET SET

- For the correct tightening of wheel nut sockets on cars
- When the correct torque is reached the torque stick socket end stops turning while the drive end springs back with each stroke
- Reduces the risk of sheared wheel nut bolts or distorted rims and brake discs
- Chrome molybdenum wheel nut sockets with protective inserts to avoid damage to wheels



Item ID: TTTS08







IMPACT SOCKET SET









- Extension bars and adaptors included
- DIN & ANSI standard 1/2" drive sockets included
- Chrome molybdenum for use with power tools
- Designed to fit exactly in the larger Teng Tools tool box drawers
- Can be used as a set on it's own or as part of the Teng Tools "Get Organised" system

3/8" Drive	3"	3" Extension bar, 3/8"F x 1/2"M & 3/8"F x 1/4"F Impact adaptors, Coupler adaptor for 1/4" hex bits											
1/2" Drive		3", 5" & 10" Extension bars, Universal joint, $1/2$ "F x $3/4$ "M & $1/2$ "F x $3/8$ "M Impact adaptors, Coupler adaptor for $5/16$ " hex bits											
3/8" Drive Impact 6 point sockets:													
Reg mm:	8	10	11	12	13	14	15	16	17				
	18	19											
O Deep mm:	8	10	11	12	13	14	16	17	19				
1/2" Drive Impac	t 6 point	sockets:	T										
Reg mm:	8	10	11	12	13	14	15	16	17				
	18	19	20	21	22	23	24	25	26				
	27	28	29	30	32								
O Deep mm:	10	11	12	13	14	15	16	17	18				
	19	21	22	24	27	28	29	30	32				
	35	36											

Item ID: TTEISK73



XZN IMPACT BIT SOCKET SET








- Chrome molybdenum with a manganese phosphate finish for added corrosion resistance
 - Suitable for use with power tools
- DIN standard design for use with a retaining pin and ring
- Supplied in the unique Teng Tools case with a snap lock
- Hard wearing hinge with a metal pin for longer life









TX IMPACT BIT SOCKET SET





Chrome molybdenum for use with power tools DIN standard design for use with a retaining pin and ring

1/2" Drive Ir	1/2" Drive Impact TX bit sockets:												
(★) TX:	10	15	20	25	27	30	40	45					
	50	55	60	70									

Item ID: TT9212TX

Get organised **TENGIOOLS**









HEX IMPACT BIT SOCKET SET



- Chrome molybdenum for use with power tools
- DIN standard design for use with a retaining pin and ring
- Designed and manufactured to DIN3129

3/8" Drive Impact Hex bit sockets:												
mm: 4 5 6 7 8 10 12												
1/2" Drive In	1/2" Drive Impact Hex bit sockets:											
mm:	mm: 5 6 8 10 12 14 17 19											

Item ID: TT9015HX





IMPACT SOCKET SET







- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools
- Supplied in the unique Teng Tools drawer width TTX tray

3/4" Drive Impact 6 point sockets:									
Reg mm:	19 (3/4")	27 (1-1/16")	28						
	30 (1-3/16")	32	34	36					
O Deep mm:	19 (3/4")	24	27 (1-1/16")						
	30 (1-3/16")	32	33	36					

Item ID: TTX9415







IMPACT SOCKET SET







- 7" impact extension bar included for reaching in to recessed
- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools
- Supplied in the unique Teng Tools double width TC tray

7" Extension bar,	7" Extension bar, Retaining rings & pins											
3/4" Drive Impact 6 point sockets:												
Reg mm:	19 (3/4")	24	27 (1-1/16")	30 (1-3/16")	32	33						
	34	36	38									

Item ID: TTD9416



IMPACT SOCKET SET









- Extension bars and adaptors included
- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools
- Designed to fit exactly in the larger Teng Tools tool box drawers
- Can be used as a set on it's own or as part of the Teng Tools "Get Organised" system

7" Extension bar,	7" Extension bar, Universal joint, 3/4"F x 1/2"M & 3/4"F x 1"M Impact adaptors											
3/4" Drive Impact 6 point sockets:												
Reg mm:	19	21	22	23	24	27	28	30	32			
	33	34	36	38	41	46						
O Deep mm:	19	21	22	23	24	27	30	32	33			
	34	36	38	41	46							

Item ID: TTEISK33





IMPACT DRIVERS & BITS

STUBBORN SCREWS + BOLTS DON'T STAND A CHANCE!

As a mechanic there is nothing more frustrating than wasting time and effort trying to loosen a stuck nut or bolt. Hand impact drivers are simple tools that work amazingly well for this task. Compared to a power impact tool there is far greater control with these models, they give greater access and they are so easy to use. If you can hold the tool and swing a hammer, then you can use this affordable impact tool!

After inserting the correct impact bit into the impact driver engage the stubborn screw or bolt. Apply downward pressure, while at the same time attempting to turn the impact driver in the direction you want the screw or nut to turn. Now the fun part! Whack the top of the impact driver with a hammer until the screw or nut is loosened enough to use a faster tool, such as a socket and a ratchet.









Impact Drivers & Bits



IMPACT DRIVER SET





4 Pieces

- Reversible action impact driver for shifting stubborn fastenings
- 1/2" drive square drive for use with impact sockets and accessories
- Removable bit holder included for use with 5/16" hexagon drive impact bits
- Set includes four impact bits covering the most popular screw head sizes and types
- Supplied in a handy storage case



Item ID: ID506



IMPACT BITS SET

Spare bits for the ID506 impact driver



Item ID: ID506BIT




IMPACT DRIVER SET





- Reversible action heavy duty impact driver for shifting stubborn fastenings.
- 1/2" drive square drive for use with impact sockets and accessories
- Removable bit holder included for use with 5/16" hexagon drive impact hits
- Set includes 12 impact bits covering the most popular screw head sizes and types
- Supplied in a handy storage case




Item ID: ID515



IMPACT BITS SET

Spare bits for the ID515 impact driver



Item ID: ID515BIT



IMPACT DRIVER SET





Includes a range of impact bits for removing stubborn fastenings

Reversible impact driver, coupler adaptor, 5/16" Hex x 3/8"M adaptor						
5/16" Hex bits:	Θ	6, 8, 10, 12	(+)	PH1, PH2, PH3, PH4		
Length 36mm		4, 5, 6, 8	(*)	TX30, TX40, TX45, TX50, TX55		

Item ID: TTID20





IMPACT DRIVER SET





- Includes a range of impact bits, impact sockets and screw extractors
- A complete set for removing stubborn fastenings

1/4" Drive reversible impact driver, Impact Bit Adaptor, 1/4" Hex x 1/4"M adaptor									
1/4" Drive I	1/4" Drive Impact 6 point sockets:								
0	Reg mm:	8	10	13					
Screw Extrac	tors:	1	2	3					
1/4" Hex Impact Bits: Length 50mm				3,	4, 5, 6	(1)	T.	X25, TX3	0, TX40
		(+)	Pl	12, PH3	*	P	Z2, PZ3		

Item ID: TTID19



IMPACT DRIVER SET





- For use with 1/4" hexagon drive impact bits
- Supplied complete with the most popular screwdriver head sizes
- Screw extractor bits also included for removing damaged fastenings
- Bits are held in a handy "bullet holder" for safe storage

1/4" Drive reversible impact driver							
Screw Extractors:	1	2	3				
1/4" Hex Impact Bits: Length 50mm	*	PI	PH1, PH2		5mm		

Item ID: IDSE7



TORQUE SCREWDRIVER SET





- Supplied in the unique Teng Tools double width TC tray
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs

1/4" Drive	1-5 Nm Torque screwdriver, Quick release chuck, Sliding T-bar, 6" Flexible extension, Ratchetting bits driver with assorted bits							
3/8" Drive	3/8"M x 5/16" Hex adaptor							
1/2" Drive	Reversible impact driver, 5/16" Hex bit adaptor							
5/16" Hex bits:	6, 8, 10, 12 + TX30, TX40, TX45, TX50, TX55							
Length 36mm	4, 5, 6, 8 PH1, PH2, PH3, PH4							
1/4" Hex bits:	3.5, 4, 4.5, 5.5 (x2), 6.5, 8 + PH1 (x3), PH2 (x6), PH3							
Length 25mm	PZ1 (x3), PZ2 (x6), PZ3 2, 3, 4, 5, 6, 8							
	1, 2, 3 + PH2G (x3)							
	TX6, TX7, TX8, TX9, TX10, TX15, TX20 (x3), TX25 (x3), TX27, TX30, TX40							
	TPX10, TPX15, TPX20 (x2), TPX25 (x2), TPX27, TPX30, TPX40							

Item ID: TEDSD95

Get organised **TENGIOOLS** 243







IMPACT DRIVER BITS



Length

- 5/16" hexagon drive impact bits
- For use with 1/2" drive impact drivers
- Designed for use with fastenings with a hexagon hole
- Use with in-hex screws or grub screws

ITEM ID:	Drive	Description	mm
910504	5/16" hex	4mm hex impact bit	36
910505	5/16" hex	5mm hex impact bit	36
910506	5/16" hex	6mm hex impact bit	36
910508	5/16" hex	8mm hex impact bit	36
910510	5/16" hex	10mm hex impact bit	36
920001	5/16" hex	PZ1 impact bit	36
920002	5/16" hex	PZ2 impact bit	36
920003	5/16" hex	PZ3 impact bit	36
940006	5/16" hex	6mm flat impact bit	36
940008	5/16" hex	8mm flat impact bit	36
940010	5/16" hex	10mm flat impact bit	36
940012	5/16" hex	12mm flat impact bit	36
930001	5/16" hex	PH1 impact bit	36
930002	5/16" hex	PH2 impact bit	36
930003	5/16" hex	PH3 impact bit	36
930004	5/16" hex	PH4 impact bit	36
970030	5/16" hex	TX30 impact bit	36
970040	5/16" hex	TX40 impact bit	36
970045	5/16" hex	TX45 impact bit	36
970050	5/16" hex	TX50 impact bit	36
970055	5/16" hex	TX55 impact bit	36



IMPACT BIT SET





10 Pieces

- Screwdriver, hex and TX bits in various lengths
- Metric and AF impact nut setters included
- New design impact bits and adaptors for higher torsion
- Suitable for use with impact power tools

60mm Impact magnetic bit holder, 60mm Impact quick chuck bit holder								
1/4" Drive Impact nut setters - Length 65mm								
O Size:	1/4"	8	10	13				
1/4" Hex Impact Bits:	(+)	PH1	, PH2 (x	2), PH3	(+)	PH2G (x2)		1, 2
Length 30mm	*	PZ	1, PZ2 (x	2), PZ3			3, 4 (x	2), 5, 6
		TX10,	TX15, T	(20 (x2)	, TX25 (x2), TX27,	TX30 (x2	?), TX40
1/4" Hex Impact Bits:	(1)	TX10, T	X15, TX2	0, TX25,	TX27, T	X30, TX40		1, 2, 3
Length 50mm			3,	4, 5, 6	①	PH2G	*	PZ2
1/4" Hex Impact Bits: Length 89mm	•	T	X20, TX2	5, TX30	①	PH2 (x2)		

Item ID: TTBS53



IMPACT BIT SET

- New design impact bits and adaptors for higher torsion
- Suitable for use with impact power tools
- Supplied in the unique Teng Tools bits box with a click lock lid Small enough to easily fit in the pocket

60mm Impact magnetic bit holder							
, ,	*	PZ2		4, 5	TX20, TX25, TX30		
Length 30mm	(+)	PH2G		1, 2			

Item ID: TM010





IMPACT BIT SET



- Magnetic and quick chuck bit holders included for fast changing
- Designed for higher torsion
- Tools are held in place using three colour pre-cut EVA foam

60mm Impact magnetic bit holder, 60mm Impact quick chuck bit holder							
1/4" Hex Impact Bits:	①	PH1, PH2 (x2), PH3	+ PH2G (x2)	1, 2			
Length 30mm	*	PZ1, PZ2 (x2), PZ3		3, 4 (x2), 5, 6			
	(1)	TX10, TX15, TX20 (x2)	, TX25 (x2), TX27,	TX30 (x2), TX40			
1/4" Hex Impact Bits:	(+)	PH1, PH2, PH3		3, 4, 5, 6			
Length 50mm	*	PZ1, PZ2, PZ3	→ PH2G	1, 2, 3			
		TX10, 1	X15, TX20, TX25,	TX27, TX30, TX40			

Item ID: TEABS50



IMPACT BIT SET

- 10 piece 1/4" hex impact bit set
- All the most commonly used impact bits for the construction industry
- New design impact bits and adaptors for higher torsion
- Suitable for use with impact power tools
- Supplied in the unique Teng Tools bits box with a click lock lid
- Small enough to easily fit in the pocket

60mm Impact magnetic bit holder							
1/4" Hex Impact Bits:	*	PZ1, PZ2, PZ3		TX10, TX20, TX25, TX30			
Length 30mm	(+)	PH2	PH2G				

Item ID: TMC010



IMPACT BIT SET

- New design impact bits and adaptors for higher torsion
- Suitable for use with impact power tools
- Supplied in the unique Teng Tools bits box with a click lock lid
- Small enough to easily fit in the pocket

60mm Impact magnetic	bit holder	
1/4" Hex Impact Bits: Length 30mm	(*)	TX10, TX15, TX20 (x2), TX25 (x2), TX27, TX30, TX40

Item ID: TMTX10



HOOK ON IMPACT BITS SET

- A handy bit holder with a clip ring for use on a belt or safety wire if working at height
- Includes 20 assorted 30mm length impact bits together with a 60mm magnetic bit holder
- A 1/4" drive adaptor for use with 1/4" drive impact sockets
- Designed for higher torsion enabling use with power tools

60mm Impact magnetic bit holder, 1/4" Hex x 1/4"M adaptor						
1/4" Hex Impact Bits:	*	PZ1, PZ2, PZ3	(+)	PH1, PH2, PH3	(+)	PH2G
Length 30mm		TX10, TX15,	TX20, T	X25, TX30, TX40		
		3, 4, 5, 6		1, 2, 3		

Item ID: THBSI22



10

Get organised* TENGIOOLS 245

10








IMPACT BIT SET

- 27 piece impact bit set
- Designed for higher torsion
- Includes a comprehensive range of impact bits and accessories
- Supplied in the unique Teng Tools bits box
- A sliding lock system helps keep the contents secure



Item ID: TBBSI27



IMPACT NUT SETTER SET

- Designed for higher torsion
- The 6 point 1/4" AF socket includes a magnet for holding the fastening
- The 6 point metric sockets include a magnet for holding the fastening
- Suitable for use on ferrous fastenings
- Supplied in the unique Teng Tools storage case
- A sliding lock system helps keep the contents secure



Item ID: TBNSI5



IMPACT MAGNETIC BITS HOLDER

- S2 stainless steel for use with 1/4" hex drive impact bits
- Overall length 60mm to reach in to hard to reach places
- Recessed magnet holds the bit as well as fastenings (ferrous materials only)
- Designed for higher torsion

Item ID: MBHI14



IMPACT MAGNETIC BITS HOLDER

- S2 stainless steel for use with 1/4" hex drive impact bits
- Overall length 60mm to reach in to hard to reach places
- Quick chuck bit holder for quick and easy changing between bits
- Designed for higher torsion

Item ID: QCI14



27 Pieces



IMPACT ADAPTOR

- 1/4" hexagon drive to 1/4" square drive impact adaptor
- Overall length 50mm to enable access in to recesses
- Enables the use of 1/4" hexagon drive bit drivers with 1/4" drive impact sockets
- Designed for use with power tools such as electric and rechargeable screwdrivers
- Ball bearing socket retainer on the male end to securely grip the socket

ITEM ID:	Length mm	Depth mm	Height mm	g
IBA14	50	8	8	15



1/4" DRIVE



IMPACT SCREW EXTRACTORS

- For use with a 1/4" drive impact driver
- Spiral design for removing damaged screws
- A quick and easy way to remove broken screws, pipes, bolts and studs

ITEM ID:	Size	Length mm	Depth mm	Height mm	g
SE141	1	140	7	7	12
SE142	2	140	7	7	12
SE143	3	140	7	7	12



PH IMPACT SCREWDRIVER BIT









- Designed for higher torsion
 For use with 1/4" hex drive bit holders and accessories
- Designed for use with Phillips type screws and fastenings

ITEM ID:	Size	Drive	Pack Qty	Length mm
PHP3000101	PH1	1/4" Hex	1	30
PHP3000105	PH1	1/4" Hex	5	30
PHP3000201	PH2	1/4" Hex	1	30
PHP3000205	PH2	1/4" Hex	5	30
PHP3000301	PH3	1/4" Hex	1	30
PHP3000305	PH3	1/4" Hex	5	30
PHP5000101	PH1	1/4" Hex	1	50
PHP5000201	PH2	1/4" Hex	1	50
PHP5000301	PH3	1/4" Hex	1	50
PHP8900201	PH2	1/4" Hex	1	89

PZ IMPACT SCREWDRIVER BIT









- Designed for higher torsion
- For use with 1/4" hex drive bit holders and accessories

 Designed for use with Pozidrive type 	screws and fastenings
--	-----------------------

ITEM ID:	Size	Pack Drive Qty		Length mm
PZP3000101	PZ1	1/4" Hex	1	30
PZP3000105	PZ1	1/4" Hex	5	30
PZP3000201	PZ2	1/4" Hex	1	30
PZP3000205	PZ2	1/4" Hex	5	30
PZP3000301	PZ3	1/4" Hex	1	30
PZP3000305	PZ3	1/4" Hex	5	30
PZP5000101	PZ1	1/4" Hex	1	50
PZP5000201	PZ2	1/4" Hex	1	50
PZP5000301	PZ3	1/4" Hex	1	50
PZP8900201	PZ2	1/4" Hex	1	89



PH2G IMPACT SCREWDRIVER BIT







- Designed for higher torsion
- PH2G type with reduced neck designed for use with dry
- For use with 1/4" hex drive bit holders and accessories

ITEM ID:	Size	Drive	Pack Qty	Length mm
GRP3000201	PH2G	1/4" Hex	1	30
GRP3000205	PH2G	1/4" Hex	5	30
GRP5000201	PH2G	1/4" Hex	1	50

HEX IMPACT SCREWDRIVER BIT







- Designed for higher torsion
- For use with 1/4" hex drive bit holders and accessories
- Designed for use with fastenings with a hexagon hole
- Use with in-hex screws or grub screws

ITEM ID:	Size	Pack Drive Qty		Length mm
HEXP3000301	3mm	1/4" Hex	1	30
HEXP3000305	3mm	1/4" Hex	5	30
HEXP3000401	4mm	1/4" Hex	1	30
HEXP3000405	4mm	1/4" Hex	5	30
HEXP3000501	5mm	1/4" Hex	1	30
HEXP3000505	5mm	1/4" Hex	5	30
HEXP3000601	6mm	1/4" Hex	1	30
HEXP3000605	6mm	1/4" Hex	5	30
HEXP5000301	3mm	1/4" Hex	1	50
HEXP5000401	4mm	1/4" Hex	1	50
HEXP5000501	5mm	1/4" Hex	1	50
HEXP5000601	6mm	1/4" Hex	1	50

TENGIOOLS 247



TX IMPACT SCREWDRIVER BIT









- Designed for higher torsion
- For use with 1/4" hex drive bit holders and accessories
- Designed for use with fastenings with an internal TX hole

ITEM ID:	Size	Drive	Pack Qty	Length mm
TXP3001001	TX10	1/4" Hex	/4" Hex 1	
TXP3001005	TX10	1/4" Hex	1/4" Hex 5	
TXP3001501	TX15	1/4" Hex	1	30
TXP3001505	TX15	1/4" Hex	5	30
TXP3002001	TX20	1/4" Hex	1	30
TXP3002005	TX20	1/4" Hex	5	30
TXP3002501	TX25	1/4" Hex	1	30
TXP3002505	TX25	1/4" Hex	5	30
TXP3002701	TX27	1/4" Hex	1	30
TXP3002705	TX27	1/4" Hex	5	30
TXP3003001	TX30	1/4" Hex	1	30
TXP3003005	TX30	1/4" Hex	5	30
TXP3004001	TX40	1/4" Hex	1	30
TXP3004005	TX40	1/4" Hex	5	30
TXP5001001	TX10	1/4" Hex	1	50
TXP5001501	TX15	1/4" Hex	1	50
TXP5002001	TX20	1/4" Hex	1	50
TXP5002501	TX25	1/4" Hex	1	50
TXP5002701	TX27	1/4" Hex	1	50
TXP5003001	TX30	1/4" Hex	1	50
TXP5004001	TX40	1/4" Hex	1	50
TXP8902001	TX20	1/4" Hex	1	89
TXP8902501	TX25	1/4" Hex	1	89
TXP8903001	TX30	1/4" Hex	1	89

ROB IMPACT SCREWDRIVER BIT







- Designed for higher torsion

 For use with 1/4" hex drive bit holders and accessories
- Designed for use with ROB recessed heads on screws and fastenings with a square hole

ITEM ID:	Size	Drive	Pack Qty	Length mm
ROBP3000101	ROB1	1/4" Hex	1	30
ROBP3000105	ROB1	1/4" Hex	5	30
ROBP3000201	ROB2	1/4" Hex	1	30
ROBP3000205	ROB2	1/4" Hex	5	30
ROBP5000101	ROB1	1/4" Hex	1	50
ROBP5000201	ROB2	1/4" Hex	1	50
ROBP5000301	ROB3	1/4" Hex	1	50
ROBP8900101	ROB1	1/4" Hex	1	89
ROBP8900201	ROB2	1/4" Hex	1	89
ROBP8900301	ROB3	1/4" Hex	1	89

IMPACT NUT SETTERS





- 1/4" hexagon drive nut setter
 Designed for higher torsion enabling use with power tools such as electric and rechargeable screwdrivers
- The 6 point 1/4" AF socket includes a magnet for holding the fastening
- Suitable for use on ferrous fastenings

ITEM ID:	Size	Drive	Туре	Length mm
NSP65108	1/4"	1/4" Hex	Magnetic	65
NSP65507	7mm	1/4" Hex	Magnetic	65
NSP65508	8mm	1/4" Hex	Magnetic	65
NSP65510	10mm	1/4" Hex	Magnetic	65
NSP65513	13mm	1/4" Hex	Magnetic	65





Torque Sticks







TORQUE STICK & WHEEL NUT SOCKET SET

- For the correct tightening of wheel nut sockets on cars
- When the correct torque is reached the torque stick socket end stops turning while the drive end springs back with each stroke
- Reduces the risk of sheared wheel nut bolts or distorted rims and broke discs.
- Chrome molybdenum wheel nut sockets with protective inserts to avoid damage to wheels

3/8" x 1/2" Torque step up adaptor						
1/2" Drive Torque sticks:						
Nm: 90 110 120 140						
1/2" Drive wheel nut sockets:						
O mm:	17	19	21			

Item ID: TTTS08

TORQUE STICKS



- Designed for tightening wheel nuts to a pre-set torque using an air gun.
- The bar absorbs the excess power of the gun once the torque is reached
- Ensures uniform tightening of the wheel nuts
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Drive	Torque Nm	Length mm	Retaining Ring	Retaining Pin
923090	1/2"	90	200	0935202	P90320
923110	1/2"	110	200	0935202	P90320
923120	1/2"	120	200	0935202	P90320
923140	1/2"	140	200	0935202	P90320

Sockets & Accessories

IMPACT ACCESSORIES

3/8¹¹ DRIVE



ITEM ID:	Drive	Description	Standard	Retaining Ring	Retaining Pin
980020-C	3/8"	3" extension bar	DIN	092416	P902515
980035-C	3/8"	3/8"F:1/4"M adaptor	DIN	092416	P902515
980036-C	3/8"	3/8"F:1/2"M adaptor	DIN	092416	P902515
980036A-C	3/8"	3/8"F:1/2"M adaptor	ANSI	-	-
980060-C	3/8"	Coupler adaptor: 1/4" hex	ANSI	-	-
980086	3/8"	3/8"M:5/16"hex	ANSI	-	-



ITEM ID:	Drive	Description	Standard	Retaining Ring	Retaining Pin
920020N	3/8"	3" extension bar	DIN	092194	P92320
920020AN	3/8"	3" extension bar	ANSI	-	-
920021N	3/8"	5" extension bar	DIN	092194	P92320
920021AN	3/8"	5" extension bar	ANSI	-	-
920023N	3/8"	10" extension bar	DIN	092194	P92320
920023AN	3/8"	10" extension bar	ANSI	-	-
920030N	3/8"	universal joint	DIN	092194	P92320
920030AN	3/8"	universal joint	ANSI	-	-
920036N	3/8"	1/2"F:3/8"M adaptor	DIN	092194	P92320
920036AN	3/8"	1/2"F:3/8"M adaptor	ANSI	-	-
920037N	3/8"	1/2"F:3/4"M adaptor	DIN	092194	P92320
920037AN	3/8"	1/2"F:3/4"M adaptor	ANSI	-	-
920060-C	3/8"	coupler adaptor: 5/16" hex	ANSI	-	-











ITEM ID:	Drive	Description	Standard	Retaining Ring	Retaining Pin
940022-C	3/8"	7" extension bar	DIN	095036	P90435
940030-C	3/8"	universal joint	DIN	093538	P90437
940037-C	3/8"	3/4"F:1/2"M adaptor	DIN	095036	P90435
940085-C	3/8"	3/4"F:1"M adaptor	DIN	095036	P90435





ITEM ID:	Drive	Description	Standard	Retaining Ring	Retaining Pin
910086	3/8"	1"F:3/4"M adaptor	DIN	097045	P90545

RETAINING RINGS & PINS



For use with DIN standard impact sockets & accessories

ITEM ID:	Description				
P902515	Retaining pin 2.5x15mm				
P902518	Retaining pin 2.5x18mm				
P92320	Retaining pin 3x20mm				
P90324	Retaining pin 3x24mm				
P92325	Retaining pin 3x25mm				
P90328	Retaining pin 3x28mm				
P90332	Retaining pin 3x32mm				
P90437	Retaining pin 4x37mm				
P90433	Retaining pin 4x33mm				
P90435	Retaining pin 4x35mm				
P90445	Retaining pin 4x45mm				
P90543	Retaining pin 5x43mm				
P90545	Retaining pin 5x45mm				
P90551	Retaining pin 5x51mm				
P90675	Retaining pin 6x75mm				
P906110	Retaining pin 6x110mm				



For use with DIN standard impact sockets & accessories

ITEM ID:	Description
092416	Retaining ring 16x2.4mm
092419	Retaining ring 19x2.4mm
092194	Retaining ring 19x4.0mm
0935202	Retaining ring 20x3.5mm
092244	Retaining ring 24x4.0mm
093525	Retaining ring 25x3.5mm
093528	Retaining ring 28x3.5mm
093530	Retaining ring 30x3.5mm
093532	Retaining ring 32x3.5mm
093534	Retaining ring 34x3.5mm
095034	Retaining ring 34x5mm
095036	Retaining ring 36x5mm
093538	Retaining ring 38x3.5mm
097043	Retaining ring 43x7mm
097045	Retaining ring 45x7mm
093546	Retaining ring 46x3.5mm
095046	Retaining ring 46x5mm
093548	Retaining ring 48x3.5mm
097051	Retaining ring 51x7mm
095775	Retaining ring 75x5.7mm
0910075	Retaining ring 75x10mm
09100115	Retaining ring 115x10mm





REGULAR 6 POINT IMPACT SOCKETS




- ANSI standard design with a ball bearing socket retainer
- Chrome molybdenum for use with power tools
- Black phosphate finish for easy identification as an impact socket accessory
- Designed and manufactured to DIN3129

ITEM ID:	Size mm	L mm	T mm	D1 mm	D2 mm	g
960506-C	6	21.2	10	9.5	12	20
960507-C	7	21.2	11	11	12	20
960508-C	8	21.2	11	12	12	20
960510-C	10	21.2	12.5	14	12	20
960513-C	13	21.2	12	18	12	20



REGULAR 6 POINT IMPACT SOCKETS



- ANSI standard design with a ball bearing socket retainer
- Chrome molybdenum for use with power tools
- Black phosphate finish for easy identification as an impact socket accessory

ITEM ID:	Size mm	L mm	T mm	D1 mm	D2 mm	g
980508-C	8	30	8	12.5	19	33
980510-C	10	30	8	15	19	34
980511-C	11	30	9	17	19	37
980512-C	12	30	9	19	19	40
980513-C	13	30	9	19	19	41
980514-C	14	30	9	20	20	41
980515-C	15	30	11	22	22	64
980516-C	16	30	11	24	24	64
980517-C	17	30	11	24	24	64
980519-C	19	30	11	26	26	72

DEEP 6 POINT IMPACT SOCKETS



- ANSI standard design with a ball bearing socket retainer
- Chrome molybdenum for use with power tools
- Black phosphate finish for easy identification as an impact socket accessory

ITEM ID:	Size mm	L mm	T mm	D1 mm	D2 mm	g
980608-C	8	65	12.8	12.6	19	95
980610-C	10	65	26	15.2	19	89
980611-C	11	65	27	17	19	87
980612-C	12	65	27	19	19	85
980613-C	13	65	27	19	19	80
980614-C	14	65	27	20	20	87
980616-C	16	65	27	24	24	144
980617-C	17	65	27	24	24	130
980619-C	19	65	27	26	26	143







HEX BIT IMPACT SOCKETS



- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools
- Black phosphate finish for easy identification as an impact socket accessory
- Ring and pin fixing hole on the female end to secure the socket
- Designed for use with fastenings with a hexagon hole
- Use with in-hex screws or grub screws
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size mm	L mm	D1 mm	g	Retaining Ring	Retaining Pin
981504-C	4	52	20.8	55	0935202	P90320
981505-C	5	52	20.8	57	0935202	P90320
981506-C	6	52	20.8	60	0935202	P90320
981507-C	7	52	20.8	63	0935202	P90320
981508-C	8	52	20.8	67	0935202	P90320
981510-C	10	52	20.8	74	0935202	P90320
981512-C	12	52	20.8	85	0935202	P90320




REGULAR 6 POINT IMPACT SOCKETS











- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools
- Black phosphate finish for easy identification as an impact socket accessory
- Ring and pin fixing hole on the female end to secure the socket
- Designed and manufactured to DIN3129

ITEM ID:	Size mm	L mm	T _(min)	D1 mm	D2 mm	Retaining Ring	Retaining Pin
920508N	8	38	5	15	25	092194	P92320
920510N	10	38	6	17	25	092194	P92320
920511N	11	38	7	18.5	25	092194	P92320
920512N	12	38	8	20	25	092194	P92320
920513N	13	38	8	21	25	092194	P92320
920514N	14	38	10	22.5	25	092194	P92320
920515N	15	38	10	23	30	092194	P92325
920516N	16	38	10	25	30	092244	P92325
920517N1	17	38	10	26	30	092244	P92325
920518N	18	38	12	27.5	30	092244	P92325
920519N1	19	38	12	28.5	30	092244	P92325
920520N	20	38	12	30	30	092244	P92325
920521N1	21	38	12	31	30	092244	P92325
920522N	22	38	14	32.5	30	092244	P92325
920523N	23	38	16	34	30	092244	P92325
920524N	24	38	16	35	30	092244	P92325
920525N	25	45	18	36	30	092244	P92325
920526N	26	45	18	37.5	30	092244	P92325
920527N	27	45	18	38.5	30	092244	P92325
920528N	28	47	20	40	30	092244	P92325
920529N	29	47	20	41	30	092244	P92325
920530N	30	50	20	42	30	092244	P92325
920532N	32	50	22	44	30	092244	P92325


Impact Tools 🔤

REGULAR 6 POINT IMPACT SOCKETS











- ANSI standard design with a ball bearing socket retainer
- Chrome molybdenum for use with power tools
- Black phosphate finish for easy identification as an impact socket accessory


ITEM ID:	Size mm	L mm	T _(min)	D1 mm	D2 mm
920510AN	10	38	4.6	17	22
920511AN	11	38	5.5	17	22
920512AN	12	38	6.1	19	22
920513AN	13	38	6.8	20	24
920514AN	14	38	8.4	21	24
920515AN	15	38	8.4	23	25
920516AN	16	38	9.5	25	25
920517AN	17	38	9.5	26	26
920518AN	18	38	10.2	28	26
920519AN	19	38	11.1	28	28
920521AN	21	38	11.7	30	30
920522AN	22	38	12.5	32	32
920524AN	24	38	13.9	36	36

DOUBLE ENDED WHEEL NUT SOCKETS











- Double ended 1/2" drive socket to give two sizes in one socket
- Chrome molybdenum for use with power tools
- Black phosphate finish for easy identification as an impact socket accessory


ITEM ID:	Size mm	L mm	D1 mm	D2 mm
9291719	17 / 19	58	28	28
9292122	21 / 22	58	32	32

STUBBY 6 POINT IMPACT SOCKET











- Short reach for use in confined spaces
- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools
 Black phosphate finish for easy identification as an impact socket accessory
- Ring and pin fixing hole on the female end to secure the socket
- Designed and manufactured to DIN3129

ITEM ID:	Size mm	L mm	T _(min)	D1 mm	D2 mm	Retaining Ring	Retaining Pin	
920710-C	10	28	5	18	24	0935202	P90320	
920712-C	12	28	5	20	24	0935202	P90320	
920713-C	13	28	5	20	24	0935202	P90320	
920714-C	14	28	5	22	24	0935202	P90320	
920715-C	15	28	5	24	24	0935202	P90320	
920716-C	16	28	5	24	24	0935202	P90320	
920717-C	17	28	10	26	26	093525	P90320	
920718-C	18	28	10	28	28	093525	P90320	
920719-C	19	28	10	28	28	093525	P90320	
920721-C	21	28	10	30	30	093525	P90324	
920722-C	22	28	10	32	30	093525	P90324	
920724-C	24	28	10	34	30	093525	P90324	








REGULAR 6 POINT IMPACT SOCKETS











- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools
- Black phosphate finish for easy identification as an impact socket accessory
- Ring and pin fixing hole on the female end to secure the socket
- Supplied with a metal socket clip for use with a socket rail




ITEM ID:	Size	L mm	T _(min)	D1 mm	D2 mm	Retaining Ring	Retaining Pin
920112	3/8"	38	3.9	16.1	24	092194	P92320
920114	7/16"	38	5.5	17.8	24	092194	P92320
920116	1/2"	38	6.7	19.9	24	092194	P92320
920118	9/16"	38	8.3	21.9	24	092194	P92320
920120	5/8"	38	9.5	24	24	092244	P92325
920122	11/16"	38	9.5	26	26	092244	P92325
920124	3/4"	38	11.1	28	28	092244	P92325
920126	13/16"	38	11.5	30	30	092244	P92325
920128	7/8"	38	12.7	32	30	092244	P92325
920130	15/16"	38	12.7	33.9	30	092244	P92325
920132	1"	40	13.8	35.6	30	092244	P92325
920134	1-1/16"	42	15.8	37.6	30	092244	P92325
920136	1-1/8"	42	16.6	39.8	30	092244	P92325
920138	1-1/4"	44	16.6	44	30	092244	P92325

DEEP 6 POINT IMPACT SOCKETS











- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools
- Black phosphate finish for easy identification as an impact socket accessory
- Ring and pin fixing hole on the female end to secure the socket
- Designed and manufactured to DIN3129

ITEM ID:	Size mm	L mm	T _(min)	D1 mm	D2 mm	Retaining Ring	Retaining Pin
920610N	10	80	9	17	25	092194	P92320
920611N	11	80	10.5	18.5	25	092194	P92320
920612N	12	80	12	20	25	092194	P92320
920613N	13	80	12	21	25	092194	P92320
920614N	14	80	15	22.5	25	092194	P92320
920615N	15	80	15	23	30	092244	P92325
920616N	16	80	15	25	30	092244	P92325
920617N	17	80	15	26	30	092244	P92325
920618N	18	80	18	27.5	30	092244	P92325
920619N	19	80	18	28.5	30	092244	P92325
920621N	21	80	18	31	30	092244	P92325
920622N	22	80	21	32.5	30	092244	P92325
920624N	24	80	24	35	30	092244	P92325
920627N	27	80	27	38.5	30	092244	P92325
920628N	28	80	30	40	30	092244	P92325
920629N	29	80	30	40	30	092244	P92325
920630N	30	80	30	42	30	092244	P92325
920632N	32	80	33	44	30	092244	P92325
920635N	35	80	33	48	30	092244	P92325
920636N	36	80	33	50	30	092244	P92325




DEEP 6 POINT IMPACT SOCKETS











- ANSI standard design with a ball bearing socket retainer Chrome molybdenum for use with power tools
- Black phosphate finish for easy identification as an impact socket accessory


ITEM ID:	Size mm	L mm	T _(min) mm	D1 mm	D2 mm
920610AN	10	78	4.6	17	22
920611AN	11	78	5.5	18	22
920612AN	12	78	6.1	19	22
920613AN	13	78	6.8	22	24
920614AN	14	78	8.4	22	24
920615AN	15	78	8.4	24	24
920616AN	16	78	9.5	24	24
920617AN	17	78	9.5	26	26
920618AN	18	78	10.2	28	28
920619AN	19	78	11.1	28	28
920621AN	21	78	11.7	30	30
920622AN	22	78	12.5	32	32
920624AN	24	78	13.9	35.8	35.8

DEEP 6 POINT IMPACT SOCKETS











- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools
- Black phosphate finish for easy identification as an impact socket accessory
- Ring and pin fixing hole on the female end to secure the socket
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size	L mm	T _(min)	D1 mm	D2 mm	Retaining Ring	Retaining Pin
920212	3/8"	78	3.9	16	24	092194	P92320
920214	7/16"	78	5.5	18	24	092194	P92320
920216	1/2"	78	6.7	20.4	24	092194	P92320
920218	9/16"	78	8.3	22	24	092194	P92320
920220	5/8"	78	9.5	24	24	092244	P92325
920222	11/16"	78	9.5	26	26	092244	P92325
920224	3/4"	78	11.1	28	28	092244	P92325
920226	13/16"	78	11.5	30	30	092244	P92325
920228	7/8"	78	12.7	32	30	092244	P92325
920230	15/16"	78	12.7	34	30	092244	P92325
920232	1"	78	13.8	36	30	092244	P92325
920234	1-1/16"	78	15.8	38	30	092244	P92325
920236	1-1/8"	78	16.6	40	30	092244	P92325
920238	1-1/4"	78	16.6	44.4	30	092244	P92325
920242	1-5/16"	80	16.6	46	30	092244	P92325
920248	1-1/2"	80	16.6	52	30	092244	P92325










XZN BIT IMPACT SOCKETS









- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools
- Black phosphate finish for easy identification as an impact socket
- Ring and pin fixing hole on the female end to secure the socket
- Designed for use with fastenings with a multi point XZN type hole
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size	L mm	L2 mm	
921814	14	43	23	
921816	16	43	23	
921818	18	43	23	
000014	14	70		


25 73 77 25 25 82 25 127 923814 78 53 923816 78 53 25 134 923818 78 53 25 151

HEX BIT IMPACT SOCKETS











- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools
- Black phosphate finish for easy identification as an impact socket
- Ring and pin fixing hole on the female end to secure the socket
- Designed for use with fastenings with a hexagon hole
- Use with in-hex screws or grub screws
- Supplied with a metal socket clip for use with a socket rail


ITEM ID:	Size mm	L mm	D1 mm	g	Retaining Ring	Retaining Pin
921505-C	5	78	25	81	0935202	P90320
921506-C	6	78	25	86	0935202	P90320
921508-C	8	78	25	100	0935202	P90320
921510-C	10	78	25	114	0935202	P90320
921512-C	12	78	25	132	0935202	P90320
921514-C	14	78	25	155	0935202	P90320
921517-C	17	78	25	191	0935202	P90320
921519-C	19	78	25	216	0935202	P90320

HEX BIT IMPACT SOCKETS











- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools
- Black phosphate finish for easy identification as an impact socket
- Ring and pin fixing hole on the female end to secure the socket
- Designed for use with fastenings with a hexagon hole
- Use with in-hex screws or grub screws
- Supplied with a metal socket clip for use with a socket rail


ITEM ID:	Size mm	L mm	D1 mm	Retaining Ring	Retaining Pin
921606	3/16"	78	24.8	092194	P92320
921608	1/4"	78	24.8	092194	P92320
921610	5/16"	78	24.8	092194	P92320
921612	3/8"	78	24.8	092194	P92320
921614	7/16"	78	24.8	092244	P92325
921616	1/2"	78	24.8	092244	P92325
921618	9/16"	78	24.8	092244	P92325
921620	5/8"	78	24.8	092244	P92325
921622	11/16"	78	24.8	092244	P92325
921624	3/4"	78	24.8	092244	P92325



TX BIT IMPACT SOCKETS









- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools
- Black phosphate finish for easy identification as an impact socket
- Ring and pin fixing hole on the female end to secure the socket
- Designed for use with fastenings with a TX hole Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size	L mm	D1 mm	D2 mm	g	Retaining Ring	Retaining Pin
921210TX-C	10	78	25	6.5	73	0935202	P90320
921215TX-C	15	78	25	6.5	74	0935202	P90320
921220TX-C	20	78	25	6.5	74	0935202	P90320
921225TX-C	25	78	25	6.5	74	0935202	P90320
921227TX-C	27	78	25	6.5	78	0935202	P93020
921230TX-C	30	78	25	6.5	79	093525	P90324
921240TX-C	40	78	25	8	86	093525	P90324
921245TX-C	45	78	25	9	93	093525	P90324
921250TX-C	50	78	25	10	98	093525	P90324
921255TX-C	55	78	25	12	109	093525	P90324
921260TX-C	60	78	25	14	122	093525	P93024
921270TX-C	70	78	25	16	148	093525	P90324




REGULAR 6 POINT IMPACT SOCKETS











- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools
- Black phosphate finish for easy identification as an impact socket accessory
- Ring and pin fixing hole on the female end to secure the socket

ITEM ID:	Size mm	L mm	T _(min)	D1 mm	D2 mm	g	Retaining Ring	Retaining Pin
940519-C	19	50	13	33	44	247	095036	P90435
940521-C	21	50	15	35	44	250	095036	P90435
940522-C	22	50	15	37	44	252	095036	P90435
940523-C	23	50	16	38	44	252	095036	P90435
940524-C	24	50	16	39	44	255	095036	P90435
940527-C	27	54	19	43	44	270	095036	P90435
940528-C	28	54	19	44	44	300	095036	P90435
940530-C	30	54	21	47	44	330	095036	P90435
940532-C	32	56	22	48	44	330	095036	P90435
940533-C	33	56	22	51	44	395	095036	P90435
940534-C	34	56	22	52	44	420	095036	P90435
940536-C	36	56	25	54	44	455	095036	P90435
940538-C	38	58	25	57	44	465	095036	P90435
940540-C	40	58	25	58	44	530	095036	P90435
940541-C	41	58	27	60	44	610	095036	P90435
940546-C	46	63	30	67	44	775	095036	P90435
940550-C	50	68	30	71	44	839	095036	P90435








REGULAR 6 POINT IMPACT SOCKETS











- 3/4" drive regular 6 point AF impact socket
- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools
- Black phosphate finish for easy identification as an impact socket
- Ring and pin fixing hole on the female end to secure the socket to the air gun
 - Supplied with a metal socket clip for use with a socket rail


ITEM ID:	Size mm	L mm	T _(min)	D1 mm	D2 mm	Retaining Ring	Retaining Pin
940122	11/16"	51	14	29.5	41.4	095036	P90435
940124	3/4"	51	14	32	41.4	095036	P90435
940126	13/16"	51	14	35	41.4	095036	P90435
940128	7/8"	51	14	36	41.4	095036	P90435
940130	15/16"	51	16.5	38.5	41.4	095036	P90435
940132	1"	53	16.5	40	41.4	095036	P90435
940134	1-1/16"	53	20	42.5	44	095036	P90435
940136	1-1/8"	53	20	44	44	095036	P90435
940138	1-3/16"	53	20	46	44	095036	P90435
940140	1-1/4"	57	21	48.5	44	095036	P90435
940142	1-5/16"	57	21	50	44	095036	P90435
940144	1-3/8"	57	21	52.5	44	095036	P90435
940146	1-7/16"	57	21	53.5	44	095036	P90435
940148	1-1/2"	57	22	56	44	095036	P90435
940150	1-9/16"	58	22	58.5	44	095036	P90435
940152	1-5/8"	58	22	60	44	095036	P90435
940154	1-11/16"	62	25	63.5	44	095036	P90435
940156	1-3/4"	62	25	64.5	44	095036	P90435
940160	1-7/8"	68	30	68	44	095036	P90435
940162	1-15/16"	68	30	70	44	095036	P90435
940164	2"	68	30	71	44	095036	P90435
940166	2-1/16"	71	32	73	54	095036	P90435
940168	2-1/8"	71	32	75.5	54	095036	P90435
940170	2-3/16"	71	32	77.5	54	095036	P90435
940172	2-1/4"	73	34	80	54	095036	P90435
940174	2-5/16"	73	34	81	54	095036	P90435
940176	2-3/8"	73	34	83	54	095036	P90435

DEEP 6 POINT IMPACT SOCKETS











- 3/4" drive deep 6 point impact socket
- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools
 Black phosphate finish for easy identification as an impact
- Ring and pin fixing hole on the female end to secure the socket to the air gun

ITEM ID:	Size mm	L mm	T _(min)	D1 mm	D2 mm	g	Retaining Ring	Retaining Pin
940619-C	19	95	31	33	44	595	095036	P90435
940621-C	21	95	31	35	44	610	095036	P90435
940622-C	22	95	31	37	44	620	095036	P90435
940623-C	23	95	31	38	44	630	095036	P90435
940624-C	24	95	31	39	44	640	095036	P90435
940627-C	27	95	31	43	44	680	095036	P90435
940630-C	30	95	33	47	44	720	095036	P90435
940632-C	32	95	33	49	44	870	095036	P90435
940633-C	33	95	34	51	44	860	095036	P90435
940634-C	34	95	34	52	44	810	095036	P90435
940636-C	36	95	36	54	44	830	095036	P90435
940638-C	38	95	36	57	44	920	095036	P90435
940641-C	41	95	36	58	44	790	095036	P90435
940646-C	46	95	36	67	44	900	095036	P90435
940650-C	50	95	36	71	44	1227	095036	P90435


Impact Tools 🔤

DEEP 6 POINT IMPACT SOCKETS











- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools
- Black phosphate finish for easy identification as an impact socket accessory
- Ring and pin fixing hole on the female end to secure the socket
- Supplied with a metal socket clip for use with a socket rail


Supplied with a metal sucker clip for use with a sucker full											
ITEM ID:	Size mm	L mm	T _(min) mm	D1 mm	D2 mm	Retaining Ring	Retaining Pin				
940224	3/4"	90	26	32	41.4	095036	P90435				
940226	13/16"	90	26	35	41.4	095036	P90435				
940228	7/8"	90	26	36	41.4	095036	P90435				
940230	15/16"	90	26	38.5	41.4	095036	P90435				
940232	1"	90	26	40	41.4	095036	P90435				
940234	1-1/16"	90	28	42.5	44	095036	P90435				
940236	1-1/8"	90	28	44	44	095036	P90435				
940238	1-3/16"	90	28	46	44	095036	P90435				
940240	1-1/4"	90	28	48.5	44	095036	P90435				
940242	1-5/16"	90	30	50	44	095036	P90435				
940244	1-3/8"	90	30	52.5	44	095036	P90435				
940246	1-7/16"	90	30	53.5	44	095036	P90435				
940248	1-1/2"	90	34	56	44	095036	P90435				
940250	1-9/16"	90	34	58.5	44	095036	P90435				
940252	1-5/8"	90	34	60	44	095036	P90435				
940254	1-11/16"	90	34	63.5	44	095036	P90435				
940256	1-3/4"	90	34	64.5	44	095036	P90435				
940258	1-13/16"	90	34	66	44	095036	P90435				
940260	1-7/8"	90	34	68	44	095036	P90435				

HEX BIT IMPACT SOCKETS











- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools
- Black phosphate finish for easy identification as an impact socket accessory
- Ring and pin fixing hole on the female end to secure the socket
- Designed for use with fastenings with a hexagon hole
- Use with in-hex screws or grub screws
- Supplied with a metal socket clip for use with a socket rail

ITEM ID:	Size mm	L mm	D1 mm	g	Retaining Ring	Retaining Pin
941519-C	19	90	44	600	095036	P90435
941522-C	22	90	44	600	095036	P90435
941524-C	24	90	44	600	095036	P90435



EXTRA LONG 6 POINT METRIC IMPACT SOCKET









- Ideal for reaching wheel nuts on recessed truck wheels
- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools
- Black phosphate finish for easy identification as an impact socket accessory
- Ring and pin fixing hole on the female end to secure the socket

ITEM ID:	Size mm	L mm	T _(min)	D1 mm	D2 mm	g	Retaining Ring	Retaining Pin
940732-C	32	400	22	48	44	1850	095036	P90435

Get organised TENGIOOLS 259








REGULAR 6 POINT IMPACT SOCKETS











- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools
- Black phosphate finish for easy identification as an impact socket accessory
 - Ring and pin fixing hole on the female end to secure the socket


ITEM ID:	Size mm	L mm	T _(min)	D1 mm	D2 mm	g	Retaining Ring	Retaining Pin
910524	24	58	18	41	54	640	097045	P90545
910527	27	58	20	46	54	645	097045	P90545
910530	30	60	21	49	54	680	097045	P90545
910532	32	60	21	52	54	700	097045	P90545
910533	33	60	21	53	54	700	097045	P90545
910534	34	60	21	55	54	690	097045	P90545
910536	36	65	30	56	54	700	097045	P90545
910538	38	65	30	59	54	750	097045	P90545
910541	41	67	30	63	54	850	097045	P90545
910546	46	74	40	69	54	1005	097045	P90545
910550	50	80	43	74	54	1220	097045	P90545
910555	55	84	43	80	54	1470	097045	P90545
910560	60	87	46	86	54	1610	097045	P90545
910565	65	90	49	92	54	1890	097045	P90545
910570	70	96	51	99	54	2355	097045	P90545
910575	75	98	52	104	54	2455	097051	P90551
910580	80	100	52	109	86	3750	097051	P90551
910585	85	100	52	115	86	4750	0910075	P90675
910590	90	100	55	119	86	6000	0910075	P90675
910595	95	100	55	130	86	6500	097045	P90545

DEEP THINWALL METRIC IMPACT SOCKETS












- Thin wall design for reaching in to recesses
- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools
- Black phosphate finish for easy identification as an impact socket accessory
- Ring and pin fixing hole on the female end to secure the socket

ITEM ID:	Size mm	L mm	T _(min)	D1 mm	D2 mm	g	Retaining Ring	Retaining Pin
910624	24	100	28	38	54	830	097045	P90545
910627	27	100	28	43	54	895	097045	P90545
910628	28	100	28	43	54	895	097045	P90545
910630	30	100	42	45	54	945	097045	P90545
910632	32	100	45	47	54	935	097045	P90545
910633	33	100	45	49	54	980	097045	P90545
910636	36	100	66	52	54	870	097045	P90545

DEEP 6 POINT METRIC IMPACT SOCKET









- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools
- Black phosphate finish for easy identification as an impact socket accessory
- Ring and pin fixing hole on the female end to secure the socket

ITEM ID:	Size mm	L mm	T _(min)	D1 mm	D2 mm	g	Retaining Ring	Retaining Pin
910627R	27	100	50	46	54	990	097045	P90545
910630R	30	100	50	50	54	1040	097045	P90545
910632R	32	100	50	52	54	1060	097045	P90545
910633R	33	100	50	53	54	1070	097045	P90545



EXTRA LONG 6 POINT METRIC IMPACT SOCKET










- Ideal for reaching wheel nuts on recessed truck wheels
- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools
- Black phosphate finish for easy identification as an impact socket accessory
- Ring and pin fixing hole on the female end to secure the socket

ITEM ID:	Size mm	L mm	T _(min)	D1 mm	D2 mm	g	Retaining Ring	Retaining Pin
910732	32	400	28	48	54	1840	097045	P90545






REGULAR 6 POINT METRIC IMPACT SOCKETS











- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools
- Black phosphate finish for easy identification as an impact socket accessory.
- Ring and pin fixing hole on the female end to secure the socket

ITEM ID:	Size mm	L mm	T _(min)	D1 mm	D2 mm	g	Retaining Ring	Retaining Pin
912041	41	80	27	69	86	1800	0910075	P90675
912046	46	84	29	75	86	2000	0910075	P90675
912050	50	87	30	80	86	2400	0910075	P90675
912055	55	90	32	86	86	2600	0910075	P90675
912060	60	95	35	91	86	2870	0910075	P90675
912065	65	100	38	100	86	3230	0910075	P90675
912070	70	105	40	104	86	3670	0910075	P90675
912075	75	105	42	105	86	4000	0910075	P90675
912080	80	110	46	116	86	4300	0910075	P90675
912085	85	110	46	123	86	4600	0910075	P90675
912090	90	112	48	129	86	5100	0910075	P90675
912095	95	112	48	136	127	7700	09100115	P906110
912100	100	115	50	142	127	8200	09100115	P906110
912105	105	120	52	148	127	8600	09100115	P906110
912110	110	124	54	154	127	9100	09100115	P906110
912115	115	128	56	161	127	10300	09100115	P906110
912120	120	132	58	167	127	11500	09100115	P906110
912125	125	136	60	173	127	12500	09100115	P906110
912130	130	140	60	180	127	13500	09100115	P906110




SPANNERS

Our range has been developed over many years with DIN and ISO standards as the lowest benchmark when it comes to quality and size tolerances. This is a policy that has resulted in many top positions on best-buy lists in consumer and trade magazines. The range includes many different types of spanners for most application areas and personal taste. All spanners are available individually as well as in TT sets, tool pouches or wall racks.



Combination spanners

- Manufactured and designed in accordance with DIN3113A in high grade chrome vanadium steel.
- The ring head is offset 15 degrees to facilitate use even on flat surfaces.
- Teng Tools "Hip Grip" feature means the contact surface grips on the flat surfaces of the nut or bolt rather than on the corner. This helps to prevent damage and makes it possible to grip nuts and bolts which already have damaged corners.





Anti-slip combination spanners

- The ring head is offset 15 degrees and is also countersunk so you can gain access in confined areas.
- The ring head is equipped with Teng Tools "hip grip" system that prevents damage to nuts and makes it possible to grip already damaged nuts.
- Hole in the handle for tool securing.
- The design of the shaft ensures an improved grip to avoid slipping and cause injury.
- The new design includes an anti-slip grip at the open end.

Anti-slip grip at the open end & an improved grip to avoid slipping

Ring ratchet spanners

- Ratchet spanners with 15 degree offset head for easier use against flat surfaces.
- Lever for quick reversing between left and righthand action.

Ring ratchet spanners with flexible head

 Ring ratchet spanner with 180 degree flexible pivot to gain access to even the most hard to reach nuts and bolts.

> 72 teeth give an arc of 5 degrees for smooth operation







COMBINATION SPANNER SET



- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the fastening
- Chrome vanadium satin finish
- Designed and manufactured to DIN3113A

Combination Spanners: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

Item ID: TT1236



COMBINATION SPANNER SET







- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the fastening
- Tools are held in place using three colour pre-cut EVA foam
- Designed and manufactured to DIN3113A

Combination Spanners: 5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

Item ID: TED6515

TED





COMBINATION SPANNER SET





- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the fastening
- Designed and manufactured to DIN3113A

Combination Spanners:

20, 21, 22, 24, 27, 30, 32 mm

Item ID: TTX2032











COMBINATION SPANNER SET

- Chrome vanadium, satin finish
- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the fastening
- Tools are held in place using three colour pre-cut EVA foam
- Designed and manufactured to DIN3113A

Combination Spanners:

20, 21, 22, 24, 27, 30, 32 mm

Item ID: TEX2032



COMBINATION SPANNER SET





- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the fastening
- Chrome vanadium satin finish
- Supplied with a wall rack for fixing to the wall or a workbench
- Designed and manufactured to DIN3113A

Combination Spanners:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

Item ID: WRSP12







fastening

Combination Spanners:

Item ID: TTESP31

COMBINATION SPANNER SET

Chrome vanadium satin finish

Off set at 15° for easier use on flat surfaces

5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32, 33, 34, 36, 38 mm

Teng Tools hip grip design for contact with the flat side of the

Tools are held in place using three colour pre-cut EVA foam Designed to fit exactly in the larger Teng Tools tool box drawers Designed and manufactured to DIN and ISO standards


















- Includes combination spanners, screwdrivers, hex keys, an adjustable wrench and a claw pick up tool
- Tools are held in place using three colour pre-cut EVA foam
- Designed to fit exactly in the larger Teng Tools tool box drawers
- Designed and manufactured to DIN and ISO standards

Combination Spanners: 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm General Tools: Wrenches 8" wide jaw adjustable Ball point hex keys: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm Accessories: 600mm claw pick up tool (**★**) PZ1x75 mm Screwdrivers: 3.5x75 mm PH1x75 mm 5.5x150 mm PH2x100 mm PZ2x100 mm



Item ID: TTESP28









COMBINATION SPANNER AND FILE SET

- 72 teeth ratcheting combination spanners with flip reverse
- Chrome vanadium satin finish
- The five most used 10" hand files included
- Tools are held in place using three colour pre-cut EVA foam
- Designed to fit exactly in the larger Teng Tools tool box drawers

Combination Spanners: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm Ratchet Spanners: 8, 10, 11, 12, 13, 14, 17, 19 mm 10" Engineers Files: Flat, Round, Half Round, Three Square & Hand Type Flat

Item ID: TTEX32



COMBINATION SPANNER SET



- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the fastening
- Chrome vanadium satin finish
- Designed and manufactured to DIN3113A

Combination Spanners: 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"

Item ID: TT3592

Get organised **TENGIOOLS** 265







mm





COMBINATION SPANNER SET





- Chrome vanadium, satin finish
- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the fastening
- Designed and manufactured to DIN3113A

Combination Spanners:

13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"

Item ID: TTX2640











SOCKET AND SPANNER SET

- Combination spanners and a range of socketry Tools are held in place using three colour pre-cut EVA foam
- Teng Tools hip grip design for contact with the flat side of the
- Chrome vanadium satin finish
- Designed to fit exactly in the larger Teng Tools tool box drawers
- Designed and manufactured to DIN and ISO standards

1/4"	Drive 6 poin	ıt sockets	:									
0	Reg AF:	3/16"	7/32"	1/4"	9/32"	5/16"	11/32"	3/8"	7/16"	1/2"		
0	Deep AF:	3/16"	7/32"	1/4"	9/32"	5/16"	11/32"	3/8"	7/16"	1/2"		
3/8"	3/8" Drive 6 point sockets:											
0	Reg AF:	3/8"	7/16"	1/2"	9/16"	5/8"	11/16"	3/4"				
0	Deep AF:	3/8"	7/16"	1/2"	9/16"	5/8"	11/16"	3/4"				
1/2"	Drive 12 poi	int socket	s:									
0	Reg AF:	3/8"	7/16"	1/2"	9/16"	5/8"	11/16"	3/4"	13/16"	7/8"		
		15/16"	1"	1-1/8"	1-3/16"	1-1/4"						
Combination Spanners:												

5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4", 13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"

Item ID: TTEAF62



COMBINATION SPANNER SET



- Teng Tools hip grip design for contact with the flat side of the fastening
- Chrome vanadium satin finish
- Supplied in a holder that can be used for storage or for mounting on a wall
- Designed and manufactured to DIN3113A

Combination Spanners:

8, 10, 11, 12, 13, 14, 15, 16, 17, 19 mm

Item ID: 6510A



- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the fastening
- Chrome vanadium satin finish
- Designed and manufactured to DIN3113A

Combination Spanners: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

Item ID: 6512N





- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the fastening
- Chrome vanadium satin finish
- Designed and manufactured to DIN3113A

Combination Spanners:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 19, 22 mm

Item ID: 6512



- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the fastening
- Chrome vanadium satin finish
- Designed and manufactured to DIN3113A

Combination Spanners:

6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 24, 27, 30, 32 mm

Item ID: 6521





COMBINATION SPANNER SET

- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the fastening
- Chrome vanadium satin finish
- Supplied in a handy tool roll style wallet
- Designed and manufactured to DIN3113A

Combination Spanners:

8. 9, 10, 11, 12, 13, 14, 15, 17, 19 mm

Item ID: 6510MM



- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the fastening
- Chrome vanadium satin finish
- Designed and manufactured to DIN3113A

Combination Spanners:

6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm

Item ID: 6517



10 Pieces mm





mm



COMBINATION SPANNER SET



- Teng Tools hip grip design for contact with the flat side of the fastening
- Chrome vanadium satin finish
- Supplied in a handy tool roll style wallet
- Designed and manufactured to DIN3113A

Combination Spanners:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

Item ID: 6512MM1



COMBINATION SPANNER SET

- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the fastening
- Chrome vanadium satin finish
- Supplied in a handy tool roll style wallet
- Designed and manufactured to DIN3113A

Combination Spanners:


5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

Item ID: 6515MM



COMBINATION SPANNER SET





- Chrome vanadium satin finish
- Supplied in a handy tool roll style wallet
- Designed and manufactured to DIN3113A

Combination Spanners:

mm

mm


6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22 mm

Item ID: 6517MM



COMBINATION SPANNER SET





- Chrome vanadium satin finish
- Supplied in a handy tool roll style wallet
- Designed and manufactured to DIN3113A


Combination Spanners:

20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32 mm

Item ID: 6512MM







COMBINATION SPANNER SET



- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the fastening
- Chrome vanadium satin finish
- Supplied in a handy tool roll style wallet
- Designed and manufactured to DIN3113A

Combination Spanners:

6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32 mm

Item ID: 6526MM



COMBINATION SPANNER SET



- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the fastening
- Chrome vanadium satin finish
 - Supplied in a handy tool roll style wallet
- Designed and manufactured to DIN3113A

Combination Spanners:

33, 34, 36, 38, 41, 46, 50 mm

Item ID: 6507JMM



COMBINATION SPANNER SET





- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the fastening
- Chrome vanadium satin finish
- Supplied in a handy tool roll style wallet
- Designed and manufactured to DIN3113A

Combination Spanners:

1/4", 5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"

Item ID: 6509AF





COMBINATION SPANNER SET





- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the fastening
- Chrome vanadium satin finish
- Supplied in a handy tool roll style wallet
- Designed and manufactured to DIN3113A

Combination Spanners:

13/16", 7/8", 15/16", 1", 1-1/16", 1-1/8", 1-1/4"

Item ID: 6507AF

Get organised **TENGIOOLS** 269









COMBINATION SPANNER SET





- Teng Tools hip grip design for contact with the flat side of the fastening
- Chrome vanadium satin finish
- Supplied in a handy tool roll style wallet
 - Designed and manufactured to DIN3113A

Combination Spanners:

1-5/16", 1-3/8", 1-7/16", 1-1/2", 1-5/8", 1-3/4", 1-7/8"

Item ID: 6507JAF



COMBINATION SPANNER SET



- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the fastening
- Chrome vanadium satin finish
- Spanner holder can be used on it's own or it can be connected to set: 6512MMA
- Designed and manufactured to DIN3113A

Combination Spanners:

5.5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

Item ID: 6515MMA



COMBINATION SPANNER SET



mm

- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the fastening
- Chrome vanadium satin finish
- Spanner holder can be used on it's own or it can be connected to sets: 6512MMA and/or 6507JMMA
- Designed and manufactured to DIN3113A

Combination Spanners:

20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 32 mm

Item ID: 6512MMA



COMBINATION SPANNER SET



- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the fastening
- Chrome vanadium satin finish
- Spanner holder can be used on it's own or it can be
- connected to set: 6512MMA

 Designed and manufactured to DIN3113A
- Combination Spanners:


33, 34, 36, 38, 41, 46, 50 mm

Item ID: 6507JMMA

Spanners

METRIC COMBINATION SPANNERS


- A ring and open ended spanner combined with the same size opening at each end
- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the fastening Chrome vanadium satin finish
- Designed and manufactured to DIN3113A



ITEM ID:	Size mm	L mm	H1 mm	H2 mm	D1 mm	D2 mm	T mm	g
6005055	5.5	95	4.1	3.5	8.9	13.6	2.4	11
600506	6	100	4.7	4	10.1	15.5	2.7	17
600507	7	110	5	4	11.5	17	2.8	23
600508	8	120	5.5	4.5	12.8	19.2	3	25
600509	9	130	5.9	4.5	14.2	21.2	3.3	28
600510	10	140	6.5	5	15.6	23.2	3.5	38
600511	11	150	6.9	5.4	16.9	25.3	3.7	47
600512	12	160	7.3	5.5	18.3	27.2	3.9	60
600513	13	170	7.8	5.9	19.7	29.4	4.1	68
600514	14	180	8.3	6.2	21.2	31.5	4.4	84
600515	15	190	8.6	6.4	22.5	33.2	4.6	98
600516	16	200	8.9	6.7	24	34.7	4.8	104
600517	17	210	9.3	6.9	25.3	36.5	5	124
600518	18	220	9.9	7.2	26.8	38.7	5.2	141
600519	19	230	10.5	7.4	28.1	40.7	5.4	158
600520	20	240	10.9	7.7	29.7	43.1	5.6	184
600521	21	250	11.3	8	31.3	44.8	5.7	209
600522	22	260	11.5	8.2	32.6	46.9	5.8	216
600523	23	270	11.8	8.4	34.2	48.3	5.9	258
600524	24	280	12.1	8.7	35.5	50.4	6	265
600525	25	290	12.5	8.9	36.9	52	6.2	296
600526	26	300	12.8	9.2	38.2	53.6	6.4	342
600527	27	310	13.1	9.4	39.6	55.7	6.6	385
600528	28	320	13.3	9.7	40.9	57.6	6.8	397
600529	29	330	13.5	9.9	42.3	59.7	7	435
600530	30	340	13.7	10.1	43.7	61.8	7.1	459
600532	32	360	14.3	10.4	46.4	65.8	7.3	527



ITEM ID:	Size mm	L mm	H1 mm	H2 mm	D1 mm	D2 mm	T mm	g
600533	33	380	15	10.7	48.8	69.2	7.5	654
600534	34	380	15	10.7	48.8	69.2	7.5	674
600536	36	410	19.2	13.5	53.5	74	8	831
600538	38	430	20.4	15	56	77	9	967
600541	41	460	21.6	16	61	84	10	1257
600546	46	500	23	17	66	92	11	1693
600550	50	540	24.6	18	73	102	12	2048
600555	55	560	21.5	28	86	118	14.5	2800
600558	58	600	23.5	30	94	126	16	3900
600560	60	600	23.5	30	94	126	16	3900
600565	65	680	25	32	108	148	18	5800
600570	70	680	25	32	108	148	18	5800




Teng Tools "Hip Grip" feature means the contact surface grips on the flat surfaces of the nut or bolt rather than on the corner. This helps to prevent damage and makes it possible to grip nuts and bolts which already have damaged corners.






AF COMBINATION SPANNERS

- A ring and open ended spanner combined with the same size opening at each end
- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the fastening
- Chrome vanadium satin finish
- Designed and manufactured to DIN3113A





ITEM ID:	Size mm	L mm	H1 mm	H2 mm	D1 mm	D2 mm	T	
								g
600108	1/4"	100	4.7	4	10.1	15.5	2.7	16
600110	5/16"	120	5.5	4.5	12.8	19.2	3	25
600112	3/8"	140	6.5	5	15.6	23.2	3.5	37
600114	7/16"	150	6.9	5.4	16.9	25.3	3.7	50
600116	1/2"	170	7.8	5.9	19.7	29.4	4.1	69
600118	9/16"	180	8.3	6.2	21.2	31.5	4.4	80
600120	5/8"	200	8.9	6.7	24	34.7	4.8	107
600122	11/16"	210	9.3	6.9	25.3	36.5	5	127
600124	3/4"	230	10.5	7.4	28.1	40.7	5.4	157
600126	13/16"	250	11.3	8	31.3	44.8	5.7	212
600128	7/8"	260	11.5	8.2	32.6	46.9	5.8	204
600130	15/16"	280	12.1	8.7	35.5	50.4	6	264
600132	1"	290	12.5	8.9	36.9	52	6.2	310
600134	1-1/16"	310	13.1	9.4	39.6	55.7	6.6	400
600136	1-1/8"	330	13.3	9.7	40.9	57.6	6.8	415
600140	1-1/4"	360	14.3	10.4	46.4	65.8	7.3	540
600142	1-5/16"	380	15	10.7	48.8	69.2	7.5	649
600144	1-3/8"	410	19.2	13.5	53	74	8	858
600146	1-7/16"	410	19.2	13.5	53	74	8	838
600148	1-1/2"	430	20.4	15	56	77	9	1002
600152	1-5/8"	460	21.6	16	61	84	10	1309
600156	1-3/4"	500	23	17	66	92	11	1595
600160	1-7/8"	540	24.6	18	73	102	12	2097



ANTI SLIP COMBINATION SPANNER SET





- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the
- Teng Tools anti slip design on the open end to give a much better grip

Anti Slip Combination Spanners:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm





Item ID: TT8012



ANTI SLIP COMBINATION SPANNER SET

- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design on the ring and open end for contact with the flat side of the fastening
- Teng Tools anti slip design on the open end to give a much better grip
- Tools are held in place using three colour pre-cut EVA foam

Anti Slip Combination Spanners:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm





Item ID: TED8012





ANTI SLIP COMBINATION SPANNER SET



- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design on the ring and open end for contact with the flat side of the fastening
- Teng Tools anti slip design on the open end to give a much better grip with less risk of damaging the fastening
- Supplied with a wall rack for fixing to the wall or a workbench

Anti Slip Combination Spanners:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm





Item ID: WR8012



ANTI SLIP COMBINATION SPANNER SET





- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design on the ring and open end for contact with the flat side of the fastening
- Teng Tools anti slip design on the open end to give a much better grip with less risk of damaging the fastening
- Supplied in a handy tool roll style wallet

Anti Slip Combination Spanners:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm





Item ID: 8512MM



ANTI SLIP COMBINATION SPANNER SET



- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design on the ring and open end for contact with the flat side of the fastening
- Teng Tools anti slip design on the open end to give a much better grip with less risk of damaging the fastening
- Supplied in a holder that can be used for storage or for mounting on a wall

Anti Slip Combination Spanners:

Item ID: 8512A

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm








ANTI SLIP COMBINATION SPANNERS

- Anti slip metric combination spanner
- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design on the ring and open end for contact with the flat side of the fastening
- Teng Tools anti slip design on the open end to give a much better grip with less risk of damaging the fastening







ITEM ID:	Size mm	L mm	H1 mm	H2 mm	D1 mm	D2 mm	T mm	g
800608	8	120	6.6	4.5	12.8	18.9	3.2	24
800609	9	130	7	4.5	14.2	20.8	3.2	28
800610	10	140	7.7	5	15.6	22.5	3.6	36
800611	11	150	8.4	5.4	16.9	24.5	3.6	46
800612	12	160	8.5	5.5	18	27.2	3.6	58
800613	13	170	8.8	5.9	19.5	29.6	3.9	71
800614	14	180	9.6	6.2	21.5	31.1	4	81
800615	15	185	10.1	6.4	22.8	32.5	4.2	93
800616	16	195	10.5	6.5	24.2	35	4.5	110
800617	17	202	11	6.9	25.2	37	4.5	123
800618	18	208	11.5	7.1	26.8	39	4.8	135
800619	19	218	12.2	7.5	28.4	41.1	5	156

Get organised **TENGIOOLS**









RATCHET SPANNER SET



- 72 teeth ratchet spanners giving a 5° increment between clicks
- Reversible ratchet mechanism with a flip reverse lever
- Teng Tools hip grip design on the ring end
- Chrome vanadium satin finish
- Designed and manufactured to DIN ISO 1711-1 and DIN 3113A

Ratchet Spanners with flip reverse:

8, 10, 11, 12, 13, 14, 17, 19 mm

Item ID: TT6508R



SPANNER SET







- 72 teeth ratcheting combination spanners with flip reverse
- Double open ended and double ring spanners
- Chrome vanadium satin finish
- Tools are held in place using three colour pre-cut EVA foam
- Designed to fit exactly in the larger Teng Tools tool box drawers
- Designed and manufactured to DIN and ISO standards

Ratchet Spanners with flip reverse:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 22, 24, 27 mm

Double Open Ended Spanners:

6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32 mm

Double Ring Spanners:

6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32 mm

Item ID: TTESP37





RATCHET SPANNER SET





- 72 teeth ratchet spanners giving a 5° increment between clicks
- Reversible ratchet mechanism with a flip reverse lever
- Chrome vanadium satin finish
- Designed and manufactured to DIN ISO 1711-1 and DIN 3113A

Ratchet Spanners with flip reverse:

8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

Item ID: TT6511R







mm

- 72 teeth ratchet spanners giving a 5° increment between clicks Reversible ratchet mechanism with hip grip & flip reverse lever
- Chrome vanadium satin finish
- Supplied in a handy tool roll style wallet Designed and manufactured to DIN3113A

Ratchet Spanners with flip reverse:

8, 10, 11, 12, 13, 14, 17, 19 mm

Item ID: 6508RMM



RATCHET SPANNER SET





- 72 teeth ratchet spanners giving a 5° increment between clicks Reversible ratchet mechanism with a flip reverse lever
- Tools are held in place using three colour pre-cut EVA foam
- Designed and manufactured to DIN ISO 1711-1 and DIN 3113A

Ratchet Spanners with flip reverse:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

Item ID: TED6512R





RATCHET SPANNER SET





- 72 teeth ratchet spanners giving a 5° increment between clicks Reversible ratchet mechanism with hip grip & flip reverse lever
- Chrome vanadium satin finish
- Supplied in a handy tool roll style wallet
- Designed and manufactured to DIN ISO 1711-1 and DIN 3113A

Ratchet Spanners with flip reverse:	
10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm	

Item ID: 6510RMM



RATCHET SPANNER SET





- 72 teeth ratchet spanners giving a 5° increment between clicks
- Reversible ratchet mechanism with hip grip & flip reverse lever
- Chrome vanadium satin finish
- Designed and manufactured to DIN ISO 1711-1 and DIN 3113A


Ratchet Spanners with flip reverse:
5/16", 3/8", 7/16", 1/2", 9/16", 5/8", 11/16", 3/4"

Item ID: TT6508RAF

RATCHETING COMBINATION SPANNER

- A ratcheting ring and open ended spanner combined with the same size at each end
- Off set at 13° for easier use on flat surfaces
- Teng Tools hip grip design on the ring end for contact with the flat side of the fastening
- 72 teeth ratchet spanners giving a 5° increment between clicks
- Reversible ratchet mechanism with a flip reverse lever
- Ideal for rapid tightening and loosening of fastenings
- Chrome vanadium satin finish
- Designed and manufactured to DIN ISO 1711-1 and DIN 3113A

mm





ITEM ID:	Size mm	L mm	H1 mm	H2 mm	D1 mm	D2 mm	T mm	g
600508R	8	140	6.5	4	17	17	2.8	30
600509R	9	150	6.9	4.4	18.5	19	2.7	30
600510R	10	159	7.3	4.8	20	21	3.3	50
600511R	11	165	7.7	5.2	22	23	3.6	70
600512R	12	172	8.2	5.5	23	25	3.9	80
600513R	13	178	8.5	5.8	25	27	4	100
600514R	14	191	9	6.2	27	29	4.3	120
600515R	15	200	9.4	6.5	28	31	4.5	140
600516R	16	208	9.9	6.8	30	33	4.7	170
600517R	17	226	10.3	7.2	32	36	5	200
600518R	18	237	10.7	7.7	33	38	5.2	210
600519R	19	248	11.2	8.2	34	40	5.5	220
600522R	22	290	13	9	38.4	45	6	360
600524R	24	323	14.5	9.8	43.6	52	6.5	510
600527R	27	359	15.5	10.5	52.5	56	7.7	640
600530R	30	403	17	11.4	58.5	59	8.2	880
600532R	32	425	17.5	12.5	62.5	63	8.7	1080




Get organised **TENGTOOLS**




AF RATCHETING COMBINATION SPANNERS

- A ratcheting ring and open ended spanner combined with the same size at each end
- Off set at 13° for easier use on flat surfaces
- Teng Tools hip grip design on the ring end for contact with the flat side of the fastening
- 72 teeth ratchet spanners giving a 5° increment between clicks
- Reversible ratchet mechanism with a flip reverse lever
- Ideal for rapid tightening and loosening of fastenings
- Chrome vanadium satin finish
- Designed and manufactured to DIN ISO 1711-1 and **DIN 3113A**







600110R	5/16"	140	6.5	4.6	16.6	16.7	3	30
600112R	3/8"	159	7.3	5.3	20	20.8	3.4	50
600114R	7/16"	165	7.7	5.6	21.8	23	3.7	70
600116R	1/2"	178	8.6	6.4	24.7	27.1	4.1	100
600118R	9/16"	191	9	6.8	27	29.2	4.4	120
600120R	5/8"	208	9.9	7.2	30	33.4	4.7	170
600122R	11/16"	226	10.3	7.7	31.8	35.5	5.1	200
600124R	3/4"	248	11.2	8.8	33.8	39.7	5.6	320
600126R	13/16"	290	13	9	40	46	6	360
600128R	7/8"	290	13	9	40	46	6	510



RATCHET SPANNER SET



- 72 teeth ratchet spanners giving a 5° increment between clicks
- Hip grip on the ring end, turn spanner over to change direction
- Chrome vanadium satin finish
- Designed and manufactured to DIN ISO 1711-1 and DIN 3113A

Ratchet Spanners:

8, 10, 11, 12, 13, 14, 17, 19 mm

Item ID: TT6508RS



RATCHET SPANNER SET



- 72 teeth ratchet spanners giving a 5° increment between clicks
- Simply turn over to reverse the direction of use when ratcheting
- Chrome vanadium satin finish
- Designed and manufactured to DIN ISO 1711-1 and DIN 3113A

Ratchet Spanners: 8, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

Item ID: TT6511 RS



RATCHET SPANNER SET







- 72 teeth ratchet spanners giving a 5° increment between clicks
- Flat design so the ratchet can be used in either direction
- Tools are held in place using three colour pre-cut EVA foam Designed and manufactured to DIN ISO 1711-1 and DIN 3113A

Ratchet Spanners: 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

Item ID: TED6512RS



RATCHET SPANNER SET





- 72 teeth ratchet spanners giving a 5° increment between clicks
- Hip grip on the ring end, turn spanner over to change direction
- Chrome vanadium satin finish
- Designed and manufactured to DIN ISO 1711-1 and DIN 3113A

Ratchet Spanners:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

Item ID: 65RS12





- 72 teeth ratchet spanners giving a 5° increment between clicks
- Hip grip on the ring end, turn spanner over to change direction
- Chrome vanadium satin finish
- Supplied with a wall rack for fixing to the wall or a workbench
- Designed and manufactured to DIN ISO 1711-1 and DIN 3113A

Ratchet Spanners:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

Item ID: WRSP12RS



RATCHET SPANNER SET



- 72 teeth ratchet spanners giving a 5° increment between clicks
- Hip grip on the ring end, turn spanner over to change direction
- Chrome vanadium satin finish
- Supplied in a handy tool roll style wallet
- Designed and manufactured to DIN ISO 1711-1 and DIN 3113A

Ratchet Spanners:

8, 10, 11, 12, 13, 14, 17, 19 mm

Item ID: 6508RSMM



RATCHET SPANNER SET



- 72 teeth ratchet spanners giving a 5° increment between clicks
- Hip grip on the ring end, turn spanner over to change direction
- Chrome vanadium satin finish
- Supplied in a handy tool roll style wallet
- Designed and manufactured to DIN ISO 1711-1 and DIN 3113A

Ratchet Spanners:

8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

Item ID: 6512RSMM






Get organised" TENGIOOLS 277





RATCHETING COMBINATION SPANNERS

- A ratcheting ring and open ended spanner combined with the same size at each end
- Simply turn over to reverse the direction of use when ratcheting
- Teng Tools hip grip design on the ring end for contact with the flat side of the fastening
- 72 teeth ratchet spanners giving a 5° increment between clicks
- Ideal for rapid tightening and loosening of fastenings
- Chrome vanadium satin finish
- Designed and manufactured to DIN ISO 1711-1 and DIN 3113A



ITEM ID:	Size mm	L mm	A mm	B mm	C mm	D mm	H mm	T mm	g
600508RS	8	111	19.6	17	4	6.8	8	2.8	30
600509RS	9	123	20.8	19	4.4	7.2	9	2.9	41
600510RS	10	131	22	20	4.8	7.6	9.5	3.3	48
600511RS	11	147	24.2	21	5.2	8	10	3.6	62
600512RS	12	155	25.7	23	5.5	8,5	11	3.9	78
600513RS	13	164	27.2	25	5.8	8.9	12	4	88
600514RS	14	182	30.8	27	6.2	9.3	13	4.3	112
600515RS	15	192	32.4	28	6.5	9.7	13.6	4.5	123
600516RS	16	202	34	30	6.8	10.2	14.4	4.7	144
600517RS	17	223	37.7	32	7.2	10.6	15.3	5	192
600518RS	18	234	39.3	33	7.7	11	16.2	5.2	207
600519RS	19	246	40.8	34	8.2	11.5	17	5.5	233
600520RS	20	285	46	42	10	13	18.8	6.4	385
600521RS	21	285	46	42	10	13	18.8	6.4	385
600522RS	22	285	46	42	10	13	18.8	6.4	387

14.5 20.6

511





FLEXIBLE HEAD RATCHET SPANNER SET



- 72 teeth ratchet spanners giving a 5° increment between clicks
- Flexible head for use at an angle or for reversing the direction of use when ratcheting
- Chrome vanadium satin finish
- Removable lid and dove tail joints

Flexible head Ratchet Spanners: 8, 10, 11, 12, 13, 14, 17, 19 mm

Item ID: TT6508RF

FLEXIBLE HEAD RATCHET SPANNERS

- A ratcheting ring and open ended spanner with the same size at each end
- Off set at 13° for easier use on flat surfaces
- Teng Tools hip grip design on the ring end for contact with the flat side of the fastening
- 72 teeth ratchet spanners giving a 5° increment between clicks
- Reversible ratchet mechanism with a flip reverse lever
- Ideal for rapid tightening and loosening of fastenings
- Chrome vanadium satin finish
- Designed and manufactured to DIN ISO 1711-1 and DIN 3113A







ITEM ID:	Size mm	L mm	H1 mm	H2 mm	D1 mm	D2 mm	T mm	g
600507RF	7	127	6.8	4	17	17.6	2.8	50
600508RF	8	127	6.8	4	17	17.6	2.8	50
600509RF	9	131	7.2	4.4	19	19.8	2.9	50
600510RF	10	136	7.6	4.8	20	22	3.3	60
600511RF	11	141	8	5.2	21	24.1	3.6	60
600512RF	12	147	8.5	5.5	23	25.9	3.9	80
600513RF	13	154	9	5.8	25	27.3	4	100
600514RF	14	160	9.3	6.2	27	30.6	4.3	120
600515RF	15	169	9.7	6.5	28	32.2	4.3	120
600516RF	16	179	10.2	6.8	30	33.7	4.7	160
600517RF	17	190	10.6	7.2	32	36.6	5	190
600518RF	18	203	11	7.7	33	38.4	5.2	190
600519RF	19	215	11.5	8.2	34	40.2	5.5	200

600524RS

325 51.5 47.5









MIDGET COMBINATION SPANNER SET

- Short stubby spanners for use in confined spaces
- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the fastening
- Chrome vanadium satin finish
- Designed and manufactured to DIN3113A

Midget Combination Spanners:

10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm


Item ID: TT6010M


STUBBY COMBINATION SPANNERS

- Ideal for use in confined spaces
- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the fastening
- Chrome vanadium satin finish
- Designed and manufactured to DIN3113A



mm











EXTRA LONG COMBINATION SPANNER SET

- Extra long for increased torque
- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the fastening
- Designed and manufactured to DIN3113A

Combination Spanners:

8, 9, 10, 11,12, 13, 14, 15, 16, 17, 18, 19mm

Item ID: TTXLMP12





EXTRA LONG COMBINATION SPANNER SET

- Extra long for increased torque
- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the fastening
- Supplied in a handy tool roll style wallet
- Designed and manufactured to DIN3113A

Extra Long Combination Spanners: 8, 10, 11, 12, 13, 14, 15, 17, 19 mm

Item ID: 6059LMP











- Extra long for increased torque
- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design for contact with the flat side of the fastening
- Supplied with a wall rack for fixing to the wall or a workbench
- Designed and manufactured to DIN3113A


Extra Long Combination Spanners:

8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19 mm

Item ID: WRSP12LMP

EXTRA LONG COMBINATION SPANNERS

- A ring and open ended spanner with the same size at each end
- Off set at 15° for easier use on flat surfaces
- Teng Tools hip grip design on the ring end for contact with the flat side of the fastening
- Chrome vanadium satin finish
- Designed and manufactured to DIN3113A



| ITEM ID: | Size
mm | L
mm | H1
mm | H2
mm | D1
mm | D2
mm | T
mm | g |
|----------|------------|---------|----------|----------|----------|----------|---------|-----|
| 605908 | 8 | 148 | 5.3 | 4.9 | 12.6 | 17.2 | 3.6 | 33 |
| 605909 | 9 | 158 | 6.2 | 5 | 13.7 | 19.4 | 3.8 | 40 |
| 605910 | 10 | 168 | 6.4 | 5.6 | 15.2 | 21.7 | 3.9 | 50 |
| 605911 | 11 | 188 | 7.3 | 5.6 | 16.7 | 23.1 | 4.2 | 62 |
| 605912 | 12 | 198 | 7.9 | 6.3 | 17.7 | 25.3 | 4.2 | 77 |
| 605913 | 13 | 208 | 8.6 | 6.7 | 19.8 | 26.6 | 4.5 | 87 |
| 605914 | 14 | 228 | 9 | 7.4 | 21.4 | 29.8 | 5 | 117 |
| 605915 | 15 | 238 | 9.9 | 7.6 | 22.5 | 32.4 | 5 | 142 |
| 605916 | 16 | 246 | 10.4 | 8.2 | 23.5 | 32.4 | 5.2 | 153 |
| 605917 | 17 | 266 | 10.5 | 8.2 | 25.4 | 36 | 5.8 | 174 |
| 605918 | 18 | 276 | 12.4 | 9 | 26.6 | 37.4 | 5.8 | 215 |
| 605919 | 19 | 285 | 12.6 | 9.1 | 28.3 | 39.8 | 6.1 | 220 |





DOUBLE RING SPANNER SET



- Different size at each end to give 22 sizes in total
- Double curved heads offset at 75° for easier use on flat surfaces
- Chrome vanadium satin finish
- Teng Tools hip grip design for contact with the flat side of the
- Designed and manufactured to DIN838 and DIN3113A

Double Ring Spanners:

6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32 mm

Item ID: TTX6311











DOUBLE RING SPANNER SET

- Different size at each end to give 16 sizes in total
- Double curved heads offset at 75° for easier use on flat surfaces
- Chrome vanadium satin finish
- Teng Tools hip grip design for contact with the flat side of the
- Tools are held in place using three colour pre-cut EVA foam
- Designed and manufactured to DIN838 and DIN3113A

Double Ring Spanners:

6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm

Item ID: TEX6308





DOUBLE RING SPANNER SET

- Different size at each end to give 16 sizes in total
- Double curved heads offset at 75° for easier use on flat surfaces
- Chrome vanadium satin finish
- Teng Tools hip grip design for contact with the flat side of the
- Designed and manufactured to DIN 838 and DIN3113A

Double Ring Spanners:

6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm

Item ID: 6308



Different size at each end to give 22 sizes in total

- Double curved heads offset at 75° for easier use on flat surfaces
- Chrome vanadium satin finish
- Teng Tools hip grip design for contact with the flat side of the fastening
- Designed and manufactured to DIN 838 and DIN3113A

| Double | Ring | Spanners: |
|--------|------|-----------|
|--------|------|-----------|

6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32 mm

Item ID: 6311



DOUBLE RING SPANNER SET



- Different size at each end to give 16 sizes in total
- Double curved heads offset at 75° for easier use on flat surfaces
- Chrome vanadium satin finish
- Teng Tools hip grip design for contact with the flat side of the fastening
- Supplied in a handy tool roll style wallet
- Designed and manufactured to DIN 838 and DIN3113A


Double Ring Spanners:


6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm

Item ID: 6308MM

DOUBLE RING SPANNERS

- Different size at each end to give 2 sizes with one
- Double curved heads offset at 75° for easier use on flat surfaces
- Chrome vanadium satin finish
- Teng Tools hip grip design for contact with the flat side of the fastening





| ITEM ID: | Size
mm | L
mm | H1
mm | H2
mm | D1
mm | D2
mm | T
mm | g |
|----------|------------|---------|----------|----------|----------|----------|---------|-----|
| 630607 | 6x7 | 168 | 5.6 | 6.3 | 10.7 | 12.2 | 4.1 | 45 |
| 630809 | 8x9 | 183 | 6.6 | 7 | 13.6 | 15.1 | 4.5 | 60 |
| 631011 | 10x11 | 198 | 7.4 | 7.7 | 16.6 | 18 | 4.9 | 100 |
| 631213 | 12x13 | 217 | 8.1 | 8.4 | 19.5 | 20.9 | 5.4 | 105 |
| 631415 | 14x15 | 239 | 8.8 | 9.1 | 22.4 | 23.7 | 5.7 | 145 |
| 631617 | 16x17 | 260 | 9.5 | 9.8 | 25.3 | 26.7 | 6.2 | 195 |
| 631819 | 18x19 | 292 | 10.1 | 10.4 | 28.2 | 29.7 | 6.6 | 250 |
| 632022 | 20x22 | 318 | 10.9 | 11.4 | 31.1 | 34 | 7.1 | 320 |
| 632123 | 21x23 | 326.5 | 11.2 | 11.6 | 32.6 | 35.5 | 7.6 | 340 |
| 632427 | 24x27 | 329 | 12.4 | 13.4 | 36.9 | 41 | 8.1 | 475 |
| 633032 | 30x32 | 362 | 14.4 | 15.2 | 45.5 | 48.5 | 9 | 522 |













EXTRA LONG DOUBLE RING SPANNER SET

- Different size at each end to give 12 sizes in total
- · Extra long, flat design for extra torque
- Chrome vanadium satin finish
- Teng Tools hip grip design for contact with the flat side of the fastening
- Designed and manufactured to DIN838 and DIN3113A

Extra long Double Ring Spanners:

8x10, 11x13, 12x14, 16x18, 17x19, 22x24 mm

Item ID: TTXFLS06















- Different size at each end to give 12 sizes in total
- Extra long, flat design for extra torque
- Chrome vanadium satin finish
- Teng Tools hip grip design for contact with the flat side of the fastening
- Tools are held in place using three colour pre-cut EVA foam
- Designed and manufactured to DIN838 and DIN3113A

Extra long Double Ring Spanners:

8x10, 11x13, 12x14, 16x18, 17x19, 22x24 mm

Item ID: TEXFLS06





EXTRA LONG DOUBLE RING SPANNER SET

- Different size at each end to give 10 sizes in total
- Extra long, flat design for extra torque and easier access
- Chrome vanadium satin finish
- Teng Tools hip grip design for contact with the flat side of the fastening
- Supplied with a wall rack for fixing to the wall or a workbench
- Designed and manufactured to DIN838 and DIN3113A

Extra long Double Ring Spanners:

8x10, 11x13, 12x14, 17x19, 22x24 mm

Item ID: WRFLS05

EXTRA LONG DOUBLE RING SPANNERS

- Metric long reach double ring spanner
- Flat design for use in confined spaces
- Different size at each end to give 2 sizes with one wrench
- Chrome vanadium satin finish
- Teng Tools hip grip design for contact with the flat side of the fastening
- Designed and manufactured to DIN838 and DIN3113A







| ITEM ID: | Size
mm | L
mm | A
mm | B
mm | C
mm | D
mm | g |
|----------|------------|---------|---------|---------|---------|---------|-----|
| 630810FL | 8x10 | 265 | 12.5 | 15 | 7.5 | 8.4 | 72 |
| 631113FL | 11x13 | 328 | 17.8 | 20.3 | 10.4 | 11.3 | 155 |
| 631214FL | 12x14 | 328 | 17.8 | 20.3 | 10.4 | 11.3 | 157 |
| 631618FL | 16x18 | 408 | 23.4 | 26.3 | 12.8 | 14.4 | 284 |
| 631719FL | 17x19 | 407 | 23.7 | 26.6 | 13 | 14.8 | 284 |
| 632224FL | 22x24 | 430 | 31.3 | 34 | 15.4 | 17.7 | 482 |





DOUBLE OPEN ENDED SPANNER SET



- Different size at each end to give 16 sizes in total
- Open at each end off set at 15° for easier use
- Chrome vanadium satin finish
- Designed and manufactured to DIN3110 and DIN3113A

Double Open Ended Spanners:

6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm

Item ID: TT6208





mm

DOUBLE OPEN ENDED SPANNER SET

- Different size at each end to give 22 sizes in total
- Open at each end off set at 15° for easier use
- Chrome vanadium satin finish
- Supplied in a handy tool roll style wallet
- Designed and manufactured to DIN3110 and DIN3113A

Double Open Ended Spanners:

6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32 mm

Item ID: 6211 MM



DOUBLE OPEN ENDED SPANNER SEI

- Different size at each end to give 16 sizes in total
- Open at each end off set at 15° for easier use
- Chrome vanadium satin finish
- Designed and manufactured to DIN3110 and DIN3113A

Double Open Ended Spanners:

6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22 mm

Item ID: 6208



DOUBLE OPEN ENDED SPANNER SET

- Different size at each end to give 22 sizes in total
- Open at each end off set at 15° for easier use
- Chrome vanadium satin finish
- Designed and manufactured to DIN3110 and DIN3113A

Double Open Ended Spanners:

6x7, 8x9, 10x11, 12x13, 14x15, 16x17, 18x19, 20x22, 21x23, 24x27, 30x32 mm

Item ID: 6211



mm

Get organised





DOUBLE OPEN ENDED SPANNERS

- Different size at each end to give 2 sizes with one wrench
- Open at each end off set at 15° for easier use
- Chrome vanadium satin finish
- Designed and manufactured to DIN3110 and DIN3113A







| ITEM ID: | Size
mm | L
mm | H
mm | D1
mm | D2
mm | T
mm | g |
|----------|------------|---------|---------|----------|----------|---------|-----|
| 620607 | 6x7 | 123 | 3.7 | 18 | 15.5 | 3.7 | 25 |
| 620809 | 8x9 | 140 | 4 | 22.7 | 20.4 | 4 | 35 |
| 621011 | 10x11 | 156 | 5 | 27.1 | 24.9 | 5 | 50 |
| 621213 | 12x13 | 172 | 5.5 | 31.2 | 29.2 | 5.5 | 75 |
| 621415 | 14x15 | 188.5 | 5.9 | 35.3 | 33.3 | 5.9 | 105 |
| 621617 | 16x17 | 204 | 6.3 | 38.9 | 37.1 | 6.3 | 155 |
| 621819 | 18x19 | 221 | 6.7 | 42.8 | 40.9 | 6.7 | 190 |
| 622022 | 20x22 | 237 | 7.1 | 48.8 | 44.8 | 7.1 | 220 |
| 622123 | 21x23 | 247 | 7.7 | 50.8 | 46.8 | 7.7 | 245 |
| 622427 | 24x27 | 263 | 8.1 | 59.1 | 52.8 | 8.1 | 305 |
| 623032 | 30x32 | 298 | 9 | 69.8 | 65.4 | 9 | 465 |

POCKET SIZED DOUBLE RING SPANNER

- The original Teng Tools Rigger Jigger
- 10 x 13mm double ring spanner
- Compact, angled heads and 12 point opening at each end
- The two most commonly used sizes in one handy
- Designed and manufactured to DIN3113A





Item ID: 601013



SPANNER RING

- Spanner ring with carabiner style snap hook
- Ideal for storing combination and double ring spanners
- Alternatively use as a belt hook for spanners with a ring end

Item ID: 600





We proudly present Teng Tools adjustable wrenches.

Here you will find an adjustable wrench for every need: the range includes the classic model in eight sizes with a capacity up to 70 mm, the ergonomic model with a comfortable handle in five sizes, the adjustable wrench with extra wide opening and one model with a pipe grip at the end. Our wrenches offer numerous smart benefits, such as integrated scale and non-protruding jaws

Available from 4" (100 mm) to 24" (600 mm), which gives a tightening range from 0 to 70 mm

TENGTOOLS

A range with bi-material handles and extra wide jaw opening




Get organised™



ADJUSTABLE WRENCHES

- Integral measurement scale on the jaw
- Moving jaw does not protrude allowing use in confined spaces
- Hole in the handle for tool securing when working at height
- High grade chrome vanadium steel with a black phosphate finish
- Designed and manufactured to: ISO6787, ASME B.107.8M, DIN3117, BS6333, JISB4604 and SABS1211



| | L | L | Сар | acity | T | D | ISO | Å |
|----------|-----|-----|-----|---------|----|-----|------|------|
| ITEM ID: | mm | AF | mm | AF | mm | mm | Nm | g |
| 4001 | 100 | 4" | 17 | 11/16" | 14 | 31 | 33 | 50 |
| 4002 | 150 | 6" | 24 | 15/16" | 19 | 44 | 85 | 140 |
| 4003 | 200 | 8" | 28 | 1-1/8" | 26 | 57 | 180 | 260 |
| 4004 | 250 | 10" | 33 | 1-1/4" | 31 | 68 | 320 | 440 |
| 4005 | 300 | 12" | 38 | 1-1/2" | 32 | 80 | 515 | 660 |
| 4006 | 375 | 15" | 50 | 1-5/16" | 44 | 100 | 920 | 1200 |
| 4007 | 450 | 18" | 60 | 2-3/8" | 53 | 122 | 1370 | 2000 |
| 4008 | 600 | 24" | 70 | 2-3/4" | 62 | 144 | - | 3700 |



ADJUSTABLE WRENCH SERVICE KITS

Includes replacement pin, knurl and spring

| ITEM ID: | Service Kit For: |
|----------|------------------------------|
| 4001RK | 4" adjustable wrench - 4001 |
| 4002RK | 6" adjustable wrench - 4002 |
| 4003RK | 8" adjustable wrench - 4003 |
| 4004RK | 10" adjustable wrench - 4004 |
| 4005RK | 12" adjustable wrench - 4005 |
| 4006RK | 15" adjustable wrench - 4006 |
| 4007RK | 18" adjustable wrench - 4007 |
| 4008RK | 24" adjustable wrench - 4008 |





ADJUSTABLE WRENCH SET





- Includes an 8" wide jaw adjustable wrench for added versatility Designed and manufactured to DIN3117 and ISO6787

| Adjustable Wrenches | |
|----------------------|-------------------|
| 6" (150 mm) | Capacity: 23.9 mm |
| 8" (200 mm) | Capacity: 28.6 mm |
| 10" (250 mm) | Capacity: 32.8 mm |
| 8" (200 mm) Wide Jaw | Capacity: 38.6 mm |

Item ID: TTADJ04



ADJUSTABLE WRENCH SET







- Includes regular style 6, 8 and 10" adjustable wrenches Also includes an 8" wide jaw adjustable wrench for added versatility
- Tools are held in place using three colour pre-cut EVA foam
- Designed and manufactured to DIN3117 and ISO6787


| Adjustable Wrenches | |
|----------------------|-------------------|
| 6" (150 mm) | Capacity: 24 mm |
| 8" (200 mm) | Capacity: 28 mm |
| 10" (250 mm) | Capacity: 33 mm |
| 8" (200 mm) Wide Jaw | Capacity: 38.6 mm |

Item ID: TEDADJ4

Wrenches

ADJUSTABLE WRENCHES

- Integral measurement scale on the jaw
- Moving jaw does not protrude allowing use in confined spaces
- Bi-material handle for extra comfort
- Hole in the handle for tool securing when working at height
- High grade chrome vanadium steel with a black phosphate finish
- Designed and manufactured to: ISO6787, ASME B.107.8M, DIN3117, BS6333, JISB4604 and SABS1211



| | L | L | Сар | Capacity | | D | ISO | Å |
|----------|-----|-----|-----|----------|------|-----|-----|------|
| ITEM ID: | mm | AF | mm | AF | mm | mm | Nm | g |
| 4002IQ | 157 | 6" | 24 | 15/16" | 20 | 52 | 85 | 140 |
| 4003IQ | 206 | 8" | 28 | 1-1/8" | 25.3 | 62 | 180 | 260 |
| 4004IQ | 255 | 10" | 33 | 1-1/4" | 29.5 | 72 | 320 | 440 |
| 4005IQ | 305 | 12" | 38 | 1-1/2" | 32.2 | 83 | 515 | 660 |
| 4006IQ | 380 | 15" | 50 | 1-15/16" | 44.7 | 108 | 920 | 1200 |




ADJUSTABLE WRENCH SERVICE KIT

Includes replacement pin, knurl and spring

| ITEM ID: | Service Kit For: |
|----------|--------------------------------|
| 4002IQRK | 6" adjustable wrench - 4002IQ |
| 4003IQRK | 8" adjustable wrench - 4003IQ |
| 4004IQRK | 10" adjustable wrench - 4004IQ |
| 4005IQRK | 12" adjustable wrench - 4005IQ |
| 4006IQRK | 15" adjustable wrench - 4006IQ |

WIDE JAW ADJUSTABLE WRENCHES

- Integral measurement scale
- Extra wide jaw opening increases the bolt sizes that can be worked on
- Moving jaw does not protrude allowing use in confined spaces
- Bi-material handle for extra comfort
- Hole in the handle for tool securing when working at height
- High grade chrome vanadium steel with a black phosphate finish
- Designed and manufactured to: ISO6787, ASME B.107.8M, DIN3117, BS6333, JISB4604 and SABS1211



| | L | L | Capacity | | T | D | |
|----------|-----|-----|----------|--------|------|-------|-----|
| ITEM ID: | mm | AF | mm | AF | mm | mm | g |
| 4002WT | 172 | 7" | 34 | 1-3/8" | 30 | 63.5 | 185 |
| 4003WT | 221 | 8" | 38.6 | 1-1/2" | 34.1 | 72.1 | 260 |
| 4004WT | 275 | 10" | 50 | 2" | 41 | 92.1 | 440 |
| 4005WT | 317 | 12" | 60 | 2-3/8" | 55.7 | 110.5 | 660 |





ADJUSTABLE WRENCH SERVICE KIT

• Includes replacement pin, knurl and spring

| ITEM ID: | Service Kit For: |
|----------|--------------------------------|
| 4002WTRK | 6" adjustable wrench - 4002WT |
| 4003WTRK | 8" adjustable wrench - 4003WT |
| 4004WTRK | 10" adjustable wrench - 4004WT |
| 4005WTRK | 12" adjustable wrench - 4005WT |

Get organised 287









PLIER & WRENCH SET

2 tools for gripping even the most stubborn nuts and bolts Supplied in the unique Teng Tools drawer width TTX tray

| Pliers: | | | | |
|-------------------------|--------------|--|--|--|
| QUICK ACTION WATER PUMP | 10" / 250 mm | | | |
| Wrenches | | | | |
| ALIGATOR ADJUSTABLE | 8" / 200 mm | | | |

Item ID: TTXMB02







PIPE WRENCHES

NEW

adjustment thread One hand operation

Lightweight aluminium construction Sturdy design with steel jaws and



| | Length | | Capacity | | Å |
|----------|--------|-----|----------|----------|------|
| ITEM ID: | mm | AF | mm | AF | g |
| PWC12 | 300 | 12" | 43 | 1-11/16" | 670 |
| PWC14 | 350 | 14" | 50 | 1-31/32" | 860 |
| PWC18 | 450 | 18" | 60 | 2-23/64" | 1390 |
| PWC24 | 600 | 24" | 76 | 3" | 2220 |
| PWC36 | 900 | 36" | 102 | 4-1/64" | 4030 |











- Fibre reinforced reversible ratchet wrenches
- 18 teeth for extra strength and use in outdoor sites Double ended with 25° offset heads
- 12 point ring ends (6x8mm is 6 point)
- Chrome vanadium satin finish with FRP bodies

| RORS Wren | thes | |
|-------------|--------------|-------------------|
| 6x8, 7x9, 1 | 0x13, 12x14, | , 17x19, 21x22 mm |

Item ID: TTRORS





PLIER & WRENCH SET





- 2 tools for gripping even the most stubborn nuts and bolts
- Supplied in the unique Teng Tools drawer width TEX tray
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs

| Pliers: | | | | |
|-------------------------|--------------|--|--|--|
| QUICK ACTION WATER PUMP | 10" / 250 mm | | | |
| Wrenches | | | | |
| ALIGATOR ADJUSTABLE | 8" / 200 mm | | | |

Item ID: TEXMB02

"ALLIGATOR" ADJUSTABLE WRENCH

- 8" (200mm) adjustable wrench
- Integral measurement scale on the jaw Moving jaw does not protrude allowing
- use in confined spaces
- Incorporates an "alligator" style pipe grip for gripping round objects
- Hole in the handle for tool securing when working at height
- High grade chrome vanadium steel with a black phosphate finish
- Designed and manufactured to: ISO6787, ASME B.107.8M, DIN3117, BS6333, JISB4604 and SABS1211

Item ID: 4003J







An extensive range of wrenches made from chrome vanadium alloy steel for extra strength and our range of impact slogging wrenches are made from chrome molybdenum that can be hit with a hammer when removing stubborn fastenings.



The "Rigger
Jigger" combines
10 and 13 mm
ring heads in
a pocket-sized
short spanner



Get organised™







RATCHETING OFFSET RING SPANNERS

- Fibre reinforced reversible ratchet wrench
- 18 teeth for extra strength and use in outdoor sites
- Double ended with 25° offset heads
- 6 point ring ends
- Chrome vanadium satin finish with FRP body








RATCHETING OFFSET TX-E WRENCH

- Fibre reinforced reversible ratchet wrench
- 18 teeth for extra strength and use in outdoor sites
- Double ended with 25° offset heads
- For use with external TX fastenings
- Chrome vanadium satin finish with FRP body



| ITEM ID: | Sizes
mm | L
mm | H
mm | D1
mm | D2
mm | g |
|----------|-------------|---------|---------|----------|----------|-----|
| 680607E | E6xE7 | 112 | 8 | 20 | 20 | 66 |
| 680810E | E8xE10 | 133 | 8.2 | 21 | 23 | 84 |
| 681112E | E11xE12 | 140 | 8.2 | 23 | 26 | 95 |
| 681416E | E14xE16 | 172 | 10.2 | 30 | 32 | 174 |
| 681820E | E18xE20 | 203 | 11.5 | 37 | 40 | 280 |
| 682224E | E22xE24 | 235 | 11.5 | 41 | 44 | 330 |



RATCHETING MULTI DRIVE RING SPANNER SET

- Two size openings at each end
- 4 different spanner sizes in one handy tool
- Teng Tools hip grip design on the ring end for contact with the flat side of the fastening
- 72 teeth ratchet spanners giving a 5° increment between clicks
- Reversible ratchet mechanism with a flip reverse lever at each end
- Ideal for rapid tightening and loosening of fastenings
- Chrome vanadium satin finish


| Multidrive Ring Spanners: | | |
|---------------------------|--|--|
| | 8x9x10x11, 12x13x14x15, 16x17x18x19 mm | |


Item ID: 6503RX

0

RATCHETING MULTI DRIVE RING SPANNERS

- Two size openings at each end
- 4 different spanner sizes in one handy tool
- Teng Tools hip grip design on the ring end for contact with the flat side of the fastening
- 72 teeth ratchet spanners giving a 5° increment between clicks
- Reversible ratchet mechanism with a flip reverse lever at each end
- Ideal for rapid tightening and loosening of fastenings
- Chrome vanadium satin finish













TORQUE WRENCH SET



- Ideal set for automotive technicians
- Equipped with an in-built angular gauge for easier after tightening
- Click type mechanism when the required torque is reached
- Additional ft/lb reference scale (range 15-75 ft/lb)
- Marked to show the correct place where pressure should be applied
- Twist locking facility to ensure the set torque is maintained
- Reversible 24 teeth ratchet (DIN3122) giving 15° increments
- Designed to torque right hand (clockwise) fasteners
- Accurate to +/- 4% conforms to ISO6789 for assured accuracy
- Individually tested and certified at the time of manufacture

3/8" Drive Torque wrench (20-110Nm, 15-75 ft/lb), 3" and 5" extension bars, adaptorfor 10mm hex bits 10mm Hex Drive TX bits: TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40 3/8" Drive Crow Foot Wrenches 10, 11, 12, 13, 14, 15, 16, 17, 18, 19 mm

Item ID: TTX3892



CROW FOOT WRENCH SET








- Open ended spanner at right angle to square drive
- Ideal for accessing confined spaces
- Use with a ratchet or torque wrench with an extension bar
- Satin finish chrome vanadium
- Supplied with a clip rail with socket clips for easy storage

3/8" Drive Crow Foot Wrenches 10, 11, 12, 13, 16, 17, 18, 19 mm

Item ID: M3808MM

CROW FOOT WRENCHES






- Open ended spanner at right angle to square drive
 - Ideal for accessing confined spaces
 - Use with a ratchet or torque wrench with an extension bar
 - Satin finish chrome vanadium
- Supplied with a metal socket clip for use with a socket rail

| ITEM ID: | Size | L | H
mm | D
mm | g |
|-----------|------|------|---------|---------|-----|
| M386510-C | 10 | 32.3 | 4.8 | 21.3 | 36 |
| M386511-C | 11 | 34.3 | 5.2 | 23.1 | 50 |
| M386512-C | 12 | 36.2 | 5.6 | 25.5 | 58 |
| M386513-C | 13 | 37.4 | 6 | 26.9 | 70 |
| M386514-C | 14 | 40 | 6.2 | 30.2 | 86 |
| M386515-C | 15 | 41.3 | 6.7 | 33.3 | 90 |
| M386516-C | 16 | 41.3 | 6.7 | 33.3 | 114 |
| M386517-C | 17 | 45.5 | 8.5 | 38.1 | 116 |
| M386518-C | 18 | 45.5 | 8.5 | 38.1 | 140 |
| M386519-C | 19 | 47.6 | 8.5 | 39.6 | 168 |



RATCHETING PODGER WRENCHES

- For use in construction
- Ideal for scaffolding, pallet racking, shelving systems and metal panel erection
- 2 sizes in one with 12 point double ended sockets
- 32 teeth for extra strength and use in outdoor sites Flip reverse for quickly changing between tightening
- and loosening
- Tapered podger style handle for aligning holes prior to fixing
- Hole in the handle for use with a fall protection wire



| ITEM ID: | Sizes
mm | L
mm | A
mm | B
mm | C
mm | D
mm | g |
|----------|-------------|---------|---------|---------|---------|---------|------|
| PGW1719 | 17 x 19 | 315 | 42 | 50 | 26 | 26.3 | 450 |
| PGW1922 | 19 x 22 | 315 | 42 | 50 | 26 | 29.5 | 450 |
| PGW2124 | 21 x 24 | 315 | 42 | 50 | 28 | 32 | 462 |
| PGW2730 | 27 x 30 | 366 | 65 | 63 | 36.6 | 40 | 1350 |



Get organised










NUT DRIVER SET



- 6 point socket ends for a perfect fit
- Chrome vanadium for greater strength and material flexibility
- Ergonomically designed bi-material handle for easy use with higher torque
- Hanging hole in the handle for use as a T handle or for use with a fall protection wire
- The handle is moulded around the blade which give a higher torque capacity

| Nut Drivers: | |
|--------------|------------------------------------|
| 0 | 5, 5.5, 6, 7, 8, 10, 11, 12, 13 mm |

Item ID: TTXMDN



NUT AND T HANDLE DRIVER SET







- Includes metric nut drivers and T handle hex and TX/TPX drivers
- Ergonomically designed bi-material handles for higher torque
- Hanging hole in the handle for for use as a T handle for extra torque or with a fall protection wire
- The handle is moulded around the blade which gives a higher torque capacity
- Tools are held in place using three colour pre-cut EVA foam
- Designed to fit exactly in the larger Teng Tools tool box drawers

| Nut Driv | vers: |
|----------|--|
| 0 | 5, 5.5, 6, 7, 8, 10, 11, 12, 13 mm |
| T Handl | e Hex & TX Keys: |
| | 2.5, 3, 4, 5, 6, 7, 8 mm |
| | TX/TPX10, TX/TPX15, TX/TPX20, TX/TPX25, TX/TPX27, TX/TPX30, TX/TPX40 |

Item ID: TTEX23

NUT DRIVERS

- Single hex 6 point socket
- Screwdriver type handle for use with hexagon nuts and bolts
- Chrome vanadium steel alloy for greater strength
- Ergonomically designed bi-material handle for higher torque
- Hole in the handle for hanging or for use as a T handle for extra torque
- The handle is moulded around the blade to give a higher torque capacity
- Designed and manufactured to DIN3125



| ITEM ID: | Size
mm | Shaft
Length | Overall
Length | g |
|----------|------------|-----------------|-------------------|-----|
| MDN405 | 5 | 125 | 245 | 120 |
| MDN4055 | 5.5 | 125 | 245 | 120 |
| MDN406 | 6 | 125 | 245 | 120 |
| MDN407 | 7 | 125 | 245 | 120 |
| MDN408 | 8 | 125 | 245 | 120 |
| MDN410 | 10 | 125 | 245 | 120 |
| MDN411 | 11 | 125 | 245 | 120 |
| MDN412 | 12 | 125 | 245 | 120 |
| MDN413 | 13 | 125 | 245 | 120 |

T HANDLE NUT DRIVERS

- Single hex 6 point socket
- T handle type driver for use with hexagon nuts and bolts
- Chrome vanadium steel alloy for greater strength
- Ergonomically designed bi-material handle for higher torque
- Hole in the handle for hanging or for use with a fall protection wire
- Designed and manufactured to DIN3125



| ITEM ID: | Size
mm | Overall
Length |
|----------|------------|-------------------|
| MDNT405 | 5 | 288 |
| MDNT4055 | 5.5 | 288 |
| MDNT406 | 6 | 288 |
| MDNT407 | 7 | 288 |
| MDNT408 | 8 | 288 |
| MDNT409 | 9 | 288 |
| MDNT410 | 10 | 288 |
| MDNT411 | 11 | 288 |
| MDNT412 | 12 | 288 |
| MDNT413 | 13 | 288 |
| MDNT414 | 14 | 288 |










molybdenum



OPEN ENDED SLOGGING WRENCHES

- Designed for extra heavy duty work
- For use with a hammer or sledge hammer
 Manufactured in impact resistant Chrome
- Designed and manufactured to DIN3126






| | Size | L | | | | | _ | | |
|----------|------|-----|---------|---------|---------|---------|----------|---------|-------|
| ITEM ID: | mm | mm | A
mm | B
mm | C
mm | D
mm | L3
mm | H
mm | g |
| 902024 | 24 | 178 | 52.3 | 14.5 | 23.4 | 7.8 | 107.5 | 10.2 | 250 |
| 902027 | 27 | 180 | 55 | 15.5 | 25.2 | 8.6 | 107.5 | 10.2 | 350 |
| 902030 | 30 | 190 | 60.4 | 16.2 | 30 | 9.5 | 107.5 | 15.6 | 500 |
| 902032 | 32 | 190 | 60.5 | 16.7 | 30.5 | 9.8 | 108 | 14.8 | 480 |
| 902036 | 36 | 214 | 71.3 | 17 | 35 | 9.8 | 118 | 14.9 | 700 |
| 902038 | 38 | 215 | 72 | 17.3 | 37 | 9.8 | 118 | 16.2 | 750 |
| 902041 | 41 | 233 | 82.4 | 19.2 | 39.3 | 12 | 127.6 | 18.3 | 900 |
| 902046 | 46 | 252 | 93.2 | 20.4 | 44.2 | 12.8 | 135.6 | 18.8 | 1300 |
| 902050 | 50 | 275 | 104 | 21.3 | 48 | 13.2 | 140.8 | 19.6 | 1500 |
| 902055 | 55 | 295 | 114.4 | 23.8 | 54.2 | 15.3 | 158.6 | 24.2 | 1950 |
| 902060 | 60 | 315 | 125.1 | 26.6 | 58.8 | 17.3 | 166.2 | 24.8 | 2500 |
| 902065 | 65 | 340 | 138 | 28.8 | 55 | 17.6 | 175 | 25.1 | 3300 |
| 902070 | 70 | 370 | 152.7 | 30.6 | 69 | 19 | 190 | 32 | 4300 |
| 902075 | 75 | 370 | 152.7 | 31 | 69 | 19 | 190 | 33.4 | 4700 |
| 902080 | 80 | 397 | 175 | 33.2 | 71.5 | 19 | 180 | 46.6 | 5500 |
| 902085 | 85 | 397 | 175 | 33.2 | 71.5 | 19 | 180 | 46.6 | 5200 |
| 902090 | 90 | 444 | 191 | 34.7 | 80 | 19.6 | 190 | 51.7 | 7000 |
| 902095 | 95 | 444 | 191.3 | 36.3 | 80 | 21 | 190 | 52.2 | 6600 |
| 902100 | 100 | 488 | 225 | 42.3 | 85 | 21.8 | 205 | 55.5 | 10500 |

RING TYPE SLOGGING WRENCHES

- Designed for extra heavy duty work
- For use with a hammer or sledge hammer
- Manufactured in impact resistant Chrome molybdenum
- Designed and manufactured to DIN3126

mm





| ITEM ID: | Size | L | Α | В | (| D | L3 | Н | |
|----------|------|-----|-------|------|------|------|-------|------|------|
| IIEM ID: | mm | mm | mm | mm | mm | mm | mm | mm | g |
| 903024 | 24 | 162 | 42.8 | 14.7 | 24.6 | 7.9 | 93.9 | 9.4 | 248 |
| 903027 | 27 | 180 | 45.2 | 15.4 | 25 | 8.6 | 107.3 | 9.4 | 260 |
| 903030 | 30 | 190 | 50.6 | 16.2 | 29.4 | 9.3 | 107.3 | 11.5 | 376 |
| 903032 | 32 | 190 | 53.7 | 16.4 | 31.7 | 10 | 107.3 | 12.3 | 480 |
| 903036 | 36 | 205 | 58.3 | 17.9 | 35.6 | 10.5 | 107.3 | 13.3 | 520 |
| 903038 | 38 | 229 | 63.7 | 19.9 | 36.9 | 12 | 130.3 | 13.3 | 660 |
| 903041 | 41 | 230 | 63.9 | 19.9 | 37.4 | 12.3 | 130.3 | 13.3 | 780 |
| 903046 | 46 | 240 | 73.5 | 21.8 | 43.9 | 12.5 | 130.9 | 14.5 | 1150 |
| 903050 | 50 | 255 | 78.5 | 23.2 | 46.3 | 13 | 134.5 | 17 | 1070 |
| 903055 | 55 | 266 | 85.1 | 25 | 49.4 | 15.5 | 141.2 | 19.3 | 1350 |
| 903060 | 60 | 280 | 91.7 | 26.5 | 52.2 | 16.5 | 150 | 22.7 | 1650 |
| 903065 | 65 | 298 | 100 | 27.5 | 54 | 16.5 | 150 | 23.2 | 1890 |
| 903070 | 70 | 330 | 109.5 | 32.8 | 62 | 20 | 165 | 24.6 | 2850 |
| 903075 | 75 | 330 | 110 | 32.8 | 62.2 | 20 | 154 | 24.6 | 2700 |
| 903080 | 80 | 355 | 129.4 | 37 | 82.3 | 23.8 | 170 | 40 | 3400 |
| 903085 | 85 | 355 | 129.5 | 37.3 | 82 | 23.4 | 170 | 40 | 4100 |
| 903090 | 90 | 395 | 143.5 | 40 | 72.7 | 24.2 | 170 | 47.5 | 5200 |
| 903095 | 95 | 390 | 144 | 37.1 | 72.8 | 20.8 | 165 | 47.5 | 5100 |
| 903100 | 100 | 420 | 155 | 41.6 | 80 | 23.6 | 175 | 50 | 6700 |



Get organised









HOOK AND PIN WRENCH SET

- Includes a range of handles, pin and hook adaptors
- Chrome vanadium satin finish
- To be used for nuts designed and manufactured to DIN1804 & 1816
- Wrench manufactured to DIN1810

| Hook & Pin Wrer | nches |
|-----------------|--|
| Hook Handles: | 3/4" to 2", 1-1/4" to 3", 2" to 4-3/4" |
| Pin Adaptors: | 4, 5, 6 mm |
| Pins: | 6, 8 mm |



HOOK WRENCHES

- Suitable for use with locking nuts and bearing carriers
- Chrome vanadium satin finish
- Designed to fit locking nuts according to DIN 1804
- Designed and manufactured to DIN 1810



| ITEM ID: | Capacity
mm | Capacity
AF | Length
mm | Length
AF | g |
|----------|----------------|----------------|--------------|--------------|-----|
| HP101 | 19 to 50 | 3/4" to 2" | 145 | 5-3/4" | 122 |
| HP102 | 32 to 75 | 1-1/4" to 3" | 178 | 7" | 234 |
| HP103 | 50 to 120 | 2" to 4-3/4" | 247 | 9-3/4" | 447 |

PIN WRENCHES

- Suitable for use with locking nuts and bearing carriers
- Chrome vanadium satin finish
- Designed to fit locking nuts according to DIN 1816
- Designed and manufactured to DIN 1810



| ITEM ID: | Capacity
mm | Capacity
AF | Length
mm | Length
AF | g |
|----------|----------------|----------------|--------------|--------------|-----|
| HP2014 | 4 | 19 to 50 | 145 | 5-3/4" | 122 |
| HP2015 | 5 | 19 to 50 | 145 | 5-3/4" | 122 |
| HP2025 | 5 | 32 to 75 | 178 | 7" | 227 |
| HP2026 | 6 | 32 to 75 | 178 | 7" | 227 |
| HP2036 | 6 | 50 to 120 | 247 | 9-3/4" | 451 |
| HP2038 | 8 | 50 to 120 | 247 | 9-3/4" | 451 |

REPLACEMMENT PINS

Replacement pins for Teng Tools pin wrenches

| ITEM ID: | Suitable For: |
|----------|------------------------------|
| HP2014-P | HP2014 pin wrench |
| HP2015-P | HP2015 & HP2025 pin wrenches |
| HP2026-P | HP2026 pin wrench |
| HP2036-P | HP2036 pin wrench |
| HP2038-P | HP2038 pin wrench |







QUICK WRENCH SET



- Special design for loosening and tightening pipe and hose couplings
- Ideal for use in confined spaces
- Ring end has a clever design so that it opens up easily to access the nut on the coupling


Quick Wrenches

13, 17, 19, 22, 24, 27, 32 mm

Item ID: TTXQRS07

QUICK WRENCHES

- Special design for loosening and tightening pipe and hose couplings
- Ideal for use in confined spaces
 Ring end opens up easily to access the nut
- Ring end opens up easily to access the nu on the coupling



| ITEM ID: | Size
mm | L
mm | D
mm | H1
mm | H2
mm | g |
|----------|------------|---------|---------|----------|----------|-----|
| 600813 | 13 | 141 | 27.5 | 7.2 | 8 | 92 |
| 600814 | 14 | 191 | 35.7 | 10 | 9 | 165 |
| 600816 | 16 | 191 | 35.7 | 10 | 9 | 165 |
| 600817 | 17 | 191 | 35.7 | 10 | 9 | 180 |
| 600819 | 19 | 191 | 35.7 | 10 | 9 | 225 |
| 600822 | 22 | 233 | 40.7 | 13 | 12 | 294 |
| 600824 | 24 | 235 | 43.2 | 13 | 12 | 300 |
| 600827 | 27 | 325 | 54.2 | 14.1 | 14.4 | 625 |
| 600830 | 30 | 325 | 56.4 | 15.9 | 14.4 | 610 |
| 600832 | 32 | 325 | 58.5 | 15.9 | 14.4 | 625 |

FLARE NUT WRENCHES

- Opening designed to allow use over pipes when tightening flare nuts
- Ideal for use on hydraulic systems on vehicles
- Also suitable for use on water pipe connections
 Different size at each end to give 2 sizes with one
- wrench
- Open at each end off set at 15° for easier use
- Chrome vanadium satin finish
- Designed and manufactured to DIN3113A



| ITEM ID: | Sizes
mm | L
mm | H
mm | D1
mm | D2
mm | C1
mm | C2
mm | T
mm | o
g |
|----------|-------------|---------|---------|----------|----------|----------|----------|---------|--------|
| 641011 | 10x11 | 152.4 | 7.9 | 21.4 | 23 | 7 | 8.2 | 4.3 | 60 |
| 641213 | 12x13 | 178.6 | 10 | 25 | 27.4 | 9 | 10.3 | 5.7 | 113 |
| 641314 | 13x14 | 178.6 | 13.1 | 25 | 27.4 | 14.3 | 15.1 | 5.7 | 113 |
| 641617 | 16x17 | 196 | 15.1 | 29.9 | 31.9 | 15.4 | 17 | 6.4 | 113 |
| 641922 | 19x22 | 207.7 | 17 | 34.2 | 38.2 | 18.9 | 20 | 7.4 | 113 |
| 661416 | 7/16"x1/2" | 158.8 | 11.9 | 23 | 24.3 | 8.2 | 9 | 5.5 | 113 |



DOUBLE FLEX WRENCH SET



- Swivel end wrenches for fast pre-tightening and loosening
- Angle at 90° for added torque when applying the final tightening
- Extra torque for loosening stubborn fastenings
- Chrome vanadium satin finish
- Designed and manufactured to DIN3113A

Double Flex Wrenches 8x9, 10x11, 12x13, 14x15, 16x17, 18x19 mm

Item ID: TT6506

8







TED



DOUBLE FLEX WRENCH SET









- Angle at 90° for added torque when applying the final tightening
- Extra torque for loosening stubborn fastenings
- Tools are held in place using three colour pre-cut EVA foam
- Designed and manufactured to DIN3113A

| 8x9, 10x11, 12x13, 14x15, 16x17, 18x19 mm B-flex Wrench: | Double Flex Wrenches |
|---|---|
| J HOX WIGHT | 8x9, 10x11, 12x13, 14x15, 16x17, 18x19 mm |
| | B-flex Wrench: |
| 1/4" Male x 1/4" Hex Female | 1/4" Male x 1/4" Hex Female |

Item ID: TEDDF7



DOUBLE FLEX WRENCH SET



mm


- 6 piece double flex wrench set
- Includes all sizes from 8 to 19mm
- Swivel end wrenches for fast pre-tightening and loosening
- Angle at 90° for added torque when applying the final tightening
- Extra torque for loosening stubborn fastenings
- Chrome vanadium satin finish
- Supplied with a wall rack for fixing to the wall or a workbench
- Template and fixings included

Double Flex Wrenches 8x9, 10x11, 12x13, 14x15, 16x17, 18x19 mm

Item ID: WRDF06

DOUBLE FLEX WRENCHES

- Swivel end wrench for fast pre-tightening and loosening
- 12 point socket at each end with 2 different sizes in one wrench
- Angle at 90° for added torque when applying the final tightening
- Extra torque for loosening stubborn fastenings
- Chrome vanadium satin finish
- Designed and manufactured to DIN3113A



| | | | | | | | Contract |
|----------|-------------|---------|----------|----------|---------|---------|----------|
| ITEM ID: | Sizes | L
mm | D1
mm | D2
mm | W
mm | T
mm | g |
| 611214 | 3/8"x7/16 | 200 | 15.5 | 16.9 | 10 | 4.6 | 105 |
| 611618 | 1/2"x9/16" | 218 | 18.2 | 19.2 | 12.5 | 5 | 150 |
| 612022 | 5/8"x11/16" | 275 | 23 | 24.2 | 14 | 6.5 | 300 |
| 650809 | 8x9 | 192 | 12.2 | 13.5 | 10 | 4.6 | 95 |
| 651011 | 10x11 | 200 | 15.5 | 16.9 | 10 | 4.6 | 105 |
| 651013 | 10x13 | 213 | 14.5 | 18.2 | 12.5 | 5 | 140 |
| 651213 | 12x13 | 218 | 18.2 | 19.2 | 12.5 | 5 | 150 |
| 651415 | 14x15 | 243 | 20.5 | 21.7 | 14 | 5.8 | 215 |

BI-FLEX WRENCH

651617

651819

Swivel end wrench for fast pre-tightening

275 23 24.2 15 6.5 300


284 25.5 26.7 16 7.5 382

and loosening 1/4" bit socket at one end to suit screwdriver bits

16x17

18x19

- 1/4" male drive on the other end to suit
- 1/4" drive sockets
- Angle at 90° for added torque
- Chrome vanadium satin finish
- Designed and manufactured to DIN3113A



| ITEM ID: | Sizes | L
mm | D1
mm | D2
mm | W
mm | T
mm | g |
|----------|-------------------|---------|----------|----------|---------|---------|-----|
| 691406 | 1/4" Hex x 1/4" M | 196 | 14.5 | 14.5 | 10 | 4.6 | 102 |

Wrenches

HINGE ADJUSTMENT WRENCH

Specifically designed for adjusting exterior door and window hinges



| ITEM ID: | Length
mm | Diameter
mm | g |
|----------|--------------|----------------|-----|
| DHW1300 | 220 | 13 | 170 |

HINGE ADJUSTMENT WRENCHES

Specifically designed for adjusting exterior door and window hinges



| ITEM ID: | Length
mm | Diameter
mm | g |
|----------|--------------|----------------|-----|
| DHW1417 | 290 | 14 x 17 | 310 |
| DHW1922 | 300 | 19 x 22 | 440 |

TELESCOPIC BASIN TAP WRENCH

- For reaching taps behind the bath or basin
- Spring loaded serrated jaw
- Capacity 32 to 48mm

Item ID: BWT406

- Telescopic handle for even easier access in difficult to reach places
- Extends from 275 to 400mm





Get organised **TENGIOOLS**

HEX KEYS

Teng Tools wide range of hex keys consists of a range of keys made of chrome vanadium steel for industrial use and a series made of chromemolybdenum for heavy duty usage.

From standard keys and TX keys in chrome vanadium steel to extra-long and with ballpoint heads in chrome-molybdenum steel. In metric sizes from $1.5 \, \text{mm}$ up to a full $36 \, \text{mm}$ and in imperial sizes from 1/16" up to 3/8". They are available with a T-handle and in different sets.

In other words, here you'll find the hex key you need!

Available in metric sizes, imperial sizes and TX

> Standard keys available individually up to 19 mm or ½" and in TX



Chrome
vanadium steel
for industrial use
and chromemolybdenum for
heavy duty use

Hex keys with ballpoint heads

- Available in sets with metric sizes, imperial sizes and TX, with different options in terms of content and design, up to 10 mm.
- Up to 30 degree angle entry gives easy access, quick insertion and fast removal.
- Ergonomic as they permit a natural hand and wrist movement.

Folding sets

- Anodised aluminium handle and plastic cores ensure stability and comfort in combination with a low weight.
- A stop mechanism means the keys can be opened out individually up to 90 degrees for easy and stable use even under torque.

Ballpoint heads are ideal for areas that are hard to reach.










HEX AND TX WRENCH SET



Removable lid and dove tail joints

| Ball Point Hex & TX Keys: | | |
|---------------------------|--|--|
| | 1.5, 2, 2.5, 3, 4, 5, 6, 7, 8, 10 mm | |
| | 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" | |
| (1) | TX8, TX9, TX10, TX15, TX20, TX25, TX27, TX30, TX40 | |

Item ID: TTHT28













HEX, TX AND SCREWDRIVER KEY SET

- Includes metric and inch hex keys
- TX keys and mini TX keys
- Also includes a handy fold up key set including hex, TX and screwdriver blades
- Tools are held in place using three colour pre-cut EVA foam

| Ball Po | Ball Point Hex & TX Keys: | | | | |
|---------|--|--|--|--|--|
| | 1.5, 2, 2.5, 3, 4, 5, 6, 7, 8, 10 mm | | | | |
| | 5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8" | | | | |
| (1) | TX8, TX9, TX10, TX15, TX20, TX25, TX27, TX30, TX40 | | | | |
| Mini TX | Keys: | | | | |
| | TX6, TX7, TX8, TX9, TX10, TX15 | | | | |
| Fold Up | Key Set: | | | | |
| | 4. 5. 6mm Hex. TX25. TX30. 5.5mm Flat. PH2. PZ2 | | | | |

Item ID: TEDHT42




- **HEX KEY SET**
- Chrome vanadium steel with a black finish
- Each key can be removed by simply unscrewing from it's
- Supplied on a ring to keep the keys together

| Hex Ke | eys with Ring Holder: |
|--------|--------------------------------------|
| | 1.5, 2, 2.5, 3, 4, 5, 6, 7, 8, 10 mm |

Item ID: 1425



- Chrome vanadium steel with a black finish
- Each key can be removed by simply unscrewing from it's individual holder
- Supplied on a ring to keep the keys together



Item ID: 1424



HEX KEY SET







- Regular hex end on both arms giving the ability to apply higher torque
- Chrome vanadium steel with a black finish
- Each key can be easily removed or used by simply twisting in it's individual holder
- Supplied with a folding plastic holder to keep the keys together

Hex Keys with Folding Plastic Holder: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm

Item ID: 1479MMR





EXTRA LONG HEX KEY SET



- Regular hex end on both arms giving the ability to apply higher torque
- Chrome vanadium steel with a black finish
- Each key can be easily removed or used by simply twisting in it's individual holder
- Supplied with a folding plastic holder to keep the keys together

Hex Keys with Folding Plastic Holder: 1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm

Item ID: 1479MMRL



BALL POINT HEX KEY SET





- Ball point end on the long key end giving access at angles of up to 25°
- Ideal for use in confined spaces
- Regular hex end on the short arm giving the ability to apply higher torque
- Chrome vanadium steel with a black finish
- Each key can be easily removed or used by simply twisting in it's individual holder
- Supplied with a plastic holder to keep the keys together

Hex Keys with Plastic Holder: 2.5, 3, 4, 5, 6, 8, 10 mm

Item ID: 1475



- Ball point end on the long key end giving access at angles of up to 25°
- Ideal for use in confined spaces
- Regular hex end on the short arm giving the ability to apply higher torque
- Chrome vanadium steel with a black finish
- Each key can be easily removed or used by simply twisting in it's individual holder
- Supplied with a plastic holder to keep the keys together

Hex Keys with Plastic Holder:




1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"

Item ID: 1474



BALL POINT HEX KEY SET



- Ideal for use in confined spaces
- Regular hex end on the short arm giving the ability to apply higher torque
- Chrome vanadium steel with a black finish
- Each key can be easily removed or used by simply twisting in it's individual holder
- Supplied with a folding plastic holder to keep the keys together

Hex Keys with Folding Plastic Holder:

1.5, 2, 2.5, 3, 4, 5, 6, 8, 10 mm

Item ID: 1479MM





BALL POINT HEX KEY SET

- Includes 7mm, commonly used in automotive applications
- Ball point end on the long key end giving access at angles of up to 25°
- ideal for use in confined spaces
- Regular hex end on the short arm giving the ability to apply
- Chrome vanadium steel with a black finish
- Each key can be easily removed or used by simply twisting in it's individual holder
- Supplied with a folding plastic holder to keep the keys together



Item ID: 1479MMA

Get organised **TENGIOOLS**









BALL POINT HEX KEY SET





- Chrome molybdenum steel for extra strength
- Ball point end on the long key end giving access at angles of
- Ideal for use in confined spaces
- Regular hex end on the short arm giving the ability to apply higher torque
- Each key can be easily removed or used by simply twisting in it's individual holder
- Supplied with a folding plastic holder to keep the keys together

Hex Keys with Folding Plastic Holder:



1.5, 2, 2.5, 3, 4, 5, 6, 7, 10 mm

Item ID: 1499MM



BALL POINT HEX KEY SET







- Chrome molybdenum steel for extra strength
- Ball point end on the long key end giving access at angles of
- Ideal for use in confined spaces
- Regular hex end on the short arm giving the ability to apply higher torque
- Each key can be easily removed or used by simply twisting in it's individual holder
- Supplied with a folding plastic holder to keep the keys together

Hex Keys with Folding Plastic Holder:



5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"

Item ID: 1499AF






BALL POINT HEX KEY SET









- ideal for use in confined spaces
- Regular hex end on the short arm giving the ability to apply higher torque
- Chrome vanadium steel with a black finish
- Each key can be easily removed or used by simply twisting in it's individual holder
- Supplied with a folding plastic holder to keep the keys together

Hex Keys with Folding Plastic Holder:



5/64", 3/32", 1/8", 5/32", 3/16", 7/32", 1/4", 5/16", 3/8"

Item ID: 1479AF



- Chrome vanadium steel with a black finish
- Retractable keys held in a fold up aluminium holder
- Designed and manufactured to DIN2936

Hex Keys with Aluminium Holder:


1.5, 2, 2.5, 3, 4, 5, 6 mm

Item ID: 1476NMM



HEX KEY SET

- Chrome vanadium steel with a black finish
- Retractable keys held in a fold up aluminium holder
 - Designed and manufactured to DIN2936



Item ID: 1476NMM1





- **HEX KEY SET**
- Chrome vanadium steel with a black finish
- Retractable keys held in a fold up aluminium holder
- Designed and manufactured to DIN2936

Hex Keys with Aluminium Holder: 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32"

Item ID: 1476NAF



HEX KEY SET

- Chrome vanadium steel with a black finish
- Retractable keys held in a fold up chromed holder
- Features a fold out ring connector for use with a safety wire for added security when working at heights

Hex Keys with Chromed Holder: 1.5, 2, 2.5, 3, 4, 5, 6 mm

Item ID: 1471 MM



mm

HEX KEY SET

- Chrome vanadium steel with a black finish
- Retractable keys held in a fold up chromed holder
- Features a fold out ring connector for use with a safety wire for added security when working at heights


Hex Keys with Chromed Holder: 2.5, 3, 4, 5, 6, 8, 10 mm

Item ID: 1471 MMA



HEX KEY SET





Features a fold out ring connector for use with a safety wire for added security when working at heights

Hex Keys with Chromed Holder: 1/16", 5/64", 3/32", 1/8", 5/32", 3/16", 7/32"

Item ID: 1471 AF







AF (



HEX KEY SET

Item ID: 1471 AFA

- Chrome vanadium steel with a black finish
- Retractable keys held in a fold up chromed holder
- Features a fold out ring connector for use with a safety wire for added security when working at heights

Hex Keys with Chromed Holder: 1/8", 5/32", 3/16", 1/4", 5/16", 3/8"





HEX KEYS

- Metric hexagon key wrench
- Individually marked for size
- Ground key ends for a better finish and accurate fit
- Manufactured in chrome vanadium steel with a black phosphate finish
- Designed and manufactured to DIN 2936





| ITEM ID: | Size
mm | Short Arm
Length mm | Long Arm
Length mm |
|----------|------------|------------------------|-----------------------|
| 3105007 | 0.7 | 8 | 35 |
| 3105009 | 0.9 | 10 | 38 |
| 3105013 | 1.3 | 12 | 41 |
| 3105015 | 1.5 | 14 | 45 |
| 310502 | 2 | 16 | 50 |
| 3105025 | 2.5 | 18 | 56 |
| 310503 | 3 | 20 | 63 |
| 310504 | 4 | 25 | 70 |
| 3105045 | 4.5 | 26 | 75 |
| 310505 | 5 | 28 | 80 |
| 3105055 | 5.5 | 30 | 85 |
| 310506 | 6 | 32 | 90 |
| 310507 | 7 | 34 | 95 |
| 310508 | 8 | 36 | 100 |
| 310509 | 9 | 38 | 106 |
| 310510 | 10 | 40 | 112 |
| 310512 | 12 | 45 | 125 |
| 310514 | 14 | 56 | 140 |
| 310517 | 17 | 63 | 160 |
| 310519 | 19 | 70 | 180 |
| 310522 | 22 | 80 | 200 |
| 310527 | 27 | 100 | 250 |
| 310532 | 32 | 125 | 315 |
| 310536 | 36 | 140 | 355 |



- Individually marked for size
- Ground key ends for a better finish and accurate fit
- Manufactured in chrome vanadium steel with a black phosphate finish
- Designed and manufactured to DIN2936



| ITEM ID: | Size | Short Arm
Length mm | Long Arm
Length mm |
|----------|-------|------------------------|-----------------------|
| 310102 | 1/16" | 14 | 44 |
| 3101025 | 5/64" | 15 | 48 |
| 310103 | 3/32" | 17 | 51 |
| 3101035 | 7/64" | 18 | 54 |
| 310104 | 1/8" | 19 | 57 |
| 3101045 | 9/64" | 20 | 60 |
| 310105 | 5/32" | 21 | 64 |
| 310106 | 3/16" | 24 | 70 |
| 310107 | 7/32" | 26 | 76 |
| 310108 | 1/4" | 28 | 83 |
| 310110 | 5/16" | 32 | 95 |
| 310112 | 3/8" | 35 | 108 |
| 310114 | 7/16" | 38 | 121 |
| 310116 | 1/2" | 41 | 133 |



EXTRA LONG HEX KEYS

- Extra long metric hexagon key wrench
- Individually marked for size
- Manufactured in chrome vanadium steel with a black phosphate finish



| ITEM ID: | Size
mm | Short Arm
Length mm | Long Arm
Length mm |
|----------|------------|------------------------|-----------------------|
| 3205015 | 1.5 | 14 | 90 |
| 320502 | 2 | 16 | 100 |
| 3205025 | 2.5 | 18 | 112 |
| 320503 | 3 | 20 | 126 |
| 320504 | 4 | 25 | 140 |
| 320505 | 5 | 28 | 160 |
| 320506 | 6 | 32 | 180 |
| 320508 | 8 | 36 | 200 |
| 320510 | 10 | 40 | 224 |

BALL POINT HEX KEYS

- Ball point end on the long key end giving access at angles of up to 25°
- Ideal for use in confined spaces
- Regular hex end on the short arm giving the ability to apply higher torque
- Manufactured in chrome vanadium steel with a black phosphate finish





| Size
mm | Short Arm
Length mm | Long Arm
Length mm |
|------------|--|--|
| 5/64" | 15 | 82 |
| 3/32" | 17 | 88 |
| 1/8" | 19 | 96 |
| 5/32" | 21 | 105 |
| 3/16" | 24 | 114 |
| 7/32" | 26 | 124 |
| 1/4" | 28 | 135 |
| 5/16" | 32 | 151 |
| 3/8" | 35 | 170 |
| | mm 5/64" 3/32" 1/8" 5/32" 3/16" 7/32" 1/4" 5/16" | mm Length mm 5/64" 15 3/32" 17 1/8" 19 5/32" 21 3/16" 24 7/32" 26 1/4" 28 5/16" 32 |



BALL POINT HEX KEYS

- Ball point end on the long key end giving access at angles of up to 25°
- Ideal for use in confined spaces
- Regular hex end on the short arm giving the ability to apply higher torque
- Manufactured in chrome vanadium steel with a black phosphate finish



| ITEM ID: | Size
mm | Short Arm
Length mm | Long Arm
Length mm |
|-------------|------------|------------------------|-----------------------|
| 3105015BL-C | 1.5 | 17 | 76 |
| 3105025BL-C | 2.5 | 20 | 90 |
| 310502BL-C | 2 | 19 | 83 |
| 310503BL-C | 3 | 22 | 99 |
| 310504BL-C | 4 | 28 | 111 |
| 310505BL-C | 5 | 32 | 126 |
| 310506BL-C | 6 | 38 | 143 |
| 310507BL-C | 7 | 34 | 144 |
| 310508BL-C | 8 | 44 | 160 |
| 310510BL-C | 10 | 50 | 180 |

CHROME MOLYBDENUM BALL POINT HEX KEYS

- Manufactured in Chrome molybdenum steel for added strength
- Ball point end on the long key end giving access at angles of up to 25°
- Ideal for use in confined spaces
- Regular hex end on the short arm giving the ability to apply higher torque
- Individually marked for size for easier identification





| ITEM ID: | Size
mm | Short Arm
Length mm | Long Arm
Length mm |
|-----------|------------|------------------------|-----------------------|
| 3905015BL | 1.5 | 14 | 77 |
| 3905025BL | 2.5 | 18 | 90 |
| 390502BL | 2 | 16 | 83 |
| 390503BL | 3 | 20 | 98 |
| 390504BL | 4 | 25 | 106 |
| 390505BL | 5 | 28 | 118 |
| 390506BL | 6 | 32 | 137 |
| 390508BL | 8 | 36 | 156 |
| 390510BL | 10 | 40 | 170 |



CHROME MOLYBDENUM BALL POINT HEX KEYS

- Manufactured in Chrome molybdenum steel for added strength
- Ball point end on the long key end giving access at angles of up to 25°
- Ideal for use in confined spaces
- Regular hex end on the short arm giving the ability to apply higher torque
- Individually marked for size for easier identification of the right size wrench





| ITEM ID: | Size
mm | Short Arm
Length mm | Long Arm
Length mm |
|-----------|------------|------------------------|-----------------------|
| 3901025BL | 5/64" | 15 | 82 |
| 390103BL | 3/32" | 17 | 88 |
| 390104BL | 1/8" | 19 | 96 |
| 390105BL | 5/32" | 21 | 105 |
| 390106BL | 3/16" | 24 | 114 |
| 390107BL | 7/32" | 26 | 124 |
| 390108BL | 1/4" | 28 | 135 |
| 390110BL | 5/16" | 32 | 151 |
| 390112BL | 3/8" | 35 | 170 |









- Regular hex end on the short and long arms gives the ability to apply higher torque
- Removable lid and dove tail joints

| T-Handle Hex Drivers: | | | | |
|-----------------------|--------------|--|--|--|
| 100 mm long: | 2.5, 3, 4 mm | | | |
| 150 mm long: | 5, 6, 7 mm | | | |
| 190 mm long: | 8 mm | | | |

Item ID: TTHEX7S





T HANDLE HEX KEY SET





- Ball point end on the long key end giving access at angles of up to 25°
- Regular hex end on the short arm gives the ability to apply higher torque
- Removable lid and dove tail joints

| Ball Point T-Handle Hex Drivers: | | | | |
|----------------------------------|--------------|--|--|--|
| 100 mm long: | 2.5, 3, 4 mm | | | |
| 150 mm long: | 5, 6, 7 mm | | | |
| 190 mm long: | 8 mm | | | |

Item ID: TTHEX7



T HANDLE HEX KEY SET









- up to 25° Regular hex end on the short arm giving the ability to apply higher torque
- Tools are held in place using three colour pre-cut EVA foam

| Ball Point T-Handle Hex Drivers: | | | | |
|----------------------------------|--------------|--|--|--|
| 100 mm long: | 2.5, 3, 4 mm | | | |
| 150 mm long: | 5, 6, 7 mm | | | |
| 190 mm long: | 8 mm | | | |


Item ID: TEDHEX7



- Ball point end on the long key end giving access at angles of up to 25°
- Ideal for use in confined spaces
- Regular hex end on the short arm giving the ability to apply higher torque
- Supplied with a wall rack for fixing to the wall or a workbench

| Ball Point T-Handle Hex Drivers: | | | | |
|----------------------------------|--------------|--|--|--|
| 100 mm long: | 2.5, 3, 4 mm | | | |
| 150 mm long: | 5, 6, 7 mm | | | |
| 190 mm long: | 8 mm | | | |

Item ID: WRHEX07



NUT AND T HANDLE DRIVER SET

- Pieces mm EVA
- Includes metric nut drivers and T handle hex and TX/TPX drivers
- Ergonomically designed bi-material handles for higher torque
 Hanging hole in the handle for for use as a T handle for extra
- torque or with a fall protection wire

 The handle is moulded around the blade which gives a higher torque capacity
- Tools are held in place using three colour pre-cut EVA foam
- Designed to fit exactly in the larger Teng Tools tool box drawers

| Nut Drivers: | | |
|--------------------------|--|--|
| 0 | 5, 5.5, 6, 7, 8, 10, 11, 12, 13 mm | |
| T Handle Hex | & TX Keys: | |
| 2.5, 3, 4, 5, 6, 7, 8 mm | | |
| | TX/TPX10, TX/TPX15, TX/TPX20, TX/TPX25, TX/TPX27, TX/TPX30, TX/TPX40 | |

Item ID: TTEX23



T HANDLE HEX KEY SET



- Ball point end on the long key end giving access at angles of up to 25°
- Regular hex end on the short and long arms gives the ability to apply higher torque
- Removable lid and dove tail joints

| Ball Point T-Handle Hex Drivers: | | | | |
|----------------------------------|--------------------|--|--|--|
| 100 mm long: | 3/32", 1/8", 5/32" | | | |
| 150 mm long: | 3/16", 7/32", 1/4" | | | |
| 190 mm long: | 5/16" | | | |

Item ID: TTHEX7AF



- Ball point end on the long key end giving access at angles of up to 25°
- Ideal for use in confined spaces
- Regular hex end on the short arm giving the ability to apply higher torque
- Supplied with a wall rack for fixing to the wall or a workbench

| Ball Point T-Handle Hex Drivers: | | | | |
|----------------------------------|--------------------|--|--|--|
| 100 mm long: | 3/32", 1/8", 5/32" | | | |
| 150 mm long: | 3/16", 7/32", 1/4" | | | |
| 190 mm long: | 5/16" | | | |

Item ID: WRHEX07AF

Get organised[™] IENGIOOLS 307





T HANDLE HEX KEYS

- Ball point end on the long key end giving access at angles of up to 25°
- Ideal for use in confined spaces
- Regular hex end on the short arm giving the ability to apply higher torque
- Manufactured in Chrome molybdenum for extra strength
- Ergonomically designed bi-material handle for easy use with higher
- Hole in the handle for hanging or for use with a fall protection wire










| ITEM ID: | Size
mm | Short Arm
Length mm | Long Arm
Length mm |
|----------|------------|------------------------|-----------------------|
| 510502 | 2 | 12 | 100 |
| 5105025 | 2.5 | 12 | 100 |
| 510503 | 3 | 12 | 100 |
| 510504 | 4 | 12 | 100 |
| 510505 | 5 | 15 | 150 |
| 510506 | 6 | 15 | 150 |
| 510507 | 7 | 15 | 150 |
| 510508 | 8 | 18 | 190 |
| 510510 | 10 | 20 | 200 |
| 510512 | 12 | 20 | 200 |

T HANDLE HEX KEYS

- Ball point end on the long key end giving access at angles of up to 25°
- Ideal for use in confined spaces
- Regular hex end on the short arm giving the ability to apply higher torque
- Manufactured in Chrome molybdenum for extra strength
- Ergonomically designed bi-material handle for easy use with higher torque
- Hole in the handle for hanging or for use with a fall protection wire







| ITEM ID: | Size
mm | Short Arm
Length mm | Long Arm
Length mm |
|----------|------------|------------------------|-----------------------|
| 510103 | 3/32" | 12 | 100 |
| 510104 | 1/8" | 12 | 100 |
| 510105 | 5/32" | 12 | 100 |
| 510106 | 3/16" | 12 | 100 |
| 510107 | 7/32" | 15 | 150 |
| 510108 | 1/4" | 15 | 150 |
| 510110 | 5/16" | 15 | 150 |





Hex & TX Keys 💽

T HANDLE HEX KEYS

- Regular hex end on both arms giving the ability to apply higher torque
- Larger contact zone with the fastening reduces wear inside hexagon socket screws
- Manufactured in Chrome molybdenum for extra strength
- Ergonomically designed bi-material handle for easy use with higher torque
- Hole in the handle for hanging or for use with a fall protection wire




| ITEM ID: | Size
mm | Short Arm
Length mm | Long Arm
Length mm |
|----------|------------|------------------------|-----------------------|
| 5106025 | 2.5 | 15 | 100 |
| 510603 | 3 | 15 | 100 |
| 510604 | 4 | 15 | 100 |
| 510605 | 5 | 18 | 150 |
| 510606 | 6 | 18 | 150 |
| 510607 | 7 | 18 | 150 |
| 510608 | 8 | 18 | 190 |

HEX SCREWDRIVERS

- For use with hexagon fastenings and grub screws
- TT-MV PLUS steel alloy for greater strength and
 material flexibility.
- Ergonomically designed bi-material handle for easy use with higher torque
- Hole in the handle for hanging or for use as a T handle for extra torque
- The handle is moulded around the blade to ensure straightness






| ITEM ID: | • | + | 1 | L1
mm | L2
mm |
|----------|-----|-------|-----|----------|----------|
| MD7020HN | 2 | Round | Hex | 100 | 196 |
| MD7025HN | 2.5 | Round | Hex | 100 | 196 |
| MD7030HN | 3 | Round | Hex | 100 | 196 |

HEX SCREWDRIVERS

- Ball point head allows turning at angles up to 25° for easier access
- For use with hexagon fastenings and grub screws
- TT-MV PLUS steel alloy for greater strength and material flexibility
- Ergonomically designed bi-material handle for easy use with higher torque
- Hole in the handle for hanging or for use as a T handle for extra torque
- The handle is moulded around the blade to ensure straightness





| • | • | ı | L1
mm | L2
mm |
|-----|-------------------------|---|---|------------------------|
| 2 | Round | Hex ball | 100 | 196 |
| 2.5 | Round | Hex ball | 100 | 196 |
| 3 | Round | Hex ball | 150 | 246 |
| 4 | Round | Hex ball | 150 | 258 |
| 5 | Round | Hex ball | 150 | 266 |
| 6 | Round | Hex ball | 150 | 266 |
| 8 | Round | Hex ball | 150 | 275 |
| | 2
2.5
3
4
5 | 2 Round 2.5 Round 3 Round 4 Round 5 Round 6 Round | 2 Round Hex ball 2.5 Round Hex ball 3 Round Hex ball 4 Round Hex ball 5 Round Hex ball 6 Round Hex ball | Round Hex ball 100 |







T HANDLE TX AND TPX KEY SET

- TPX type on the long key end for tamper proof TX fastenings
- Regular TX end on the short arm giving the ability to apply higher torque
- Removable lid and dove tail joints

| T-Handle TX Drivers: | |
|-----------------------|------------------------------|
| 100 mm long: | TX/TPX10, TX/TPX15, TX/TPX20 |
| ★ 150 mm long: | TX/TPX25, TX/TPX27, TX/TPX30 |
| 190 mm long: | TX/TPX40 |

Item ID: TTTX7

Get organised** 309








T HANDLE TX KEY SET





Regular TX end on the short arm giving the ability to apply higher torque

Tools are held in place using three colour pre-cut EVA foam

| T-Handle TX Drivers: | | | | |
|----------------------|------------------------------|--|--|--|
| 100 mm long: | TX/TPX10, TX/TPX15, TX/TPX20 | | | |
| 150 mm long: | TX/TPX25, TX/TPX27, TX/TPX30 | | | |
| 190 mm long: | TX/TPX40 | | | |

Item ID: TEDTX7



TPX type on the long key end for tamper proof TX fastenings

- Regular TX end on the short arm giving the ability to apply
- Supplied with a wall rack for fixing to the wall or a workbench

| T-Handle TX Drivers: | | | | |
|----------------------|------------------------------|--|--|--|
| 100 mm long: | TX/TPX10, TX/TPX15, TX/TPX20 | | | |
| 150 mm long: | TX/TPX25, TX/TPX27, TX/TPX30 | | | |
| 190 mm long: | TX/TPX40 | | | |

Item ID: WRTX07



TX KEY SET

- Chrome vanadium steel with a black finish
- Each key can be easily removed or used by simply twisting in it's individual holder
- Supplied with a folding plastic holder to keep the keys together

| TX Keys | with Folding Plastic Holder: |
|---------|--|
| (*) | TX8, TX9, TX10, TX15, TX20, TX25, TX27, TX30, TX40 |

Item ID: 1479TX



- Ball point end on the long key end giving access at angles up to 20°
- Ideal for use in confined spaces
- Regular end on the short arm giving the ability to apply higher torque
- Chrome vanadium steel with a black finish
- Each key can be easily removed or used by simply twisting in it's
- Supplied with a folding plastic holder to keep the keys together

| TX Keys | with Folding Plastic Holder: |
|---------|--|
| | TX8, TX9, TX10, TX15, TX20, TX25, TX27, TX30, TX40 |

Item ID: 1479TX1



BALL POINT TX KEY SET



- Ball point end on the long key end giving access at angles up to 20°
- Ideal for use in confined spaces
- Regular end on the short arm giving the ability to apply higher torque
- Each key can be easily removed or used by simply twisting in it's
- Supplied with a folding plastic holder to keep the keys together

| TX Keys with Folding Plastic Holder: | | | | |
|--------------------------------------|--|--|--|--|
| (*) | TX8, TX9, TX10, TX15, TX20, TX25, TX27, TX30, TX40 | | | |
| | | | | |

Item ID: 1499TX

Hex & TX Keys



- Chrome vanadium steel with a matt finish
- Each key can be removed by simply unscrewing from it's individual holder
- Supplied on a ring to keep the keys together

| Hex Ke | ys with Ring Holder: |
|--------|--|
| | TX10, TX15, TX20, TX25, TX27, TX30, TX40 |

Item ID: 1487



TX KEY SET

- Chrome molybdenum steel for added strength
- Retractable keys held in a fold up chromed holder
- Features a fold out ring connector for use with a safety wire for added security when working at heights

| TX Keys with Chromed Holder: | | | | |
|------------------------------|---|--|--|--|
| (1) | TX9, TX10, TX15, TX20, TX25, TX27, TX30, TX40 | | | |

Item ID: 1476NTX2



TX KEY SET

- Chrome vanadium steel with a black finish
- Retractable keys held in a fold up aluminium holder

| TX Keys with Aluminium Holder: | | | | |
|--------------------------------|---|--|--|--|
| | TX9, TX10, TX15, TX20, TX25, TX27, TX30, TX40 | | | |

Item ID: 1476NTX



- Ball point end giving access at angles of up to 20°, ideal for use in confined spaces
- Chrome vanadium steel with a black finish
- Retractable keys held in a fold up aluminium holder

| , | with Aluminium Holder: |
|---|---|
| | TX9, TX10, TX15, TX20, TX25, TX27, TX30, TX40 |

Item ID: 1476NTX1

TX KEYS

- Manufactured in chrome vanadium steel with a black phosphate finish
- Designed and manufactured to DIN2936



8 Pieces

| ITEM ID: | Size
TX | Max Head
Width mm | For Screws
M | Length
mm |
|----------|------------|----------------------|-----------------|--------------|
| 320008 | 8 | 2.31 | 2.5 | 16x80 |
| 320009 | 9 | 2.5 | 3 | 16x83 |
| 320010 | 10 | 2.74 | 3.0-3.5 | 17x86 |
| 320015 | 15 | 3.27 | 3.5-4.0 | 18x90 |
| 320020 | 20 | 3.86 | 4.0-5.0 | 19x95 |
| 320025 | 25 | 4.43 | 4.5-5.0 | 20x100 |
| 320027 | 27 | 4.99 | 4.5-6.0 | 22x105 |
| 320030 | 30 | 5.52 | 6.0-7.0 | 24x114 |
| 320040 | 40 | 6.65 | 7.0-8.0 | 26x124 |
| 320045 | 45 | 7.82 | 8.0-10.0 | 29x133 |
| 320050 | 50 | 8.83 | 10 | 32x152 |



Get organised **TENGIOOLS**

BALL POINT TX KEYS

- Ball point end on the long key end giving access at angles up to 20°
- Ideal for use in confined spaces
- Regular TX end on the short arm giving the ability to apply higher torque
- Manufactured in chrome vanadium steel with a black phosphate finish



| ITEM ID: | Size
TX | Max Head
Width mm | For Screws
M | Length
mm |
|----------|------------|----------------------|-----------------|--------------|
| 320008BL | 8 | 2.31 | 2.5 | 16x80 |
| 320009BL | 9 | 2.5 | 3 | 16x83 |
| 320010BL | 10 | 2.74 | 3.0-3.5 | 17x86 |
| 320015BL | 15 | 3.27 | 3.5-4.0 | 18x90 |
| 320020BL | 20 | 3.86 | 4.0-5.0 | 19x95 |
| 320025BL | 25 | 4.43 | 4.5-5.0 | 20x100 |
| 320027BL | 27 | 4.99 | 4.5-6.0 | 22x105 |
| 320030BL | 30 | 5.52 | 6.0-7.0 | 24x114 |
| 320040BL | 40 | 6.65 | 7.0-8.0 | 26x124 |
| 320045BL | 45 | 7.82 | 8.0-10.0 | 29x133 |
| 320050BL | 50 | 8.83 | 10 | 32x152 |

BALL POINT TX KEYS

- Manufactured in chrome molybdenum steel for added strength
- Ball point end on the long key end giving access at angles up to 20°
- Ideal for use in confined spaces
- Regular hex end on the short arm giving the ability to apply higher torque
- Individually marked for size for easier identification of the right size wrench





| ITEM ID: | Size
mm | Short Arm
Length mm | Long Arm
Length mm |
|----------|------------|------------------------|-----------------------|
| 390908BL | 8 | 16 | 80 |
| 390909BL | 9 | 16 | 83 |
| 390910BL | 10 | 17 | 86 |
| 390915BL | 15 | 18 | 90 |
| 390920BL | 20 | 19 | 95 |
| 390925BL | 25 | 20 | 100 |
| 390927BL | 27 | 22 | 105 |
| 390930BL | 30 | 24 | 114 |
| 390940BL | 40 | 26 | 124 |

T HANDLE TX & TPX KEYS

- TPX type on the long key end for tamper proof TX fastenings
- Regular TX end on the short arm giving the ability to apply higher torque
- Manufactured in chrome molybdenum for extra strength
- Ergonomically designed bimaterial handle for use with higher torque
- Hole in the handle for hanging or for use with a fall protection







| ITEM ID: | Size
mm | Short Arm
Length mm | Long Arm
Length mm |
|----------|------------|------------------------|-----------------------|
| 520009 | TX/TPX9 | 12 | 100 |
| 520010 | TX/TPX10 | 12 | 100 |
| 520015 | TX/TPX15 | 12 | 100 |
| 520020 | TX/TPX20 | 12 | 100 |
| 520025 | TX/TPX25 | 15 | 150 |
| 520027 | TX/TPX27 | 15 | 150 |
| 520030 | TX/TPX30 | 15 | 150 |
| 520040 | TX/TPX40 | 18 | 190 |
| 520045 | TX/TPX45 | 20 | 200 |
| 520050 | TX/TPX50 | 20 | 200 |
| 520055 | TX/TPX55 | 20 | 200 |



- Hex, TX and screwdriver key set
- A set of 8 keys
- Chrome vanadium steel with a black finish
- Retractable keys held in a fold up aluminium holder

| Ergonomically Designed Aluminium Holder | | | | | | | | | | |
|---|-----------|--|--|--|--|--|--|--|--|--|
| Individual Keys: | | | | | | | | | | |
| mm: 1 x 5.5 | | | | | | | | | | |
| (+) | PH1 | | | | | | | | | |
| * | PZ2 | | | | | | | | | |
| TX25 TX30 | | | | | | | | | | |
| mm: | mm: 4 5 6 | | | | | | | | | |

Item ID: 1477NX




BICYCLE TOOL KIT

- Designed for cyclists to carry easily
- Includes hexagon, TX and screwdriver keys together with a tyre lever and chain repair tool
- Chrome nickel finish
- Supplied in a handy fold up aluminium case

| Ergonomically Designed Aluminium Holder, Tyre
Lever, Chain Tool | | | | | | | | | | | |
|--|------------------|--|--|--|--|--|--|--|--|--|--|
| Individual Keys | Individual Keys: | | | | | | | | | | |
| mm: | mm: 1 x 5.5 | | | | | | | | | | |
| (+) | PH2 | | | | | | | | | | |
| ③ | TX25 TX30 | | | | | | | | | | |
| mm: | mm: 4 5 6 | | | | | | | | | | |

Item ID: 1473





TORQUE TOOLS

Teng Tools torque wrenches have become an industry standard. Whether you choose the classic version that has been a favourite for many years or the new P-Series range designed for the industrial and maintenance sectors you are guaranteed quality, accuracy and reliability as standard.



Classic Series Torque

- Graduated in Nm & fl/lbs
- Lockable setting
- Manufactured according to ISO6789

All torque
wrenches
are supplied
with a factory
calibration
certificate



Use a torque wrench to apply specific torque, not for tightening or loosening fasteners















- Includes a 1-5Nm 1/4" drive torque screwdriver
- Wide range of screwdriver bits and accessories
- Removable lid and dove tail joints

| Torque | Torque Screwdriver 1-5Nm, 4" extension bar, Bit chuck holder | | | | | | | | | | |
|--------------------------------|--|-----------|---------------------------|--|--|--|--|--|--|--|--|
| 25mm Long 1/4" Hex Drive Bits: | | | | | | | | | | | |
| (+) | PHO, PH1, PH2, PH3 PZ0, PZ1, PZ2, PZ3 | | | | | | | | | | |
| (+) | PH2G (x2) | | 2, 3, 4, 5 ,6 mm | | | | | | | | |
| | ROB1, ROB2, ROB3 | Θ | 3, 4.5, 5.5, 6.5 mm | | | | | | | | |
| (| TX8, TX9, TX10, 1 | TX15, TX2 | 0, TX25, TX27, TX30, TX40 | | | | | | | | |
| \$ | TPX10, TPX15, TPX20, TPX25, TPX30 | | | | | | | | | | |

Item ID: TTSD39

TORQUE SCREWDRIVER



- Slipper mechanism ensures that no torque is applied beyond the set torque
- Simple to adjust and easy to read Nm scale
- Twist locking facility to ensure the set torque is maintained
- Accurate to +/- 6% and conforms to ISO6789 for assured accuracy
- Each torque wrench has it's own individual certification number
- Supplied in a handy storage case

| | Calibrat | ion Cert | Range |
|-----------|----------|----------|-------|
| ITEM ID: | Factory | New | Nm |
| 1492SD | Υ | - | 1-5 |
| 1492SD-CT | - | Υ | 1-5 |





TORQUE SCREWDRIVER SET





- Supplied in the unique Teng Tools double width TC tray
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs

| 1/4" Drive | 1-5 Nm Torque screwdriver, Quick release chuck, Sliding T-bar,
6" Flexible extension, Ratchetting bits driver with assorted bits | | | | | | | | | | | |
|-----------------|---|---------------------------------------|--|--|--|--|--|--|--|--|--|--|
| 3/8" Drive | 3/8"M x 5/16" Hex adaptor | | | | | | | | | | | |
| 1/2" Drive | Reversible impact driver, 5/16" Hex bit adaptor | | | | | | | | | | | |
| 5/16" Hex bits: | 6, 8, 10, 12 | 1 TX30, TX40, TX45, TX50, TX55 | | | | | | | | | | |
| Length 36mm | 4, 5, 6, 8 | PH1, PH2, PH3, PH4 | | | | | | | | | | |
| 1/4" Hex bits: | 3.5, 4, 4.5, 5.5 (x2), 6.5, 8 | PH1 (x3), PH2 (x6), PH3 | | | | | | | | | | |
| Length 25mm | PZ1 (x3), PZ2 (x6), PZ3 | 2, 3, 4, 5, 6, 8 | | | | | | | | | | |
| | 1, 2, 3 | PH2G (x3) | | | | | | | | | | |
| | TX6, TX7, TX8, TX9, TX10, TX15, TX20 (x3), TX25 (x3), TX27, TX30, TX40 | | | | | | | | | | | |
| | TPX10, TPX15, TPX20 (x | 2), TPX25 (x2), TPX27, TPX30, TPX40 | | | | | | | | | | |

Item ID: TEDSD95

TORQUE WRENCHES



- Equipped with an in-built angular gauge for easier after tightening
- Click type mechanism to signal when the required torque is reached
- Additional ft/lb reference scale
- Marked to show the correct place where pressure should be applied
- Twist locking facility to ensure the set torque is maintained
- Reversible 24 teeth ratchet mechanism (DIN3122) giving 15° increments
- Designed to torque right hand (clockwise)
- fasteners
 Accurate to +/- 4% and conforms to ISO6789
- for assured accuracy
 Each torque wrench has it's own individual
- Each forque wrench has it's own individud certification number
- Supplied in a handy storage case



| | Calibration Cert | | Ranae | Ranae | Scale | Scale | L | w | Н | 0 |
|-----------|------------------|-----|-------|-------|-------|-------|-----|------|------|-----|
| ITEM ID: | Factory | New | Nm | ft/lb | Nm | ft/lb | mm | mm | mm | g |
| 1492AG-E | Υ | - | 5-25 | 4-18 | 0.4 | 0.4 | 277 | 27.6 | 20.6 | 580 |
| 1492AG-CT | - | Υ | 5-25 | 4-18 | 0.4 | 0.4 | 277 | 27.6 | 20.6 | 580 |









TORQUE WRENCH SET





- Ideal set for automotive technicians
- Equipped with an in-built angular gauge for easier after tightening
- Click type mechanism when the required torque is reached
- Additional ft/lb reference scale (range 15-75 ft/lb)
- Marked to show the correct place where pressure should be applied
- Twist locking facility to ensure the set torque is maintained
- Reversible 24 teeth ratchet (DIN3122) giving 15° increments
- Designed to torque right hand (clockwise) fasteners
- Accurate to +/- 4% conforms to ISO6789 for assured accuracy
- Individually tested and certified at the time of manufacture

| 3/8" Drive Torque wrench (20-110Nm, 15-75 ft/lb),
3" and 5" extension bars, adaptorfor 10mm hex bits | | | | | | | | |
|---|---|--|--|--|--|--|--|--|
| 10mm | 10mm Hex Drive TX bits: | | | | | | | |
| | TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40 | | | | | | | |
| 3/8" D | 3/8" Drive Crow Foot Wrenches | | | | | | | |
| 10, 11, | 12, 13, 14, 15, 16, 17, 18, 19 mm | | | | | | | |

Item ID: TTX3892













TORQUE WRENCH SET

- Equipped with an in-built angular gauge for easier after tightening
- Click type mechanism to signal when the required torque is reached
- Additional ft/lb reference scale
- Marked to show the correct place where pressure should be applied
- Twist locking facility to ensure the set torque is maintained
- Reversible 24 teeth ratchet (DIN3122) giving 15° increments
- Designed to torque right hand (clockwise) fasteners
- Accurate to +/- 4% conforms to ISO6789 for assured accuracy Individually tested and certified at the time of manufacture
- Tools are held in place using three colour pre-cut EVA foam

| Torque Wrenches | | | | | | | |
|-----------------|------------|-------------------------|--|--|--|--|--|
| | 3/8" Drive | 20-110Nm (15-81ft/lb) | | | | | |
| | 1/2" Drive | 40-210Nm (30-150 ft/lb) | | | | | |

Item ID: TEX 1238

TORQUE WRENCHES



- Equipped with an in-built angular gauge for easier after tightening
- Click type mechanism to signal when the required torque is reached
- Additional ft/lb reference scale
- Marked to show the correct place where pressure should be applied
- Twist locking facility to ensure the set torque is maintained
- Reversible 24 teeth ratchet mechanism (DIN3122) giving 15° increments
- Designed to torque right hand (clockwise) fasteners
- Accurate to +/- 4% and conforms to ISO6789 for assured accuracy
- Each torque wrench has it's own individual certification number
- Supplied in a handy storage case



| | Calibration Cert | | Range | | Scale | | L | W | Н | 0 |
|------------|------------------|-----|--------|-------|-------|-------|-----|------|------|-----|
| ITEM ID: | Factory | New | Nm | ft/lb | Nm | ft/lb | mm | mm | mm | g |
| 3892AG-E1 | Υ | | 5-25 | 4-18 | 0.4 | 0.4 | 277 | 27.6 | 20.6 | 580 |
| 3892AG1-CT | - | Y | 5-25 | 4-18 | 0.4 | 0.4 | 277 | 27.6 | 20.6 | 580 |
| 3892AG-E3 | Υ | | 20-110 | 15-75 | 1.0 | 1.0 | 368 | 35.9 | 27.7 | 580 |
| 3892AG3-CT | - | Υ | 20-110 | 15-75 | 1.0 | 1.0 | 368 | 35.9 | 27.7 | 580 |

P-SERIES TORQUE WRENCHES



- Click type mechanism to signal when the required torque is reached
- Simple to adjust and easy to read Nm scale
- Locking button to ensure the set torque is securely maintained
- Compact head for easier use in confined spaces
- Quick release 72 teeth ratchet mechanism with twist reverse (DIN3122)
- Designed to torque right hand (clockwise) fasteners
- Ergonomic bi-material grip for added comfort
- Marked to show the correct place where pressure should be applied
- Hanging facility which can be used together with a fall protection wire
- Accurate to +/- 4% and conforms to ISO6789 for assured accuracy
- Each torque wrench has it's own individual certification number
- Supplied in a handy storage case





Get organised **TENGIOOLS**



DIGITAL BI-DIRECTIONAL TORQUE WRENCH



- Simple to use with 9 separate torque settings
- Can be pre-programmed for different torque tolerances before use
- Audio visual warning with an indicator light to ensure the correct torque
- Easy to read digital scale showing Nm, ft/lb, in/lb or kg/m readings
- Marked to show the correct place where pressure should be applied
- Twist locking facility to ensure the set torque is maintained
- Reversible 45 teeth quick release ratchet mechanism (DIN3122)
- Suitable for use on clockwise and anti-clockwise
- Accurate to +/- 1% and conforms to ISO6789 for assured accuracy
- Each torque wrench has it's own individual certification number
- Uses standard AA batteries for easy replacemen
- Supplied in a handy storage case

| | Calibrat | ion Cert | Range | | So | ale | L | W | Н | 0 |
|-------------|----------|----------|--------|-------|-----|-------|-----|------|------|-----|
| ITEM ID: | Factory | New | Nm | ft/lb | Nm | ft/lb | mm | mm | mm | g |
| 3892D100 | Υ | | 10-100 | 7-75 | 0.1 | 0.1 | 457 | 42.5 | 46.5 | 904 |
| 3892D100-CT | - | Υ | 10-100 | 7-75 | 0.1 | 0.1 | 457 | 42.5 | 46.5 | 904 |









TORQUE WRENCH SET





- Equipped with an in-built angular gauge for easier after tightening
- Additional ft/lb reference scale (range 30-150 ft/lb)
- Marked to show the correct place where pressure should be applied
- Twist locking facility to ensure the set torque is maintained
- Reversible 24 teeth ratchet (DIN3122) giving 15° increments
- Designed to torque right hand (clockwise) fasteners
- Accurate to +/- 4% conforms to ISO6789 for assured accuracy
- Individually tested and certified at the time of manufacture

1/2" Drive Torque wrench (40-210Nm, 30-150 ft/lb)

Item ID: TTX 1292

TORQUE WRENCHES



- Equipped with an in-built angular gauge for easier after tightening
- Click type mechanism to signal when the required torque is reached
- Additional ft/lb reference scale
- Marked to show the correct place where pressure should be applied
- Twist locking facility to ensure the set torque is
- Reversible 24 teeth ratchet mechanism
- (DIN3122) giving 15° increments Designed to torque right hand (clockwise)
- fasteners Accurate to +/- 4% and conforms to ISO6789
- for assured accuracy Each torque wrench has it's own individual
- certification number Supplied in a handy storage case



| | Calibrat | ion Cert | Range | | Scale | | ale L | | Н | 2 |
|------------|----------|----------|--------|--------|-------|-------|-------|------|------|------|
| ITEM ID: | Factory | New | Nm | ft/lb | Nm | ft/lb | mm | mm | mm | g |
| 1292AG-EP | Υ | - | 40-210 | 30-150 | 1.0 | 1.0 | 465 | 46.9 | 33.4 | 1340 |
| 1292AGP-CT | - | Υ | 40-210 | 30-150 | 1.0 | 1.0 | 465 | 46.9 | 33.4 | 1340 |
| 1292AG-E4 | Υ | - | 70-350 | 50-250 | 5.0 | 5.0 | 632 | 47.1 | 37.1 | 2400 |
| 1292AG4-CT | - | Υ | 70-350 | 50-250 | 5.0 | 5.0 | 632 | 47.1 | 37.1 | 2400 |

Torque Tools 🔤

BI-DIRECTIONAL TORQUE WRENCHES



- Equipped with an in-built angular gauge for easier after tightening
- Click type mechanism to signal when the required torque is reached
- Additional ft/lb reference scale
- Marked to show the correct place where pressure should be applied
- Twist locking facility to ensure the set torque is maintained
- Reversible 24 teeth ratchet mechanism (DIN3122) giving 15° increments
- For use with clockwise & anti-clockwise fasteninas Accurate to +/- 4% and conforms to ISO6789
- for assured accuracy Each torque wrench has it's own individual
- certification number Supplied in a handy storage case




| | Calibrat | ion Cert | Range | | Scale | | L | W | Н | 2 |
|-------------|----------|----------|--------|--------|-------|-------|-----|------|------|------|
| ITEM ID: | Factory | New | Nm | ft/lb | Nm | ft/lb | mm | mm | mm | g |
| 1292AG-ER | Υ | | 40-210 | 30-150 | 1.0 | 1.0 | 465 | 46.9 | 33.4 | 1340 |
| 1292AGR-CT | - | Y | 40-210 | 30-150 | 1.0 | 1.0 | 465 | 46.9 | 33.4 | 1340 |
| 1292AG-E4R | Υ | | 70-35 | 50-250 | 5.0 | 5.0 | 632 | 47.1 | 37.1 | 2400 |
| 1292AG4R-CT | - | Υ | 70-350 | 50-250 | 5.0 | 5.0 | 632 | 47.1 | 37.1 | 2400 |

DIGITAL BI-DIRECTIONAL TORQUE WRENCH



- Simple to use with 9 separate torque settings
- Can be pre-programmed for different torque tolerances before use
- Audio visual warning with an indicator light to ensure the correct torque
- Easy to read digital scale showing Nm, ft/lb, in/lb or kg/m readings
- Marked to show the correct place where pressure should be applied
- Twist locking facility to ensure the set torque is
- Reversible 45 teeth quick release ratchet mechanism (DIN3122)
- Suitable for use on clockwise and anti-clockwise
- Accurate to +/- 1% and conforms to ISO6789 for assured accuracy
- Each torque wrench has it's own individual certification number
- Uses standard AA batteries for easy replacement
- Supplied in a handy storage case



P-SERIES TORQUE WRENCHES



- Click type mechanism to signal when the required torque is reached
- Simple to adjust and easy to read Nm scale
- Locking button to ensure the set torque is securely maintained
- Compact head for easier use in confined spaces
- Quick release 72 teeth ratchet mechanism with twist reverse (DIN3122)
- Designed to torque right hand (clockwise) fasteners
- Ergonomic bi-material grip for added comfort
- Marked to show the correct place where pressure should be applied
- Hanging facility which can be used together with a fall protection wire
- Accurate to +/- 4% and conforms to ISO6789 for assured accuracy
- Each torque wrench has it's own individual certification number
- Supplied in a handy storage case



| | Calibrat | ion Cert | Range | Scale | L | W | Н | 0 |
|-------------|----------|----------|--------|-------|-----|----|----|------|
| ITEM ID: | Factory | New | Nm | Nm | mm | mm | mm | g |
| 1292P100 | γ | - | 20-100 | 0.5 | 410 | 36 | 36 | 965 |
| 1292P100-CT | - | Υ | 20-100 | 0.5 | 410 | 36 | 36 | 965 |
| 1292P200 | γ | - | 40-200 | 1.0 | 490 | 42 | 44 | 1465 |
| 1292P200-CT | - | Υ | 40-200 | 1.0 | 490 | 42 | 44 | 1465 |
| 1292P320 | γ | - | 60-320 | 2.0 | 560 | 42 | 44 | 1645 |
| 1292P320-CT | - | Υ | 60-320 | 2.0 | 560 | 42 | 44 | 1645 |





PRE SET TORQUE WRENCH SET





- Click type mechanism to signal when the required torque is reached
- Fixed setting for consistent torque application
- Robust 24 teeth ratchet mechanism for 15° increments
- Rubber grip for added comfort particularly with repeated use
- Accurate to +/- 4% conforms to ISO6789 for assured accuracy Individually tested and certified at the time of manufacture
- Rack included for storing the tools on a wall or workbench panel
- Designed and manufactured to DIN and ISO standards

1/2" Drive Pre Set Torque Wrenches 90, 110, 120, 140 Nm

Item ID: TTPSTQ04

Get organised **TENGIOOLS** 319





PRE SET TORQUE WRENCHES



- Click type mechanism to signal when the required torque is reached
- Fixed setting for consistent torque application
- Robust 24 teeth ratchet mechanism for 15°
- Rubber grip for added comfort particularly with repeated use
- Accurate to +/- 4% conforms to ISO6789 for assured accuracy
- Individually tested and certified at the time of manufacture
- Rack included for storing the tools on a wall or workbench panel
- Designed and manufactured to DIN and ISO standards



| | Calibration Cert | | Preset Torque | L | W | Н | 2 |
|------------|------------------|-----|---------------|-----|------|------|------|
| ITEM ID: | Factory | New | Nm | mm | mm | mm | g |
| 1292AG-090 | Υ | | 90 | 513 | 46.9 | 33.4 | 1400 |
| 1292AG-110 | Υ | | 110 | 513 | 46.9 | 33.4 | 1400 |
| 1292AG-120 | Υ | | 120 | 513 | 46.9 | 33.4 | 1400 |
| 1292AG-140 | Υ | - | 140 | 513 | 46.9 | 33.4 | 1400 |



PRE SET TORQUE WRENCH SET





- Click type mechanism to signal when the required torque is reached
- Fixed setting for consistent torque application
- Robust 24 teeth ratchet mechanism for 15° increments
- Rubber grip for added comfort particularly with repeated use Accurate to +/- 4% conforms to ISO6789 for assured accuracy
- Individually tested and certified at the time of manufacture
- Rack included for storing the tools on a wall or workbench panel
- Designed and manufactured to DIN and ISO standards

1/2" drive preset torque wrenches 90. 110. 120. 140 Nm

Item ID: TTPSTQ04



TORQUE WRENCHES



- Equipped with an in-built angular gauge for easier after tightening
- Click type mechanism to signal when the required torque is reached
- Additional ft/lb reference scale
- Marked to show the correct place where pressure should be applied
- Twist locking facility to ensure the set torque is maintained
- Reversible 24 teeth ratchet mechanism (DIN3122) giving 15° increments
- Designed to torque right hand (clockwise) fasteners
- Accurate to +/- 4% and conforms to ISO6789 for assured accuracy
- Each torque wrench has it's own individual certification number
- Supplied in a handy storage case



| | Calibrat | ion Cert | Range | | Scale | | L | W | Н | 0 |
|------------|----------|----------|---------|---------|-------|-------|------|------|------|------|
| ITEM ID: | Factory | New | Nm | ft/lb | Nm | ft/lb | mm | mm | mm | g |
| 3492AG-E | Υ | - | 65-450 | 48-330 | 5.0 | 5.0 | 850 | 72.5 | 53.5 | 3840 |
| 3492AG-CT | - | Υ | 65-450 | 48-330 | 5.0 | 5.0 | 850 | 72.5 | 53.5 | 3840 |
| 3492AG-E1 | Υ | - | 140-700 | 100-500 | 2.5 | 2.5 | 1065 | 72.5 | 53.5 | 5970 |
| 3492AG1-CT | - | Υ | 140-700 | 100-500 | 2.5 | 2.5 | 1065 | 72.5 | 53.5 | 5970 |
| 3492AG-E2 | Υ | - | 140-980 | 100-700 | 2.5 | 2.5 | 1213 | 72.5 | 53.5 | 6550 |
| 3492AG2-CT | - | γ | 140-980 | 100-700 | 2.5 | 2.5 | 1213 | 72.5 | 53.5 | 6550 |



TORQUE WRENCH SERVICE KITS

Includes a set of replacement parts for the ratchet mechanism

| ITEM ID: | Drive | Service Kit For: |
|--------------|-------|--------------------------------------|
| 1492AGERK | 1/4" | 1492AG-E |
| 3892AG1RK | 3/8" | 3892AG-E1 |
| 3892AG3RK | 3/8" | 3892AG-E3 |
| 3892P060RK-1 | 3/8" | 3892P060 |
| 1292AGERK | 1/2" | 1292AG-E, 1292AG-EP, & Pre Set Range |
| 1292AGERRK | 1/2" | 1292AG-ER |
| 1292AG4RK | 1/2" | 1292AG-E4 |
| 1292AG4RRK | 1/2" | 1292AG-E4R |
| 1292P100RK-1 | 1/2" | 1292P100 |
| 1292P200RK-1 | 1/2" | 1292P200 |
| 3492AGERRK | 3/4" | 3492AG-ER |
| 3492AGERK | 3/4" | 3492AG-E, 3492AG-E1, 3492AG-E2 |
| 3492P500RK-1 | 3/4" | 3492P500 |

Torque Tools 🝛

P-SERIES TORQUE WRENCHES



- Click type mechanism to signal when the required torque is reached
- Simple to adjust and easy to read Nm scale
- Locking button to ensure the set torque is securely maintained
- Compact head for easier use in confined spaces
- Quick release 72 teeth ratchet mechanism with twist reverse (DIN3122)
- Designed to torque right hand (clockwise) fasteners
- Ergonomic bi-material grip for added comfort
- Marked to show the correct place where pressure should be applied
- Hanging facility which can be used together with a fall protection wire
- Accurate to +/- 4% and conforms to ISO6789 for assured accuracy
- Each torque wrench has it's own individual certification number.
- Supplied in a handy storage case



| | Calibration Cert | | Range | Scale | L | W | Н | 2 |
|-------------|------------------|-----|---------|-------|-----|----|----|------|
| ITEM ID: | Factory | New | Nm | Nm | mm | mm | mm | g |
| 3492P500 | Y | - | 100-500 | 2.5 | 790 | 68 | 62 | 3100 |
| 3492P500-CT | - | Υ | 100-500 | 2.5 | 790 | 68 | 62 | 3100 |

BI-DIRECTIONAL TORQUE WRENCHES



- Equipped with an in-built angular gauge for easier after tightening
- Click type mechanism to signal when the required torque is reached
- Additional ft/lb reference scale
- Marked to show the correct place where pressure should be applied
- Twist locking facility to ensure the set torque is maintained
- Reversible 24 teeth ratchet mechanism (DIN3122) giving 15° increments
- For use with clockwise & anti-clockwise fastenings
- Accurate to +/- 4% and conforms to ISO6789 for assured accuracy
- Each torque wrench has it's own individual certification number
- Supplied in a handy storage case



| | | Calibration Cert | | Rai | Range | | Scale | | W | Н | |
|---|-----------|------------------|-----|--------|--------|-----|-------|-----|------|------|------|
| | ITEM ID: | Factory | New | Nm | ft/lb | Nm | ft/lb | mm | mm | mm | g |
| 3 | 492AG-ER | Υ | - | 64-450 | 48-330 | 5.0 | 5.0 | 850 | 72.5 | 53.5 | 3840 |
| 3 | 492AGR-CT | - | Υ | 90-450 | 70-350 | 5.0 | 5.0 | 850 | 72.5 | 53.5 | 3840 |

Accessories



ANGULAR GAUGE

- For measuring the degree of turn
- For use when after tightening of stretch bolts with torque wrenches that do not have an in-built angular gauge
- A static read off point, fixing magnet and a pair of angle scales make it possible to take a reading in most situations

Item ID: TQAG





TORQUE MULTIPLIER SET







- Includes a 1/2" drive torque wrench giving a range of 40 to 210Nm
- The MP1400 torque multiplier can the be used to multiply the torque at a ratio of 3:1 increasing the potential torque to 630Nm
- For use with 3/4" drive sockets

1/2" Drive Torque wrench (40-210Nm, 30-150 ft/lb)

1/2"F:3/4"M Torque multiplier (3 to 1 ratio) and maximum torque capacity 1,500Nm

Item ID: TTXMP12













TORQUE MULTIPLIER SET

- Includes a 1/2" drive torque wrench giving a range of 40 to 210Nm
- The MP1400 torque multiplier can then be used to multiply the torque at a ratio of 3:1 increasing the potential torque to 630Nm
- For use with 3/4" drive sockets
- Tools are held in place using three colour pre-cut EVA foam

1/2" Drive Torque wrench (40-210Nm, 30-150 ft/lb)

1/2"F:3/4"M Torque multiplier (3 to 1 ratio) and maximum torque capacity 1,500Nm

Item ID: TEXMP12

Get organised" TENG OOLS 32









- Ideal for tightening and loosening nuts and bolts where extra torque is required
- Supplied in a handy carrying case



TORQUE MULTIPLIER SUPPORT LEGS

- Support leg for the MP1400 torque multiplier Fits on to the torque multiplier head or can be used as a support for the handle Designed to create a steady position for safer operation

| ITEM ID: | Support Leg for: |
|----------|------------------|
| MPSL01 | MP1400 |
| MPSL02 | MP2700 |

| | Max Torque | | Max Torque Diamete | | Diameter | Input | Output | 2 |
|----------|------------|-------|--------------------|----|----------|-------|--------|---|
| ITEM ID: | Nm | ft/lb | Ratio | mm | Drive | Drive | g | |
| MP1400 | 1500 | 1100 | 1:3 | 69 | 1/2" | 3/4" | 2280 | |
| MP2700 | 3000 | 2200 | 1:3 | 92 | 3/4" | 1" | 4780 | |

TORQUE MULTIPLIERS





- Ideal for tightening and loosening nuts and bolts where extra torque is required
- Supplied in a handy carrying case

| | Max 1 | orque | | Input | Output | 2 |
|----------|-------|-------|-------|-------|--------|------|
| ITEM ID: | Nm | ft/lb | Ratio | Drive | Drive | g |
| MP91500 | 1500 | 1100 | 1:10 | 1/2" | 3/4" | 3180 |




TORQUE MULTIPLIER SERVICE KITS

Includes a set of replacement parts for the ratchet mechanism

| ITEM ID: | Service Kit For: |
|------------|------------------|
| MP1400RK-1 | MP1400 |
| MP2700RK-1 | MP2700 |
| MP91500RK | MP91500 |

INSERT RATCHET ADAPTOR








- 45 teeth ratchet
- 9x12 mm rectangular fitting
- For use with 3/8" drive sockets & accessories
- Satin finish

| ITEM ID: | Fitting
mm | W | H
mm | L
mm | L1
mm | g |
|------------|---------------|----|---------|---------|----------|-----|
| 3892CQ100R | 9 x 12 | 35 | 36.5 | 36.3 | 20 | 150 |

OPEN ENDED INSERT SPANNER






- 9 x 12mm rectangular fitting
- For use with quick change open end torque wrenches
- Ideal for use in confined spaces
- Easy to change
- Satin finish chrome vanadium steel

| ITEM ID: | Size
mm | Fitting
mm | W
mm | H
mm | L
mm | L1
mm | g |
|----------|------------|---------------|---------|---------|---------|----------|----|
| 690510 | 10 | 9 x 12 | 30 | 15 | 39 | 18 | 42 |
| 690511 | 11 | 9 x 12 | 30 | 15 | 39 | 18 | 43 |
| 690512 | 12 | 9 x 12 | 30 | 16 | 40 | 18 | 48 |
| 690513 | 13 | 9 x 12 | 30 | 16 | 42 | 20 | 52 |
| 690514 | 14 | 9 x 12 | 35 | 17 | 42 | 20 | 59 |
| 690515 | 15 | 9 x 12 | 35 | 17 | 43 | 20 | 59 |
| 690516 | 16 | 9 x 12 | 38 | 18 | 43 | 20 | 67 |
| 690517 | 17 | 9 x 12 | 38 | 18 | 44 | 20 | 67 |
| 690518 | 18 | 9 x 12 | 42 | 18 | 46 | 22 | 75 |
| 690519 | 19 | 9 x 12 | 42 | 18 | 46 | 22 | 75 |




RING ENDED INSERT SPANNER



- 9 x 12mm rectangular fitting
- 12 point bi-hex ring end for easier alignment
- For use with quick change open end torque wrenches
- Ideal for use in confined spaces
 - Easy to change
- Satin finish chrome vanadium steel

| ITEM ID: | Size
mm | Fitting
mm | W
mm | H
mm | L
mm | L1
mm | g |
|----------|------------|---------------|---------|---------|---------|----------|----|
| 690710 | 10 | 9 x 12 | 26.5 | 16 | 45 | 18 | 52 |
| 690711 | 11 | 9 x 12 | 26.5 | 16 | 45 | 18 | 50 |
| 690712 | 12 | 9 x 12 | 26.7 | 16 | 46 | 18 | 48 |
| 690713 | 13 | 9 x 12 | 27.2 | 16 | 49 | 20 | 60 |
| 690714 | 14 | 9 x 12 | 27 | 18 | 50 | 20 | 64 |
| 690715 | 15 | 9 x 12 | 27 | 18 | 50 | 20 | 64 |
| 690716 | 16 | 9 x 12 | 27 | 18 | 50 | 20 | 62 |
| 690717 | 17 | 9 x 12 | 28.6 | 18 | 54 | 22 | 74 |
| 690718 | 18 | 9 x 12 | 28.6 | 18 | 54 | 22 | 74 |
| 690719 | 19 | 9 x 12 | 28.6 | 18 | 54 | 22 | 68 |

OPEN ENDED INSERT SPANNER



- 14×18 mm rectangular fitting For use with quick change open end torque wrenches
- Ideal for use in confined spaces
- Easy to change
 - Satin finish chrome vanadium steel


| ITEM ID: | Size
mm | Fitting
mm | W
mm | H
mm | L
mm | L1
mm | g |
|----------|------------|---------------|---------|---------|---------|----------|-----|
| 690613 | 13 | 14 x 18 | 35 | 21 | 63 | 32 | 148 |
| 690614 | 14 | 14 x 18 | 35 | 22 | 63 | 32 | 154 |
| 690615 | 15 | 14 x 18 | 35 | 23 | 64 | 32 | 154 |
| 690616 | 16 | 14 x 18 | 38 | 23 | 64 | 32 | 173 |
| 690617 | 17 | 14 x 18 | 38 | 23 | 64 | 32 | 173 |
| 690618 | 18 | 14 x 18 | 42 | 24 | 65 | 32 | 192 |
| 690619 | 19 | 14 x 18 | 42 | 25 | 65 | 32 | 193 |
| 690621 | 21 | 14 x 18 | 50 | 25 | 66 | 32 | 217 |
| 690622 | 22 | 14 x 18 | 53 | 26 | 66 | 32 | 222 |
| 690624 | 24 | 14 x 18 | 53 | 26 | 67 | 32 | 225 |
| 690626 | 26 | 14 x 18 | 60 | 27 | 70 | 33 | 273 |
| 690627 | 27 | 14 x 18 | 60 | 27 | 70 | 34 | 281 |
| 690629 | 29 | 14 x 18 | 66 | 28 | 74 | 36 | 312 |
| 690630 | 30 | 14 x 18 | 66 | 28 | 74 | 36 | 312 |
| 690632 | 32 | 14 x 18 | 66 | 29 | 77 | 38 | 322 |
| 690634 | 34 | 14 x 18 | 73 | 29 | 82 | 43 | 345 |
| 690636 | 36 | 14 x 18 | 73 | 29 | 82 | 42 | 368 |
| 690638 | 38 | 14 x 18 | 73 | 29 | 82 | 41 | 366 |
| 690640 | 40 | 14 x 18 | 82 | 29 | 83 | 42 | 383 |
| 690641 | 41 | 14 x 18 | 82 | 29 | 84 | 42 | 400 |
| 690642 | 42 | 14 x 18 | 82 | 29 | 83 | 42 | 410 |
| 690644 | 44 | 14 x 18 | 91 | 29 | 86 | 41 | 423 |
| 690646 | 46 | 14 x 18 | 91 | 29 | 86 | 43 | 436 |



Get organised



RING ENDED INSERT SPANNER



- 12 point bi-hex ring end for easier alignment to the fastening
- 14 x 18mm rectangular fitting
- For use with quick change open end torque wrenches
- Ideal for use in confined spaces
 - Easy to change
- Satin finish chrome vanadium steel

| ITEM ID: | Size
mm | Fitting
mm | W
mm | H
mm | L
mm | L1
mm | g |
|----------|------------|---------------|---------|---------|---------|----------|-----|
| 690813 | 13 | 14 x 18 | 38 | 22 | 72 | 32 | 200 |
| 690814 | 14 | 14 x 18 | 38 | 22 | 72 | 32 | 200 |
| 690815 | 15 | 14 x 18 | 38 | 22 | 73 | 32 | 194 |
| 690816 | 16 | 14 x 18 | 38 | 24 | 73 | 32 | 204 |
| 690817 | 17 | 14 x 18 | 38 | 24 | 73 | 32 | 194 |
| 690818 | 18 | 14 x 18 | 44 | 24 | 75 | 32 | 234 |
| 690819 | 19 | 14 x 18 | 44 | 24 | 75 | 32 | 230 |
| 690821 | 21 | 14 x 18 | 41 | 26 | 76 | 32 | 236 |
| 690822 | 22 | 14 x 18 | 42 | 25 | 77 | 32 | 250 |
| 690824 | 24 | 14 x 18 | 42 | 26 | 78 | 32 | 254 |
| 690826 | 26 | 14 x 18 | 42 | 26 | 78 | 32 | 240 |
| 690827 | 27 | 14 x 18 | 43.4 | 27 | 82 | 34 | 280 |
| 690829 | 29 | 14 x 18 | 43.3 | 28 | 85 | 36 | 306 |
| 690830 | 30 | 14 x 18 | 47.3 | 28 | 87 | 36 | 328 |
| 690832 | 32 | 14 x 18 | 47.3 | 29 | 87 | 36 | 312 |
| 690834 | 34 | 14 x 18 | 50 | 29 | 90 | 38 | 324 |
| 690836 | 36 | 14 x 18 | 52 | 29 | 91 | 38 | 316 |
| 690838 | 38 | 14 x 18 | 54.6 | 31 | 94 | 40 | 342 |
| 690840 | 40 | 14 x 18 | 54.6 | 30 | 93 | 40 | 367 |
| 690841 | 41 | 14 x 18 | 60 | 32 | 99 | 42 | 376 |
| 690842 | 42 | 14 x 18 | 60 | 32 | 99 | 42 | 376 |
| 690844 | 44 | 14 x 18 | 60 | 31 | 99 | 44 | 386 |
| 690846 | 46 | 14 x 18 | 64.8 | 32 | 103 | 42 | 396 |



TORQUE SPANNER SET



- Set of 4 pre-set open jaw torque spanners
- Accurate to +/- 4% and conforms to ISO6789 for assured accuracy
- · Individually tested and certified at the time of manufacturer
- Supplied in a handy carrying case

| Spanner Size
mm | Pre-Set Torque
Nm |
|--------------------|----------------------|
| 17 | 18 |
| 22 | 42 |
| 26 | 55 |
| 29 | 65 |

Item ID: ACD01

TORQUE SPANNERS

- Pre-set open jaw torque spanners
- Ideal for air conditioning engineers
- Accurate to +/-4% and conforms to ISO6789



| ITEM ID | Spanner Size
mm | Pre-Set Torque
Nm | g |
|---------|--------------------|----------------------|-----|
| TQS018 | 17 | 18 | 396 |
| TQS042 | 22 | 42 | 428 |
| TQS055 | 26 | 55 | 546 |
| TQS065 | 29 | 65 | 576 |



EVA



DIGITAL TORQUE TESTERS



- For checking the accuracy of torque wrenches
- Designed for checking clockwise torque readings
- Accurate to +/-1% of the measurement value
- Very easy to use with full instructions included
 Robust construction with fixing points for installation on
- Supplied with a factory test certificate

a solid surface

| ITEM ID | Plug
Type | Range
Nm | Depth
mm | Width
mm | Height
mm | g |
|---------|--------------|-------------|-------------|-------------|--------------|------|
| TORQ02 | Europe | 1.5-30 | 205 | 155 | 76 | 2940 |
| TORQ03 | Europe | 7.5-150 | 205 | 155 | 76 | 3940 |
| TORQ04 | Europe | 25.500 | 205 | 155 | 76 | 4060 |
| TORQ05 | Europe | 50-1000 | 205 | 155 | 76 | 4060 |
| TORQ02U | UK | 1.5-30 | 205 | 155 | 76 | 2940 |
| TORQ03U | UK | 7.5-150 | 205 | 155 | 76 | 3940 |
| TORQ04U | UK | 25.500 | 205 | 155 | 76 | 4060 |
| TORQ05U | UK | 50-1000 | 205 | 155 | 76 | 4060 |
| TORQ02A | Aus / NZ | 1.5-30 | 205 | 155 | 76 | 2940 |
| TORQ03A | Aus / NZ | 7.5-150 | 205 | 155 | 76 | 3940 |
| TORQ04A | Aus / NZ | 25.500 | 205 | 155 | 76 | 4060 |
| TORQ05A | Aus / NZ | 50-1000 | 205 | 155 | 76 | 4060 |

DIGITAL TORQUE TESTER



- For checking the accuracy of torque wrenches
- Designed for checking clockwise torque readings
- Accurate to +/-1% of the measurement value
- Very easy to use with full instructions included
- Robust construction with fixing points for installation on a solid surface
- Supplied with a factory test certificate

| ITEM ID | Plug
Type | Range
Nm | Depth
mm | Width
mm | Height
mm | g |
|---------|--------------|-------------|-------------|-------------|--------------|------|
| TORQ99E | Europe | 10-400 | 200 | 160 | 85 | 2500 |
| TORQ99U | UK | 10-400 | 200 | 160 | 85 | 2500 |
| TORQ99A | Aus / NZ | 10-400 | 200 | 160 | 85 | 2500 |



Get organised[™] 325



*

TORQUE TESTER STAND

- Designed for mounting the TORQ99 torque tester and the TORP01 printer
- Creates a stand alone torque testing work station
- A robust construction creates a good, stable working position
- It features a storage shelf and adjustable feet to ensure steadiness on uneven surfaces



| ITEM ID | Depth
mm | Width
mm | Height
mm | g |
|---------|-------------|-------------|--------------|------|
| TORQS01 | 570 | 340 | 950 | 1640 |

TORQUE TEST PRINTER



- For use together with the Teng Tools TORQ99 digital torque tester
- Enables a printed record of each reading
- Very easy to use with full instructions included

| ITEM ID | Plug
Type | Depth
mm | Width
mm | Height
mm | g |
|---------|--------------|-------------|-------------|--------------|------|
| TORPOIE | Europe | 220 | 180 | 95 | 1840 |
| TORPOIU | UK | 220 | 180 | 95 | 1840 |
| TORPOIA | Aus / NZ | 220 | 180 | 95 | 1840 |

TORQUE TESTER WITH STAND & PRINTER





- A complete torque test centre
- Creates a stand alone torque testing work station
- Designed for checking clockwise torque wrench readings
- Accurate to +/-1% of the measurement value
- The printer enables a record to be kept of each reading
- Very easy to use with full instructions included
- The stand has a robust construction to create a stable working position
- It features a storage shelf and adjustable feet to ensure steadiness on uneven surfaces

| ITEM ID | Plug
Type | Range
Nm | Depth
mm | Width
mm | Height
mm | g |
|---------|--------------|-------------|-------------|-------------|--------------|------|
| TORQ | Europe | 10-400 | 570 | 340 | 950 | 4350 |
| TORQU | UK | 10-400 | 570 | 340 | 950 | 4350 |
| TORQA | Aus / NZ | 10-400 | 570 | 340 | 950 | 4350 |



SCREWDRIVERS

Unlike other brands the Teng Tools screwdriver blade has steel alloy wings that the plastic handle is moulded around. This allows for greater torque to be put on the screwdriver, ensures the blade is dead straight and stops the blade from moving in the handle.



The larger type of handle allows for more power and force to be executed with the driver.

The smaller type of handle make it easier to work quickly as less force is required with the driver.





Round Shaft | for extra speed

HEX Shaft | for adding extra torque

The round shaft is smooth for rapid hand movement and a spanner can be used on a hexagonal shaft for adding extra torque.

Always use the right type of screwdriver for the fastening you need to turn!




















Ergonomically designed bi-material handle for easy use with higher torque and faster speed

Hole in the handle for hanging or for use as a T handle for extra torque or with a fall protection wire if needed The handle is moulded around the blade to ensure straightness and

to allow larger blade wings which give a higher torque capacity Includes Ratcheting bits driver with 1/4" hex drive 25mm length bits

Bits range includes Flat, PH, PZ, TX, TPX, ROB and hexagon sizes

Supplied in a handy carrying case

| 1/4" hex x 1/4" square drive adaptor | | | | | | | |
|--------------------------------------|-----------|------------|-----------|-----------|--|--|--|
| SCREWDRIVERS: | | | | | | | |
| mm: | 3.0 x 75 | 3.0 x 100 | 4.0 x 100 | 5.5 x 75 | | | |
| | 5.5 x 150 | 6.0 x 38 | 6.5 x 100 | 6.5 x 150 | | | |
| | 8.0 x 150 | 10.0 x 200 | | | | | |
| mm: | PH1 x 75 | PH2 x 38 | PH2 x 100 | PH3 x 150 | | | |
| mm: | PZ0 x 75 | PZ1 x75 | PZ2 x 38 | PZ2 x 100 | | | |
| | PZ3 x 150 | | | | | | |
| RATCHETING BITS | DRIVER | | | | | | |
| 25 mm BITS: | | | | | | | |
| mm: | 1.2 x 5 | 1.4 x 7 | | | | | |
| • | PH1 | PH2 | | | | | |
| * | PZ0 | PZ1 | PZ2 | | | | |
| • | TX6 | TX7 | TX8 | TX9 | | | |
| | TX10 | TX15 (x2) | TX20 (x2) | TX25 (x2) | | | |
| | TX30 | TX40 | | | | | |
| * | TPX20 | TPX25 | TPX30 | | | | |
| | ROB1 | ROB2 | ROB3 | | | | |
| mm: | 2 | 3 | 4 | 5 | | | |
| | 6 | 8 | | | | | |

Item ID: MD9053N



SCREWDRIVER SET









- Includes 1,000 volt insulated 3.0mm flat blade screwdriver
- TT-MV PLUS steel alloy for greater strength and material flexibilty
- Ergonomically designed bi-material handle for easy use with higher torque and faster speed
- Hole in the handle for hanging or for use as a T handle for extra torque or with a fall protection wire if needed
- The handle is moulded around the blade to ensure straightness and to allow larger blade wings which give a higher torque capacity
- Supplied in a handy carrying case

| SCREWDRIVERS: | | | | |
|-----------------------|-----------|-----------|-----------|-----------|
| mm: | 3.0 x 100 | 5.5 x 75 | 5.5 x 150 | 6.5 x 150 |
| <u>√</u> <u>√</u> mm: | 3.0 x 100 | | | |
| mm: | PHO x 75 | PH1 x 75 | PH2 x 100 | |
| mm: | PZ1 x 75 | PZ2 x 100 | | |

Item ID: MD910N





- TT-MV PLUS steel alloy for greater strength and material flexibilty Ergonomically designed bi-material handle for easy use with higher
- torque and faster speed
- Hole in the handle for hanging or for use as a T handle for extra torque or with a fall protection wire if needed
- The handle is moulded around the blade to ensure straightness and to allow larger blade wings which give a higher torque capacity
- Supplied in a handy carrying case

| SCREWDRIVERS: | | | | | | | |
|---------------|-----------|-----------|-----------|-----------|--|--|--|
| mm: | 3 x 100 | 5.5 x 75 | 5.5 x 150 | 6.5 x 38 | | | |
| | 6.5 x 150 | | | | | | |
| mm: | PH0 x 75 | PH1 x 75 | PH2 x 38 | PH2 x 100 | | | |
| mm: | PZ1 x 75 | PZ2 x 100 | | | | | |

Item ID: MD911N



SCREWDRIVER SET









- TT-MV PLUS steel alloy for greater strength and material flexibilty Ergonomically designed bi-material handle for easy use with higher torque and faster speed
- Hole in the handle for hanging or for use as a T handle for extra torque or with a fall protection wire if needed
- The handle is moulded around the blade to ensure straightness and to allow larger blade wings which give a higher torque capacity
- Supplied in a full colour display box with PS tray

| SCREWDRIVERS: | | | | | | | |
|---------------|-----------|-----------|-----------|-----------|--|--|--|
| mm: | 2.5 x 75 | 3.5 x 100 | 4 x 150 | 5.5 x 150 | | | |
| | 6.5 x 150 | 10 x 200 | | | | | |
| mm: | PH0 x 75 | PH1 x 75 | PH2 x 100 | PH2 x 200 | | | |
| mm: | PZ1 x 75 | PZ2 x 100 | | | | | |

Item ID: MD912N



SCREWDRIVER SET









- TT-MV PLUS steel alloy for greater strength and material flexibilty
- Ergonomically designed bi-material handle for easy use with higher torque and faster speed
- Hole in the handle for hanging or for use as a T handle for extra torque or with a fall protection wire if needed
- The handle is moulded around the blade to ensure straightness and to allow larger blade wings which give a higher torque capacity
- Supplied in a full colour display box with PS tray

| SCREWDRIVERS: | | | | | |
|----------------|------------|------------|------------|--|--|
| mm: | 2.5 x 75 | 3.5 x 100 | 5.5 x 150 | | |
| | 2.5 x 75 | 3.0 x 100 | | | |
| mm: | PH1 x 75 | PH1 x 80 | | | |
| ♣ ♣ mm: | PH2 x 100 | | | | |
| mm: | PZ2 x 100 | | | | |
| mm: | TX20 x 100 | TX25 x 100 | TX30 x 100 | | |

Item ID: MD912N1



SCREWDRIVER SET









- TT-MV PLUS steel alloy for greater strength and material flexibilty
- Ergonomically designed bi-material handle for easy use with higher torque and faster speed
- Hole in the handle for hanging or for use as a T handle for extra torque or with a fall protection wire if needed
- The handle is moulded around the blade to ensure straightness and to allow larger blade wings which give a higher torque capacity
- Supplied in a full colour display box with PS tray

| SCREWDRIVERS: | | |
|---------------|----------|-----------|
| mm: | 3.5 x 75 | 5.5 x 150 |
| mm: | PH1 x 75 | PH2 x 100 |
| mm: | PZ1 x 75 | PZ2 x 100 |

Item ID: MD906N

Get organised **TENGIOOLS**













- TT-MV PLUS steel alloy for greater strength and material flexibilty
- Ergonomically designed bi-material handle for easy use with higher torque and faster speed
- Hole in the handle for hanging or for use as a T handle for extra torque or with a fall protection wire if needed
- The handle is moulded around the blade to ensure straightness and to allow larger blade wings which give a higher torque capacity
- Supplied in a full colour display box with PS tray

| SCREWDRIVERS: | | | |
|---------------|------------|------------|------------|
| mm: | TX10 x 100 | TX15 x 100 | TX20 x 100 |
| | TX25 x 100 | TX30 x 100 | TX40 x 100 |

Item ID: MD906N1



SCREWDRIVER SET





- TT-MV PLUS steel alloy for greater strength and material flexibilty
- Ergonomically designed bi-material handle for easy use with higher torque and faster speed
- Hole in the handle for hanging or for use as a T handle for extra torque or with a fall protection wire if needed
- The handle is moulded around the blade to ensure straightness and to allow larger blade wings which give a higher torque capacity
 - Supplied in a full colour display box with PS tray

| SCREWDRIVERS: | | | | |
|---------------|----------|-----------|----------|-----------|
| mm: | 3 x 75 | 4 x 100 | 5.5 x 75 | 6.5 x 100 |
| mm: | PH1 x 75 | PH2 x 100 | | |

Item ID: MD906N3



SCREWDRIVER SET







SCREWDRIVER SET







- TT-MV PLUS steel alloy for greater strength and material flexibilty Ergonomically designed bi-material handle for easy use with higher torque and faster speed
- Hole in the handle for hanging or for use as a T handle for extra torque or with a fall protection wire if needed
- The handle is moulded around the blade to ensure straightness and to allow larger blade wings which give a higher torque capacity
- Supplied in a full colour display box with PS tray

| SCREWDRIVERS: | | | | |
|---------------|----------|-----------|----------|-----------|
| mm: | 3 x 75 | 4 x 100 | 5.5 x 75 | 6.5 x 100 |
| mm: | PZ1 x 75 | PZ2 x 100 | | |

Item ID: MD906N4











- TT-MV PLUS steel alloy for greater strength and material flexibilty Ergonomically designed bi-material handle for easy use with higher torque and faster speed Hole in the handle for hanging or for use as a T handle for extra
- torque or with a fall protection wire if needed
- The handle is moulded around the blade to ensure straightness and to allow larger blade wings which give a higher torque capacity
- Supplied in a full colour display box with PS tray

| SCREWDRIVERS: | | | | |
|---------------|------------|------------|------------|------------|
| mm: | PZ1 x 75 | PZ2 x 100 | | |
| mm: | TX10 x 100 | TX15 x 100 | TX20 x 100 | TX25 x 100 |

Item ID: MD906N2





SCREWDRIVER SET WITH POCKET CLIPS

- TT-MV PLUS steel alloy for greater strength and material flexibilty
- Ergonomically designed bi-material handles for easy use with higher torque and faster speed
- Pocket clip
- Hole in the handle for hanging or for use with a fall protection wire
- The handle is moulded around the blade to ensure straightness and to allow larger blade wings which give a higher torque capacity

| SCREWDRIVERS: | | | |
|---------------|----------|--|--|
| mm: | 3 x 50 | | |
| mm: | PH1 x 50 | | |

Item ID: MDMC702N



SCREWDRIVER SET

- \bigcirc \bigcirc \bigcirc
- TT-MV PLUS steel alloy for greater strength and material flexibilty
- Ergonomically designed bi-material handle for easy use with higher torque
- Hanging hole in the handle for use as a T handle or with a fall
- . The handle is moulded around the blade to give a higher torque capacity

| SCREWDRIVERS: | | | |
|---------------|-----------|----------|-----------|
| mm: | 3 x 75 | 5.5 x 75 | 6.5 x 100 |
| mm: | PH0 x 75 | PH1 x 75 | PH2 x 100 |
| mm: | PZ2 x 100 | | |

Item ID: TT917N



SCREWDRIVER SET







- TT-MV PLUS steel alloy for greater strength and material flexibilty
- Ergonomically designed bi-material handle for easy use with higher torque
- Hanging hole in the handle for use as a T handle or with a fall
- . The handle is moulded around the blade to give a higher torque capacity

| SCREWDRIVERS: | | | | |
|---------------|----------|-----------|----------|-----------|
| mm: | 3 x 75 | 3.5 x 100 | 5.5 x 75 | 5.5 x 125 |
| | 6.5 x 38 | 6.5 x 100 | | |
| mm: | PHO x 75 | PH1 x 75 | PH2 x 38 | PH2 x 100 |
| mm: | PZO x 75 | PZ1 x 75 | PZ2 x 38 | PZ2 x 100 |

Item ID: TTD914N







SCREWDRIVER SET

- TT-MV PLUS steel alloy for greater strength and material flexibilty Ergonomically designed bi-material handle for easy use with higher
- Hanging hole in the handle for use as a T handle or with a fall protection wire
- The handle is moulded around the blade to give a higher torque

| SCREWDRIVERS: | | | | | | |
|---------------|----------|-----------|----------|-----------|--|--|
| mm: | 3 x 100 | 5.5 x 150 | 6.5 x 38 | 6.5 x 100 | | |
| | 8 x 150 | 10 x 200 | | | | |
| mm: | PH2 x 38 | PH3 x 150 | | | | |

Item ID: TTX918N

Get organised **TENGIOOLS**













- TT-MV PLUS steel alloy for greater strength and material flexibilty Ergonomically designed bi-material handle for easy use with
- higher torque
- Hanging hole in the handle for use as a T handle or with a fall protection wire
- The handle is moulded around the blade to give a higher torque capacity

| SCREWDRIVERS: | | | |
|---------------|-------------|-------------|-------------|
| mm: | TX6 x 75 | TX9 x 75 | |
| mm: | TPX10 x 100 | TPX15 x 100 | TPX20 x 100 |
| | TPX25 x 100 | TPX30 x 100 | |

Item ID: TT917TXN



SCREWDRIVER SET

- TT-MV PLUS steel alloy for greater strength and material flexibilty Ergonomically designed bi-material handle for easy use with
- Hanging hole in the handle for use as a T handle or with a fall protection wire
- The handle is moulded around the blade to give a higher torque capacity

| SCREWDRIVERS: | | | | |
|---------------|------------|------------|------------|------------|
| mm: | TX6 x 75 | TX7 x 75 | TX8 x 75 | TX9 x 75 |
| | TX10 x 100 | TX15 x 100 | TX20 x 100 | TX25 x 100 |
| | TX27 x 100 | TX30 x 100 | TX40 x 100 | TX45 x 125 |

Item ID: TTD912TXN



SCREWDRIVER SET









- TT-MV PLUS steel alloy for greater strength and material flexibilty Ergonomically designed bi-material handle for easy use with higher
- Hanging hole in the handle for use as a T handle or with a fall protection wire
- The handle is moulded around the blade to give a higher torque capacity
- Tools are held in place using three colour pre-cut EVA foam

| SCREWDRIVERS: | | | | | |
|---------------|-----------|-----------|-----------|-----------|--|
| mm: | 3.5 x 100 | 5.5 x 75 | 5.5 x 125 | 6.5 x 38 | |
| | 6.5 x 100 | | | | |
| mm: | PH0 x 75 | PH1 x 75 | PH2 x 38 | PH2 x 100 | |
| mm: | PZ1 x 75 | PZ2 x 100 | | | |

Item ID: TED911N





SCREWDRIVER SET









- TT-MV PLUS steel alloy for greater strength and material flexibilty
- Ergonomically designed bi-material handle for easy use with higher torque
- Hanging hole in the handle for use as a T handle or with a fall protection wire
- The handle is moulded around the blade to give a higher torque capacity
- Tools are held in place using three colour pre-cut EVA foam

| SCREWDRIVERS: | | | | |
|---------------|-----------|-----------|---------|----------|
| mm: | 5.5 x 150 | 6.5 x 150 | 8 x 150 | 10 x 200 |
| mm: | PH3 x 150 | | | |

Item ID: TEX915N













- Ergonomically designed bi-material handle for easy use with higher Hanging hole in the handle for use as a T handle or with a fall
- protection wire . The handle is moulded around the blade to give a higher torque
- Tools are held in place using three colour pre-cut EVA foam

| SCREWDRIVERS: | | | |
|---------------|------------|------------|------------|
| mm: | TX6 x 75 | TX8 x 75 | TX9 x 75 |
| | TX10 x 100 | TX15 x 100 | TX20 x 100 |
| | TX25 x 100 | TX27 x 100 | TX30 x 100 |

Item ID: TED909TXN














- TT-MV PLUS steel alloy for greater strength and material flexibilty Ergonomically designed bi-material handle for easy use with higher
- Hanging hole in the handle for use as a T handle or with a fall protection wire
- The handle is moulded around the blade to give a higher torque
- Tools are held in place using three colour pre-cut EVA foam
 - Designed to fit exactly in the larger Teng Tools tool box drawers
- Can be used as a set on it's own or as part of the Teng Tools "Get Organised" system

Continued 1



PZ2 x 150

PZ3 x 150

PZ2 x 100

| 25 mm BITS: | | | |
|------------------------------------|--|--|--|
| mm: | 0.6x3.5, 0.6x4.5, 0.8x4 (x2), 0.8x5.5, 1.0x5.5 (x2) 1.2x6.5, 1.6x8 | | |
| • | PH1 (x3), PH2 (x3), PH3 (x3) | | |
| * | PZ1 (x3), PZ2 (x3), PZ3 (x3) | | |
| TX: | 6, 7, 8, 9, 10, 15, 20 (x3), 25 (x3), 27, 30, 40 | | |
| TPX: | 10, 15, 20 (x2), 25 (x2), 27, 30, 40 | | |
| mm: | 2, 3, 4, 5, 6, 8 | | |
| ROB: | 1, 2, 3 | | |
| GR: | PH2G (x3) | | |
| 50 mm BITS: | | | |
| mm: | 0.6x3.5, 0.8x4, 0.8x5.5, 1x5.5, 1.2x6.5 | | |
| • | PH1, PH2 (x2), PH3 | | |
| • | PZ1, PZ2 (x2), PZ3 | | |
| ★ TX: | 8, 10 (x2), 15, 20 (x2), 25 (x2), 27, 30 | | |
| mm: | 4, 5, 6, 8 | | |
| 6 IN 1 RATCHETTING BITS DRIVER SET | | | |
| BIT HOLDER FOR 25 mm BITS | | | |

Item ID: TTEMD122N

























- TT-MV PLUS steel alloy for greater strength and material flexibilty
- Ergonomically designed bi-material handle for easy use with higher
- Hanging hole in the handle for use as a T handle or with a fall protection wire
- . The handle is moulded around the blade to give a higher torque capacity
- Mini screwdrivers feature a rotating end piece for easier use
- Tools are held in place using three colour pre-cut EVA foam
- Designed to fit exactly in the larger Teng Tools tool box drawers

| SCREWDRIVERS: | SCREWDRIVERS: | | | | | |
|-----------------------------|------------------------------|-------------|-------------|--|--|--|
| <u>√</u> | 2.5 x 75 | 4 x 100 | 5.5 x 125 | | | |
| <u>√</u> mm: | PH0 x 60 | PH1 x 80 | PH2 x 100 | | | |
| <u>√</u> mm: | PZ2 x 100 | | | | | |
| mm: | TX8 x 75 | TX9 x 75 | | | | |
| mm: | TPX10 x 100 | TPX15 x 100 | TPX20 x 200 | | | |
| TPX25 x 100 TPX30 x 100 | | | | | | |
| MINI SCREWDRIVE | RS: | | | | | |
| mm: 2 x 40 2.5 x 40 3 x 40 | | | | | | |
| mm: | PH00 x 40 | PH0 x 40 | PH1 x 40 | | | |
| mm: | TX6 x 40 | TX7 x 40 | TX8 x 40 | | | |
| | TX9 x 40 TX10 x 40 TX15 x 40 | | | | | |
| POWER THROUGH SCREWDRIVERS: | | | | | | |
| mm: | 6.5 x 100 | 8 x 150 | 10 x 200 | | | |
| mm: | PH2 x 100 | PH3 x 150 | | | | |

Continued 1

| 25 mm BITS: | | | | | |
|---|--|--|--|--|--|
| mm: | 0.6x3.5, 0.6x4.5, 0.8x4 (x2), 0.8x5.5,
1x5.5 (x2), 1.2x6.5, 1.6x8 | | | | |
| (+) | PH1 (x3), PH2 (x3), PH3 (x3) | | | | |
| * | PZ1 (x3), PZ2 (x3), PZ3 (x4) | | | | |
| TX: | 6, 7, 8, 10, 15, 20 (x3), 25 (x3), 27, 30, 40 | | | | |
| Ф ТРХ: | 10, 15, 20 (x2), 25 (x2), 27, 30, 40 | | | | |
| mm: | 2, 3, 4, 5, 6, 8 | | | | |
| ROB: | 1, 2, 3 | | | | |
| GR: | → GR: PH2G (x3) | | | | |
| 6 IN 1 RATCHETTING BITS DRIVER SET | | | | | |
| MAGNETIC CHARGER FOR MAGNETISING / DEMAGNETISING SCREWDRIVER TIPS | | | | | |
| 1/4" M: 1/4" HEX ADAPTOR, COUPLER ADAPTOR | | | | | |

Item ID: TTEMD98N















SCREWDRIVER & HEX KEY SET

- Selection of screwdrivers with other general tools
- Metric measuring tape
- Tools are held in place using three colour pre-cut EVA foam
 - Designed to fit exactly in the Teng Tools TC-SC service case

| SCREWDRIVERS: | |
|---------------|-----------|
| mm: | 6.5 x 100 |
| <u>√</u> mm: | 4 x 101 |
| mm: | PH2 x 100 |
| <u>₹</u> mm: | PH1 x 81 |
| mm: | PZ2 x 100 |
| <u>√</u> mm: | PZ1 x 81 |

| HEX KEYS - BALL POINT: | | | |
|--------------------------------|---|--|--|
| mm: | 1.5, 2.0, 2.5, 3.0, 4.0,
5.0, 6.0, 7.0, 10.0 | | |
| TX KEYS: | | | |
| (★) TX: | 8, 9, 10, 15, 20, 25, 27, 30, 40 | | |
| 25 mm BITS: | | | |
| mm: | 3.5, 5.5, 8.0 | | |
| • | PH1, PH2, PH3 | | |
| • | PZ1, PZ2, PZ3 | | |
| TX: | 10, 15, 20, 25, 30, 40 | | |
| Ф ТРХ: | 20, 25, 30 | | |
| mm: | 2, 3, 4, 5, 6, 8 | | |
| ROB: | 1, 2, 3 | | |
| 7 mm HOSE CLIP DRIVER | | | |
| 100 mm QUICK CHUCK BITS DRIVER | | | |
| 5 m MEASURING TAPE | | | |

Item ID: TEFMD54

















SCREWDRIVER AND HEX KEY SET

- Selection of screwdrivers with other general tools
- Metric/Inch measuring tape
- Tools are held in place using three colour pre-cut EVA foam
- Designed to fit exactly in the Teng Tools TC-SC service case

| SCREWDRIVERS: | | | |
|---------------|-----------|--|--|
| mm: | 6.5 x 100 | | |
| <u>√</u> | 4 x 101 | | |
| mm: | PH2 x 100 | | |
| <u>√</u> mm: | PH1 x 81 | | |
| mm: | PZ2 x 100 | | |
| <u>√</u> mm: | PZ1 x 81 | | |
| | | | |

| HEX KEYS - BALL POINT: | | | |
|--------------------------------|---|--|--|
| mm: | 1.5, 2.0, 2.5, 3.0, 4.0,
5.0, 6.0, 7.0, 10.0 | | |
| TX KEYS: | | | |
| T X: | 8, 9, 10, 15, 20, 25, 27, 30, 40 | | |
| 25 mm BITS: | | | |
| mm: | 3.5, 5.5, 8.0 | | |
| $lue{lue}$ | PH1, PH2, PH3 | | |
| • | PZ1, PZ2, PZ3 | | |
| T X: | 10, 15, 20, 25, 30, 40 | | |
| 🕏 ТРХ: | 20, 25, 30 | | |
| mm: | 2, 3, 4, 5, 6, 8 | | |
| ROB: | 1, 2, 3 | | |
| 7 mm HOSE CLIP DRIVER | | | |
| 100 mm QUICK CHUCK BITS DRIVER | | | |
| 5 m MEASURING TAPE | | | |

Item ID: TEFMDI54



SCREWDRIVER RACK








- TT-MV PLUS steel alloy for greater strength and material flexibilty
- Ergonomically designed bi-material handle for easy use with higher torque and faster speed
- Hole in the handle for hanging or for use as a T handle for extra torque or with a fall protection wire if needed
- The handle is moulded around the blade to ensure straightness and to allow larger blade wings which give a higher torque capacity
- Supplied with a wall rack for fixing to the wall or a workbench
- Template and fixings included

| SCREWDRIVERS: | | | |
|---------------|-----------|-----------|-----------|
| mm: 3 x 100 | | 5.5 x 75 | 5.5 x 150 |
| | 6.5 x 150 | 8 x 150 | |
| mm: | PHO x 75 | PH1 x 75 | PH2 x 100 |
| mm: | PZ1 x 75 | PZ2 x 100 | |

Item ID: WRMD10N

SCREWDRIVER WITH POCKET CLIP

- TT-MV PLUS steel alloy for greater strength and material flexibilty
- Ergonomically designed bi-material handle for easy use with higher torque and faster speed
- Pocket clip
- Hole in the handle for hanging or for use with a fall protection wire if needed
- The handle is moulded around the blade to ensure straightness and to allow larger blade wings which give a higher torque capacity









Get organised





CHOOSE THE RIGHT HANDLE FOR THE RIGHT TASK

A larger type of handle allows for more power and force to be executed with the driver while a smaller type of handle make it easier to work quickly as less force is required with the driver.







108mm















SCREWDRIVERS - FLAT TIP

- TT-MV PLUS steel alloy for greater strength and material flexibilty
- Ergonomically designed bi-material handle for easy use with higher torque and faster speed
- Hole in the handle for hanging or for use as a T handle for extra torque or with a fall protection wire if needed
- The handle is moulded around the blade to ensure straightness and to allow larger blade wings which give a higher torque capacity
- Designed and manufactured to DIN5264.








Screwdrivers

SCREWDRIVER WITH POCKET CLIP

- TT-MV PLUS steel alloy for greater strength and material flexibilty
- Ergonomically designed bi-material handle for easy use with higher torque and faster speed
- Pocket clip
- Hole in the handle for hanging or for use with a fall protection wire if needed
- The handle is moulded around the blade to ensure straightness and to allow larger blade wings which give a higher torque capacity






| ITEM ID: | • | ı | L1
mm | L2
mm | g |
|----------|-----|----------|----------|----------|----|
| MDMC715N | PH1 | Phillips | 50 | 120 | 12 |

SCREWDRIVERS - PH TIP


- TT-MV PLUS steel alloy for greater strength and material flexibilty
- Ergonomically designed bi-material handle for easy use with higher torque and faster speed
- Hole in the handle for hanging or for use as a T handle for extra torque or with a fall protection wire if needed
- The handle is moulded around the blade to ensure straightness and to allow larger blade wings which give a higher torque capacity
- Designed and manufactured to DIN5260.





| ITEM ID: | ① | + | ı | L1
mm | L2
mm | g | Į |
|----------|----------|----------|----------|----------|----------|-----|----|
| MD940N | PH0 | Round | Phillips | 75 | 171 | 27 | S |
| MD940N1 | PH0 | Round | Phillips | 300 | 396 | 41 | S |
| MD947N | PH1 | Round | Phillips | 38 | 96 | 40 | ΧS |
| MD947N1 | PH1 | Round | Phillips | 75 | 183 | 29 | М |
| MD947N2 | PH1 | Round | Phillips | 150 | 258 | 61 | М |
| MD948N | PH2 | Round | Phillips | 38 | 96 | 46 | XS |
| MD948N1 | PH2 | Round | Phillips | 100 | 216 | 93 | L |
| MD948N2 | PH2 | Round | Phillips | 200 | 316 | 115 | L |


Continued 1




SCREWDRIVERS - PZ TIP

- TT-MV PLUS steel alloy for greater strength and material flexibilty
- Ergonomically designed bi-material handle for easy use with higher torque and faster speed
- Hole in the handle for hanging or for use as a T handle for extra torque or with a fall protection wire if needed
- The handle is moulded around the blade to ensure straightness and to allow larger blade wings which give a higher torque capacity















SCREWDRIVERS - TX TIP

- TT-MV PLUS steel alloy for greater strength and material flexibilty
- Ergonomically designed bi-material handle for easy use with higher torque and faster speed
- Hole in the handle for hanging or for use as a T handle for extra torque or with a fall protection wire if needed
- The handle is moulded around the blade to ensure straightness and to allow larger blade wings which give a higher torque capacity






| ITEM ID: | • | + | ı | L1
mm | L2
mm | g | 1 |
|----------|------|-------|----|----------|----------|-----|----|
| MD906TN | TX6 | Round | TX | 75 | 171 | 29 | S |
| MD907TN | TX7 | Round | TX | 75 | 171 | 29 | S |
| MD908TN | TX8 | Round | TX | 75 | 171 | 29 | S |
| MD909TN | TX9 | Round | TX | 75 | 171 | 29 | S |
| MD910TN | TX10 | Round | TX | 100 | 208 | 58 | М |
| MD915TN | TX15 | Round | TX | 100 | 208 | 58 | М |
| MD920TN | TX20 | Round | TX | 100 | 208 | 58 | М |
| MD925TN | TX25 | Round | TX | 100 | 216 | 93 | L |
| MD927TN | TX27 | Round | TX | 100 | 216 | 94 | L |
| MD930TN | TX30 | Round | TX | 100 | 216 | 94 | L |
| MD940TN | TX40 | Round | TX | 100 | 216 | 106 | L |
| MD945TN | TX45 | Round | TX | 125 | 250 | 237 | XL |




SCREWDRIVERS - TPX TIP

- For use with tamper proof TX fastenings
- TT-MV PLUS steel alloy for greater strength and material flexibilty
- Ergonomically designed bi-material handle for easy use with higher torque and faster speed
- Hole in the handle for hanging or for use as a T handle for extra torque or with a fall protection wire if needed
- The handle is moulded around the blade to ensure straightness and to allow larger blade wings which give a higher torque capacity









SCREWDRIVERS - ROB TIP

- TT-MV PLUS steel alloy for greater strength and material flexibilty
- Ergonomically designed bi-material handle for easy use with higher torque and faster speed
- Hole in the handle for hanging or for use as a T handle for extra torque or with a fall protection wire
- The handle is moulded around the blade to ensure straightness and to allow larger blade wings which give a higher torque capacity





















SCREWDRIVER BLADE SET

- 22 screwdrivers in one set TT-MV PLUS steel alloy for greater strength and material flexibilty
- Ergonomically designed bi-material handle for easy use with higher torque
- Hanging hole in the handle for use as a T handle or with a fall protection wire

| SCREWDRIVER BLADE HANDLE WITH 1/4" SHANK | | | | | | |
|--|---------------------|------------|------------|------------|--|--|
| SCREWDRIVER BLA | SCREWDRIVER BLADES: | | | | | |
| mm: | 4 - 5.5 | | | | | |
| (+) | PH1 - PH2 | | | | | |
| mm: | PH3 - 6.5 | | | | | |
| * | PZ1 - PZ2 | | | | | |
| mm: | 3 Ball - 3 | 4 Ball - 4 | 5 Ball - 5 | 6 Ball - 6 | | |
| ★ TX: | 10 - 15 | 20 - 25 | 30 - 40 | | | |

Item ID: TTMD12D

DOUBLE ENDED BLADES

- Double ended screwdriver blade giving two tools in one
- Hexagon shaft enabling a wrench to be used for added control
- TT-MV PLUS steel alloy for greater strength and material flexibilty
- Sizes clearly marked on the shaft

| ITEM ID: | TIP 1 | SIZE 1 | TIP 2 | SIZE 2 |
|----------|------------|----------|------------|--------|
| MD901 | SCR | EWDRIVER | BLADE HAN | IDLE |
| PZZ0102 | * | PZ1 | * | PZ2 |
| PHH0102 | (+) | PH1 | (+) | PH2 |
| FTF4055 | Θ | 4 | Θ | 5.5 |
| PHF0365 | (+) | PH3 | Θ | 6.5 |
| TXX1015 | (1) | TX10 | (*) | TX15 |
| TXX2025 | (| TX20 | (*) | TX25 |
| TXX3040 | ③ | TX30 | (*) | TX40 |
| НВН0303 | | 3 Ball | | 3 |
| HBH0404 | • | 4 Ball | | 4 |
| HBH0505 | | 5 Ball | | 5 |
| HBH0606 | | 6 Ball | | 6 |









POWER THROUGH SCREWDRIVER SET

- Chrome vanadium blades for greater strength and material flexibilty
- Percussion cap and full length integral blade for use with a hammer to release stubborn screws
- Ergonomically designed bi-material handle for easy use with higher torque and faster speed
- The handle is moulded around the blade to ensure straightness and to allow larger blade wings which give a higher torque capacity

| SCREWDRIVERS: | | | |
|---------------|-----------|-----------|----------|
| mm: | 6.5 x 100 | 8 x 150 | 10 x 200 |
| mm: | PH2 x 100 | PH3 x 150 | |

Item ID: TTXMDTN













POWER THROUGH SCREWDRIVER SET

- Chrome vanadium blades for greater strength and material flexibilty
- Percussion cap and full length integral blade for use with a hammer to release stubborn screws
- Ergonomically designed bi-material handle for easy use with higher torque
- The handle is moulded around the blade to give a higher torque
- Tools are held in place using three colour pre-cut EVA foam

| SCREWDRIVERS: | | | |
|---------------|-----------|-----------|----------|
| mm: | 6.5 x 100 | 8 x 150 | 10 x 200 |
| mm: | PH2 x 100 | PH3 x 150 | |

Item ID: TEXMDTN

Get organised **TENGIOOLS** 341










- Chrome vanadium blades for greater strength and material flexibilty
- Percussion cap and full length integral blade for use with a hammer to release stubborn screws
- Ergonomically designed bi-material handle for easy use with higher torque and faster speed
- The handle is moulded around the blade to ensure straightness and to allow larger blade wings which give a higher torque capacity
- Supplied with a wall rack for fixing to the wall or a workbench
- Template and fixings included

| SCREWDRIVERS: | | | |
|---------------|-----------|-----------|----------|
| mm: | 6.5 x 100 | 8 x 150 | 10 x 200 |
| mm: | PH2 x 100 | PH3 x 150 | |

Item ID: WRMDT05N

POWER THROUGH SCREWDRIVERS - FLAT TIP

- Percussion cap and power through blade for striking with a hammer
- Ergonomically designed bi-material handle for easy use with higher torque and faster speed
- The hexagonal shaft allows tightening with an open ended spanner for extra torque if needed
- Designed and manufactured to DIN5264.




| ITEM ID: | a
mm | b
mm | + | ı | L1
mm | L2
mm | g | I |
|----------|---------|---------|-----|--------|----------|----------|-----|----|
| MDT932N | 1.2 | 6.5 | Hex | Flared | 100 | 216 | 120 | L |
| MDT934N | 1.2 | 8 | Hex | Flared | 150 | 275 | 200 | XL |
| MDT935N | 1.6 | 10 | Hex | Flared | 200 | 325 | 200 | XL |

POWER THROUGH SCREWDRIVERS - PH TIP

- Percussion cap and power through blade for striking with a hammer
- Ergonomically designed bi-material handle for easy use with higher torque and faster speed
- The hexagonal shaft allows tightening with an open ended spanner for extra torque if needed
- Designed and manufactured to DIN5264.







| ITEM ID: | ① | + | ı | L1
mm | L2
mm | g | ţ |
|----------|----------|-----|----------|----------|----------|-----|----|
| MDT952N | PH2 | Hex | Phillips | 100 | 216 | 120 | L |
| MDT953N | PH3 | Hex | Phillips | 150 | 275 | 200 | XL |











MINI PLIERS & SCREWDRIVER SET

- Mini screwdrivers feature a rotating end piece for easier use when "transporting" the fastening
- Mini pliers feature high carbon steel construction and vinyl grip handles

| MINI SCREWDRIVER: | | | | | | |
|-------------------|-----------------|-----------|-------------|--|--|--|
| mm: | 2.0 x 40 | 2.4 x 40 | 3.0 x 40 | | | |
| mm: | PH00 x 40 | PH0 x 40 | PH1 x 40 | | | |
| mm: | TX6 x 40 | TX7 x 40 | TX8 x 40 | | | |
| | TX9 x 40 | TX10 x 40 | TX15 x 40 | | | |
| MINI PLIERS: | | | | | | |
| 4 ½" | | | SIDE CUTTER | | | |
| 4 ½" | END CUTTER | | | | | |
| 5" | LONG NOSE PLIER | | | | | |
| 5" | FLAT NOSE PLIER | | | | | |

Item ID: TTMI16





MINI SCREWDRIVER SET

- CrMo steel alloy for greater strength
- Rotating end piece for easier use when "transporting" the fastening
- Supplied in a handy holder that can be wall mounted or used as a stand

| MINI SCREWDRIVE | R: | | |
|-----------------|---------|--------|--------|
| mm: | 2.0x40 | 2.4x40 | 3.0x40 |
| mm: | PH00x40 | PH0x40 | PH1x40 |

Item ID: MDM706





MINI TX SCREWDRIVER SET

- CrMo steel alloy for greater strength
- Rotating end piece for easier use when "transporting" the fastening
- Supplied in a handy holder that can be wall mounted or used as a stand


| MINI SCREWDRIVER: | | | | | | |
|-------------------|----------|-----------|-----------|--|--|--|
| mm: | TX6 x 40 | TX7 x 40 | TX8 x 40 | | | |
| | TX9 x 40 | TX10 x 40 | TX15 x 40 | | | |

Item ID: MDM706TX

MINI SCREWDRIVERS - FLAT TIP

- CrMo steel alloy for greater strength
- Rotating end piece for easier use when "transporting" the fastening







| ITEM ID: | Θ | + | 1 | L1
mm | L2
mm | g |
|----------|----------|-------|----------|----------|----------|----|
| MDM713 | 2 | Round | Parallel | 40 | 122 | 12 |
| MDM714 | 2.4 | Round | Parallel | 40 | 122 | 12 |
| MDM715 | 3 | Round | Parallel | 40 | 122 | 12 |

MINI SCREWDRIVERS - PH TIP

- CrMo steel alloy for greater strength
- Rotating end piece for easier use when "transporting" t fastening











Get organised TENGIOOLS 343






MINI SCREWDRIVERS - TX TIP

- CrMo steel alloy for greater strength
- Rotating end piece for easier use when "transporting" fastening





| ITEM ID: | ③ | - | I | L1
mm | L2
mm | g |
|----------|----------|-------|----|----------|----------|----|
| MDM806 | TX6 | Round | TX | 40 | 122 | 12 |
| MDM807 | TX7 | Round | TX | 40 | 122 | 12 |
| MDM808 | TX8 | Round | TX | 40 | 122 | 12 |
| MDM809 | TX9 | Round | TX | 40 | 122 | 12 |
| MDM810 | TX10 | Round | TX | 40 | 122 | 12 |
| MDM815 | TX15 | Round | TX | 40 | 122 | 12 |

MINI SCREWDRIVER SET

- Includes fully interchangeable double ended blades
- Sizes clearly marked on the shaft
- Hexagon shaft
- Twist grip tightening function allows the blade to be set at different lengths, ideal for where access is restricted
- Rotating end piece for easier use when "transporting" the fastening


| MINI SCREWDRIVER BLADE HANDLE | | | | | | | |
|-------------------------------|--------------------------------|--|--|--|--|--|--|
| SCREWDRIVER BLADES: | | | | | | | |
| mm: | PH00 - 2.0 PH0 - 3.0 PH1 - 4.0 | | | | | | |
| * | PZO - PZ1 | | | | | | |
| TX5 - TX7 | | | | | | | |

Item ID: TM708


MINI SCREWDRIVERS - HEX TIP

- CrMo steel alloy for greater strength
- Rotating end piece for easier use when "transporting" fastening





| ITEM ID: | • | 0 | ı | L1
mm | L2
mm | g |
|----------|-----|-------|-----|----------|----------|----|
| MDM711 | 2 | Round | Hex | 40 | 122 | 12 |
| MDM712 | 2.5 | Round | Hex | 40 | 122 | 12 |





DOUBLE ENDED MINI SCREWDRIVER BLADES

- Mini screwdriver handle
- For use with double ended mini screwdriver blades
- Twist grip tightening function allows the blade to be set at different lengths, ideal for where access is restricted
- Rotating end piece for easier use when "transporting" the fastening

| ITEM ID: | TIP 1 | SIZE 1 | TIP 2 | SIZE 2 |
|----------|------------|----------|------------|--------|
| MDM700 | MINI S | CREWDRIV | ER BLADE H | IANDLE |
| 2912512 | (+) | PH00 | Θ | 2 |
| 2912513 | (+) | PH00 | Θ | 3 |
| 2912514 | (+) | PH1 | Θ | 4 |
| 2912520 | * | PZ0 | * | PZ1 |
| 2912535 | (1) | TX5 | (*) | TX7 |
| 2912537 | (1) | TX6 | (*) | TX8 |
| 2912539 | (1) | TX9 | (*) | TX10 |





MINI TX T-HANDLE SCREWDRIVER SET

- Especially designed bi-material handle for easier use
- Rotating end piece for easier use when "transporting" the fastening
- Supplied in a handy holder that can be wall mounted

| MINI T HANDLE SCREWDRIVER: | | | | | | | |
|----------------------------|-------------|--|--|--|--|--|--|
| (| TX6 TX7 TX8 | | | | | | |
| TX9 TX10 TX15 | | | | | | | |

Item ID: MDM706TXT

MINIT-HANDLE SCREWDRIVERS - TX TIP

- CrMo steel alloy for greater strength
- Rotating end piece for easier use when "transporting" the fastening







DO'S & DONT'S OF **SCREWDRIVERS**



Supplied on a handy key ring

MAGNETIC CHARGER

Item ID: MR500

- Do not use the wrong tip
- Do not use the screwdriver as a lever

Magnetic screwdriver charger and discharger Use to magnetise or demagnetise screwdrivers

- Do not use on live electrics
- Do not use too much power



ASSORTED KEY SET

- Hex, TX and screwdriver key set
- A set of 8 keys
- Chrome vanadium steel with a black finish
- Retractable keys held in a fold up aluminium holder

| ERGONOMICALLY DESIGNED ALUMINIUM HOLDER | | | | | | | | |
|---|------------------|------|---|--|--|--|--|--|
| INDIVIDUAL KEY | INDIVIDUAL KEYS: | | | | | | | |
| mm: | 1 x 5.5 | | | | | | | |
| (+) | PH1 | | | | | | | |
| * | PZ2 | | | | | | | |
| ③ | TX25 | TX30 | | | | | | |
| mm: | 4 | 5 | 6 | | | | | |

Item ID: 1477NX







Use the right tip



Keep it clean & dry



Apply extra torque correctly



Choose the right handle

BITS & DRIVERS

All Teng Tools bits with a hexagonal drive are designed and manufactured in accordance with the latest industrial standards. Screwdriver bits and socket bits are classified as consumables and thus are only guaranteed to meet dimensional standards.

Bit sets supplied in handy pocket sized storage with bits that are easy to access





Full range of bit adapters, screw holders and accessories are available











SCREWDRIVER BIT SET





- An extensive range of 1/4" hex drive 25mm screwdriver bits 2 quick chuck bit driver handles included giving a choice of shaft lengths
- Removable lid and dove tail joints


| 147mm & 183mm Quick chuck screwdriver handles | | | | | | |
|---|------------|------------------------------------|------------|------------------|--|--|
| 1/4" Hex bits: | | | | | | |
| Length 25mm: | Θ | 3.5, 5.5, 8 mm | ① | PH1, PH2, PH3 | | |
| | * | PZ1, PZ2, PZ3 | | ROB1, 2, 3 | | |
| | (1) | TX10, TX15, TX20, TX25, TX30, TX40 | | | | |
| | * | TPX20, TPX25, TPX30 | | | | |
| | • | 2, 3, 4, 5, 6, 8 | | | | |
| Length 89mm: | (+) | PH1, PH2 | \bigcirc | 3, 4 mm | | |
| | * | PZ1, PZ2 | (1) | TX10, TX20, TX25 | | |

Item ID: TTMDQ38



SOCKET & BITS SET

- Comprehensive selection of 25mm and 89mm 1/4" drive hex bits 1/4" drive regular sockets from 4 to 13mm
- Various drivers and accessories for use with bits and/or sockets



Item ID: TTMDQ49




SOCKET & BITS SET





Comprehensive selection of 25mm 1/4" drive hex bits included T handle bits driver with quick chuck adaptor on the long end and a magnetic bits holder on the short end




Item ID: TTTHQ62



ANGLED RATCHETING BITS DRIVER SET



- Comprehensive selection of 25mm 1/4" drive hex bits
- Ratcheting bits driver with an adjustable handle angle to create a pistol type grip driver
- Removable lid and dove tail joints




Item ID: TTMDRT64



SCREWDRIVER BIT SET

- An extensive range of 1/4" hex drive 25mm screwdriver bits
- Reversible, ratcheting bits driver, extension bars and adaptors
- Removable lid and dove tail joints



Item ID: TTMD74




SOCKET & BITS SET





Quick chuck bits driver and adaptor for use with bits and/or sockets



Item ID: TTMDQ76




SOCKET & BITS SET

Tray Size



Reversible ratcheting bits driver, flexible extension and adaptor for use with bits and/or sockets




Item ID: TTMDR84





QUICK CHUCK BITS DRIVER SET

- Various drivers and accessories for use with bits and/or sockets Includes the Teng Tools mini bits ratchet adaptor for use with the quick chuck bits driver to create a reversible 1/4" drive ratchet
- Tools are held in place using three colour pre-cut EVA foam



Item ID: TEAMDQ78

Get organised **TENGIOOLS** 349













SOCKET & BITS SET

- Long reach bit and socket drivers set
- Comprehensive selection of 25mm 1/4" drive hex bits
- 1/4" drive regular sockets from 4 to 13mm
- Ideal for use in difficult to reach places

555mm flexible spinner handle with 1/4" drive, 555mm flexible bits driver with 1/4" hex drive, 1/4" M:1/4" hex coupler adaptor 1/4" Drive Regular 6 point sockets: 4, 4.5, 5, 5.5, 6, 7, 8, 9, 10, 11, 12, 13 mm mm: 1/4" Hex bits: Lenath 25mm: 4. 5.5. 8 mm 3. 4. 5. 6. 8. 10 PHO, PH1, PH2, PH3, PH4 PZO, PZ1, PZ2, PZ3 TX8, TX10, TX15, TX20, TX25, TX27, TX30, TX40

Item ID: TTXMD41 N



TORQUE SCREWDRIVER SET







- Supplied in the unique Teng Tools double width TC tray
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs

| 1/4" Drive | 1-5 Nm Torque screwdriver, Quick release chuck, Sliding T-bar,
6" Flexible extension, Ratchetting bits driver with assorted bits | | | | | | | | |
|-----------------|---|--|---------------|-----------------------------|--|--|--|--|--|
| 3/8" Drive | | 3/8"M x 5/16" Hex adaptor | | | | | | | |
| 1/2" Drive | | Reversible | impact dr | iver, 5/16" Hex bit adaptor | | | | | |
| 5/16" Hex bits: | Θ | 6, 8, 10, 12 | (1) TO | (30, TX40, TX45, TX50, TX55 | | | | | |
| Length 36mm | | 4, 5, 6, 8 | (1) | PH1, PH2, PH3, PH4 | | | | | |
| 1/4" Hex bits: | | 3.5, 4, 4.5, 5.5 (x2), 6.5, 8 | (+) | PH1 (x3), PH2 (x6), PH3 | | | | | |
| Length 25mm | * | PZ1 (x3), PZ2 (x6), PZ3 | | 2, 3, 4, 5, 6, 8 | | | | | |
| | | 1, 2, 3 | (+) | PH2G (x3) | | | | | |
| | (*) | TX6, TX7, TX8, TX9, TX10, TX15, TX20 (x3), TX TX27, TX | | | | | | | |
| | (*) | TPX10, TPX15, TPX20 (x | (2), TPX2 | 5 (x2), TPX27, TPX30, TPX40 | | | | | |

Item ID: TEDSD95



IMPACT BIT SET


Tray Size







- Screwdriver, hex and TX bits in various lengths
- Metric and AF impact nut setters included
- New design impact bits and adaptors for higher torsion
 - Suitable for use with impact power tools



Item ID: TTBS53



IMPACT BIT SET







- Magnetic and quick chuck bit holders included for fast changing
- Designed for higher torsion
- Tools are held in place using three colour pre-cut EVA foam

| 60mm Impact magnetic bit holder, 60mm Impact quick chuck bit holder | | | | | | | | |
|---|------------|--|--------------------|-----------------|--|--|--|--|
| 1/4" Hex Impact Bits:
Length 30mm | (+) | PH1, PH2 (x2), PH3 | → PH2G (x2) | 1, 2 | | | | |
| | * | PZ1, PZ2 (x2), PZ3 | | 3, 4 (x2), 5, 6 | | | | |
| | | TX10, TX15, TX20 (x2) | , TX25 (x2), TX27, | TX30 (x2), TX40 | | | | |
| 1/4" Hex Impact Bits: | (+) | PH1, PH2, PH3 | | 3, 4, 5, 6 | | | | |
| Length 50mm | * | PZ1, PZ2, PZ3 | 1, 2, 3 | → PH2G | | | | |
| | (*) | TX10, TX15, TX20, TX25, TX27, TX30, TX40 | | | | | | |

Item ID: TEABS50



SOCKET SET





- Regular 6 point single hexagon sockets for a better grip
- Chrome vanadium satin finish sockets
- A selection of screwdriver and hex bits
- Supplied in the unique Teng Tools case with a snap lock
- Hard wearing hinge with a metal pin for longer life
- Designed and manufactured to DIN and ISO standards

| 1/4" Mini bits ratchet | | | | | | | | |
|--|-------------------|-----------------|--|-------------------|---------|--|--|--|
| Magnetic bits holder, 1/4"M x 1/4" Hex adaptor | | | | | | | | |
| Regular 6 point sockets: | | | | | | | | |
| O mm: | 8 | 8 9 10 11 12 13 | | | | | | |
| 1/4" Hex bits: | 4.5, 5.5, 6.5 | | | • | 4, 5 ,6 | | | |
| | → PH1, PH2 | | | ♣ PZ1, PZ2 | | | | |

Item ID: **T1419**



SOCKET SET



- Regular 6 point single hexagon sockets for a better grip
- Chrome vanadium satin finish sockets
- A selection of screwdriver and TX bits
- Supplied in the unique Teng Tools case with a snap lock
- Hard wearing hinge with a metal pin for longer life
- Designed and manufactured to DIN and ISO standards

| 1/4" Mini bits ratchet | | | | | | | |
|--|--------------------------|-------------------|---|------------------|----------|----|----|
| Magnetic bits holder, 1/4"M x 1/4" Hex adaptor | | | | | | | |
| Regular 6 point so | Regular 6 point sockets: | | | | | | |
| O mm: | 5.5 | 6 | 7 | 8 | 9 | 10 | 13 |
| 1/4" Hex bits: | 4, 5.5, 6.5 | | | TX10, TX15, TX20 | | | |
| | (| → PH1, PH2 | | | PZ1, PZ2 | | |

Item ID: T1420



BIT SET

- 25mm long screwdriver, hex and TX bits to suit different applications
- Supplied a bits box with a click lock lid and small enough to easily fit in the pocket

| 50mm quick release bit holder, 1/4" Hex x 1/4" Square drive adaptor | | | | | | | | |
|---|-----------------------|------------------------------------|------------|--------------|------------|-----------|--|--|
| • | | | | | | | | |
| 1/4" Drive Hex B | its: | | | | | | | |
| Length 25 mm: | $\overline{\bigcirc}$ | 4.5, 5.5, 6.5 | | 4, 5 ,6 | | 1, 2, 3 | | |
| | (+) | PH1, PH2, PH3 | ♣ P | Z1, PZ2, PZ3 | (+) | PH2G (x2) | | |
| | | TX10, TX15, TX20, TX25, TX30, TX40 | | | | | | |
| | TPX20, TPX25, TPX30 | | | | | | | |


Item ID: TM028





BIT SET

- 25mm long screwdriver, hex and TX bits to suit different applications
 Reversible mini bits ratchet
- Supplied a bits box with a click lock lid and small enough to easily fit in the pocket



Item ID: TM029

Get organised[™] TENGIOOLS 351







IMPACT BIT SET

- Designed for higher torsion
- Includes a comprehensive range of impact bits and accessories
- Supplied in the unique Teng Tools bits box
- A sliding lock system helps keep the contents secure

| 60mm Impact magnetic bit holder, 1/4" Hex x 1/4"M adaptor | | | | | | | |
|---|------------|---------------|-------------|-----------|------------|---------|---------|
| 1/4" Drive Impact nut se | etters - L | ength 65 | mm T | : | | | |
| O Size: | 1/4" | 7 | 8 | 10 | | | |
| 1/4" Hex Impact Bits: | (+) | PH1, PH2, PH3 | | | | 3, | 4, 5, 6 |
| Length 30mm | * | | PZ1, P | Z2, PZ3 | (+) | PH2G | |
| | | | TX10 | , TX15, T | X20, TX2 | 5, TX40 | |
| 1/4" Hex Impact Bits:
Length 89mm | (*) | TX2 | 5, TX30 | | | 1, 2, 3 | |

Item ID: TBBSI27



IMPACT BIT SET

- New design impact bits and adaptors for higher torsion
- Suitable for use with impact power tools Supplied in the unique Teng Tools bits box with a click lock lid
- Small enough to easily fit in the pocket

| 60mm Impact magnetic bit holder | | | | | |
|---------------------------------|----------|------|--|------|------------------|
| 1/4" Hex Impact Bits: | * | PZ2 | | 4, 5 | TX20, TX25, TX30 |
| Length 30mm | ① | PH2G | | 1, 2 | |

Item ID: TM010



IMPACT BIT SET

- All the most commonly used impact bits for the construction industry
- New design impact bits and adaptors for higher torsion
- Suitable for use with impact power tools
- Supplied in the unique Teng Tools bits box with a click lock lid
- Small enough to easily fit in the pocket

| 60mm Impact magnetic bit holder | | | | | |
|---------------------------------|------------|---------------|------------|------------------------|--|
| ., | * | PZ1, PZ2, PZ3 | (*) | TX10, TX20, TX25, TX30 | |
| Length 30mm | (+) | PH2 | PH2G | | |

Item ID: TMC010



IMPACT BIT SET

- New design impact bits and adaptors for higher torsion
- Suitable for use with impact power tools
- Supplied in the unique Teng Tools bits box with a click lock lid
- Small enough to easily fit in the pocket

| 60mm Impact magnetic bit holder | | | | | | |
|--------------------------------------|----------|---|--|--|--|--|
| 1/4" Hex Impact Bits:
Length 30mm | ③ | TX10, TX15, TX20 (x2), TX25 (x2),
TX27, TX30, TX40 | | | | |

Item ID: TMTX10

Bits & Drivers 💽



HOOK ON BITS SET

- Bit holder with a clip ring for use on a belt or with a safety wire if working at height
- Includes 20 assorted 25mm length bits together with a 60mm magnetic bit holder
- A 1/4" drive adaptor for use with 1/4" drive sockets and accessories

| 60mm magnetic bit holder, 1/4" Hex x 1/4"M adaptor | | | | | |
|--|-----|-------------------|------------------|------------|------|
| 1/4" Hex Bits: | * | PZ1, PZ2, PZ3 🕕 | PH1, PH2, PH3 | (+) | PH2G |
| Length 25mm | (1) | TX10, TX15, TX20, | TX25, TX30, TX40 | | |
| | • | 3, 4, 5, 6 | 4.5, 5.5, 6.5 mm | | |

Item ID: THBS22



HOOK ON IMPACT BIT SET



- A handy bit holder with a clip ring for use on a belt or safety wire if working at height
- Includes 20 assorted 30mm length impact bits together with a 60mm magnetic bit holder
- A 1/4" drive adaptor for use with 1/4" drive impact sockets
- Designed for higher torsion enabling use with power tools

| 60mm Impact magnetic bit holder, 1/4" Hex x 1/4"M adaptor | | | | | | |
|---|-----|------------------|----------|-----------------|------------|------|
| 1/4" Hex Impact Bits: | * | PZ1, PZ2, PZ3 (• | <u>+</u> | PH1, PH2, PH3 | (+) | PH2G |
| Length 30mm | (1) | TX10, TX15, TX | (20, T) | (25, TX30, TX40 | | |
| | • | 3, 4, 5, 6 | | 1, 2, 3 | | |

Item ID: THBSI22



IMPACT NUT SETTER SET



- Sockets include a magnet for holding the fastening
- Suitable for use on ferrous fastenings
- Supplied in the unique Tena Tools storage case
- A sliding lock system helps keep the contents secure

| 1/4" Drive Impact nut setters - Length 65mm | | | | | | |
|---|-------|------|---|---|----|----|
| 0 | Size: | 1/4" | 7 | 8 | 10 | 13 |

Item ID: TBNSI5

22 Piaras




IPR - TAMPER PROOF BIT SET



1/4" drive bit holder/coupler

Bits held in a "bullet holder" to avoid losing the bits



Item ID: M1410T5





1/4"

TX BIT SET



6 TX bits held in a "bullet holder" to avoid losing the bits

| 3/8" Drive x 1/4" Hex coupler | | | | |
|-------------------------------|------------|------------------------------------|--|--|
| 1/4" Hex Bits: | | | | |
| Length 25mm | (*) | TX10, TX15, TX20, TX25, TX30, TX40 | | |

Item ID: 1486







TX BIT SET

- 1/2" drive bit holder/coupler
- 3 TX bits held in a "bullet holder" to avoid losing the bits


| 1/2" Drive x 5/16" Hex coupler | | | | |
|--------------------------------|------------|------------------|--|--|
| 5/16" Hex Bits: | | | | |
| Length 25mm | (*) | TX45, TX50, TX55 | | |

Item ID: 1488

RATCHETING BITS DRIVER SET

- Forward, reverse and fixed settings
- 20 teeth ratchet mechanism for 18° increments between each click
- 14 different screwdrivers in one
- Bit storage inside the handle to avoid losing bits
- Magnetic bit holder that holds the bit in place






Item ID: MDR915

RATCHETING BITS DRIVER SET

- Forward, reverse and fixed settings
- 20 teeth ratchet mechanism for 18° increments between each click
- Includes 6 bits plus a 1/4" drive socket adaptor
- Bit storage inside the handle to avoid losing bits
- Magnetic bit holder that holds the bit in place



OOX




Item ID: MDR908

RATCHETING BITS DRIVER SET

- Stubby handle ideal for use in confined spaces
- Forward, reverse and fixed settings
- 20 teeth ratchet mechanism for 18° increments hetween each click
 - Includes 6 bits plus a 1/4" drive socket adaptor
- Bit storage inside the handle to avoid losing bits Magnetic bit holder that holds the bit in place

| 1/4" Hex x 1/4"M adaptor | | | | |
|-----------------------------------|------------|----------|--|--|
| 1/4" Hex Drive Double Ended Bits: | | | | |
| Length 25mm | Θ | 5, 7 mm | | |
| | (+) | PH1, PH2 | | |
| | * | PZ1, PZ2 | | |




Item ID: MDR908S

ANGLED RATCHETING BITS DRIVER SET

- Can be used straight or offset at up to 60° to create a pistol grip for added torque
- Forward, reverse and fixed settings
- 20 teeth ratchet mechanism for 18° increments between each click
- Includes 6 bits plus a 1/4" drive socket adaptor
- Quick chuck bit holder that holds the bit in place







Item ID: MDRT908

Bits & Drivers 💽

RATCHETING BITS DRIVER SET

- Forward, reverse and fixed settings
- 20 teeth ratchet mechanism for 18° increments
- Includes 6 bits plus a 1/4" drive socket adaptor
- Bit storage inside the handle to avoid losing bits
- Quick chuck bit holder that holds the bit in place



| 1/4" Hex x 1/4"M adaptor | | | | |
|-----------------------------------|------------|----------|--|--|
| 1/4" Hex Drive Double Ended Bits: | | | | |
| Length 25mm | Θ | 5, 7 mm | | |
| | (+) | PH1, PH2 | | |
| | * | PZ1, PZ2 | | |



BITS DRIVER SET

- Stubby handle ideal for use in confined spaces Includes 8 of the most commonly used bits in a
- bullet style holder Magnetic bit holder that holds the bit in place







| 1/4" Hex Drive Double Ended Bits: | | | | |
|-----------------------------------|----------|-----------|--|--|
| Length 25mm | Θ | 6.5, 8 mm | | |
| | ① | PH1, PH2 | | |
| | * | PZ1, PZ2 | | |
| | • | 4, 5 mm | | |

Item ID: MD908N

T HANDLE BITS DRIVER



Item ID: MDTHQ

BITS DRIVER

- Stubby handle ideal for use in confined spaces
- For use with any 1/4" hex drive bits
- Magnetic bit holder that holds the bit



Item ID: MDBH

BITS DRIVER

- For use with any 1/4" hex drive bits
- Quick chuck bit holder that holds the bit in place
- Overall length 147mm



Item ID: MDQ147

BITS DRIVER

- For use with any 1/4" hex drive bits
- Quick chuck bit holder that holds the bit in place
- Overall length 183mm



Item ID: MDQ183



BITS DRIVER

- For use with any 1/4" hex drive bits
- Quick chuck bit holder that holds the bit in place
- Overall length 217mm



Item ID: MDQ217

BITS DRIVER

- For use with any 1/4" hex drive bits
- Magnetic bit holder that holds the bit in place
- Overall length 193mm



Item ID: MD193

BITS DRIVER

- For use with any 1/4" hex drive bits
- Magnetic bit holder that holds the bit in place
- Hex shape shaft for use with a wrench for extra torque
- Overall length 217mm



Item ID: MD216

LONG REACH FLEXIBLE BITS DRIVER

- For use with any 1/4" hex drive bits
- Magnetic bit holder that holds the bit in place
- Flexible spring wound shaft for easier access in confined spaces
- Protected with a plastic sleeve that allows the driver to turn even when the shaft is gripped
- Overall length 555mm



Item ID: MD907FL

MINI BITS RATCHET

- Overall length 90mm making it very compact
- Flip reverse mechanism for quickly changing
- Chrome vanadium satin finish drop forged steel
- For use with 1/4" drive hex bits
- 8mm double hexagon ring spanner on the other end



Item ID: 1400B

RATCHET HEAD & BITS HOLDER

- Designed for use together with any 1/4" hex drive bit holder
- 1/4" saugre drive for use with sockets and accessories
- 1/4" hexagon drive for use with screwdriver bits
- 72 teeth for use in confined spaces
- Flip reverse for quickly changing between tightening and loosening
- Designed and manufactured to DIN3122D



Item ID: RHA14

BITS DRIVER EXTENSION

- Fixed shaft with auick chuck bits holder
- Rotating collar to lock or unlock the grip on the bit
- Ideal for use in hard to reach places



| | | | Length | |
|----------|----------|-----------|--------|----|
| ITEM ID | Drive | Extension | mm | AF |
| TTMD74-1 | 1/4" Hex | Fixed | 100 | 4" |

BITS DRIVER EXTENSION

- Flexible wound spring shaft with quick chuck bits holder
- Rotating collar to lock or unlock the grip on the bit
- Ideal for use in hard to reach places



| | | | Length | |
|----------|----------|-----------|--------|----|
| ITEM ID | Drive | Extension | mm | AF |
| TTMD74-2 | 1/4" Hex | Flexible | 150 | 6" |

BITS DRIVER EXTENSION

- Flexible wound spring shaft with quick chuck bits holder
- Ideal for use in hard to reach places





| | | | Length | |
|-------------|----------|-----------|--------|-----|
| ITEM ID | Drive | Extension | mm | AF |
| ACC300CBH01 | 1/4" Hex | Flexible | 300 | 12" |

BIT HOLDERS

Bits holders with magnetic or quick chuck fittings

| ITEM ID | Drive | Holder | Length
mm |
|------------|----------|----------|--------------|
| ACC50MBH01 | 1/4" Hex | Chuck | 35 |
| ACC70MBH01 | 1/4" Hex | Chuck | 50 |
| ACC35CBH01 | 1/4" Hex | Magnetic | 50 |
| ACC50CBH01 | 1/4" Hex | Magnetic | 70 |



BIT ADAPTORS FOR SOCKETS

- Adaptor from a 1/4" hex drive to a square socket drive
- Suitable for use with electric and rechargeable screwdrivers
- For use with standard and impact type sockets
- Satin finish for a better grip when handling sockets
- Ball bearing socket retainer on the male end

| to securely grip the socket | | | | | | |
|-----------------------------|--------------|-----------------|--------------|--|--|--|
| ITEM ID | Hex
Drive | Square
Drive | Length
mm | | | |
| ACCSDA1414 | 1/4" Hex | 1/4" | 50 | | | |
| ACCSDA1438 | 1/4" Hex | 3/8" | 50 | | | |
| ACCSDA1412 | 1/4" Hex | 1/2" | 50 | | | |



COUPLER ADAPTORS

- Ccoupler adaptors for holding various bits
- Chrome vanadium

M380060-C

M380061-C

M120060-C

M120061-C

M120062-C

M120063-C

- handling the adaptor

- with a socket rail

3/8"

3/8"

1/2"

1/2"

1/2"

1/2"

1/4" Hex


10mm Hex

5/16" Hex

10mm Hex

12mm Hex

1/4" Hex



32

32

88

56

62





$\mathbb{Q}_{\mathbb{Q}_{\mathbb{Z}}}$

IMPACT MAGNETIC BITS HOLDER

- S2 stainless steel for use with 1/4" hex drive impact bits
- Overall length 60mm to reach in to hard to reach places
- Recessed magnet holds the bit as well as fastenings (ferrous materials only)
- Designed for higher torsion





Item ID: MBHI14

IMPACT MAGNETIC BITS HOLDER

- S2 stainless steel for use with 1/4" hex drive impact bits
- Overall length 60mm to reach in to hard to reach places
- Quick chuck bit holder for quick and easy changing between bits
- Designed for higher torsion





Item ID: QCI14

DOUBLE ENDED FLAT (SLOTTED) BIT

- Designed for use with slotted type screws and fastenings
- Ideal for use with rechargeable and electric screwdrivers
- Designed and manufactured to DIN3126









FLAT (SLOTTED) BITS

- For use with 1/4" hex drive bit holders and accessories
- Designed for use with slotted type screws and fastenings
- Designed and manufactured to DIN3126





| ITEM ID | Size
mm | Drive | Pack
Qty | Length
mm |
|-----------|------------|----------|-------------|--------------|
| FL2506A03 | 0.6 x 3.5 | 1/4" Hex | 3 | 25 |
| FL2506B03 | 0.6 x 4.5 | 1/4" Hex | 3 | 25 |
| FL2508A03 | 0.8 x 4 | 1/4" Hex | 3 | 25 |
| FL2508B03 | 0.8 x 5.5 | 1/4" Hex | 3 | 25 |
| FL2510A03 | 1.0 x 5.5 | 1/4" Hex | 3 | 25 |
| FL2512A03 | 1.2 x 6.5 | 1/4" Hex | 3 | 25 |
| FL2516A03 | 1.6 x 8 | 1/4" Hex | 3 | 25 |

FLAT (SLOTTED) BITS

- For use with 1/4" hex drive bit holders and accessories
- Designed for use with slotted type screws and fastenings
- Designed and manufactured to DIN3126





| ITEM ID | Size
mm | Drive | Pack
Qty | Length
mm |
|-----------|------------|----------|-------------|--------------|
| FL5006A03 | 0.6 x 3.5 | 1/4" Hex | 3 | 50 |
| FL5008A03 | 0.8 x 4 | 1/4" Hex | 3 | 50 |
| FL5008B03 | 0.8 x 5.5 | 1/4" Hex | 3 | 50 |
| FL5010A03 | 1.0 x 5.5 | 1/4" Hex | 3 | 50 |
| FL5012A03 | 1.2 x 6.5 | 1/4" Hex | 3 | 50 |

FLAT (SLOTTED) BITS

- For use with 1/4" hex drive bit holders and accessories
- Designed for use with slotted type screws and fastenings
- Designed and manufactured to DIN3126





| ITEM ID | Size
mm | Drive | Pack
Qty | Length
mm |
|-----------|------------|----------|-------------|--------------|
| FL7006A02 | 0.6 x 3.5 | 1/4" Hex | 2 | 70 |
| FL7008A02 | 0.8 x 4 | 1/4" Hex | 2 | 70 |
| FL7008B02 | 0.8 x 5.5 | 1/4" Hex | 2 | 70 |
| FL7010A02 | 1.0 x 5.5 | 1/4" Hex | 2 | 70 |





Bits & Drivers

FLAT (SLOTTED) BITS

- For use with 1/4" hex drive bit holders and accessories
- Designed for use with slotted type screws and fastenings
- Designed and manufactured to DIN3126





| ITEM ID | Size
mm | Drive | Pack
Qty | Length
mm |
|-----------|------------|----------|-------------|--------------|
| FL8905A01 | 0.5 x 3 | 1/4" Hex | 1 | 89 |
| FL8908A01 | 0.8 x 4 | 1/4" Hex | 1 | 89 |



DOUBLE ENDED PH BITS

- Designed for use with Phillips type screws and fastenings
- Ideal for use with rechargeable and electric screwdrivers
- Designed and manufactured to DIN3126





| ITEM ID | Size 1 | Size 2 | Drive | Pack
Qty | Length
mm |
|-------------|--------|--------|----------|-------------|--------------|
| PHH32000305 | PH0 | PH3 | 1/4" Hex | 5 | 32 |
| PHH32010205 | PH1 | PH2 | 1/4" Hex | 5 | 32 |



- For use with 1/4" hex drive bit holders and accessories
- Designed for use with Phillips type screws and fastenings
- Designed and manufactured to DIN3126





| ITEM ID | Size | Drive | Pack
Qty | Length
mm |
|-----------|------|----------|-------------|--------------|
| PH2500103 | PH1 | 1/4" Hex | 3 | 25 |
| PH2500110 | PH1 | 1/4" Hex | 10 | 25 |
| PH2500203 | PH2 | 1/4" Hex | 3 | 25 |
| PH2500210 | PH2 | 1/4" Hex | 10 | 25 |
| PH2500303 | PH3 | 1/4" Hex | 3 | 25 |
| PH2500310 | PH3 | 1/4" Hex | 10 | 25 |

PH BITS

- For use with 1/4" hex drive bit holders and accessories
- Designed for use with Phillips type screws and fastenings
- Designed and manufactured to DIN3126





| ITEM ID | Size | Drive | Pack
Qty | Length
mm |
|-----------|------|----------|-------------|--------------|
| PH5000103 | PH1 | 1/4" Hex | 3 | 50 |
| PH5000203 | PH2 | 1/4" Hex | 3 | 50 |
| PH5000303 | PH3 | 1/4" Hex | 3 | 50 |



PH BITS

- For use with 1/4" hex drive bit holders and accessories
- Designed for use with Phillips type screws and fastenings
- Designed and manufactured to DIN3126





| ITEM ID | Size | Drive | Pack
Qty | Length
mm |
|-----------|------|----------|-------------|--------------|
| PH7000102 | PH1 | 1/4" Hex | 2 | 70 |
| PH7000202 | PH2 | 1/4" Hex | 2 | 70 |



Oox

PH BITS

- For use with 1/4" hex drive bit holders and accessories
- Designed for use with Phillips type screws and fastenings
- Designed and manufactured to DIN3126





| ITEM ID | Size | Drive | Pack
Qty | Length
mm |
|-----------|------|----------|-------------|--------------|
| PH8900101 | PH1 | 1/4" Hex | 1 | 89 |
| PH8900201 | PH2 | 1/4" Hex | 1 | 89 |







PH IMPACT BITS

- Designed for higher torsion
- For use with 1/4" hex drive bit holders and accessories
- Designed for use with Phillips type screws and fastenings








| ITEM ID | Size | Drive | Pack
Qty | Length
mm |
|------------|------|----------|-------------|--------------|
| PHP3000101 | PH1 | 1/4" Hex | 1 | 30 |
| PHP3000105 | PH1 | 1/4" Hex | 5 | 30 |
| PHP3000201 | PH2 | 1/4" Hex | 1 | 30 |
| PHP3000205 | PH2 | 1/4" Hex | 5 | 30 |
| PHP3000301 | PH3 | 1/4" Hex | 1 | 30 |
| PHP3000305 | PH3 | 1/4" Hex | 5 | 30 |
| PHP5000101 | PH1 | 1/4" Hex | 1 | 50 |
| PHP5000201 | PH2 | 1/4" Hex | 1 | 50 |
| PHP5000301 | PH3 | 1/4" Hex | 1 | 50 |
| PHP8900201 | PH2 | 1/4" Hex | 1 | 89 |



- GR type with reduced neck designed for use with dry wall screws
- For use with 1/4" hex drive bit holders and accessories
- Designed for use with Phillips type screws and fastenings
- Designed and manufactured to DIN3126







PH2G IMPACT BITS

- Designed for higher torsion
- GR type with reduced neck designed for use with dry wall screws
- For use with 1/4" hex drive bit holders and accessories











DOUBLE ENDED PZ BITS

- Designed for use with Pozidrive type screws and fastenings
- Ideal for use with rechargeable and electric screwdrivers
- Designed and manufactured to DIN3126






| ITEM ID | Size 1
mm | Size 2
mm | Drive | Pack
Qty | Length
mm |
|-------------|--------------|--------------|----------|-------------|--------------|
| PZZ32000305 | PZ0 | PZ3 | 1/4" Hex | 5 | 32 |
| PZZ32010205 | PZ1 | PZ2 | 1/4" Hex | 5 | 32 |

PZ BITS

- For use with 1/4" hex drive bit holders and accessories
- Designed for use with Pozidrive type screws and fastenings
- Designed and manufactured to DIN3126







PZ BITS

- For use with 1/4" hex drive bit holders and accessories
- Designed for use with Pozidrive type screws and fastenings
- Designed and manufactured to DIN3126





| ITEM ID | Size | Drive | Pack
Qty | Length
mm |
|-----------|------|----------|-------------|--------------|
| PZ5000103 | PZ1 | 1/4" Hex | 3 | 50 |
| PZ5000203 | PZ2 | 1/4" Hex | 3 | 50 |
| PZ5000303 | PZ3 | 1/4" Hex | 3 | 50 |











Bits & Drivers 🗅

PZ BITS

- For use with 1/4" hex drive bit holders and accessories
- Designed for use with Pozidrive type screws and fastenings
- Designed and manufactured to DIN3126





| ITEM ID | Size | Drive | Pack
Qty | Length
mm |
|-----------|------|----------|-------------|--------------|
| PZ7000102 | PZ1 | 1/4" Hex | 2 | 70 |
| PZ7000202 | PZ2 | 1/4" Hex | 2 | 70 |




PZ BITS

- For use with 1/4" hex drive bit holders and accessories
- Designed for use with Pozidrive type screws and fastenings
- Designed and manufactured to DIN3126





| ITEM ID | Size | Drive | Pack
Qty | Length
mm |
|-----------|------|----------|-------------|--------------|
| PZ8900101 | PZ1 | 1/4" Hex | 1 | 89 |
| PZ8900201 | PZ2 | 1/4" Hex | 1 | 89 |



- Designed for higher torsion
 For use with 1/4" hex drive bit holders and accessories
- Designed for use with Pozidrive type screws and fastenings







| ITEM ID | Size | Drive | Pack
Qty | Length
mm |
|------------|------|----------|-------------|--------------|
| PZP3000101 | PZ1 | 1/4" hex | 1 | 30 |
| PZP3000105 | PZ1 | 1/4" hex | 5 | 30 |
| PZP3000201 | PZ2 | 1/4" hex | 1 | 30 |
| PZP3000205 | PZ2 | 1/4" hex | 5 | 30 |
| PZP3000301 | PZ3 | 1/4" hex | 1 | 30 |
| PZP3000305 | PZ3 | 1/4" hex | 5 | 30 |
| PZP5000101 | PZ1 | 1/4" hex | 1 | 50 |
| PZP5000201 | PZ2 | 1/4" hex | 1 | 50 |
| PZP5000301 | PZ3 | 1/4" hex | 1 | 50 |
| PZP8900201 | PZ2 | 1/4" hex | 1 | 89 |



HEX BITS

- For use with 1/4" hex drive bit holders and accessories
- Designed for use with fastenings with a hexagon hole
- Use with in-hex screws or grub screws
- Designed and manufactured to DIN3126





| ITEM ID | Size
mm | Drive | Pack
Qty | Length
mm |
|------------|------------|----------|-------------|--------------|
| HEX2500203 | 2 | 1/4" Hex | 3 | 25 |
| HEX2500303 | 3 | 1/4" Hex | 3 | 25 |
| HEX2500403 | 4 | 1/4" Hex | 3 | 25 |
| HEX2500503 | 5 | 1/4" Hex | 3 | 25 |
| HEX2500603 | 6 | 1/4" Hex | 3 | 25 |
| HEX2500803 | 8 | 1/4" Hex | 3 | 25 |









HEX BITS

- For use with 1/4" hex drive bit holders and accessories
- Designed for use with fastenings with a hexagon hole
- Use with in-hex screws or grub screws
- Designed and manufactured to DIN3126





| ITEM ID | Size
mm | Drive | Pack
Qty | Length
mm |
|------------|------------|----------|-------------|--------------|
| HEX5000403 | 4 | 1/4" Hex | 3 | 50 |
| HEX5000503 | 5 | 1/4" Hex | 3 | 50 |
| HEX5000603 | 6 | 1/4" Hex | 3 | 50 |
| HEX5000803 | 8 | 1/4" Hex | 3 | 50 |



HEX BITS


- For use with 1/4" hex drive bit holders and accessories
- Designed for use with fastenings with a hexagon hole
- Use with in-hex screws or grub screws
- Designed and manufactured to DIN3126



OOX







- Designed for higher torsion
- For use with 1/4" hex drive bit holders and accessories
- Designed for use with fastenings with a hexagon hole
- Use with in-hex screws or grub screws







| ITEM ID | Size
mm | Drive | Pack
Qty | Length
mm |
|-------------|------------|----------|-------------|--------------|
| HEXP3000301 | 3 | 1/4" hex | 1 | 30 |
| HEXP3000305 | 3 | 1/4" hex | 5 | 30 |
| HEXP3000401 | 4 | 1/4" hex | 1 | 30 |
| HEXP3000405 | 4 | 1/4" hex | 5 | 30 |
| HEXP3000501 | 5 | 1/4" hex | 1 | 30 |
| HEXP3000505 | 5 | 1/4" hex | 5 | 30 |
| HEXP3000601 | 6 | 1/4" hex | 1 | 30 |
| HEXP3000605 | 6 | 1/4" hex | 5 | 30 |
| HEXP5000301 | 3 | 1/4" hex | 1 | 50 |
| HEXP5000401 | 4 | 1/4" hex | 1 | 50 |
| HEXP5000501 | 5 | 1/4" hex | 1 | 50 |
| HEXP5000601 | 6 | 1/4" hex | 1 | 50 |



HEX BITS

- 10mm/12mm hexagon drive for use with appropriate bit holders
- Designed for use with fastenings with a hexagon hole
 - Designed and manufactured to DIN3126











Bits & Drivers 🖸

HEX BITS

- 10mm/12mm hexagon drive for use with appropriate bit holders
- Designed for use with fastenings with a hexagon hole
- Designed and manufactured to DIN3126







| ITEM ID | Size
mm | Drive | Pack
Qty | Length
mm |
|---------|------------|----------|-------------|--------------|
| 210805 | 5 | 10mm Hex | 1 | 75 |
| 210806 | 6 | 10mm Hex | 1 | 75 |
| 210807 | 7 | 10mm Hex | 1 | 75 |
| 210808 | 8 | 10mm Hex | 1 | 75 |
| 210809 | 9 | 10mm Hex | 1 | 75 |
| 210810 | 10 | 10mm Hex | 1 | 75 |
| 210812 | 12 | 12mm Hex | 1 | 75 |
| 210814 | 14 | 12mm Hex | 1 | 75 |
| 210817 | 17 | 12mm Hex | 1 | 75 |
| 210819 | 19 | 12mm Hex | 1 | 75 |



TX BITS

- For use with 1/4" hex drive bit holders and accessories
- Designed for use with fastenings with an internal TX type hole
- Designed and manufactured to DIN3126





| ITEM ID | Size | Drive | Pack
Qty | Length
mm |
|-----------|------|----------|-------------|--------------|
| TX2500603 | TX6 | 1/4" Hex | 3 | 25 |
| TX2500703 | TX7 | 1/4" Hex | 3 | 25 |
| TX2500803 | TX8 | 1/4" Hex | 3 | 25 |
| TX2500903 | TX9 | 1/4" Hex | 3 | 25 |
| TX2501003 | TX10 | 1/4" Hex | 3 | 25 |
| TX2501503 | TX15 | 1/4" Hex | 3 | 25 |
| TX2502003 | TX20 | 1/4" Hex | 3 | 25 |
| TX2502503 | TX25 | 1/4" Hex | 3 | 25 |
| TX2502703 | TX27 | 1/4" Hex | 3 | 25 |
| TX2503003 | TX30 | 1/4" Hex | 3 | 25 |
| TX2504003 | TX40 | 1/4" Hex | 3 | 25 |




DOUBLE ENDED TX BITS

- For use with fastenings with an internal TX type hole
- Ideal for use with rechargeable and electric screwdrivers
- Designed and manufactured to DIN3126










TX BITS

- For use with 1/4" hex drive bit holders and accessories
- Designed for use with fastenings with an internal TX type hole
- Designed and manufactured to DIN3126













©®

TX BITS

- For use with 1/4" hex drive bit holders and accessories
- Designed for use with fastenings with an internal TX type hole
- Designed and manufactured to DIN3126






| ITEM ID | Size | Drive | Pack
Qty | Length
mm |
|-----------|------|----------|-------------|--------------|
| TX7001002 | TX10 | 1/4" Hex | 2 | 70 |
| TX7001502 | TX15 | 1/4" Hex | 2 | 70 |
| TX7002002 | TX20 | 1/4" Hex | 2 | 70 |
| TX7002502 | TX25 | 1/4" Hex | 2 | 70 |



- For use with 1/4" hex drive bit holders and accessories
- Designed for use with fastenings with an internal TX type hole
- Designed and manufactured to DIN3126







TX IMPACT BITS

- Designed for higher torsion
- Overall length 30mm
- For use with 1/4" hex drive bit holders and accessories
- Designed for use with fastenings with an internal TX hole







| TXP3001001 TX10 1/4" hex 1 30 TXP3001005 TX10 1/4" hex 5 30 TXP3001005 TX15 1/4" hex 1 30 TXP3001505 TX15 1/4" hex 5 30 TXP3002001 TX20 1/4" hex 1 30 TXP3002005 TX20 1/4" hex 5 30 TXP3002501 TX25 1/4" hex 1 30 TXP3002505 TX25 1/4" hex 1 30 TXP3002701 TX27 1/4" hex 1 30 TXP3002705 TX27 1/4" hex 5 30 TXP3003001 TX30 1/4" hex 5 30 TXP3003005 TX30 1/4" hex 1 30 TXP3004001 TX40 1/4" hex 1 30 TXP5001001 TX10 1/4" hex 1 50 TXP5002001 TX25 1/4" hex 1 50 TXP5002501 <th>ITEM ID</th> <th>Size
mm</th> <th>Drive</th> <th>Pack
Qty</th> <th>Length
mm</th> | ITEM ID | Size
mm | Drive | Pack
Qty | Length
mm |
|--|------------|------------|----------|-------------|--------------|
| TXP3001501 TX15 1/4" hex 1 30 TXP3001505 TX15 1/4" hex 5 30 TXP3002001 TX20 1/4" hex 1 30 TXP3002005 TX20 1/4" hex 1 30 TXP3002501 TX25 1/4" hex 1 30 TXP3002505 TX25 1/4" hex 5 30 TXP3002701 TX27 1/4" hex 1 30 TXP3002705 TX27 1/4" hex 5 30 TXP3003001 TX30 1/4" hex 1 30 TXP3003005 TX30 1/4" hex 1 30 TXP3004001 TX40 1/4" hex 1 30 TXP3004005 TX40 1/4" hex 1 50 TXP5001501 TX15 1/4" hex 1 50 TXP5002501 TX25 1/4" hex 1 50 TXP5002501 TX25 1/4" hex 1 50 TXP5003001 <td>TXP3001001</td> <td>TX10</td> <td>1/4" hex</td> <td>1</td> <td>30</td> | TXP3001001 | TX10 | 1/4" hex | 1 | 30 |
| TXP3001505 TX15 1/4" hex 5 30 TXP3002001 TX20 1/4" hex 1 30 TXP3002005 TX20 1/4" hex 5 30 TXP3002501 TX25 1/4" hex 1 30 TXP3002505 TX25 1/4" hex 5 30 TXP3002701 TX27 1/4" hex 1 30 TXP3002705 TX27 1/4" hex 1 30 TXP3003001 TX30 1/4" hex 1 30 TXP3003005 TX30 1/4" hex 5 30 TXP3004001 TX40 1/4" hex 5 30 TXP3004005 TX40 1/4" hex 1 30 TXP5001001 TX10 1/4" hex 1 50 TXP5002501 TX25 1/4" hex 1 50 TXP5002501 TX25 1/4" hex 1 50 TXP5003001 TX27 1/4" hex 1 50 TXP5003001 <td>TXP3001005</td> <td>TX10</td> <td>1/4" hex</td> <td>5</td> <td>30</td> | TXP3001005 | TX10 | 1/4" hex | 5 | 30 |
| TXP3002001 TX20 1/4" hex 1 30 TXP3002005 TX20 1/4" hex 5 30 TXP3002501 TX25 1/4" hex 1 30 TXP3002505 TX25 1/4" hex 5 30 TXP3002701 TX27 1/4" hex 1 30 TXP3002705 TX27 1/4" hex 5 30 TXP3003001 TX30 1/4" hex 1 30 TXP3003005 TX30 1/4" hex 1 30 TXP3004001 TX40 1/4" hex 1 30 TXP3004005 TX40 1/4" hex 1 50 TXP5001001 TX10 1/4" hex 1 50 TXP5001501 TX15 1/4" hex 1 50 TXP5002501 TX20 1/4" hex 1 50 TXP5002701 TX27 1/4" hex 1 50 TXP5003001 TX30 1/4" hex 1 50 TXP5004001 <td>TXP3001501</td> <td>TX15</td> <td>1/4" hex</td> <td>1</td> <td>30</td> | TXP3001501 | TX15 | 1/4" hex | 1 | 30 |
| TXP3002005 TX20 1/4" hex 5 30 TXP3002501 TX25 1/4" hex 1 30 TXP3002505 TX25 1/4" hex 5 30 TXP3002701 TX27 1/4" hex 1 30 TXP3002705 TX27 1/4" hex 5 30 TXP3003001 TX30 1/4" hex 1 30 TXP3003005 TX30 1/4" hex 1 30 TXP3004001 TX40 1/4" hex 5 30 TXP3004005 TX40 1/4" hex 1 50 TXP5001001 TX10 1/4" hex 1 50 TXP5001501 TX15 1/4" hex 1 50 TXP5002501 TX20 1/4" hex 1 50 TXP5002701 TX27 1/4" hex 1 50 TXP5003001 TX30 1/4" hex 1 50 TXP5003001 TX30 1/4" hex 1 50 TXP5004001 <td>TXP3001505</td> <td>TX15</td> <td>1/4" hex</td> <td>5</td> <td>30</td> | TXP3001505 | TX15 | 1/4" hex | 5 | 30 |
| TXP3002501 TX25 1/4" hex 1 30 TXP3002505 TX25 1/4" hex 5 30 TXP3002701 TX27 1/4" hex 1 30 TXP3002705 TX27 1/4" hex 1 30 TXP3003001 TX30 1/4" hex 1 30 TXP3003005 TX30 1/4" hex 5 30 TXP3004001 TX40 1/4" hex 1 30 TXP3004005 TX40 1/4" hex 5 30 TXP5001001 TX10 1/4" hex 1 50 TXP5001501 TX15 1/4" hex 1 50 TXP5002001 TX20 1/4" hex 1 50 TXP5002501 TX25 1/4" hex 1 50 TXP5003001 TX30 1/4" hex 1 50 TXP5003001 TX30 1/4" hex 1 50 TXP5004001 TX40 1/4" hex 1 50 TXP8902001 <td>TXP3002001</td> <td>TX20</td> <td>1/4" hex</td> <td>1</td> <td>30</td> | TXP3002001 | TX20 | 1/4" hex | 1 | 30 |
| TXP3002505 TX25 1/4" hex 5 30 TXP3002701 TX27 1/4" hex 1 30 TXP3002705 TX27 1/4" hex 5 30 TXP3003001 TX30 1/4" hex 1 30 TXP3003005 TX30 1/4" hex 5 30 TXP3004001 TX40 1/4" hex 1 30 TXP3004005 TX40 1/4" hex 5 30 TXP5001001 TX10 1/4" hex 1 50 TXP5001501 TX15 1/4" hex 1 50 TXP5002001 TX20 1/4" hex 1 50 TXP5002501 TX25 1/4" hex 1 50 TXP5003001 TX30 1/4" hex 1 50 TXP5004001 TX40 1/4" hex 1 50 TXP8902001 TX20 1/4" hex 1 50 TXP8902501 TX25 1/4" hex 1 89 | TXP3002005 | TX20 | 1/4" hex | 5 | 30 |
| TXP3002701 TX27 1/4" hex 1 30 TXP3002705 TX27 1/4" hex 5 30 TXP3003001 TX30 1/4" hex 1 30 TXP3003005 TX30 1/4" hex 5 30 TXP3004001 TX40 1/4" hex 1 30 TXP3004005 TX40 1/4" hex 5 30 TXP5001001 TX10 1/4" hex 1 50 TXP5001501 TX15 1/4" hex 1 50 TXP5002001 TX20 1/4" hex 1 50 TXP5002501 TX25 1/4" hex 1 50 TXP5002701 TX27 1/4" hex 1 50 TXP5003001 TX30 1/4" hex 1 50 TXP5004001 TX40 1/4" hex 1 50 TXP8902001 TX20 1/4" hex 1 50 TXP8902501 TX25 1/4" hex 1 89 | TXP3002501 | TX25 | 1/4" hex | 1 | 30 |
| TXP3002705 TX27 1/4" hex 5 30 TXP3003001 TX30 1/4" hex 1 30 TXP3003005 TX30 1/4" hex 5 30 TXP3004001 TX40 1/4" hex 1 30 TXP3004005 TX40 1/4" hex 5 30 TXP5001001 TX10 1/4" hex 1 50 TXP5001501 TX15 1/4" hex 1 50 TXP5002001 TX20 1/4" hex 1 50 TXP5002501 TX25 1/4" hex 1 50 TXP5003001 TX30 1/4" hex 1 50 TXP5003001 TX30 1/4" hex 1 50 TXP5004001 TX40 1/4" hex 1 50 TXP8902001 TX20 1/4" hex 1 50 TXP8902501 TX25 1/4" hex 1 89 | TXP3002505 | TX25 | 1/4" hex | 5 | 30 |
| TXP3003001 TX30 1/4" hex 1 30 TXP3003005 TX30 1/4" hex 5 30 TXP3004001 TX40 1/4" hex 1 30 TXP3004005 TX40 1/4" hex 5 30 TXP5001001 TX10 1/4" hex 1 50 TXP5001501 TX15 1/4" hex 1 50 TXP5002001 TX20 1/4" hex 1 50 TXP5002501 TX25 1/4" hex 1 50 TXP5002701 TX27 1/4" hex 1 50 TXP5003001 TX30 1/4" hex 1 50 TXP5004001 TX40 1/4" hex 1 50 TXP8902001 TX20 1/4" hex 1 50 TXP8902501 TX25 1/4" hex 1 89 | TXP3002701 | TX27 | 1/4" hex | 1 | 30 |
| TXP3003005 TX30 1/4" hex 5 30 TXP3004001 TX40 1/4" hex 1 30 TXP3004005 TX40 1/4" hex 5 30 TXP5001001 TX10 1/4" hex 1 50 TXP5001501 TX15 1/4" hex 1 50 TXP5002001 TX20 1/4" hex 1 50 TXP5002501 TX25 1/4" hex 1 50 TXP5002701 TX27 1/4" hex 1 50 TXP5003001 TX30 1/4" hex 1 50 TXP5004001 TX40 1/4" hex 1 50 TXP8902001 TX20 1/4" hex 1 89 TXP8902501 TX25 1/4" hex 1 89 | TXP3002705 | TX27 | 1/4" hex | 5 | 30 |
| TXP3004001 TX40 1/4" hex 1 30 TXP3004005 TX40 1/4" hex 5 30 TXP5001001 TX10 1/4" hex 1 50 TXP5001501 TX15 1/4" hex 1 50 TXP5002001 TX20 1/4" hex 1 50 TXP5002501 TX25 1/4" hex 1 50 TXP5002701 TX27 1/4" hex 1 50 TXP5003001 TX30 1/4" hex 1 50 TXP5004001 TX40 1/4" hex 1 50 TXP8902001 TX20 1/4" hex 1 89 TXP8902501 TX25 1/4" hex 1 89 | TXP3003001 | TX30 | 1/4" hex | 1 | 30 |
| TXP3004005 TX40 1/4" hex 5 30 TXP5001001 TX10 1/4" hex 1 50 TXP5001501 TX15 1/4" hex 1 50 TXP5002001 TX20 1/4" hex 1 50 TXP5002501 TX25 1/4" hex 1 50 TXP5002701 TX27 1/4" hex 1 50 TXP5003001 TX30 1/4" hex 1 50 TXP5004001 TX40 1/4" hex 1 50 TXP8902001 TX20 1/4" hex 1 89 TXP8902501 TX25 1/4" hex 1 89 | TXP3003005 | TX30 | 1/4" hex | 5 | 30 |
| TXP5001001 TX10 1/4" hex 1 50 TXP5001501 TX15 1/4" hex 1 50 TXP5002001 TX20 1/4" hex 1 50 TXP5002501 TX25 1/4" hex 1 50 TXP5002701 TX27 1/4" hex 1 50 TXP5003001 TX30 1/4" hex 1 50 TXP5004001 TX40 1/4" hex 1 50 TXP8902001 TX20 1/4" hex 1 89 TXP8902501 TX25 1/4" hex 1 89 | TXP3004001 | TX40 | 1/4" hex | 1 | 30 |
| TXP5001501 TX15 1/4" hex 1 50 TXP5002001 TX20 1/4" hex 1 50 TXP5002501 TX25 1/4" hex 1 50 TXP5002701 TX27 1/4" hex 1 50 TXP5003001 TX30 1/4" hex 1 50 TXP5004001 TX40 1/4" hex 1 50 TXP8902001 TX20 1/4" hex 1 89 TXP8902501 TX25 1/4" hex 1 89 | TXP3004005 | TX40 | 1/4" hex | 5 | 30 |
| TXP5002001 TX20 1/4" hex 1 50 TXP5002501 TX25 1/4" hex 1 50 TXP5002701 TX27 1/4" hex 1 50 TXP5003001 TX30 1/4" hex 1 50 TXP5004001 TX40 1/4" hex 1 50 TXP8902001 TX20 1/4" hex 1 89 TXP8902501 TX25 1/4" hex 1 89 | TXP5001001 | TX10 | 1/4" hex | 1 | 50 |
| TXP5002501 TX25 1/4" hex 1 50 TXP5002701 TX27 1/4" hex 1 50 TXP5003001 TX30 1/4" hex 1 50 TXP5004001 TX40 1/4" hex 1 50 TXP8902001 TX20 1/4" hex 1 89 TXP8902501 TX25 1/4" hex 1 89 | TXP5001501 | TX15 | 1/4" hex | 1 | 50 |
| TXP5002701 TX27 1/4" hex 1 50 TXP5003001 TX30 1/4" hex 1 50 TXP5004001 TX40 1/4" hex 1 50 TXP8902001 TX20 1/4" hex 1 89 TXP8902501 TX25 1/4" hex 1 89 | TXP5002001 | TX20 | 1/4" hex | 1 | 50 |
| TXP5003001 TX30 1/4" hex 1 50 TXP5004001 TX40 1/4" hex 1 50 TXP8902001 TX20 1/4" hex 1 89 TXP8902501 TX25 1/4" hex 1 89 | TXP5002501 | TX25 | 1/4" hex | 1 | 50 |
| TXP5004001 TX40 1/4" hex 1 50 TXP8902001 TX20 1/4" hex 1 89 TXP8902501 TX25 1/4" hex 1 89 | TXP5002701 | TX27 | 1/4" hex | 1 | 50 |
| TXP8902001 TX20 1/4" hex 1 89 TXP8902501 TX25 1/4" hex 1 89 | TXP5003001 | TX30 | 1/4" hex | 1 | 50 |
| TXP8902501 TX25 1/4" hex 1 89 | TXP5004001 | TX40 | 1/4" hex | 1 | 50 |
| | TXP8902001 | TX20 | 1/4" hex | 1 | 89 |
| TXP8903001 TX30 1/4" hex 1 89 | TXP8902501 | TX25 | 1/4" hex | 1 | 89 |
| | TXP8903001 | TX30 | 1/4" hex | 1 | 89 |





Bits & Drivers 🐱

TX BITS

- 10/12 mm hexagon drive for use with appropriate bit holders
- Designed for use with fastenings with a TX hole
- Designed and manufactured to DIN3126







| ITEM ID | Size
mm | Drive | Pack
Qty | Length
mm |
|---------|------------|----------|-------------|--------------|
| 220720 | TX20 | 10mm Hex | 1 | 40 |
| 220725 | TX25 | 10mm Hex | 1 | 40 |
| 220727 | TX27 | 10mm Hex | 1 | 40 |
| 220730 | TX30 | 10mm Hex | 1 | 40 |
| 220740 | TX40 | 10mm Hex | 1 | 40 |
| 220745 | TX45 | 10mm Hex | 1 | 40 |
| 220750 | TX50 | 10mm Hex | 1 | 40 |
| 220755 | TX55 | 10mm Hex | 1 | 40 |
| 220760 | TX60 | 12mm Hex | 1 | 40 |
| 220770 | TX70 | 12mm Hex | 1 | 40 |



- 10/12 mm hexagon drive for use with appropriate bit holders
- Designed for use with fastenings with a TX hole
- Designed and manufactured to DIN3126







| ITEM ID | Size
mm | Drive | Pack
Qty | Length
mm |
|---------|------------|----------|-------------|--------------|
| 220820 | TX20 | 10mm Hex | 1 | 75 |
| 220825 | TX25 | 10mm Hex | 1 | 75 |
| 220827 | TX27 | 10mm Hex | 1 | 75 |
| 220830 | TX30 | 10mm Hex | 1 | 75 |
| 220840 | TX40 | 10mm Hex | 1 | 75 |
| 220845 | TX45 | 10mm Hex | 1 | 75 |
| 220850 | TX50 | 10mm Hex | 1 | 75 |
| 220855 | TX55 | 10mm Hex | 1 | 75 |
| 220860 | TX60 | 12mm Hex | 1 | 75 |
| 220870 | TX70 | 12mm Hex | 1 | 75 |

TPX BITS

- For use with 1/4" hex drive bit holders and accessories
- Designed for use with fastenings with a tamper proof TPX type hole
- Use with internal TPX heads
- Designed and manufactured to DIN3126





| ITEM ID | Size | Drive | Pack
Qty | Length
mm |
|------------|-------|----------|-------------|--------------|
| TPX2501003 | TPX10 | 1/4" Hex | 3 | 25 |
| TPX2501503 | TPX15 | 1/4" Hex | 3 | 25 |
| TPX2502003 | TPX20 | 1/4" Hex | 3 | 25 |
| TPX2502503 | TPX25 | 1/4" Hex | 3 | 25 |
| TPX2502703 | TPX27 | 1/4" Hex | 3 | 25 |
| TPX2503003 | TPX30 | 1/4" Hex | 3 | 25 |
| TPX2504003 | TPX40 | 1/4" Hex | 3 | 25 |

ROB BITS

- For use with 1/4" hex drive bit holders and accessories
- Designed for screws and fastenings with a square hole
- Designed and manufactured to DIN3126





| ITEM ID | Size | Drive | Pack
Qty | Length
mm |
|------------|------|----------|-------------|--------------|
| ROB2500103 | ROB1 | 1/4" Hex | 3 | 25 |
| ROB2500203 | ROB2 | 1/4" Hex | 3 | 25 |
| R0B2500303 | ROB3 | 1/4" Hex | 3 | 25 |











ROB IMPACT BITS

- Designed for higher torsion
- For use with 1/4" hex drive bit holders and accessories
- Designed for use with ROB recessed heads on screws and fastenings with a square hole







| ITEM ID | Size
mm | Drive | Pack
Qty | Length
mm |
|-------------|------------|----------|-------------|--------------|
| ROBP3000101 | ROB1 | 1/4" hex | 1 | 30 |
| ROBP3000105 | ROB1 | 1/4" hex | 5 | 30 |
| ROBP3000201 | ROB2 | 1/4" hex | 1 | 30 |
| ROBP3000205 | ROB2 | 1/4" hex | 5 | 30 |
| ROBP5000101 | ROB1 | 1/4" hex | 1 | 50 |
| ROBP5000201 | ROB2 | 1/4" hex | 1 | 50 |
| ROBP5000301 | ROB3 | 1/4" hex | 1 | 50 |
| ROBP8900101 | ROB1 | 1/4" hex | 1 | 89 |
| ROBP8900201 | ROB2 | 1/4" hex | 1 | 89 |
| ROBP8900301 | ROB3 | 1/4" hex | 1 | 89 |



IMPACT NUT SETTERS

- 1/4" hexagon drive nut setter
- Designed for higher torsion enabling use with power tools
- The 6 point 1/4" AF socket includes a magnet for holding the fastening
 - Suitable for use on ferrous fastenings







| ITEM ID | Size | Drive | Туре | Length
mm |
|----------|------|----------|----------|--------------|
| NSP65108 | 1/4" | 1/4" hex | Magnetic | 65 |
| NSP65507 | 7mm | 1/4" Hex | Magnetic | 65 |
| NSP65508 | 8mm | 1/4" Hex | Magnetic | 65 |
| NSP65510 | 10mm | 1/4" Hex | Magnetic | 65 |
| NSP65513 | 13mm | 1/4" Hex | Magnetic | 65 |



NUT SETTERS

- For use with electric and rechargeable screwdrivers
- Suitable for use on ferrous fastenings







| ITEM | ID | Size | Drive | Туре | Length
mm |
|------|------|------|----------|----------|--------------|
| NS45 | 108M | 1/4" | 1/4" Hex | Magnetic | 45 |
| NS45 | 506M | 6mm | 1/4" Hex | Magnetic | 45 |
| NS45 | 507M | 7mm | 1/4" Hex | Magnetic | 45 |
| NS45 | 508M | 8mm | 1/4" Hex | Magnetic | 45 |
| NS45 | 508R | 8mm | 1/4" Hex | Ring | 45 |









WELL ORGANISED DEFENCE





OFFICIAL HAND TOOL PARTNER OF **FULHAM FC**



BABEL





INSULATED TOOLS

All 1000-volt tools from Teng Tools conform to or exceed all specifications that the relevant authorities have established. Each tool is individually tested before it is marked with a special standard tag and a marking that indicates the year of manufacture.

The screwdriver shaft in the 1000 volt range is covered with two layers of insulation in different colours that make it easy to see whether the insulation is damaged. The blades are insulated before the handle is moulded, which makes the screwdrivers safer.

What are our insulated tools tested for?

- Insulation properties, i.e. resistance up to 1000 volts in dry or humid environments.
- Resistance to the cold, i.e. how well the tool withstands the cold.
- Durability, i.e. that the insulating handles do not come loose.
- Resistance to fire, i.e. how well the tool withstands fire.
- Insulating properties under pressure, i.e. how well the tool maintains its insulating properties when subjected to pressure.























- Approved for live working up to 1,000 volts
- Integrated protective insulation with two colours to clearly indicate if there is any damage to the insulation
- TPR grip on the pliers and bi-material handles on the screwdrivers for a more secure and comfortable grip
- Hard wearing case with tools laid out to easily identify where tools
- Secure lock system to ensure that the lid is closed correctly
- Designed and manufactured to DIN and ISO standards

| 1000v Screwdrivers: | | | | | |
|---------------------|----------|----------|-----------|-----------|-----------|
| mm: | 2.5 x 75 | 3 x 100 | 4 x 100 | 5.5 x 125 | 6.5 x 150 |
| mm: | PH0 x 60 | PH1 x 80 | PH2 x 100 | PH3 x 150 | |
| mm: | PZO x 60 | PZ1 x 80 | PZ2 x 100 | PZ3 x 150 | |

1000v Pliers:

6" side cutters, 8" heavy duty side cutters, 8" combination, 8" long nose, 7" wire strippers

Item ID: TV18N





INSULATED SCREWDRIVER SET

- Approved for live working up to 1,000 volts
- Integrated protective insulation with two colours to clearly indicate if there is any damage
- Designed and manufactured to DIN5264, DIN5260 and IEC60900 (EN60900)

| 1000v Insulated Screwdrivers: | | | | |
|-------------------------------|----------|-----------|--|--|
| mm: | 4 x 100 | 5.5 x 125 | | |
| mm: | PH1 x 80 | PH2 x 100 | | |
| mm: | PZ1 x 80 | PZ2 x 100 | | |

Item ID: TTV706N



INSULATED SCREWDRIVER SET

- Approved for live working up to 1,000 volts
- Integrated protective insulation with two colours to clearly indicate if there is any damage
- Designed and manufactured to DIN5264, DIN5260 and IEC60900 (EN60900)

| 1000v Insulated Screwdrivers: | | | | | |
|-------------------------------|-----------|----------|-----------|--|--|
| mm: | 2.5 x 75 | 4 x 100 | 5.5 x 125 | | |
| mm: | PH0 x 60 | PH1 x 80 | PH2 x 100 | | |
| mm: | PZ2 x 100 | | | | |

Item ID: TTV907N



INSULATED SCREWDRIVER SET

- Approved for live working up to 1,000 volts
- Integrated protective insulation with two colours to clearly indicate if there is any damage
- Designed and manufactured to DIN5264, DIN5260 and IEC60900 (EN60900)

| 1000v Insulated Screwdrivers: | | | | | |
|-------------------------------|----------|----------|-----------|-----------|--|
| mm: | 2.5 x 75 | 3 x 100 | 4 x 100 | 5.5 x 125 | |
| mm: | PH0 x 60 | PH1 x 80 | PH2 x 100 | | |
| mm: | PZO x 60 | PZ1 x 80 | PZ2 x 100 | | |

Item ID: TTDV910N





INSULATED SCREWDRIVER SET

- Approved for live working up to 1,000 volts
- Integrated protective insulation with two colours to clearly indicate if there is any damage
- A 100-250 volt tester is also included for checking circuits
- Tools are held in place using three colour pre-cut EVA foam
- Designed and manufactured to DIN5260, DIN5264 and IEC60900 (EN60900)

| 100-250V Voltage Tester | | | | | | |
|-------------------------|-----------|----------|-----------|-----------|--|--|
| 1000V Insulated S | | | | | | |
| mm: | 2.5 x 75 | 3 x 100 | 4 x 100 | 5.5 x 125 | | |
| mm: | PH0 x 60 | PH1 x 80 | PH2 x 100 | | | |
| mm: | PZ2 x 100 | | | | | |

Item ID: TEDV909N















SCREWDRIVER SET

- TT-MV PLUS steel alloy for greater strength and material flexibilty
- Ergonomically designed bi-material handle for easy use with higher torque and faster speed
- Hole in the handle for hanging or for use as a T handle for extra torque or with a fall protection wire if needed
- The handle is moulded around the blade to ensure straightness and to allow larger blade wings which give a higher torque capacity
- Supplied in a full colour display box with PS tray



Item ID: MD912N1









INSULATED SCREWDRIVER SET

- Approved for live working up to 1,000 volts
- Integrated protective insulation with two colours to clearly indicate if there is any damage to the insulation
- Designed and manufactured to DIN5264, DIN5260 and IEC60900 (EN60900)

| 1000V Insulated Screwdrivers: | | | | | | |
|-------------------------------|----------|-----------|---------|-----------|--|--|
| mm: | 2.5 x 75 | 3 x 100 | 4 x 100 | 5.5 x 125 | | |
| mm: | PH1 x 80 | PH2 x 100 | | | | |

Item ID: MDV906N



INSULATED SCREWDRIVER SET

- Approved for live working up to 1,000 volts
- Integrated protective insulation with two colours to clearly indicate if there is any damage to the insulation
- Supplied with a wall rack for fixing to the wall or a workbench
- Designed and manufactured to DIN5264, DIN5260 and IEC60900 (EN60900)

| 1000V Insulated Screwdrivers: | | | | | |
|-------------------------------|-----------|-----------|--|--|--|
| mm: | 3 x 100 | 5.5 x 125 | | | |
| mm: | PH1 x 80 | PH2 x 100 | | | |
| mm: | PZ2 x 100 | | | | |

Item ID: WRMDV05N









INSULATED SCREWDRIVER SET


- Approved for live working up to 1,000 volts
- Integrated protective insulation with two colours to clearly indicate if there is any damage to the insulation
- Supplied with a wall rack for fixing to the wall or a workbench
- Designed and manufactured to DIN5264, DIN5260 and IEC60900 (EN60900)

| 100 - 250V Voltage Tester | | | | | | |
|-------------------------------|----------|-----------|---------|-----------|--|--|
| 1000V Insulated Screwdrivers: | | | | | | |
| mm: | 2.5 x 75 | 3 x 100 | 4 x 100 | 5.5 x 125 | | |
| mm: | PH1 x 80 | PH2 x 100 | | | | |

Item ID: WRMDV07N

FLAT (SLOTTED) BLADE INSULATED SCREWDRIVERS

- Approved for live working up to 1,000 volts
- Integrated protective insulation with two colours to clearly indicate if there is any damage to the insulation
- For use with slotted screws
- TT-MV PLUS steel alloy for greater strength and material flexibility
- Ergonomically designed bi-material handle for easy use with higher torque
- Designed and manufactured to DIN5264 and IEC60900 (EN60900)




| ITEM ID: | a
mm | b
mm | + | L1
mm | L2
mm | g | Į |
|----------|---------|---------|-----------|----------|----------|-----|---|
| MDV820N | 0.4 | 2.5 | insulated | 75 | 171 | 49 | S |
| MDV822N | 0.5 | 3 | insulated | 100 | 196 | 56 | S |
| MDV823N | 0.6 | 3.5 | insulated | 100 | 196 | 58 | S |
| MDV824N | 0.8 | 4 | insulated | 100 | 208 | 60 | М |
| MDV826N | 1 | 5.5 | insulated | 125 | 233 | 89 | М |
| MDV828N | 1.2 | 6.5 | insulated | 150 | 266 | 135 | L |

FLAT (SLOTTED) BLADE INSULATED SCREWDRIVERS

- Reduced blade diameter giving an ultra slim blade for easier access
- Integrated protective insulation with two colours to clearly indicate if there is any damage to the insulation
- For use with slotted screws
- TT-MV PLUS steel alloy for greater strength and material flexibility
- Ergonomically designed bi-material handle for easy use with higher torque
- Designed and manufactured to DIN899 and IEC60900 (EN60900)








| ITEM ID: | a
mm | b
mm | c
mm | d
mm | 0 | L1
mm | L2
mm | g | • |
|----------|---------|---------|---------|---------|-----|----------|----------|----|---|
| MDV724N | 0.8 | 4 | 15 | 31.5 | RBD | 101 | 210 | 51 | М |
| MDV726N | 1 | 5.5 | 15 | 31.5 | RBD | 127 | 235 | 66 | М |


PH BLADE INSULATED SCREWDRIVERS

- Approved for live working up to 1,000 volts
- Integrated protective insulation with two colours to clearly indicate if there is any damage to the insulation
- For use with Phillips type screws
- TT-MV PLUS steel alloy for greater strength and material flexibility
- Ergonomically designed bi-material handle for easy use with higher torque
- Designed and manufactured to DIN5260 and IEC60900 (EN60900)












1000V

Insulated Tools 💽

PH BLADE INSULATED SCREWDRIVERS

- Reduced blade diameter giving an ultra slim blade for easier access
- Approved for live working up to 1,000 volts
- Integrated protective insulation with two colours to clearly indicate if there is any damage to the insulation
- For use with Phillips type screws
- TT-MV PLUS steel alloy for greater strength and material flexibility
- Ergonomically designed bi-material handle for easy use with higher torque
- Designed and manufactured to DIN5260 and IEC60900 (EN60900)




| ITEM ID: | • | b
mm | c
mm | d
mm | + | L1
mm | L2
mm | g | I | |
|----------|-----|---------|---------|---------|-----|----------|----------|----|---|--|
| MDV742N | PH1 | 4.5 | 18 | 30 | RBD | 81 | 190 | 51 | М | |
| MDV744N | PH2 | 6 | 18 | 30.5 | RBD | 100 | 217 | 95 | L | |

PZ BLADE INSULATED SCREWDRIVERS

- Reduced blade diameter giving an ultra slim blade for
- Approved for live working up to 1,000 volts
- Integrated protective insulation with two colours to clearly indicate if there is any damage to the insulation
- For use with Pozidrive type screws
- TT-MV PLUS steel alloy for greater strength and material flexibility
- Ergonomically designed bi-material handle for easy use with higher torque
- Designed and manufactured to DIN5260 and IEC60900 (EN60900)








| ITEM ID: | * | b
mm | c
mm | d
mm | + | L1
mm | L2
mm | g | · |
|----------|-----|---------|---------|---------|-----|----------|----------|----|---|
| MDV762N | PZ1 | 4.5 | 18 | 30 | RBD | 81 | 190 | 51 | М |
| MDV764N | PZ2 | 6 | 18 | 30.5 | RBD | 100 | 217 | 95 | L |

PZ BLADE INSULATED SCREWDRIVERS

- Approved for live working up to 1,000 volts
- Integrated protective insulation with two colours to clearly indicate if there is any damage to the insulation
- For use with Pozidrive type screws
- material flexibility
- Ergonomically designed bi-material handle for easy use with higher torque
- Designed and manufactured to DIN5260 and IEC60900 (EN60900)






| ITEM ID: | * | + | L1
mm | L2
mm | g | 1 |
|----------|-----|-----------|----------|----------|-----|----|
| MDV860N | PZ0 | insulated | 60 | 156 | 49 | S |
| MDV862N | PZ1 | insulated | 80 | 188 | 54 | M |
| MDV864N | PZ2 | insulated | 100 | 216 | 118 | L |
| MDV866N | PZ3 | insulated | 150 | 275 | 177 | XL |


PLUS/MINUS BLADE INSULATED SCREWDRIVERS

- Approved for live working up to 1,000 volts
- Integrated protective insulation with two colours to clearly indicate if there is any damage to the insulation
- TT-MV PLUS steel alloy for greater strength and material flexibility
- Ergonomically designed bi-material handle for easy use with higher torque
- Designed and manufactured to IEC60900 (EN60900)





| ITEM ID: | ⊕ | + | L1
mm | L2
mm | g | İ |
|----------|-------------|-----------|----------|----------|-----|---|
| MDV844NF | Slotted/PH2 | insulated | 100 | 216 | 118 | L |
| MDV864NF | Slotted/PZ2 | insulated | 100 | 216 | 118 | L |






1000V

ROB BLADE INSULATED SCREWDRIVER

- Approved for live working up to 1,000 volts
- Integrated protective insulation with two colours to clearly indicate if there is any damage to the insulation
- For use with ROB type screws with a square hole
- TT-MV PLUS steel alloy for greater strength and material flexibility
- Ergonomically designed bi-material handle for easy use with higher torque
- Designed and manufactured to IEC60900 (EN60900)





| ITEM ID: | | + | L1
mm | L2
mm | g | Ţ |
|----------|------|-----------|----------|----------|-----|---|
| MDV802N | ROB2 | insulated | 100 | 216 | 118 | L |



INSULATED PLIER SET

1000V







- Approved for live working up to 1,000 volts
- Integrated protective insulation with two colours to clearly indicate if there is any damage
- TPR grip for a more secure and comfortable grip
- Designed and manufactured to DIN5745, DIN5746, DIN5749 and IEC60900 (EN60900)

| 1000v Insulated Pliers: | |
|-------------------------|-------------|
| SIDE CUTTER | 6" / 150 mm |
| LONG NOSE | 8" / 200 mm |
| COMBINATION PLIERS | 7" / 175 mm |
| WIRE STRIPPING PLIERS | 6" / 155 mm |

Item ID: TTV440



Insulated according to IEC 60900, usable up to 1000 V



VDE tested, also in conformance to GPSG (Equipment and Product Safety Act)



Reduced blade diameter (RBD)









INSULATED PLIER SET









- Approved for live working up to 1,000 volts
- Integrated protective insulation with two colours to clearly indicate if there is any damage
- TPR grip for a more secure and comfortable grip
- Tools are held in place using three colour pre-cut EVA foam
- Designed and manufactured to DIN5745, DIN5746, DIN5749
- and IEC60900 (EN60900)

| 1000v Insulated Pliers: | | |
|-------------------------|-------------|--|
| SIDE CUTTER | 6" / 150 mm | |
| LONG NOSE | 8" / 200 mm | |
| COMBINATION PLIERS | 8" / 200 mm | |
| WIRE STRIPPING PLIERS | 6" / 155 mm | |

Item ID: TEDV440



INSULATED PLIER SET

- Approved for live working up to 1,000 volts
- Integrated protective insulation with two colours to clearly indicate if there is any damage to the insulation
- TPR grip for a more secure and comfortable grip
- Supplied with a wall rack for fixing to the wall or a workbench
- Designed and manufactured to DIN5745, DIN5746, DIN5749 and IEC60900 (EN60900)

| 1000v Insulated Pliers: | | | |
|-------------------------|-------------|--|--|
| SIDE CUTTER | 6" / 150 mm | | |
| HEAVY DUTY SIDE CUTTERS | 8" / 200 mm | | |
| LONG NOSE | 8" / 200 mm | | |
| COMBINATION PLIERS | 7" / 175 mm | | |

Item ID: WRMBV04



CUTTING CAPACITY FOR PLIERS The cutting capacity is laser marked next to the cutting edge of Teng Tools pliers which makes it easier to see which pliers you need to choose at a glance. PIANO62 Piano Wire Hard Wire Medium Hard Wire

INSULATED SIDE CUTTING PLIER

- Approved for live working up to 1,000 volts
- Integrated protective insulation with two colours to clearly indicate if there is any damage to the insulation
- Chrome molybdenum steel
- 80° cutting edge angle
- Electricians style function
- TPR grip for a more secure and comfortable
- Designed and manufactured to DIN5749 and IEC60900 (EN60900)

GRIP



ITEM ID:

MBV441-6



LENGTH

mm

150 TPR

Inch



2.0

HEAVY DUTY INSULATED SIDE CUTTING PLIER

- Approved for live working up to 1,000 volts
- Integrated protective insulation with two colours to clearly indicate if there is any damage to the insulation
- Chrome molybdenum steel
- 80° cutting edge angle
- High leverage function for increased cutting capacity
- TPR grip for a more secure and comfortable
- Designed and manufactured to DIN5749 and IEC60900 (EN60900)









| | LENGTH | | | CUTTIN | G CAPAC | ITY mm | 0 |
|----------|--------|-----|------|--------|---------|--------|-----|
| ITEM ID: | Inch | mm | GRIP | | • | • | g |
| MBV442-8 | 8" | 200 | TPR | 2.5 | 3.0 | 4.0 | 305 |

INSULATED COMBINATION PLIERS

- Approved for live working up to 1,000 volts
- Integrated protective insulation with two colours to clearly indicate if there is any damage to the insulation
- Features a pipe grip with serrated jaw for a more secure grip
- Chrome molybdenum alloy steel for durability and strength
- 80° cutting edge angle
- TPR grip for a more secure and comfortable arip
- Designed and manufactured to DIN5746 and IEC60900 (EN60900)









| | LENGTH | | | CUTTIN | G CAPAC | ITY mm | 0 |
|----------|--------|-----|------|--------|---------|--------|-----|
| ITEM ID: | Inch | mm | GRIP | | • | • | g |
| MBV451-7 | 7" | 175 | TPR | 1.8 | 2.0 | 3.8 | 225 |
| MBV451-8 | 8" | 200 | TPR | 2.0 | 2.2 | 4.0 | 283 |

Get organised **TENGIOOLS**



INSULATED LONG NOSE PLIERS

- Approved for live working up to 1,000 volts
- Integrated protective insulation with two colours to clearly indicate if there is any damage to the insulation
- Long straight jaws for easier access
- Jaws with a serrated grip for increased gripping power
- Chrome molybdenum alloy steel for durability and strength
- 80° cutting edge angle
- TPR grip for a more secure and comfortable
- Designed and manufactured to DIN5745 and IEC60900 (EN60900)









| | LENGTH | | | CUTTING CAPACITY mm | | ٥ | |
|----------|--------|-----|------|---------------------|-----|-----|-----|
| ITEM ID: | Inch | mm | GRIP | | • | • | g |
| MBV461-8 | 8" | 200 | TPR | 1.5 | 1.8 | 2.8 | 199 |

INSULATED WIRE STRIPPING PLIERS

- Approved for live working up to 1,000 volts
- Integrated protective insulation with two colours to clearly indicate if there is any damage to the insulation
- Medium carbon alloy steel construction
- With adjuster screw to suit wire diameters from 0.2 to 4.5mm
- Return spring for easier operation
- TPR grip for a more secure and comfortable
- Designed and manufactured to IEC60900 (EN60900)












| | LEN | GTH | | STRIPPING CAPACITY mm | ٥ |
|----------|------|-----|------|-----------------------|-----|
| ITEM ID: | Inch | mm | GRIP | • | g |
| MBV499-7 | 6" | 155 | TPR | 0.2 - 4.5 | 175 |





subjected to pressure.

the tool maintains its insulating properties when

1000V



The extensive Teng Tools range includes pliers for most applications. In addition, the range includes the usual side cutters, combination pliers and slip joint pliers as well as a number of cable pliers, side cutters for cable ties, frapping pliers, nail nippers, electronic pliers, precision shears and tweezers. Two types of handles are available to choose from: slim rubber dipped as well as ergonomic TPR bi-material handles.





What is TPR grip?

- Ergonomic bi-material handle
- More comfortable in your hand
- Extra support when using greater force
- Lighter weight

Steel alloy with CrMo gives a greater cutting capacity











PLIER SET

- Vinyl grip for easier use in pockets or tool pouches
- All the most commonly used pliers in one set

| PLIERS: | |
|-------------|--------------|
| SIDE CUTTER | 6" / 155 mm |
| COMBINATION | 7" / 180 mm |
| LONG NOSE | 8" / 200 mm |
| WATER PUMP | 10" / 250 mm |

Item ID: TT440



PLIER SET

- Vinyl grip for easier use in pockets or tool pouches
- All the most commonly used pliers in one set
- Supplied in the unique Teng Tools double width TC tray

| PLIERS: | |
|------------------------------|-------------|
| HEAVY DUTY | 6" / 160 mm |
| SIDE CUTTER | 8" / 200 mm |
| HIGH LEVERAGE
COMBINATION | 6" / 160 mm |
| | 8" / 200 mm |

| PLIERS: | |
|------------|--------------|
| LONG NOSE | 6" / 160 mm |
| TONG NOSE | 8" / 200 mm |
| WATER PUMP | 7" / 180 mm |
| | 10" / 250 mm |

Item ID: TTD441



PLIER SET

4 Pieces

- All the most commonly used pliers in one set
- All the pliers have a vinyl grip for easier use in pockets or tool
- Supplied in a heavy duty tool roll storage wallet


| PLIERS: | |
|-------------|---------------|
| SIDE CUTTER | 4 ½" / 110 mm |
| | 6" / 155 mm |
| COMBINATION | 7" / 180 mm |
| LONG NOSE | 8" / 200 mm |
| WATER PUMP | 10" / 250 mm |


Item ID: 445W



PLIER SET

8 Pieces





Item ID: TT440-T









PLIER SET

- 8 Pieces
 - TPR
- TPR grip for a more secure and comfortable grip
- All the most commonly used pliers in one set
- Supplied in the unique Teng Tools double width TC tray

| PLIERS: | |
|------------------------------|-------------|
| HEAVY DUTY
SIDE CUTTER | 6" / 160 mm |
| | 8" / 200 mm |
| HIGH LEVERAGE
COMBINATION | 6" / 160 mm |
| | 8" / 200 mm |

| PLIERS: | | | | |
|------------|--------------|--|--|--|
| IONG NOSE | 6" / 160 mm | | | |
| TONG NOSE | 8" / 200 mm | | | |
| WATER PUMP | 7" / 180 mm | | | |
| | 10" / 250 mm | | | |


Item ID: TTD441-T



PLIER SET







All the most commonly used pliers in one set

Supplied in the unique Teng Tools double width TC tray

Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs

| PLIERS: | |
|---------------------------|--------------|
| SIDE CUTTER | 5" / 135 mm |
| HEAVY DUTY SIDE CUTTERS | 6" / 160 mm |
| HIGH LEVERAGE COMBINATION | 8" / 200 mm |
| LONG NOSE | 8" / 200 mm |
| WATER PUMP | 10" / 250 mm |

Item ID: TED441-T



- PLIER SET
- TPR grip for a more secure and comfortable grip
- All the most commonly used pliers in one set
- Supplied with a wall rack for fixing to the wall or a workbench
- Template and fixings included

| PLIERS: | |
|---------------------------|--------------|
| SIDE CUTTER | 6" / 155 mm |
| HIGH LEVERAGE COMBINATION | 7" / 180 mm |
| LONG NOSE | 8" / 200 mm |
| WATER PUMP | 10" / 250 mm |

Item ID: WRMB04





PLIER & WRENCH SET



2 tools for gripping even the most stubborn nuts and bolts

| • | Supplied in the unique Teng Tools drawer width TTX tray | |
|---|---|--|

| PLIERS: | |
|-------------------------|--------------|
| QUICK ACTION WATER PUMP | 10" / 250 mm |
| WRENCHES: | |
| ALIGATOR ADJUSTABLE | 8" / 200 mm |

Item ID: TTXMB02











PLIER & WRENCH SET





- 2 tools for gripping even the most stubborn nuts and bolts
- Supplied in the unique Teng Tools drawer width TEX tray
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs

| PLIERS: | |
|-------------------------|--------------|
| QUICK ACTION WATER PUMP | 10" / 250 mm |
| WRENCHES: | |
| ALIGATOR ADJUSTABLE | 8" / 200 mm |

Item ID: TEXMB02





PLIER SET








- Includes all the most commonly used pliers, circlip pliers and power grip pliers in one set
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs
- Designed to fit exactly in the larger Teng Tools tool box drawers Can be used as a set on it's own or as part of the Teng Tools "Get Organised" system

| PLIERS: | |
|---------------------------|--------------|
| HEAVY DUTY SIDE CUTTERS | 8" / 200 mm |
| HIGH LEVERAGE COMBINATION | 7" / 180 mm |
| LONG NOSE | 8" / 200 mm |
| WATER PUMP | 10" / 250 mm |
| CIRCLIP PLIERS: | |
| STRAIGHT INNER | 7" / 175 mm |
| BENT INNER | 7" / 175 mm |
| STRAIGHT OUTER | 7" / 175 mm |
| BENT OUTER | 7" / 175 mm |

Continued 1



Item ID: TTEMB11





PLIER SET







- Includes all the most commonly used pliers in one set
- TPR grip for a more secure and comfortable grip
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs
- Designed to fit exactly in the larger Teng Tools tool box drawers
- Can be used as a set on it's own or as part of the Teng Tools "Get Organised" system

| PLIERS: | | | | | | | |
|--|--------------|--|--|--|--|--|--|
| CIDE CHITTEDS | 5" / 135 mm | | | | | | |
| PLIERS: SIDE CUTTERS HEAVY DUTY SIDE CUTTERS OFFSET HEAVY DUTY SIDE CUTTERS CABLE CUTTERS HIGH LEVERAGE COMBINATION LONG NOSE FLAT LONG NOSE WIRE STRIPPERS WATER PUMP CIRCLIP PLIERS: STRAIGHT INNER BENT INNER | 6" / 155 mm | | | | | | |
| HEAVY DUTY CIDE CUTTERS | 6" / 160 mm | | | | | | |
| MEANT DUTT SIDE CUTTERS | 8" / 200 mm | | | | | | |
| OFFSET HEAVY DUTY SIDE CUTTERS | 8" / 200 mm | | | | | | |
| CABLE CUTTERS | 8" / 208 mm | | | | | | |
| HICH LEVEDACE COMBINATION | 7" / 180 mm | | | | | | |
| HIGH LEVERAGE COMBINATION | 8" / 200 mm | | | | | | |
| LONG NOSE | 8" / 200 mm | | | | | | |
| FLAT LONG NOSE | 6" / 165 mm | | | | | | |
| WIRE STRIPPERS | 6" / 155 mm | | | | | | |
| WATER RUMP | 7" / 180 mm | | | | | | |
| WAIER PUMP | 10" / 250 mm | | | | | | |
| CIRCLIP PLIERS: | | | | | | | |
| STRAIGHT INNER | 7" / 175 mm | | | | | | |
| BENT INNER | 7" / 175 mm | | | | | | |
| STRAIGHT OUTER | 7" / 175 mm | | | | | | |
| BENT OUTER | 7" / 175 mm | | | | | | |

Item ID: TTEMB17

O

CUTTING CAPACITY FOR PLIERS

The cutting capacity is laser marked next to the cutting edge of Teng Tools pliers which makes it easier to see which pliers you need to choose at a glance.





Piano Wire



Hard Wire



Medium Hard Wire



Soft Wire



Steel Wire



Stainless Steel Wire



Spring Steel Wire



Iron Wire

MEGA BITE SIDE CUTTERS

- Chrome molybdenum steel
- 80° cutting edge angle
- Electricians style function
- Vinyl grip for easier use in pockets or tool
- DIN5749



| | LENGTH | | | High
Leverage | CU | TTING CA | PACITY r | ٩ | |
|----------|--------|-----|-------|------------------|-----|----------|----------|-----|-----|
| ITEM ID: | Inch | mm | GRIP | 1 | | • | • | • | g |
| MB441-5 | 5 | 135 | Vinyl | - | 1.5 | 1.8 | 2.3 | 4.0 | 111 |
| MB441-6 | 6 | 155 | Vinyl | - | 1.6 | 2.0 | 2.5 | 4.0 | 150 |
| MB442-5 | 5 | 140 | Vinyl | Υ | 1.5 | 1.8 | 2.3 | 4.0 | 180 |
| MB442-6 | 6 | 160 | Vinyl | γ | 2.0 | 2.5 | 3.8 | 4.0 | 180 |
| MB442-7 | 7 | 180 | Vinyl | Υ | 2.0 | 2.5 | 4.0 | 4.0 | 220 |
| MB442-8 | 8 | 200 | Vinyl | γ | 2.5 | 3.0 | 4.0 | 4.0 | 240 |

MEGA BITE SIDE CUTTERS

- Chrome molybdenum steel
- 80° cutting edge angle
- Electricians style function
- TPR grip for a more secure and comfortable grip
- DIN5749

TPR



| | LEN | GTH | | High
Leverage | CU ⁻ | TTING CA | PACITY r | nm | |
|----------|------|-----|------|------------------|-----------------|----------|----------|-----|-----|
| ITEM ID: | Inch | mm | GRIP | 1 | | • | • | • | g |
| MB441-5T | 5 | 135 | TPR | - | 1.5 | 1.8 | 2.3 | 4.0 | 126 |
| MB441-6T | 6 | 155 | TPR | - | 1.6 | 2.0 | 2.5 | 4.0 | 176 |
| MB442-6T | 6 | 160 | TPR | γ | 2.0 | 2.5 | 3.8 | 4.0 | 199 |
| MB442-8T | 8 | 200 | TPR | γ | 2.5 | 3.0 | 4.0 | 4.0 | 275 |







MEGA BITE SIDE CUTTERS

- Heavy duty with return spring
- Chrome molybdenum steel
- 80° cutting edge angle
- High leverage function for increased cutting capacity
- Vinyl grip for easier use in pockets or tool pouches
- DIN5749



| | LENGTH | | | High
Leverage | CU | TTING CA | PACITY r | nm | _ |
|----------|--------|-----|-------|------------------|-----|----------|----------|-----|-----|
| ITEM ID: | Inch | mm | GRIP | 1 | | • | • | • | g |
| MB442-7S | 7 | 180 | Vinyl | Υ | 2.0 | 2.5 | 4.0 | 4.0 | 250 |

MEGA BITE SIDE CUTTERS

- Chrome molybdenum steel
- 80° cutting edge angle
- Offset nose for access
- High leverage function for increased cutting capacity
- TPR grip for a more secure and comfortable grip
- DIN5749





| | LENGTH | | | CUTTING CAPA | | PACITY mm | | 0 |
|-----------|--------|-----|------|--------------|-----|-----------|-----|-----|
| ITEM ID: | Inch | mm | GRIP | | • | • | • | g |
| MB442B-8T | 8 | 200 | TPR | 2.5 | 3.0 | 4.0 | 4.0 | 275 |



- Ideal for cutting copper and alumium cable up to 22mm²
- One hand function with pitch guard for simple safe operation
- High carbon steel for durability and strength
- Vinyl grip for easier use in pockets or tool pouches



| | LENGTH | | LENGTH | | | | 2 |
|----------|--------|-----|--------|-----------------------------|-----|--|---|
| ITEM ID: | Inch | mm | GRIP | CAPACITY
mm ² | g | | |
| MB444-6 | 6 | 160 | Vinyl | 22 | 181 | | |
| MB444-8 | 8 | 200 | Vinyl | 38 | 322 | | |
| MB444-8T | 8 | 208 | TPR | 38 | 347 | | |

MEGA BITE CABLE CUTTERS

- Ideal for cutting copper and alumium cable up to 60mm²
- One hand function with pitch guard for simple safe operation
- High carbon steel for durability and strength
- Vinyl grip for easier use in pockets or tool pouches





| | LEN | GTH | | CAPACITY | <u> </u> |
|----------|------|-----|-------|-----------------|----------|
| ITEM ID: | Inch | mm | GRIP | mm ² | g |
| MB444-10 | 10 | 250 | Vinyl | 60 | 381 |





Piano Wire



Steel Wire



Hard Wire



Stainless Steel Wire



Medium Hard Wire



Spring Steel Wire



Soft Wire



Iron Wire

HEAVY DUTY CABLE CUTTERS

- Ideal for cutting copper and alumium cable up to 60mm²
- One hand function with pitch guard for simple safe operation
- Chrome molybdenum for increased durability and strength
- Vinyl grip for easier use in pockets or tool pouches



| • | Chrome molybdenum alloy steel |
|---|-------------------------------|
| • | 80° cutting edge angle |
| | • |

 Induction hardened cutting edges (HRC58) for increased cutting capacity

Return spring for easier operation

HEAVY DUTY CUTTERS

Locking function for safe and secure storage

Vinyl grip for easier use in pockets or tool pouches




| | LEN | GTH | | CUTTING CAPACITY mm | | | |
|----------|------|-----|-------|---------------------|-----|----------|-----|
| ITEM ID: | Inch | mm | GRIP | | • | (| g |
| BC408 | 8 | 200 | Vinyl | 3.6 | 4.0 | 5.2 | 260 |

| | LEN | GTH | | CAPACITY | 0 |
|----------|------|-----|-------|-----------------|-----|
| ITEM ID: | Inch | mm | GRIP | mm ² | g |
| MB445-10 | 10 | 250 | Vinyl | 60 | 412 |


DO'S & DONT'S OF PLIERS






Use the right size plier

√ Keep it clean & dry



X Do not use on live electrics



1



HEAVY DUTY CUTTERS

- Chrome molybdenum alloy steel
- 80° cutting edge angle
- Induction hardened cutting edges (HRC58) for increased cutting capacity
- Return spring for easier opeartion
- Locking function for safe and secure storage
- TPR grip for a more secure and comfortable grip





| | LEN | GTH | | CUTTIN | CUTTING CAPACITY mm | | |
|----------|------|-----|------|--------|---------------------|----------|-----|
| ITEM ID: | Inch | mm | GRIP | | 0 | G | g |
| BC408T | 8 | 200 | TPR | 3.6 | 4.0 | 5.2 | 275 |

FLUSH CUT PLIERS

- Special shaped cutting angle ideal for cutting cable tie tails flush
- Suitable for cutting other soft materials such as lead, tin, etc.
- Return spring for easier operation
- Vinyl grip for easier use in pockets or tool pouches



| | LEN | GTH | | ٥ |
|----------|------|-----|-------|-----|
| ITEM ID: | Inch | mm | GRIP | g |
| MB541-5 | 5 | 125 | Vinyl | 100 |
| MB541-6 | 6 | 150 | Vinyl | 143 |
| MB541-7 | 7 | 180 | Vinyl | 227 |



Piano Wire



Steel Wire



Hard Wire



Stainless Steel Wire



Medium Hard Wire



Spring Steel Wire

Iron Wire



Soft Wire



COMBINATION PLIERS

- Features a pipe grip with serrated jaw for a more secure grip
- Chrome molybdenum alloy steel for durability and strength
- 80° cutting edge angle
- Vinyl grip for easier use in pockets or tool pouches
- DIN5746



| | LENGTH | | | High
Leverage | CUTTIN | ٥ | | |
|----------|--------|-----|-------|------------------|--------|-----|-----|-----|
| ITEM ID: | Inch | mm | GRIP | _ | | • | • | g |
| MB451-7 | 7 | 180 | Vinyl | | 1.8 | 2.0 | 3.8 | 195 |
| MB451-8 | 8 | 200 | Vinyl | | 2.0 | 2.2 | 4.0 | 253 |
| MB452-6 | 6 | 160 | Vinyl | Υ | 1.6 | 1.8 | 3.4 | 200 |
| MB452-7 | 7 | 180 | Vinyl | Υ | 1.8 | 2.0 | 3.8 | 210 |
| MB452-8 | 8 | 200 | Vinyl | Υ | 2.0 | 2.2 | 4.0 | 240 |
| MB452-9 | 9 | 225 | Vinyl | Υ | 2.0 | 2.2 | 4.0 | 380 |

COMBINATION PLIERS

- High leverage function for increased gripping and cutting power
- Features a pipe grip with serrated jaw for a more secure grip
- Chrome molybdenum alloy steel for durability and strength
- 80° cutting edge angle
- TPR grip for a more secure and comfortable grip
- DIN5746

TPR



| | LENGTH | | | High
Leverage | CUTTING CAPACITY mm | | | <u>_</u> |
|----------|--------|-----|------|------------------|---------------------|-----|-----|----------|
| ITEM ID: | Inch | mm | GRIP | 1 | • | • | • | g |
| MB452-6T | 6 | 160 | TPR | Υ | 1.6 | 1.8 | 3.4 | 210 |
| MB452-7T | 7 | 180 | TPR | Υ | 1.8 | 2.0 | 3.8 | 220 |
| MB452-8T | 8 | 200 | TPR | Υ | 2.0 | 2.2 | 4.0 | 266 |

LONG NOSE PLIERS

- Long straight jaws for easier access
- Jaws with a serrated grip for increased gripping power
- Chrome molybdenum alloy steel for durability and strength
- 80° cutting edge angle
- Vinyl grip for easier use in pockets or tool pouches
- DIN5745



| LENGTH | | | CUTTING CAPACITY mm | | | _ |
|--------|--------|---------------------|--|--|------------------|--|
| Inch | mm | GRIP | | • | • | g |
| 5 | 140 | Vinyl | 1.0 | 1.5 | 2.5 | 130 |
| 6 | 160 | Vinyl | 1.0 | 1.5 | 2.5 | 130 |
| 8 | 200 | Vinyl | 1.5 | 1.8 | 2.8 | 180 |
| | Inch 5 | Inch mm 5 140 6 160 | Inch mm GRIP 5 140 Vinyl 6 160 Vinyl | Inch mm GRIP 5 140 Vinyl 1.0 6 160 Vinyl 1.0 | Inch mm GRIP | Inch mm GRIP Image: Control of the co |

LONG NOSE PLIERS

- Long straight jaws for easier access
- Jaws with a serrated grip for increased gripping power
- gripping power

 Chrome molybdenum alloy steel for durability and strength
- 80° cutting edge angle
- TPR grip for a more secure and comfortable grip
- DIN5745





| | LEN | GTH | | CUTTIN | G CAPAC | ITY mm | 2 |
|----------|------|-----|------|--------|---------|--------|-----|
| ITEM ID: | Inch | mm | GRIP | | • | • | g |
| MB461-6T | 6 | 160 | TPR | 1.0 | 1.5 | 2.5 | 160 |
| MB461-8T | 8 | 200 | TPR | 1.5 | 1.8 | 2.8 | 200 |

BENT LONG NOSE PLIERS

- Long 45° offset jaws for easier access
- Jaws with a serrated grip for increased gripping power
- Chrome molybdenum alloy steel for durability and strength
- 80° cutting edge angle
- Vinyl grip for easier use in pockets or tool pouches
- DIN5745



| | LENGTH | | | CUTTING CAPACITY mm | | | <u> </u> |
|----------|--------|-----|-------|---------------------|-----|-----|----------|
| ITEM ID: | Inch | mm | GRIP | | • | • | g |
| MB463-5 | 5 | 140 | Vinyl | 1.0 | 1.5 | 2.5 | 150 |
| MB463-6 | 6 | 160 | Vinyl | 1.0 | 1.5 | 2.5 | 160 |
| MB463-8 | 8 | 200 | Vinyl | 1.5 | 1.8 | 2.8 | 167 |

BENT LONG NOSE PLIERS

- Long 45° offset jaws for easier access
- Jaws with a serrated grip for increased gripping power
- Chrome molybdenum alloy steel for durability and strength
- 80° cutting edge angle
- TPR grip for a more secure and comfortable grip
- DIN5745

TPR



| | LEN | GTH | | CUTTING CAPACITY mm | | | 2 |
|----------|------|-----|------|---------------------|-----|-----|-----|
| ITEM ID: | Inch | mm | GRIP | | • | • | g |
| MB463-8T | 8 | 200 | TPR | 1.5 | 1.8 | 2.8 | 186 |





FLAT NOSE PLIERS

- Long straight jaws for easier access
- Chrome molybdenum alloy steel for durability and strength
- Vinyl grip for easier use in pockets or tool pouches
- DIN5745

| ısier | 1 |
|-----------------|-------------|
| loy steel
th | |
| in pockets | San Control |
| | |
| | Table |
| | |
| | |
| g | |
| 120 | |
| | • |

LONG REACH PLIERS

- The long reach enables the plier to reach in to recessed areas
- Body hardness HRC43-48 for long lasting use
- Vinyl grips make the tool more comfortable to use

| | LENGTH | | | | ٥ |
|----------|--------|-----|-------|------------|-----|
| ITEM ID: | Inch | mm | GRIP | TYPE | g |
| AT096 | 11 | 275 | Vinyl | Straight | 300 |
| AT097 | 11 | 275 | Vinyl | Angled 45° | 300 |



FLAT NOSE PLIERS

Long straight jaws for easier access

LENGTH

Inch mm

GRIP

 Chrome molybdenum alloy steel for durability and strength


165 Vinyl

- TPR grip for a more secure and comfortable grip
- DIN5745



ITEM ID:

MB464-6





- suitable for use in special environments

 Three step lock function and precision joint
- construction for precise gripping
- Matt finish
- Hot drop forged construction for greater strength and durability



| ITEM ID: | LEN
Inch | GTH
mm | JAW TYPE | | g |
|----------|-------------|-----------|----------|----------|----|
| SLP1160 | 6 | 160 | Straight | Serrated | 43 |
| SLP2180 | 7 | 180 | Straight | Serrated | 45 |
| SLP3160 | 6 | 160 | Curved | Serrated | 50 |
| SLP3180 | 7 | 180 | Curved | Serrated | 58 |

ROUND NOSE PLIERS

- Polished finish with a smooth tip
- Return spring for easier use
- Chrome molybdenum alloy steel for durability and strength
- Vinyl grip for easier use in pockets or tool pouches



| | LEN | GTH | | 0 |
|----------|---------|-----|-------|-----|
| ITEM ID: | Inch mm | | GRIP | g |
| MB465-6 | 6 | 150 | Vinyl | 170 |

WATER PUMP PLIERS

- Pipe grip with serrated jaws for increased grip
 Chrome vanadium steel construction
- Vinyl grip for easier use in pockets or tool pouches




| | LENGTH | | | CAPACITY | ٥ |
|----------|--------|-----|-------|----------|-----|
| ITEM ID: | Inch | mm | GRIP | mm | g |
| MB481-7 | 7 | 180 | Vinyl | 3-25 | 159 |
| MB481-10 | 10 | 250 | Vinyl | 3-38 | 175 |

WATER PUMP PLIERS

- Pipe grip with serrated jaws for increased
- Chrome vanadium steel construction
- TPR grip for a more secure and comfortable grip







QUICK SET WATER PUMP PLIERS

- Simply position the upper jaw against the work piece and press the button to close the jaw - quick, simple and time saving
- Pipe grip with serrated jaws for increased Shaped to protect the operators fingers



| | LEN | GTH | | | CAPACITY | ٥ |
|-----------|------|-----|-------|-----------------|----------|-----|
| ITEM ID: | Inch | mm | GRIP | JAWS | mm | g |
| MB482-7Q | 7 | 190 | Vinyl | HRC60 HARDENED | 3-25 | 182 |
| MB481-10Q | 10 | 250 | Vinyl | CHROME VANADIUM | 3-38 | 380 |
| MB482-10Q | 10 | 250 | Vinyl | HRC60 HARDENED | 3-38 | 335 |

QUICK SET WATER PUMP PLIERS

- Simply position the upper jaw against the work piece and press the button to close the jaw - quick, simple and time saving
- Pipe grip with serrated jaws for increased
- Shaped to protect the operators fingers

TPR



| | LENGTH | | LENGTH | | | | CAPACITY | <u> </u> |
|------------|--------|-----|--------|-----------------|------|-----|----------|----------|
| ITEM ID: | Inch | mm | GRIP | JAWS | mm | g | | |
| MB481-10TQ | 10 | 250 | TPR | CHROME VANADIUM | 3-38 | 405 | | |
| MB482-10TQ | 10 | 250 | TPR | HRC60 HARDENED | 3-38 | 359 | | |

Get organised **TENGIOOLS** 389



WIRE STRIPPING PLIER

Medium carbon alloy steel construction

With adjuster screw to suit wire diameters from 0.2 to 4.5mm

Return spring for easier opeartion

TPR grip for a more secure and comfortable grip





| | LENGTH | | | CAPACITY | |
|----------|--------|-----|------|-----------|-----|
| ITEM ID: | Inch | mm | GRIP | mm | g |
| MB499-7T | 6 | 155 | TPR | 0.2 - 4.5 | 175 |

WIRE CUTTERS

- Cuts up to 7.0mm steel wire or 2.5mm spring steel cables
- Return spring mechanism for easier operation
- Vinyl grips make the tool more comfortable to use



| | LENGTH | | | CUTTING CAPACITY m | | TY mm | 0 |
|----------|--------|-----|-------|--------------------|-----|-------|-----|
| ITEM ID: | Inch | mm | GRIP | • | 0 | 0 | g |
| 498-7 | 7 | 190 | Vinyl | 7.0 | 4.0 | 2.5 | 306 |

WIRE TWISTING PLIER

- Normally used for wire locking nuts particularly in safety critical areas
- Slim nose design for optimum manoeuvrability
- Heavy duty locking jaws and rerturn spring for durability and easier use
- Forged high carbon steel with polished
- 1.0mm cutting capcity for stainless steel and inconel wire

| | LEN | 0 | |
|----------|------|-----|-----|
| ITEM ID: | Inch | mm | g |
| AT605 | 6 | 150 | 250 |



END NIPPERS

- Chrome molybdenum alloy steel for durability and strength
- Vinyl grip for easier use in pockets or tool pouches
 - DIN5748



| | LENGTH | | | CUTTING CAPACITY mm | | 0 | |
|----------|--------|-----|-------|---------------------|-----|-----|-----|
| ITEM ID: | Inch | mm | GRIP | • | • | • | g |
| MB448-6 | 6 | 160 | Vinyl | 1.6 | 1.8 | 3.4 | 200 |
| MB448-8 | 8 | 200 | Vinyl | 1.6 | 1.8 | 3.4 | 250 |

CARPENTERS PLIERS

- 85° cutting edge angle
- Vinyl grip for easier use in pockets or tool pouches



| | LENGTH | | | CUTTING CAPACITY mm | | ٩ |
|----------|--------|-----|-------|---------------------|----------------|-----|
| ITEM ID: | Inch | mm | GRIP | | f ₀ | g |
| MB489-7 | 7 | 180 | Vinyl | 1.6 | 2.0 | 262 |
| MB489-8 | 8 | 200 | Vinyl | 1.8 | 2.0 | 283 |



Piano Wire



Steel Wire



Hard Wire



Stainless Steel Wire



Medium Hard Wire



Spring Steel Wire



Soft Wire



Iron Wire

TOWER PINCER PLIERS

- Chrome molybdenum alloy steel for durability and strength
- Vinyl grip for easier use in pockets or tool



| | LENGTH | | | CUTTING CAPACITY mm | | _ | |
|----------|--------|-----|-------|---------------------|-----|-----|-----|
| ITEM ID: | Inch | mm | GRIP | • | • | • | g |
| MB449-9 | 9 | 220 | Vinyl | 1.8 | 2.0 | 3.4 | 355 |
| MB449-10 | 10 | 250 | Vinyl | 2.0 | 2.2 | 3.8 | 408 |
| MB449-11 | 11 | 280 | Vinyl | 2.5 | 3.0 | 4.0 | 492 |

GROOVE JOINT PLIERS

- Serrated jaws for a more secure grip
- Non slip groove joints for use with higher
- Chrome vanadium with a polished head
- Vinyl grip for easier use in pockets or tool pouches



| | LENGTH | | | CAPACITY | <u> </u> |
|----------|--------|-----|-------|----------|----------|
| ITEM ID: | Inch | mm | GRIP | mm | g |
| MB410 | 10 | 250 | Vinyl | 45 | 425 |
| MB412 | 12 | 300 | Vinyl | 60 | 600 |
| MB416 | 16 | 400 | Vinyl | 90 | 1330 |











MINI PLIERS & SCREWDRIVER SET

- Mini screwdrivers feature a rotating end piece for easier use when "transporting" the fastening
- Mini pliers feature high carbon steel construction and vinyl grip

| MINI SCREWDRIVER: | | | | | | | |
|-------------------|-----------------|-----------|-------------|--|--|--|--|
| mm: | 2.0 x 40 | | | | | | |
| mm: | PH00 x 40 | PH0 x 40 | PH1 x 40 | | | | |
| mm: | TX6 x 40 | TX7 x 40 | TX8 x 40 | | | | |
| | TX9 x 40 | TX10 x 40 | TX15 x 40 | | | | |
| MINI PLIERS: | | | | | | | |
| 4 ½" | | | SIDE CUTTER | | | | |
| 4 1/2" | END CUTTER | | | | | | |
| 5" | LONG NOSE PLIER | | | | | | |
| 5" | FLAT NOSE PLIER | | | | | | |

Item ID: TTMI16

MINI SIDE CUTTER

68° cutting angle angle

or tool pouches

Cuts up to 0.8mm wire High carbon steel construction

Return spring for easier operation Vinyl grip for easier use in pockets





| | LENGTH | | | CAPACITY | 0 |
|----------|--------|-----|-------|----------|----|
| ITEM ID: | Inch | mm | GRIP | mm | g |
| MBM441 | 5 | 125 | Vinyl | 0.8 | 67 |


Get organised



MINI END CUTTER

- 68° cutting angle angle
- Cuts up to 0.8mm wire
- High carbon steel construction
- Vinyl grip for easier use in pockets





| | LENGTH | | | CAPACITY | 0 |
|----------|--------|-----|-------|----------|----|
| ITEM ID: | Inch | mm | GRIP | mm | g |
| MBM449 | 4 1/2 | 110 | Vinyl | 0.8 | 70 |

MINI ROUND NOSE PLIER

- Long straight jaws for easier access
- High carbon steel construction
- Return spring for easier operation
- Vinyl grip for easier use in pockets or tool pouches



| | LEN | GTH | | _ |
|----------|------|-----|-------|----|
| ITEM ID: | Inch | mm | GRIP | g |
| MBM467 | 5 | 125 | Vinyl | 71 |

MINI LONG NOSE PLIER

- Long straight jaws for easier access
- 68° cutting angle angle
- Cuts up to 0.8mm wire
- High carbon steel construction
- Return spring for easier operation
- Vinyl grip for easier use in pockets or tool pouches



| | LENGTH | | | CAPACITY | <u>^</u> |
|----------|--------|-----|-------|----------|----------|
| ITEM ID: | Inch | mm | GRIP | mm | g |
| MBM461 | 5 | 125 | Vinyl | 0.8 | 81 |

MINI NEEDLE NOSE PLIER

- Long straight jaws for easier access
- High carbon steel construction
- Return spring for easier operation
- Vinyl grip for easier use in pockets or tool pouches



| | LENGTH | | | • |
|----------|--------|-----|-------|----|
| ITEM ID: | Inch | mm | GRIP | g |
| MBM468 | 6 | 150 | Vinyl | 75 |

MINI FLAT NOSE PLIER

- Long straight jaws for easier access High carbon steel construction
- Return spring for easier operation
- Vinyl grip for easier use in pockets or tool pouches



| | LENGTH | | | 2 |
|----------|--------|-----|-------|----|
| ITEM ID: | Inch | mm | GRIP | g |
| MBM464 | 5 | 125 | Vinyl | 85 |

MINI BENT NOSE PLIER

- Long offset straight jaws for easier
- High carbon steel construction
- Return spring for easier operation
- Vinyl grip for easier use in pockets or tool pouches



| | LENGTH | | | 2 | |
|----------|--------|-----|-------|----|--|
| ITEM ID: | Inch | mm | GRIP | g | |
| MBM469 | 6 | 150 | Vinyl | 78 | |

Pliers

TWEEZERS

- Serrated jaw for improved grip
- Made from special grade stainless steel suitable for use in special environments
- Matt finish
- Hot drop forged construction for greater strength and durability

| ITEM ID: | LENGTH
mm | TIP TYPE | | g |
|----------|--------------|----------|----------|----|
| TW1160 | 160 | Straight | Serrated | 37 |
| TW1180 | 180 | Straight | Serrated | 37 |
| | | | | |

TWEEZERS

Needle tips for a more precise grip

- Made from special grade stainless steel suitable for use in special environments
- Matt finish
- Hot drop forged construction for greater strength and durability



| ITEM ID: | LENGTH
mm | TIP | ТҮРЕ | g |
|----------|--------------|---------|------------|----|
| TW2180 | 170 | Z Shape | Needle Tip | 35 |

TWEEZERS

- Serrated jaw for improved grip
- Made from special grade stainless steel suitable for use in special environments
- Matt finish
- Hot drop forged construction for greater strength and durability



| ITEM ID: | LENGTH
mm | TIP TYPE | | g D |
|----------|--------------|----------|----------|-----|
| TW2125 | 125 | Bent | Serrated | 29 |

TWEEZERS

- Smooth jaw for a more delicate grip
- Made from special grade stainless steel suitable for use in special environments
- Matt finish
- Hot drop forged construction for greater strength and durability



| ITEM ID: | LENGTH
mm | TIP TYPE | | g |
|----------|--------------|-------------|--|----|
| TW2160 | 160 | Bent Smooth | | 42 |



- 10-50mm capacity covering a wide range of applications
- Interchangable heads for bent or straight with 1.2 and 1.5mm tips
- Inner or Outer fitting giving 8 different possible combinations
- Magnetic tips to help hold the circlip when inserting or removing, especially useful with smaller circlips
- A return spring gives smooth and easy operation
- Vinyl grips make the tool more comfortable to use

| HANDLE: | | | |
|--------------------|--------------------------|------------|--|
| REVERSIBLE, SPRING | G LOADED HANDLE WITH LOC | KING PIN | |
| MAGNETIC TIPS: | | | |
| CTR HOUT | INNER / OUTER | 1.2 mm TIP | |
| STRAIGHT | INNER / OUTER | 1.5 mm TIP | |
| 45° TIP | INNER / OUTER | | |
| 90° TIP | INNER / OUTER | | |

Item ID: 480



Get organised







CIRCLIP PLIER SET

- For use with inner and outer type circlips or snap rings
- 1.25mm tip and 10 to 25mm capacity
- Chrome vanadium construction
- Return spring for easier use
- Vinyl grip for easier use in pockets or tool pouches
- DIN5254


| 5" / 130 mm (| CAPACITY | |
|---------------|----------|------------|
| STRAIGHT | INNER | 10 - 25 mm |
| | OUTER | 10 - 25 mm |
| BENT | INNER | 10 - 25 mm |
| | OUTER | 10 - 25 mm |

Item ID: TT474-5



CIRCLIP PLIER SET

- For use with inner and outer type circlips or snap rings
- 1.8mm tip and 19 to 60mm capacity
- Chrome vanadium construction
- Return spring for easier use
- Vinyl grip for easier use in pockets or tool pouches
- DIN5254



Item ID: **TT474-7**





CIRCLIP PLIER SET





- For use with inner and outer type circlips or snap rings
- 1.8mm tip and 19 to 60mm capacity
- Chrome vanadium construction
- Return spring for easier use
- Vinyl grip for easier use in pockets or tool pouches
 - DIN5254

| 9" / 225 mm C | CAPACITY | |
|---------------|----------|-------------|
| STRAIGHT | INNER | 40 - 100 mm |
| SIKAIUHI | OUTER | 40 - 100 mm |
| BENT | INNER | 40 - 100 mm |
| | OUTER | 40 - 100 mm |

Item ID: TTX474-9



CIRCLIP PLIER SET







- Invisible return spring for easier operation
- For use with inner and outer type circlips or snap rings
- 1.8mm bearing steel tips for heavy duty applications
- Non slip tip angle enabling the ring to stock securely to the tip when compressing or expanding the circlip
- 19 to 60mm capacity
- Chrome vanadium construction
- Return spring for easier use
- Vinyl grip for easier use in pockets or tool pouches
- DIN5254

| | 7" CIRCLIP PLIEF | CAPACITY | |
|--|------------------|----------|------------|
| | CTD LIGHT | INNER | 19 - 60 mm |
| | STRAIGHT | OUTER | 19 - 60 mm |
| | BENT | INNER | 19 - 60 mm |
| | | OUTER | 19 - 60 mm |



Item ID: TT474-7E

Pliers

CIRCLIP PLIERS

- Invisible return spring for easier operation
- For use with inner type circlips or snap rings
- 1.8mm bearing steel tips for heavy duty applications
- Non slip tip angle enabling the ring to stock securely to the tip when compressing or expanding the circlip
- 19 to 60mm capacity
- Chrome vanadium construction
- Return spring for easier use
- Vinyl grip for easier use in pockets or tool pouches
- DIN5254









| | LEN | LENGTH | | | | TIP | CAPACITY | <u>^</u> |
|----------|------|--------|----------------|--|-------|-----|----------|----------|
| ITEM ID: | Inch | mm | TYPE | | GRIP | mm | mm | g |
| MBE470-7 | 7 | 185 | Straight Inner | | Vinyl | 1.8 | 19-60 | 150 |

CIRCLIP PLIERS

- Invisible return spring for easier operation
- For use with inner type circlips or snap rings
- 1.8mm bearing steel tips for heavy duty applications
- Non slip tip angle enabling the ring to stock securely to the tip when compressing or expanding the circlip
- 19 to 60mm capacity
- Chrome vanadium construction
- Return spring for easier use
- Vinyl grip for easier use in pockets or tool pouches
- DIN5254









| | LENGTH | | | | | TIP | CAPACITY | <u>•</u> |
|----------|--------|-----|------|-------|-------|-----|----------|----------|
| ITEM ID: | Inch | mm | TYPE | | GRIP | mm | mm | g |
| MBE471-7 | 7 | 170 | Bent | Inner | Vinyl | 1.8 | 19-60 | 150 |

CIRCLIP PLIERS

- Invisible return spring for easier operation
- For use with outer type circlips or snap rings
- 1.8mm bearing steel tips for heavy duty applications

 Note that the steel applies the sing to steel the steel tips for heavy duty applications.
- Non slip tip angle enabling the ring to stock securely to the tip when compressing or expanding the circlip
- 19 to 60mm capacity
- Chrome vanadium construction
- Return spring for easier use
- Vinyl grip for easier use in pockets or tool pouches
- DIN5254



ITEM ID:

MBE472-7



LENGTH

7 185 Straight

mm



TYPE

Outer

Vinyl



170

CIRCLIP PLIERS

- Invisible return spring for easier operation
- For use with outer type circlips or snap rings
- 1.8mm bearing steel tips for heavy duty applications
- Non slip tip angle enabling the ring to stock securely to the tip when compressing or expanding the circlip
- 19 to 60mm capacity
- Chrome vanadium construction
- Return spring for easier use
- Vinyl grip for easier use in pockets or tool pouches
- DIN5254









| | LENGTH | | | | | TIP | CAPACITY | ° |
|----------|--------|-----|------|-------|-------|-----|----------|-----|
| ITEM ID: | Inch | mm | TY | PE | GRIP | mm | mm | g |
| MBE473-7 | 7 | 170 | Bent | Outer | Vinyl | 1.8 | 19-60 | 170 |







CIRCLIP PLIERS

- For use with inner type circlips or snap rings
- Chrome vanadium construction
- Return spring for easier use
- Vinyl grip for easier use in pockets or tool pouches
- DIN5254



| 6 |) | 0 |
|-----|---|---|
| (6) | | |
| | | |
| | | |

| | LEN | GTH | Н | | | TIP | CAPACITY | _ |
|----------|------|-----|----------|-------|-------|------|----------|-----|
| ITEM ID: | Inch | mm | ТҮРЕ | | GRIP | mm | mm | g |
| MB470-5 | 5 | 130 | Straight | Inner | Vinyl | 1.25 | 10-25 | 100 |
| MB470-7 | 7 | 175 | Straight | Inner | Vinyl | 1.8 | 19-60 | 134 |
| MB470-9 | 9 | 225 | Straight | Inner | Vinyl | 2.25 | 40-100 | 160 |

CIRCLIP PLIERS

- For use with outer type circlips or snap rings
- Chrome vanadium construction
- Return spring for easier use
- Vinyl grip for easier use in pockets or tool pouches
- DIN5254





| | LEN | GTH | | | | TIP | CAPACITY | e |
|----------|------|-----|----------|-------|-------|------|----------|-----|
| ITEM ID: | Inch | mm | TYPE | | GRIP | mm | mm | g |
| MB472-5 | 5 | 130 | Straight | Outer | Vinyl | 1.25 | 10-25 | 100 |
| MB472-7 | 7 | 175 | Straight | Outer | Vinyl | 1.8 | 19-60 | 134 |
| MB472-9 | 9 | 225 | Straight | Outer | Vinyl | 2.25 | 40-100 | 160 |

CIRCLIP PLIERS

- For use with inner type circlips or snap rings
- Chrome vanadium construction
- Return spring for easier use
- Vinyl grip for easier use in pockets or tool pouches
 - . DIN5254





| | LEN | GTH | | | | TIP | CAPACITY | _ |
|----------|------|-----|------|-------|-------|------|----------|-----|
| ITEM ID: | Inch | mm | TY | PE | GRIP | mm | mm | g |
| MB471-5 | 5 | 130 | Bent | Inner | Vinyl | 1.25 | 10-25 | 100 |
| MB471-7 | 7 | 175 | Bent | Inner | Vinyl | 1.8 | 19-60 | 134 |
| MB471-9 | 9 | 225 | Bent | Inner | Vinyl | 2.25 | 40-100 | 160 |

CIRCLIP PLIERS

- For use with outer type circlips or snap rings Chrome vanadium construction
- Return spring for easier use
- Vinyl grip for easier use in pockets or tool pouches
- DIN5254







POWER GRIP PLIERS

An extensive range of power grip pliers standard and tapered in a broad size range together with a wide selection of welding power grip pliers. All available with anti-pinch release arms.

Curved jaw for gripping objects like round pipes, square or hex bolts Made from durable chrome vanadium steel for longer life

- Unique locking nut on the adjustment knob makes presetting the jaws possible for easier use when you frequently work with items of the same size.
- Wire cutter/crimp action integrated in the jaws.
- Choose between flat or rounded jaws on the most common power grip pliers.
- Choose between models with standard release arms or anti-pinch release arms.












POWER GRIP PLIER SET



- Self locking with release lever
- With locking nut on adjustment knob for pre-setting, ideal for repeated use
- Wire cutter and crimper function
- Chrome vanadium


| POWER GRIP PLIERS: | |
|--------------------|--------------|
| | 4" / 100 mm |
| STANDARD ROUND JAW | 7" / 180 mm |
| | 10" / 250 mm |
| TONG NOCE | 4" / 100 mm |
| LONG NOSE | 6" / 155 mm |

Item ID: TTVG05



POWER GRIP PLIER SET

- The most commonly used power grip pliers in one set
- Self locking with release lever
- With locking nut on adjustment knob for pre-setting, ideal for
- Wire cutter and crimper function
- Chrome vanadium



Item ID: TTZVG03





5 Pieces

3 Pieces

POWER GRIP PLIER SET





- Includes all the most commonly used power grip pliers and welding
- Tools are held in place using three colour pre-cut EVA foam clearly showing where each tool belongs
- Designed to fit exactly in the larger Teng Tools tool box drawers
- Can be used as a set on it's own or as part of the Teng Tools "Get Organised" system

| POWER GRIP PLIERS: | | | | | |
|------------------------------|--------------|--|--|--|--|
| | 4" / 100 mm | | | | |
| STANDARD ROUND JAW | 7" / 180 mm | | | | |
| SIANDAKD KOUND JAW | 10" / 250 mm | | | | |
| | 12" / 300 mm | | | | |
| STANDARD FLAT JAW | 10" / 250 mm | | | | |
| SIANDARD FLAI JAW | 12" / 300 mm | | | | |
| | 4" / 100 mm | | | | |
| LONG NOSE | 6" / 155 mm | | | | |
| | 9" / 230 mm | | | | |
| C CLAMP PLIER | 11" / 285 mm | | | | |
| SELF LEVELLING LOCKING PLIER | 12" / 300 mm | | | | |

Item ID: TTEVG11





- The two most commonly used types in one handy set
- Self locking with release lever
- With locking nut on adjustment knob for pre-setting, ideal for repeated use
- Wire cutter and crimper function
- Chrome vanadium

| POWER GRIP PLIERS: | |
|--------------------|--------------|
| STANDARD ROUND JAW | 10" / 250 mm |
| LONG NOSE | 6" / 155 mm |

Item ID: 402

POWER GRIP PLIERS


- Self locking with release lever
- With locking nut on adjustment knob for pre-setting, ideal for repeated use
- Wire cutter and crimper function
- Chrome vanadium

| | LENGTH Inch mm | | CAPACITY | 0 |
|----------|----------------|-----|----------|-----|
| ITEM ID: | | | mm | g |
| 401-4 | 4 | 100 | 25 | 75 |
| 401-5 | 5 | 125 | 28 | 180 |
| 401-7 | 7 | 180 | 38 | 345 |
| 401-10 | 10 | 250 | 47 | 514 |
| 401-12 | 12 | 300 | 50 | 680 |



POWER GRIP PLIERS


- Self locking with release lever
- With locking nut on adjustment knob for pre-setting, ideal for repeated use
- Wire cutter and crimper function
- Chrome vanadium





POWER GRIP PLIERS

- Self locking with release lever
- With locking nut on adjustment knob for pre-setting, ideal for repeated use
- Wire cutter and crimper function
- Chrome vanadium





POWER GRIP PLIERS

- Narrow jaw for use in confined spaces
- Self locking with non pinch, one handed opeartion release lever
- With locking nut on adjustment knob for pre-setting, ideal for repeated use
- Wire cutter and crimper function
- Chrome vanadium



| | LENGTH | | CAPACITY | JAW
WIDTH | 0 |
|----------|--------|-----|----------|--------------|-----|
| ITEM ID: | Inch | mm | mm | mm | g |
| 404-65 | 6 | 160 | 35 | 6 | 185 |



OIL FILTER REMOVER PLIER

- 53-118mm capacity to suit most oil filters
- Two stage grip areas on the jaws for added versatility
- Ideal for removing and installing objects of many shapes when a tight grip is required
- Chrome vanadium with drop forged jaws, heat treated and nickel plated









Get organised TENGIOUS 399







WELDING PLIER SET



- Includes all the most commonly used welding pliers in one set
- Supplied in the unique Teng Tools PS tray
- Designed to fit exactly in Teng Tools tool box drawers
- Can be used as a set on it's own or as part of the Teng Tools "Get Organised" system

| Power Grip Pliers: | |
|--------------------|--------------|
| LONG NOSE | 6" / 155 mm |
| SHEET METAL GRIP | 8" / 230 mm |
| WELDING GRIP | 9" / 230 mm |
| C CLAMP PLIER | 11" / 280 mm |

Item ID: TTPSPG

C CLAMP POWER GRIP PLIERS

- Self locking with release lever
- With locking nut on adjustment knob for pre-setting, ideal for repeated use
- Chrome vanadium



| ITEM ID: | L
mm | L
AF | Capacity
mm | Throat Depth
mm | Throat Height
mm | g |
|----------|---------|---------|----------------|--------------------|---------------------|-----|
| 406 | 280 | 11" | 0-80 | 70 | 100 | 772 |

C CLAMP POWER GRIP PLIERS

- Self locking with release lever
- With locking nut on adjustment knob for pre-setting, ideal for repeated use
- Chrome vanadium with nickel plating



| ITEM ID: | L
mm | L
AF | Capacity
mm | Throat Depth
mm | Throat Height
mm | g |
|----------|---------|---------|----------------|--------------------|---------------------|-----|
| 406-6 | 172 | 6" | 0-50 | 40 | 60 | 235 |

C CLAMP POWER GRIP PLIERS

- Non pinch one hand operation for easier use
- Self locking with release lever
- With locking nut on adjustment knob for pre-setting, ideal for repeated use
- Chrome vanadium with nickel plating



| ITEM ID: | L
mm | L
AF | Capacity
mm | Throat Depth
mm | Throat Height
mm | g |
|----------|---------|---------|----------------|--------------------|---------------------|-----|
| 406-65 | 172 | 6" | 0-50 | 40 | 60 | 235 |
| 4065 | 285 | 11" | 0-80 | 70 | 100 | 760 |

C CLAMP POWER GRIP PLIERS

- Swivel pads for a self levelling grip when clamping
- Self locking with release lever
- With locking nut on adjustment knob for pre-setting, ideal for repeated use
- Chrome vanadium



| ITEM ID: | L
mm | L
AF | Capacity
mm | Throat Depth
mm | Throat Height
mm | g |
|----------|---------|---------|----------------|--------------------|---------------------|-----|
| 406P | 280 | 11" | 0-80 | 70 | 100 | 772 |



Clamping Tools

C CLAMP POWER GRIP PLIERS

- Swivel pads for a self levelling grip when clamping
- Self locking with release lever
- With locking nut on adjustment knob for pre-setting, ideal for repeated use
- Chrome vanadium



| ITEM ID: | L
mm | L
AF | Capacity
mm | Throat Depth
mm | Throat Height
mm | g |
|----------|---------|---------|----------------|--------------------|---------------------|-----|
| 406-6P | 172 | 6" | 0-50 | 40 | 60 | 235 |

C CLAMP POWER GRIP PLIERS

- Swivel pads for a self levelling grip when clamping
- Non pinch one hand operation for easier use
- Self locking with release lever
- With locking nut on adjustment knob for pre-setting, ideal for repeated use
- Chrome vanadium with nickel plating



| ITEM ID: | L
mm | L
AF | Capacity
mm | Throat Depth
mm | Throat Height
mm | g |
|----------|---------|---------|----------------|--------------------|---------------------|-----|
| 406-6SP | 172 | 6" | 0-50 | 40 | 60 | 235 |
| 406SP | 285 | 11" | 0-80 | 70 | 100 | 760 |

C CLAMP POWER GRIP PLIERS

- Self locking with release lever
- With locking nut on adjustment knob for pre-setting, ideal for repeated use
- Chrome vanadium





| ITEM ID: | L
mm | L
AF | Capacity
mm | Throat Depth
mm | Throat Height
mm | g |
|----------|---------|---------|----------------|--------------------|---------------------|------|
| 4185 | 450 | 18" | 0-150 | 250 | 130 | 1192 |

C CLAMP POWER GRIP PLIERS

- Swivel pad for a self levelling grip when clamping
- Self locking with release lever
- With locking nut on adjustment knob for pre-setting, ideal for repeated use
 - Chrome vanadium





| ITEM ID: | L
mm | L
AF | Capacity
mm | Throat Depth
mm | Throat Height
mm | g |
|----------|---------|---------|----------------|--------------------|---------------------|------|
| 418SP | 450 | 18" | 0-150 | 250 | 130 | 1192 |

WELDING POWER GRIP PLIERS

- Self locking with release lever
- With locking nut on adjustment knob
- for pre-setting, ideal for repeated use
- Chrome vanadium



| ITEM ID: | L
mm | L
AF | Capacity
mm | g |
|----------|---------|---------|----------------|-----|
| 407 | 230 | 9" | 0-65 | 580 |

WELDING POWER GRIP PLIERS

- Non pinch one hand operation for easier use
- Self locking with release lever
- With locking nut on adjustment knob for pre-setting, ideal for repeated use
- Chrome vanadium with nickel plating



| ITEM ID: | L
mm | L
AF | Gap Width
mm | Jaw Depth
mm | g |
|----------|---------|---------|-----------------|-----------------|-----|
| 407AS | 270 | 11" | 90 | 85 | 855 |



Get organised



SHEET METAL POWER GRIP PLIERS

- Self locking with release lever
- With locking nut on adjustment knob for pre-setting, ideal for repeated use
- Chrome vanadium



| ITEM ID: | L
mm | L
AF | Capacity
mm | g |
|----------|---------|---------|----------------|-----|
| 408 | 230 | 8" | 0-65 | 580 |

CLAMPING POWER GRIP PLIERS

- Swivel pads for a self levelling grip when clamping
- Non pinch one hand operation for easier use
- Self locking with release lever
- With locking nut on adjustment knob for pre-setting, ideal for repeated use
- Chrome vanadium with nickel plating



| ITEM ID: | L
mm | L
AF | Capacity
mm | g |
|----------|---------|---------|----------------|-----|
| 409P | 300 | 12" | 0-65 | 580 |

CLAMPING POWER GRIP PLIERS

- Swivel pads for a self levelling grip when clamping
- Non pinch one hand operation for easier use
- Self locking with release lever
- With locking nut on adjustment knob for pre-setting, ideal for repeated use
- Chrome vanadium with nickel plating



| ITEM ID: | L
mm | L
AF | Gap Width
mm | g |
|----------|---------|---------|-----------------|-----|
| 409SP | 300 | 12" | 88 | 740 |

MACHINE TABLE CLAMP LOCKING PLIERS

- Swivel pad for a self levelling grip when clamping
- Non pinch one hand operation for easier use
- Self locking with release lever
- With locking nut on adjustment knob for pre-setting, ideal for repeated use



| ITEM ID: | L
mm | Clamping Height | Clamp Hole
mm | g |
|----------|---------|-----------------|------------------|-----|
| 410P | 320 | 65 | 10 | 580 |

MACHINE TABLE CLAMP LOCKING PLIERS

- Swivel pad for a self levelling grip when clamping
- Non pinch one hand operation for easier use
- Self locking with release lever
- With locking nut on adjustment knob for pre-setting, ideal for repeated use



| ITEM ID: | L
mm | Clamping Height | Clamp Hole
mm | g |
|----------|---------|-----------------|------------------|-----|
| 410SP | 230 | 65 | 4 | 580 |

Clamping Tools 🖸

F CLAMPS

- Fixed handle for fast action tightening and loosening
- Swivelling pressure plate to grip even when tilted
- High quality construction for increased clamping strength



| ITEM ID: | Span
mm | Throat Depth
mm | Bar Dimension
mm | g |
|----------|------------|--------------------|---------------------|------|
| CMF16 | 160 | 80 | 16.5x7.5 | 480 |
| CMF20 | 200 | 100 | 19.5x9.5 | 900 |
| CMF25 | 250 | 120 | 22x10.5 | 1210 |
| CMF30 | 300 | 140 | 25x12 | 1800 |
| CMF35 | 300 | 120 | 25x12 | 1720 |

F CLAMPS

- 180° swivel handle for extra torque and fast action
- Swivelling pressure plate to grip even when tilted
- High quality construction for increased clamping strength
- Bi-material grip on the handle for a better grip



| ITEM ID: | Span
mm | Throat Depth
mm | Bar Dimension
mm | g |
|----------|------------|--------------------|---------------------|------|
| CMF16T | 160 | 80 | 16.5x7.5 | 570 |
| CMF20T | 200 | 100 | 19.5x9.5 | 1010 |
| CMF25T | 250 | 120 | 22x10.5 | 1330 |
| CMF30T | 300 | 140 | 25x12 | 1960 |
| CMF35T | 300 | 100 | 25x12 | 1140 |

SCREW CLAMPS

- Reinforced malleable cast iron arms for increased strength
- High quality profiled rail with serrations for stability
- Protective caps on the pressure plates to prevent damage to the item being clamped
- Bi-material grip on the handle for a better grip



| ITEM ID: | Clamping Force | Span Width
mm | Throat Depth
mm | Bar Dimension
mm | g |
|----------|----------------|------------------|--------------------|---------------------|------|
| CMD12 | 1961 | 120 | 60 | 20.0 x 5.0 | 430 |
| CMD16 | 2648 | 160 | 80 | 25.0 x 6.0 | 750 |
| CMD20 | 3922 | 200 | 100 | 27.0 x 7.0 | 1120 |
| CMD25 | 4903 | 250 | 120 | 29.0 x 9.0 | 1500 |
| CMD30 | 4903 | 300 | 120 | 29.0 x 9.0 | 1590 |
| CMD30A | 5393 | 300 | 140 | 32.0 x 10.0 | 2050 |
| CMD40 | 5393 | 400 | 140 | 32.0 x 10.0 | 2260 |
| CMD40A | 5393 | 400 | 175 | 32.0 x 10.0 | 2330 |
| CMD50 | 4903 | 500 | 120 | 29.0 x 9.0 | 1940 |
| CMD80 | 4903 | 800 | 120 | 29.0 x 9.0 | 2480 |

FAST ACTION CLAMPS

- Ratchet lever mechanism for high pressure, fast action clamping
- The ratchet action prevents over
- tightening and resists vibration

 Ergonomic design lever handle with
 non slip release lever



| ITEM ID: | Clamping Force | Span Width
mm | Throat Depth
mm | Bar Dimension
mm | g |
|----------|----------------|------------------|--------------------|---------------------|------|
| CMFQ20 | 3432 | 200 | 100 | 19.5 x 9.5 | 1130 |
| CMFQ25 | 3922 | 250 | 120 | 22.0 x 10.5 | 1500 |
| CMFQ30 | 4903 | 300 | 140 | 25.0 x 12.0 | 2260 |
| CMFQ40 | 5393 | 400 | 120 | 25.0 x 12.0 | 2400 |



Get organised

QUICK CLAMPS

- For internal or external clamping
- Fast action lever clamp with a unique design
- Powerful lever bar makes it easy to apply the correct clamping force
- Top mounted lever makes the clamp quick and comfortable to use
- Easy release button makes it equally quick and easy to unclamp
- Protective caps on the pressure plates to prevent damage to the item being clamped
- Bi-material grip on the handle for a better grip



| ITEM ID: | Clamping Force | Span Width
mm | Clamping Capacity | g |
|----------|----------------|------------------|-------------------|-----|
| CMQL150 | 1780 | 80 | 150 | 670 |
| CMQL300 | 1780 | 80 | 300 | 780 |
| CMQL450 | 1780 | 80 | 450 | 900 |

QUICK CLAMPS

- For internal or external clamping
- Fast action lever clamp with a unique design
- Powerful lever bar makes it easy to apply the correct clamping force
- Bottom mounted lever makes the clamp quick and comfortable to use
- Easy release button makes it equally quick and easy to unclamp
- Protective caps on the pressure plates to prevent damage
- Bi-material grip on the handle for a better grip



| ITEM ID: | Clamping Force
N | Span Width
mm | Clamping Capacity
mm | g |
|----------|---------------------|------------------|-------------------------|-----|
| CMQ150 | 1580 | 85 | 150 | 580 |
| CMQ300 | 1580 | 85 | 300 | 680 |
| CMQ450 | 1580 | 85 | 450 | 790 |
| CMQ600 | 1580 | 85 | 600 | 890 |





CUTTING TOOLS

Selecting the right cutting tool for the correct application is vital to complete the task safely and efficiently. From snap off blade knives to tin snips and hacksaws to tap & die sets we have the tools you will need here.

Knives that are easy and efficient to use.

The right quality knives for each occasion and user. Everyone will find their favourite among these bestsellers.

Folding knives lock in open position to prevent closing unintentionally

Hacksaws with HSS blades and setting to cut at 45° or 90°




Get organised™

TENGTOOLS





CUTTING TOOL SET



- Utility knife with retractable blade and ergonomic grip
- High carbon stainless steel blade industrial scissors
- Heavy duty cable cutters with compound leverage for easier cutting

| Cutting | Too | ls: |
|---------|-----|-----|
| | | |

Tin snips (straigth/left & straight/right), utility knife, scissors, heavy duty cable cutters

Item ID: TTDCT05

STRAIGHT CUT TIN SNIPS

- Chrome molybdenum alloy steel drop forged cutting blades
- Cuts up to 1.5mm steel or 0.9mm stainless steel
- Spring loaded high leverage handles for increased cutting capacity
- Safety lock for safe storage
- Bi-material grip for more comfortable



5 Pieces

| ITEM ID: | Length | Туре | Handle | Steel
mm | Stainless Steel
mm |
|----------|--------|----------|--------|-------------|-----------------------|
| 490 | 10" | Straight | Yellow | 1.5 | 0.9 |



- Chrome molybdenum alloy steel drop forged cutting blades
- Cuts up to 1.5mm steel or 0.9mm stainless steel
- Blade angle designed to cut towards the right when cutting curves
- Also cuts in a straight line
- Spring loaded high leverage handles for increased cutting capacity
- Safety lock for safe storage
- Bi-material grip for more comfortable use



| ITEM ID: | Length | Туре | Handle | Steel
mm | Stainless Steel
mm |
|----------|--------|----------------|--------|-------------|-----------------------|
| 491 | 10" | Straight/Right | Grey | 1.5 | 0.9 |

STRAIGHT/LEFT CUT TIN SNIPS

- Chrome molybdenum alloy steel drop forged cutting blades
 - Cuts up to 1.5mm steel or 0.9mm stainless steel
- Blade angle designed to cut towards the
 - left when cutting curves
- Also cuts in a straight line
- Spring loaded high leverage handles for increased cutting capacity
- Safety lock for safe storage
- Bi-material grip for more comfortable use



| ITEM ID: | Length | Туре | Handle | Steel
mm | Stainless Steel
mm |
|----------|--------|---------------|--------|-------------|-----------------------|
| 492 | 10" | Straight/Left | Red | 1.5 | 0.9 |

OFF SET STRAIGHT/RIGHT TIN SNIPS

- Cuts up to 1.5mm steel or 0.9mm stainless steel
- Blade angle designed to cut towards the
 - right when cutting curves Also cuts in a straight line
- Bi-material grip for more comfortable use



| ITEM ID: | Length | Туре | Steel
mm | Stainless Steel
mm |
|----------|--------|---------------|-------------|-----------------------|
| 493 | 10" | Off set/Right | 1.5 | 0.9 |



Cutting Tools

OFF SET STRAIGHT/LEFT TIN SNIPS

- Cuts up to 1.5mm steel or 0.9mm stainless steel
- Blade angle designed to cut towards the right when cutting curves
- Also cuts in a straight line
- Bi-material grip for more comfortable use



| ITEM ID: | Length | Туре | Steel
mm | Stainless Steel
mm |
|----------|--------|--------------|-------------|-----------------------|
| 494 | 10" | Off set/Left | 1.5 | 0.9 |

HIGH LEVERAGE RIGHT/STRAIGHT CUT TIN SNIPS

- Chrome molybdenum alloy steel drop forged cutting blades
- Cuts up to 1.5mm cold rolled steel or 0.9mm stainless steel
- Blade angle designed to cut towards the right when cutting curves
- Also cuts in a straight line
- Spring loaded high leverage handles for increased cutting capacity
- Double spring with high torsional strength for frequent use
- Safety lock for safe storage
- Bi-material grip for more comfortable use



| ITEM ID: | Length | Туре | Copper
mm | Steel
mm | Hard Steel
mm | Stainless Steel
mm |
|----------|--------|----------------|--------------|-------------|------------------|-----------------------|
| 491W | 10" | Straight/Right | 1.8 | 1.5 | 1.0 | 0.9 |

LONG BLADE STRAIGHT CUT TIN SNIPS

- Chrome molybdenum alloy steel drop forged cutting blades
- Cuts up to 0.9mm cold rolled steel or 0.53mm stainless steel
- Spring loaded high leverage handles for increased cutting capacity
- Safety lock for safe storage
- Bi-material grip for more comfortable use



| ITEM ID: | Length | Туре | Steel
mm | Stainless Steel
mm |
|----------|--------|-------------------|-------------|-----------------------|
| 495 | 11" | Straight/Long cut | 0.9 | 0.5 |

HIGH LEVERAGE LEFT/STRAIGHT CUT TIN SNIPS

- Chrome molybdenum alloy steel drop forged cutting blades
- Cuts up to 1.5mm cold rolled steel or 0.9mm stainless steel
- Blade angle designed to cut towards the left when cutting curves
- Also cuts in a straight line
- Spring loaded high leverage handles for increased cutting capacity
- Double spring with high torsional strength for frequent use
- Safety lock for safe storage
- Bi-material grip for more comfortable use



| ITEM ID: | Length | Туре | Copper
mm | Steel
mm | Hard Steel
mm | Stainless Steel
mm |
|----------|--------|---------------|--------------|-------------|------------------|-----------------------|
| 492W | 10" | Straight/Left | 1.8 | 1.5 | 1.0 | 0.9 |

HIGH LEVERAGE STRAIGHT CUT TIN SNIPS

- Chrome molybdenum alloy steel drop forged cutting blades
- Cuts up to 1.5mm cold rolled steel or 0.9mm stainless steel
- Spring loaded high leverage handles for increased cutting capacity
- Double spring with high torsional strength for frequent use
- Safety lock for safe storage
- Bi-material grip for more comfortable use



| ITEM ID: | Length | Туре | Copper
mm | Steel
mm | Hard Steel
mm | Stainless Steel
mm |
|----------|--------|----------|--------------|-------------|------------------|-----------------------|
| 490W | 10" | Straight | 1.8 | 1.5 | 1.0 | 0.9 |

SCISSORS

- High carbon stainless steel blades for accurate cutting
- Cutting capacity of 22mm in soft materials
- Bi-material grip for added comfort



| ITEM ID: | Length | Blade Length | Capacity |
|----------|--------|--------------|----------|
| | mm | mm | mm |
| 497 | 138 | 42 | 22 |



Get organised **TENGIOOLS** 407



INTRICATE CUTTING SCISSORS

- · Straight cutting jaws
- Sharp cutting edge
- Special grade stainless steel
- Hot drop forged for strength
- Matt finish



| ITEM ID: | Length
mm | Blade Type | g |
|----------|--------------|-----------------|----|
| SR1160 | 160 | straight, sharp | 61 |

INTRICATE CUTTING SCISSORS

- · Straight cutting jaws
- Sharp cutting edge
- Special grade stainless steel
- Hot drop forged for strength
- Matt finish



| ITEM ID: | Length
mm | Blade Type | g |
|----------|--------------|-----------------|----|
| SR1180 | 180 | straight, sharp | 77 |

INTRICATE CUTTING SCISSORS

- · Straight cutting jaws
- Blunt cutting edge
- Special grade stainless steel
- Hot drop forged for strength
- Matt finish



| ITEM ID: | Length
mm | Blade Type | g |
|----------|--------------|-----------------|----|
| SR2180 | 180 | straight, blunt | 69 |

INTRICATE CUTTING SCISSORS

- · Curved cutting jaws
- Sharp cutting edge
- Special grade stainless steel
- Hot drop forged for strength
- Matt finish





 Chrome molybdenum alloy hardened steel cutting blades

HEAVY DUTY CABLE CUTTER

- Compound leverage action to increase cutting power
- Simple automatic latch design for one handed operation
- Cuts copper and aluminium electrical cables up to 12mm diameter
- Bi-material handles for a comfortable grip

| Length | Capacity |
|--------|----------|
| mm | mm |
| 250 | 12 |

Item ID: 496



BOLT CUTTERS

- Hardened central cutting edge for durability
- 30° cutting angle for more efficient cutting
- Compound action for easier application of force
- Adjustable centering screw for increased safety when cutting
- Tubular handle with plastic grips for more comfortable use



| ITEM ID: | L
mm | L
AF | Capacity | g |
|----------|---------|---------|-------------------------|------|
| BC414 | 350 | 14" | 7mm HRC15 or 4mm HRC40 | 1000 |
| BC418 | 450 | 18" | 8mm HRC15 or 5mm HRC40 | 1600 |
| BC424 | 600 | 24" | 10mm HRC15 or 6mm HRC40 | 2500 |
| BC430 | 750 | 30" | 13mm HRC15 or 7mm HRC40 | 3500 |
| BC436 | 900 | 36" | 16mm HRC15 or 8mm HRC40 | 5000 |



BOLT CUTTER REPLACEMENT JAWS

- Replacement jaws for bolt cutters
- Includes replacement cutters and fittings
- Economical way to extend the life of the tool

| ITEM ID: | For Bolt Cutters: |
|----------|-------------------|
| BC414J | BC414 |
| BC418J | BC418 |
| BC424J | BC424 |
| BC430J | BC430 |
| BC436J | BC436 |



| ITEM ID: | Length
mm | Blade Type | g |
|----------|--------------|---------------|----|
| SR3160 | 160 | curved, sharp | 61 |

Cutting Tools

PIPE CUTTER

- Designed for cutting copper and brass pipes
- Capacity 3 to 22mm (1/8" to 7/8")
- One cutting wheel and two rollers to give a consistent and straight cutting edge
- Ideal for use in confined spaces



SPARE PIPE CUTTER BLADES

5 spare pipe cutter cutting wheels
 Suitable for Teng Tools TF76 pipe cutters





Item ID: TF76RK

Item ID: TF22

PIPE CUTTER

- Heavy duty cutter complete with a spare blade
- A retractable reamer is built in to the frame to debur rough edges
- Capacity 3 to 32mm (1/8" to 1-1/4")
- One cutting wheel and two rollers to give a consistent and straight cutting edge



Item ID: TF30

- SPARE PIPE CUTTER BLADES
 2 spare pipe cutter cutting wheels
- Suitable for Teng Tools TF22 and TF30 pipe cutters



Item ID: TF2230RK

PIPE CUTTER

- Heavy duty cutter with a light weight aluminium frame
- A retractable reamer is built in to the frame to debur rough edges
 Capacity 6 to 76mm (1/4" to 3") in
- Capacity 6 to 76mm (1/4" to 3") in thin and thick walled copper, brass and aluminium pipe
- Also suitable for cutting plastic pipes with a diameter of 16 to 76mm (5/8" to 3")
- One cutting wheel and two rollers to give a consistent and straight cutting edge

Item ID: TF76



PIPE CUTTER

- Cuts PEX or XLPE polythene tubing and other similar soft plastic piping up to 42mm diameter
- Gives a right angled and burr free cut
- A pistol grip style handle for more comfortable use
- A simple ratchet mechanism engages the cutter step by step to give more control over the cutting action

Item ID: TFP01



SPARE PIPE CUTTER BLADES

 Replacement cutting blade for the Teng Tools TFP01 pipe cutter



Item ID: TFP01RK

PIPE CUTTER

- Cuts PEX or XLPE polythene tubing and other similar soft plastic piping up to 42mm diameter
- Gives a right angled and burr free cut
 Designed to give a more comfortable arip
- A simple ratchet mechanism engages the cutter step by step to give more control over the cutting action



Item ID: TFP02



Get organised

Ĵ

SPARE PIPE CUTTER BLADES


 Replacement cutting blade for the Teng Tools TFPO2 pipe cutter



Item ID: TFP02RK



PIPE CUTTER SET



| Pipe Cutters: |
|---|
| Capacity: 10, 12, 15, 22 mm
Adjustable pipe cutter capacity: 3-22 mm |
| Accessories: |
| Deburring tool |

Item ID: TTTC06

ROTATING PIPE CUTTERS

- Rotating pipe cutter
- Ideal for cutting plastic, brass and copper pipes
- Simply rotate around the pipe to create a clean and straight cut



| ITEM ID: | Pipe Diameter
mm |
|-----------|---------------------|
| TFA10 | 10 |
| TFA12 | 12 |
| TFA15 | 15 |
| TFA22 | 22 |
| TFA0252RK | 5 spare wheels |

CHAIN PIPE CUTTER

- For cutting thin walled pipes in stainless steel, copper, & pvc up to a thickness of 1.5mm
- Self locking with a non-pinch, one hand operation for easy use
- A locking nut on the adjustment knob can be used to preset the capacity
- 15 cutting wheels on the chain for an easy cutting action



Item ID: TF300

REPLACEMENT PIPE CUTTER CHAIN

- Replacement chain for the Teng Tools TF300 pipe cutter
- Fittings included



10 Pieces

Item ID: TF300RK



FLARING TOOL SET

- Suitable for copper, brass and thin walled aluminium tubing
- 45° tube press flare pipes from 3/16" to 5/8" (4 to 14mm) diameter
- Heavy duty pipe cutter included for cutting pipes up to 32mm (1-1/4") diameter

| 2 piece double flaring tool set | | |
|---------------------------------|---|--|
| Pipe Cutter: | 3-32 mm (1/8"-1-1/4") | |
| Adaptors: | 4, 4.75 (3/16"), 6 (1/4"), 8 (5/16"), 10, 12, 14 mm | |

Item ID: TTTF10

Cutting Tools

PIPE REAMER

- For deburring copper, aluminium and brass pipes
- Suitable for pipe diameters from 3 to 41 mm
- Cutters at both ends for internal and external deburring



Item ID: DBT41

ALUMINIUM PIPE REAMERS

- For deburring pipes of all types
- Cutters at both ends for internal and external deburring



| ITEM ID: | Pipe Diameter
mm |
|----------|---------------------|
| DBT35 | 8 to 35mm |
| DBT54 | 10 to 54mm |

DEBURRING TOOL

- Suitable for deburring operations on pipes, holes, edges, etc
- HSS blade knives are swivel mounted to automatically adapt to the shape of the piece
- Supplied with 2 HSS knife blades



| ITEM ID: | Description |
|----------|----------------|
| DET01 | Deburring tool |
| DET01RK | 2 spare blades |



- Suitable for deburring operations on pipes, holes, edges, etc
- HSS blade knives are swivel mounted to automatically adapt to the shape of the piece.
- Handy pocket clip for added convenience



Item ID: DET02

HACKSAW & KNIFE SET

 Professional quality hacksaws for technicians and engineers



Contents:

12" Hacksaw
Junior Hacksaw
Utility Knife

Item ID: 700-PRO5

PROFESSIONAL QUALITY HACKSAW

- Ergonomically designed aluminium handle
- Soft rubber grip area on the handle and frame for a better grip
 - 12" Swedish steel M2 HSS 24 teeth blade for consistent quality
- Includes facility for presetting at a 45° or 90° cutting angles



| ITEM ID: | Description |
|----------|-------------------------|
| 701N1 | Hacksaw frame |
| 702 | 2 spare 24 teeth blades |



PROFESSIONAL QUALITY HACKSAW

- Ergonomically designed curved aluminium handle
- Soft rubber grip area on the handle and frame for a better grip
- 12" Swedish steel M2 HSS 24 teeth blade for consistent quality
- Includes facility for presetting at a 45° or 90° cutting angles

| ITEM ID: | Description |
|----------|-------------------------|
| 701N | Hacksaw frame |
| 702 | 2 spare 24 teeth blades |

MINI HACKSAW

- Cast aluminium strong frame construction
- Ergonomic rubber grip on the handle for more comfortable use
- Suitable for use with 16 and 24 teeth blades for cutting metal or wood
- One of each blade included







| ITEM ID: | Description |
|----------|--------------------------|
| 705A | Mini hacksaw frame |
| 705A-5 | 16 teeth blade for wood |
| 705-5 | 24 teeth blade for metal |



PROFESSIONAL QUALITY HACKSAW

- Ergonomically designed aluminium handle for a better grip
- 12" Swedish steel M2 HSS 24 teeth blade for consistent quality
- Includes facility for presetting at a 45° or 90° cutting angles
- Key hole saw facility for cutting in to holes
- Includes storage space for extra blades in the handle



| ITEM ID: | Description |
|----------|-------------------------|
| 701 | Hacksaw frame |
| 702 | 2 spare 24 teeth blades |

MINI HACKSAW

- 6 blade positions for cutting up, down or sideways
- Supplied with 3 Teng Tools 6" mini hacksaw blades





| ITEM ID: | Description |
|----------|--------------------|
| 705 | Mini hacksaw frame |
| 705-5 | 5 spare blades |

GUN SAW SET

- Ergonomically designed pistol style
- 4 blade positions for cutting up, down or sideways
- Supplied with a 24 teeth blade for cutting metal
- Supplied with a 10 teeth blade for cutting wood, plastics, etc.

| ITEM ID: | Description |
|----------|---------------------------------|
| 703 | Gun saw set |
| 703-10 | 10 teeth blade for wood/plastic |
| 703-24 | 24 teeth blade for metal |



HACKSAW BLADE HOLDER

- Plastic with a non slip handle
- Suitable for use with any standard 12" hacksaw blades
- Supplied with a Teng Tools 12" hacksaw blade
- Ideal for use as a key hole saw



Item ID: 704





FULLY GROUND DRILL BIT SET

- Standard drill bits for use with steel and cast iron, etc.
- Spiral angle of 28° for clean cutting
- Split point angle of 118° for better positioning
- Shank the same diameter as the tip
- Designed and manufactured to DIN338

Fully Ground Drill Bits:

1.0 (x3), 1.5 (x3), 2.0 (x2), 2.5 (x2), 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0, 6.5, 7.0, 7.5, 8.0, 8.5, 9.0, 10.0, 10.5, 11.0, 12.0, 13.0

Item ID: TTDB28



DRILL BIT SET

- Standard drill bits for use in steel and cast iron, etc
- Spiral angle of 28° to expel swarf etc
- Point angle of 118° and a split point for better positional accuracy
- Designed and manufactured to DIN338

Fully Ground Drill Bits:

1.0(x4), 1.5(x3), 2.0(x2), 2.5, 3.0, 3.3, 3.5, 4.0, 4.2, 4.5, 5.0, 5.5, 6.0, 6.5, 6.8, 7.0, 7.5, 8.0, 8.5, 9.0, 9.5, 10.0

Item ID: DB028



DRILL BIT SET

- Standard drill bits for use in steel and cast iron, etc.
- Spiral angle of 28° to expel swarf etc
- Point angle of 118° and a split point for better positional accuracy
- Designed and manufactured to DIN338

Fully Ground Drill Bits:

1.0(x4), 1.5(x3), 2.0(x2), 2.5, 3.0, 3.3, 3.5, 4.0, 4.2, 4.5, 5.0, 5.5, 6.0, 6.5, 6.8, 7.0, 7.5, 8.0, 8.5, 9.0, 9.5, 10.0, 10.5, 11.0, 11.5, 12.0, 12.5, 13.0

Item ID: DB034

FULLY GROUND DRILL BIT

- Fully ground drill bit
- Standard drill bits for use in steel and cast iron, etc
- Spiral angle of 28° to expel swarf etc
- Point angle of 118° and a split point for better positional accuracy
- Designed and manufactured to

 DIN 339





| | | | 4 | |
|----------|------------|--------------------|----------------------|-------------|
| ITEM ID: | Size
mm | Flute Length
mm | Overall Length
mm | Pack
Qty |
| DBX010 | 1 | 12 | 34 | 10 |
| DBX015 | 1.5 | 18 | 40 | 10 |
| DBX020 | 2 | 24 | 49 | 10 |
| DBX025 | 2.5 | 30 | 57 | 10 |
| DBX030 | 3 | 33 | 61 | 10 |
| DBX033 | 3.3 | 36 | 65 | 10 |
| DBX035 | 3.5 | 39 | 70 | 10 |
| DBX040 | 4 | 43 | 75 | 10 |
| DBX042 | 4.2 | 43 | 75 | 10 |
| DBX045 | 4.5 | 47 | 80 | 10 |
| DBX050 | 5 | 52 | 86 | 10 |
| DBX055 | 5.5 | 57 | 93 | 10 |
| DBX060 | 6 | 57 | 93 | 10 |
| DBX065 | 6.5 | 63 | 101 | 10 |
| DBX068 | 6.8 | 69 | 109 | 10 |
| DBX070 | 7 | 69 | 109 | 10 |
| DBX075 | 7.5 | 69 | 109 | 10 |
| DBX080 | 8 | 75 | 117 | 5 |
| DBX085 | 8.5 | 75 | 117 | 5 |
| DBX090 | 9 | 81 | 125 | 5 |
| DBX095 | 9.5 | 81 | 125 | 5 |
| DBX100 | 10 | 87 | 133 | 5 |
| DBX105 | 10.5 | 87 | 133 | 5 |
| DBX110 | 11 | 94 | 142 | 5 |
| DBX115 | 11.5 | 94 | 142 | 5 |
| DBX120 | 12 | 101 | 151 | 5 |
| DBX125 | 12.5 | 101 | 151 | 5 |
| DBX130 | 13 | 101 | 151 | 5 |



Get organised**

TENGIOOLS 413





TAP AND DIE SET

- Suitable for repairing damaged threads from M3 to M12
- Tap and die holders included
- A thread gauge is included to help identify the pitch of the thread

Metric Dies:

M3 x 0.5. M4 x 0.7. M5 x 0.8. M6 x 1.0. M8 x 1.25. M10 x 1.5. M12 x 1.75

M3, M4, M5, M6, M8, M10, M12

Tap handle (capacity M3 to M12), die handle with adjustment screw (capacity M3 to M12), screw pitch gauge

Item ID: TTTD17



TAP AND DIE SET

- Designed for the repair of damaged threads covering M3 to M12
- Includes taps and dies with interchangeable chucks
- Screw extractors also included to give a complete set for repairing threads
- Various accessories including drill bits, a screw pitch gauge and mini palm ratchet

M3 x 0.5, M4 x 0.7, M5 x 0.8, M6 x 1.0, M8 x 1.25, M10 x 1.5, M12 x 1.75

Metric Taps:

M3. M4. M5. M6. M8. M10. M12

2.5mm, 3.3mm, 4.2mm, 5.0mm, 6.8mm, 8.5mm, 10.5mm

Screw Extractors:

1/8", 3/16", 15/64", 5/16", 3/8"

Screw pitch gauge, mini hex screwdriver, 1/4" extension bar, 3/8"F:1/4"M adaptor, 1/4" mini palm ratchet, 1/4" interchangeable die chuck, 1/4" tap chuck

Item ID: TTDTD34

INDIVIDUAL TAPS & DIES

Suitable for repairing damaged



| ITEM ID: | Size | Description |
|----------|------------|-------------|
| TDT03050 | M3 x 0.5 | Spare Tap |
| TDT04070 | M4 x 0.7 | Spare Tap |
| TDT05080 | M5 x 0.8 | Spare Tap |
| TDT06100 | M6 x 1.0 | Spare Tap |
| TDT08125 | M8 x 1.25 | Spare Tap |
| TDT10150 | M10 x 1.5 | Spare Tap |
| TDT12175 | M12 x 1.75 | Spare Tap |
| TDD03050 | M3 x 0.5 | Spare Die |
| TDD04070 | M5 x 0.8 | Spare Die |
| TDD05080 | M4 x 0.7 | Spare Die |
| TDD06100 | M6 x 1.0 | Spare Die |
| TDD08125 | M8 x 1.25 | Spare Die |
| TDD10150 | M10 x 1.5 | Spare Die |
| TDD12175 | M12 x 1.75 | Spare Die |

TAP HANDLE

- Individual tap handle for use with Teng Tools rethreading taps
- Also suitable for use with Teng Tools screw extractors (SE05 and TMSE05S)
- Suitable for M3 to M12 tap sizes



Item ID: TAP-HNDL

DIE HANDLE

34 Pieces

- Individual die handle for use with Teng Tools rethreading dies
- Suitable for M3 to M12 die sizes



Item ID: DIE-HNDL

Cutting Tools

DIE CHUCK

- Suitable for use with Teng Tools M3 to M12 dies
- Use with a 1/4" drive ratchet
- Satin finish for a better grip when handling



Item ID: M140070

ADJUSTABLE TAP CHUCK

- Suitable for use with Teng Tools taps
- Use with a 1/4" drive ratchet
- Satin finish with a knurled grip for a better grip when handling



| ITEM ID: | Drive | For Taps | Chuck Diameter |
|----------|-------|----------|----------------|
| M140071 | 1/4" | 3-8 | 20 |
| M140072 | 1/4" | 5-12 | 25 |

TAP CHUCK SERVICE KITS

Service kit for repairing tap chucks

| ITEM ID: | Suitable For |
|-----------|--------------|
| M140071RK | M140071 |
| M140072RK | M140072 |



UTILITY AND CRAFT KNIFE SET

Includes a selection of different knives to suit all types of use



Utility knife with auto load function, folding universal knife, folding mini utilty knife, hobby knife with 9mm blade, hobby knife with 18mm blade

Spare blades:

5 x Regular knife blades, 10 x Mini knife blades, 10 x 9mm Snap off blades, 10 x 18mm Snap off blades

Item ID: TTK40



HOBBY KNIFE SET

2 knives with 9mm snap off blades and 2 with 18mm snap off blades

Snap off blade knives:

9mm blade with metal body 9mm blade with plastic body 18mm blade with plastic body 18mm blade with plastic body and position lock

Item ID: 710S

HOBBY KNIFE WITH 9MM BLADE

- Metal casing with a break off tool for removing blunt blade sections
- Sliding blade holder to retract blade when not in use
- Handy pocket clip



| ITEM ID: | Description |
|----------|---------------------|
| 710A | Hobby Knife |
| 710A-10 | 10 spare 9mm blades |


HOBBY KNIFE WITH 9MM BLADE

- Plastic casing with a break off tool for removing blunt blade sections
- Slide incorporates a locking mechanism to lock the blade in place at any position, in or out

ITEM ID:

710H

710A-10







Get organised **TENGIOOLS** 415

40 Pieces

HOBBY KNIFE WITH 9MM BLADE

- Plastic casing with a break off tool for removing blunt blade sections
- Sliding metal blade holder to retract blade when not in use
- Handy pocket clip
- Supplied with 2 spare blades



| ITEM ID: | Description |
|----------|---------------------|
| 710F | Hobby Knife |
| 710A-10 | 10 spare 9mm blades |

HOBBY KNIFE WITH 18MM BLADE

- Plastic casing with a break off tool for removing blunt blade sections
- Slide locking mechanism to lock the blade in place at any position, in or out
- Sliding metal blade holder to retract blade when not in use
- Handy pocket clip



| ITEM ID: | Description | |
|----------|----------------------|--|
| 710C | Hobby Knife | |
| 710F-10 | 10 spare 18mm blades | |

HOBBY KNIFE WITH 18MM BLADE

- Plastic casing with a break off tool for removing blunt blade sections
- Slide locking mechanism to lock the blade in place at any position, in or out
- Sliding metal blade holder to retract blade when not in use
- Handy pocket clip
- Supplied with two 18mm snap off blades



| ITEM ID: | Description |
|----------|----------------------|
| 710G | Hobby Knife |
| 710F-10 | 10 spare 18mm blades |



• Spare 9mm break off blades for Teng

Tools craft knives
Pack of 100 blades



Item ID: 710A-100

SPARE BLADES

 Spare 18mm break off blades for Teng Tools craft knives

Pack of 100 blades



Item ID: 710F-100

FOLDING MINI UTILITY KNIFE

- Knife folds away in to a pocket knife
- Locking mechanism prevents accidental opening of the knife
- Retractable blade with simple slide action for changing blades



| ITEM ID: | Description |
|----------|-----------------|
| P-UKF | Utility knife |
| 710U-10 | 10 spare blades |

HEAVY DUTY UTILITY KNIFE

- Retractable blade for safer use and storage
- Storage for spare blades with screw lock access
- Supplied with 2 spare Teng Tools blades



| ITEM ID: | Description |
|----------|-----------------|
| 710 | Utility knife |
| 710-10 | 10 spare blades |

Cutting Tools

SAFETY UTILITY KNIFE

- Bi-material plastic handle for a more comfortable grip
- Non slip grip area for a more secure grip
- Features an automatic blade return
- Handy release button for quickly and easily ejecting used blades
- Replacement blade automatically inserted from the internal storage section
- Supplied with 6 blades stored in the handle

| ITEM ID: | Description |
|----------|-----------------|
| 711 | Utility knife |
| 710-10 | 10 spare blades |
| | |



FOLDING UNIVERSAL UTILITY KNIFE

- Knife folds away in to a pocket knife
- Locking mechanism prevents accidental opening of the knife
- Retractable blade with simple slide action for changing blades
- Supplied with 3 Teng Tools utility knife



| ITEM ID: | Description | |
|----------|-----------------|--|
| 712 | Utility knife | |
| 710-10 | 10 spare blades | |

HEAVY DUTY UTILITY KNIFE

- Ergonomically designed handle with soft non slip grip area
- Retractable 3 step blade for safer use and storage
- Storage for spare blades with quick opening and closing action
- Supplied with 2 spare Teng Tools blades



SPARE BLADES

- Spare blades for Teng Tools utility knives
- Pack of 100 blades with storage for used blades



Item ID: 710-100

SPARE BLADES

- Spare hook type blades for Teng Tools utility knives
- Pack of 10 blades with storage for used blades



Item ID: 710-10H

SPARE BLADES

- Spare hook type blades for Teng Tools utility knives
- Pack of 100 blades with storage for used blades





Item ID: 710-100H





Get organised **TENGIOOLS** 417

AUTO SERVICE TOOLS

When working on motors and general servicing it is vital that you have the right tools ready when you are. Whether it is a spark plug socket or an oil filter removal tool you will find it here. This range of workshop tools will help you organise your workflow allowing you to perform at your best everyday.

A selection of spark plug sockets in various sizes

> Oil filter removal tools available with a capacity up to 150mm









SCRAPER SET

- Includes a gasket scraper, an awl and two hook tools
- Ideal for cleaning, scraping and removing unwanted residue

| Scrapers: | |
|----------------|-------------------------------------|
| Gasket scraper | 22mm wide blade, total length 245mm |
| Hooks & awl | Curved hook, 90° hook and awl |

Item ID: TTSR04

90° HOOK TOOL

- Hook tool with a 90° bent hook
- Ideal for retrieving lost or dropped items
- Ergonomically designed bi-material handle for
- Hole in the handle for hanging or for use with a fall protection wire



Item ID: MDH-S

S SHAPED HOOK TOOL

- Hook tool with an S shaped bent hook
- Ideal for retrieving lost or dropped items Ergonomically designed bi-material handle for
- Hole in the handle for hanging or for use with a fall protection wire



Item ID: MDH-L

AWL

- Straight awl with a round tip
- Ideal for piercing materials or for creating a start hole for screws
- Ergonomically designed bi-material handle for
- Hole in the handle for hanging or for use with a fall protection wire



Item ID: MDA-R

AWL

- Straight awl with a square tip
- Ideal for piercing materials or for creating a start hole for screws
- Ergonomically designed bi-material handle for easy use
- Hole in the handle for hanging or for use with a fall protection wire



Item ID: MDA-SQ

GASKET SCRAPER

protection wire

- 22mm blade for the easy removal of gasket residue Ergonomically designed bi-material handle for
- Hole in the handle for hanging or for use with a fall



Item ID: MD-SCR



Auto Service Tools

THREAD CLEANERS

Cleaning tool for spark plug threads in engine blocks



| ITEM ID: | For Threads
mm | |
|----------|----------------------|--|
| TRC1012 | 10 x 1 & 12 x 1.25 | |
| TRC1418 | 14 x 1.25 & 18 x 1.5 | |

6MM/7MM HOSE CLIP DRIVER

- Interchangeable double ended socket to give two
- Fits most commonly used worm drive hose clips
- Flexible shaft for easer access in confined spaces
- Overall length 275mm



| ITEM ID: | Description | |
|----------|--------------------------|--|
| MD503N | Hose clip driver | |
| MD503RK | Replacement 6/7mm socket | |

7MM HOSE CLIP DRIVER

- Fits most commonly used worm drive hose clips such as Jubilee® hose clips
- Flexible shaft for easer access in confined spaces
- Overall length 275mm



Item ID: MD503NA

8MM HOSE CLIP DRIVER

- Fits European style worm drive hose clips and Jubilee® high torque hose clips
- Flexible shaft for easer access in confined spaces
- Overall length 275mm



Item ID: MD503ND



HOSE CLAMP SET

- Range of sizes giving a capacity of 6 to 57mm ($\frac{1}{4}$ " to $2-\frac{1}{4}$ ")
- Specially designed jaws prevent internal hoses from damage when clamping
- Lightweight and easy to use
- Non conductive

Hose clamps: For hoses: 1/4"-3/4", 1/4"-1-1/4", 3/4"-2-1/4"

Item ID: TTHC03

HOSE CLAMPS

- Specially designed jaws prevent internal hoses from damage when clamping
- Light weight
- Easy to use
- Non conductive





| ITEM ID: | mm | AF |
|----------|----------|----------------|
| AT080 | 6 to 19 | 1/4" to 3/4" |
| AT085 | 6 to 32 | 1/4" to 1-1/4" |
| AT090 | 19 to 57 | 3/4 to 2-1/4" |





HOOK AND PICK SET

- Interchangeable hooks and picks with an aluminium handle
- The handle has a built in magnet for retrieving lost ferrous parts
- Includes an awl as well as 3 different hooks with 45° and 90° tips Supplied in a pocket sized case with a click lock to keep the tools
- secure

Item ID: TM 149



90° HOOK TOOL

Item ID: MDP125

125° HOOK TOOL

Hook tool with a 125° bent hook Ideal for retrieving lost or dropped items Ergonomically designed bi-material handle for

- Hook tool with a 90° bent hook
- Ideal for retrieving lost or dropped items
- Ergonomically designed bi-material handle for
- Hole in the handle for hanging or for use with a fall protection wire







- 4 piece hook and pick set
- Includes hooks, awls and picks for detail work and scribing
- Ideal for cleaning components and retrieving lost items in hard to reach places

Hooks & Picks:

Straight Awl, 35° Hook tool, 90° Hook Tool, 125° Hook Tool

Item ID: TTMDP

AWL

- Straight awl with a round tip
- Ideal for piercing materials or for creating a start hole for screws
- Ergonomically designed bi-material handle for
- Hole in the handle for hanging or for use with a fall protection wire







Item ID: MDA180

35° HOOK TOOL

Item ID: MDP90

- Hook tool with a 35° bent point
- Ideal for retrieving lost or dropped items
- Ergonomically designed bi-material handle for easy use
- Hole in the handle for hanging or for use with a fall protection wire





Item ID: MDP35























Auto Service Tools

SPARK PLUG BOOT PLIER

Designed to pull the spark plug boot from the spark plug without disturbing the HT lead

Spring action for easier use particularly in confined spaces


Plastic grip on the handle and the gripping area



| ITEM ID: | Length
mm | g |
|----------|--------------|-----|
| SPBP20 | 250 | 297 |

OIL FILTER REMOVAL TOOL

- Fully adjustable heavy duty strap
- Suitable for workshop tasks where round items need to be gripped
- Strong, drop forged steel handle for high leverage
- Reinforced, rubberised non stretch strap for a



ITEM ID: 9123 9123RK

OIL FILTER REMOVER PLIER

- 53-118mm capacity to suit most oil filters
- Two stage grip areas on the jaws for added versatility
- Ideal for removing objects of many shapes when a tight grip is required
- Chrome vanadium with drop forged jaws, heat treated and nickel plated





Item ID: 409

CHAIN PIPE WRENCH

- Fully adjustable heavy duty chain
- Designed for mounting and unmounting pipes, etc.
- Suitable for tasks where round items need to be gripped
- Strong, drop forged steel handle for high leverage
- Grips pipes, etc up to 100mm diameter



Item ID: 9124



OIL SERVICE SET





- All the tools normally required for an oil service included in one handy set
- Includes an oil filter wrench, drain plug set, spark plug sockets, metric feeler gauge set and a 3 in 1 inspection tool with magnetic pick up

3/8" Drive Accessories:

3" & 10" wobble extensions, 1/2"F x 3/8" Male T-bar adaptor

3/8" Drive Sockets:

21mm regular 6 point socket, 16 & 21mm spark plug sockets

Drain Plug Set:

Bar, 5/16" hex x 3/8" hex, 11mm square x 12mm hex, 17mm hex x 1/2" hex, 8mm square x 3/8" square, 13mm square x 14mm hex, 8mm hex x 10mm hex

Service Tools:

Strap type oil filter wrench, 3 in 1 telescopic inspection tool, 21 piece feeler gauge set (0.005 mm - 1.0 mm)

Item ID: TTOS16



Get organised **TENGIOOLS** 423

**

OIL FILTER REMOVAL TOOL

- Nylon webbing strap for gripping oil filters without causing damage
- 1/2" drive carbon steel adaptor for use with a ratchet or flex handle
- Grips oil filters up to 130mm diameter



1/2" DRIVE

| ITEM ID: | Description | Drive | Capacity
mm |
|----------|-------------------|-------|----------------|
| 9110 | Oil filter wrench | 1/2" | 130 |
| 9110RK-1 | Replacement Strap | | |

OIL FILTER REMOVAL TOOL

- Chain for gripping oil filters even when oily or damaged
- 1/2" drive carbon steel adaptor for use with a ratchet or flex handle
- Grips oil filters up to 120mm diameter





| ITEM ID: | Description | Drive | Capacity
mm |
|----------|-------------------|-------|----------------|
| 9120 | Oil filter wrench | 1/2" | 120 |
| 9120RK-1 | Replacement Chain | | |

HEAVY DUTY OIL FILTER REMOVAL TOOL

- Maximum tensile strength of 1,850 kgf for the most stubborn of oil filters
- Chain for gripping oil filters even when oily or damaged
- 1/2" drive adaptor for use with a ratchet or flex handle
- Grips oil filters up to 150mm diameter





Item ID: 9120HD

DRAIN PLUG KEYS

- Double ended design to give 2 tools in 1
- For drain plugs on engines and gear boxes
- Use with a T bar or a 21 mm socket or wrench

| ITEM ID: | Size | |
|----------|--------------------------|--|
| DP0810 | 8mm hex x 10mm hex | |
| DP0812 | 8mm square x 3/8" square | |
| DP1012 | 5/16" hex x 3/8" hex | |
| DP1112 | 11mm square x 12mm hex | |
| DP1314 | 13mm square x 14mm hex | |
| DP1716 | 17mm hex x 1/2" hex | |



CYLINDER LEAKAGE TESTER

- Two in one 14/18mm spark plug hole fitting
- 1/4" BSP female airline coupler for connection to the air supply
- Enables detection of various common engine faults such as worn valves and pistons, blown head gaskets, etc



Item ID: ATOO5

PISTON RING COMPRESSOR

- Designed for holding piston rings in place when removing or replacing pistons
- 4 tightening bands suitable for cylinder diameters from 90 to 175mm
- Self locking ratchet pawl prevents premature release and allows a positive locking action
- Friction proof band edge gives a smooth and accurate action



Item ID: ATO20

Auto Service Tools

ENGINE CYLINDER HONING TOOL

- Adjustable to enable use on cylinders between 50 and 180mm diameter
- Spring tension adjustment to give a positive cutting action
- Suitable for use with air tools
- Supplied with 280 grit stones



| ITEM ID: | Size |
|----------|--|
| AT040 | Engine cylinder honing tool |
| ATO40-SM | Replacement 280 grit stones (3 Pieces) |

BRAKE CYLINDER HONING TOOL

- Adjustable to enable use on cylinders between 20 and 68mm diameter
- Spring tension adjustment to give a positive cutting action
- Suitable for use with air tools
- Supplied with 220 grit stones





BRAKE SPRING WASHER TOOL

- Fits both large and small brake spring washers
- Easy to use
- Enables good visability when assembling or dismantling brake assemblies
- Length 230mm, Weight 153g



Item ID: AT160

BRAKE PIN PUNCH

- 5.5mm parallel pin punch for removing pins from brake disc pads
- Overall length 165mm to clear most pin holes



Item ID: AT170



Get organised™

DISC BRAKE PAD PULLER

- Sliding hammer function to help release brake pads from calipers
- Simply hook on to the disc pad with 5mm pins





BALL JOINT SEPARATORS

Simple to use tool for separating ball joints

| ITEM ID: | Opening
mm | Adjustable Height
mm |
|----------|---------------|-------------------------|
| AT186 | 18 | 38 |
| AT191 | 29 | 60 |
| AT192 | 40 | 80 |
| AT194 | 46 | 100 |



BALL JOINT SEPARATOR

- Simple to use tool for separating ball joints
- Heat treated drop forged steel body and thrust bolt








COIL SPRING COMPRESSION SET

- 3 clamps with safety hooks
- For use when replacing coil springs such as on MacPherson struts
- Simple to use and 250mm capacity



Item ID: AT200

TYRE LEVERS

- Traditional flat design for easy use
- Manufactured in medium carbon steel (HRC40 +/-2%) for high leverage

| ITEM ID: | Size
mm | Size
AF |
|----------|------------|------------|
| AT20512 | 304 | 12 |
| AT20516 | 406 | 16 |
| AT20520 | 508 | 20 |
| AT20524 | 609 | 24 |







WHEEL TOOL SET





- 17" 1/2" drive flex handle for shifting stubborn wheel nuts
- A short extension bar for reaching into recessed wheel rims
- Long reach sockets with protective nylon sleeves to avoid damage to wheels
- Tools are held in place using three colour pre-cut EVA foam

1/2" Drive Accessories: 17" Flex Handle, 5" Extension bar Impact Wheel Nut Sockets: 17, 19, 21mm

Item ID: TEXW05



Auto Service Tools

TELESCOPIC WHEEL WRENCHES

- 1/2" drive telescopic wheel wrench
- Extends from 14" (35cm) to 21" (55cm) making it ideal for keeping in the car
- Chrome vanadium steel for added strength and higher torque
- Supplied with a double ended impact sockets



| ITEM ID: | Drive | Size
mm | g |
|----------|-------|------------|-----|
| 1202 | 1/2" | 17 x 19 | 900 |
| 1202A | 1/2" | 21 x 22 | 905 |






WHEEL NUT SOCKET SET

- Includes the most commonly used wheel nut socket sizes
- Chrome molybdenum for use with power tools
- Black phosphate finish for easy identification as an impact socket

| 3" Extension bar | |
|---------------------------------|--|
| Double Ended Wheel Nut Sockets: | |
| 17 x 19mm, 21 x 22mm | |

Item ID: 9203N1

DOUBLE ENDED WHEEL NUT SOCKETS





- Double ended 1/2" drive socket to give two sizes in one socket
- Chrome molybdenum for use with power tools
- Black phosphate finish for easy identification as an impact socket accessory

| ITEM ID: | Size
mm | L
mm | D1
mm | D2
mm |
|----------|------------|---------|----------|----------|
| 9291719 | 17 / 19 | 58 | 28 | 28 |
| 9292122 | 21 / 22 | 58 | 32 | 32 |



WHEEL NUT SOCKET SET







- Thin wall design for reaching in to recesses
- Protective sleeve for use on alloy wheels
- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools
- Ring and pin fixing hole on the female end to secure the socket to the air gun


Item ID: 9203N

WHEEL NUT SOCKETS











- Thin wall design for reaching in to recesses
- Protective sleeve for use on alloy wheels
- DIN standard design for use with a retaining pin and ring
- Chrome molybdenum for use with power tools
- Ring and pin fixing hole on the female end to secure the socket to the air gun

| ITEM ID: | Size
mm | L
mm | T
mm | D1
mm | D2
mm | g |
|----------|------------|---------|---------|----------|----------|-----|
| 920517N | 17 | 85 | 27 | 26 | 32 | 260 |
| 920519N | 19 | 85 | 27 | 29 | 32 | 270 |
| 920521N | 21 | 85 | 27 | 29 | 32 | 380 |



Get organised **TENGIOOLS**







BODYWORK HAMMER SET

5 Pieces

A selection of hammers for use in the automotive body shop or metal working area

Hammers

Dead blow hammers with 35 and 55mm diameter heads, crown face hammers with straight pein, pick heads and square milled face

Item ID: TTPSAD

DEAD BLOW HAMMERS

- Dead blow hammer
- Head filled with steel balls to prevent the hammer from bouncing
- Dead blow action particularly useful to reduce marking on the surface being hit



| ITEM ID: | Face Diameter
mm | g |
|----------|---------------------|------|
| HMDH35 | 35 | 300 |
| HMDH45 | 45 | 490 |
| HMDH55 | 55 | 980 |
| HMDH65 | 65 | 1365 |

BODY WORKING HAMMER

- Double headed with a round crown face and straight pein
- Forged alloy steel head for durability
- Mirror polished face for a better contact with the metal
- Hickory handle for a traditional finish



| | Face Diameter | Å |
|----------|---------------|-----|
| ITEM ID: | mm | g |
| HMBH01 | 325 | 400 |

BODY WORKING HAMMER

- Double headed with a round crown face and round point pick head
- · Forged alloy steel head for durability
- Mirror polished face for a better contact with the metal
- Hickory handle for a traditional finish



| ITEM ID: | Face Diameter
mm | g |
|----------|---------------------|-----|
| НМВН02 | 325 | 350 |

BODY WORKING HAMMER

- Double headed with a round crown face and square milled face
- Forged alloy steel head for durability
- Mirror polished crown face for a better contact with the metal
- Milled cross hatched surface on the square head for shrinking metal work on larger flat surfaces
- Hickory handle for a traditional finish



| ITEM ID: | Face Diameter | g |
|----------|---------------|-----|
| НМВН03 | 325 | 400 |

BODY WORKING DOLLIES

- For panel beating of sheet metal
- Use together with Teng Tools body working hammers



| ITEM ID: | Shape | Length
mm | Width
mm | Height
mm | g |
|----------|--------|--------------|-------------|--------------|------|
| AT415 | Curved | 128 | 58 | 40 | 1100 |
| AT420 | Heel | 80 | 60 | 30 | 900 |

Auto Service Tools

SUCTION LIFTER

- Single 118mm diameter suction cup
- Handles open or close to engage or release the suction cups
- Ideal for lifting of items with flat, smooth surfaces such as glass up to 30 kilos
- Can also be used to pull out dents in bodywork panels



| ITEM ID: | Suction
Cups | Max Load
Kg | Cup Diameter
mm | g |
|----------|-----------------|----------------|--------------------|-----|
| SL01 | 1 | 30 | 118 | 310 |

SUCTION LIFTER

- Two 118mm diameter suction cups
- Simple levers open or close to engage or release the suction cups
- Ideal for lifting of items with flat, smooth surfaces such as glass up to 60 kilos



| ITEM ID: | Suction
Cups | Max Load
Kg | Cup Diameter
mm | g |
|----------|-----------------|----------------|--------------------|-----|
| SL02 | 2 | 60 | 118 | 600 |

SUCTION LIFTER

- Three 118mm diameter suction cups
- Simple levers open or close to
- Ideal for lifting of items with flat,



| ITEM ID: | Suction
Cups | Max Load
Kg | Cup Diameter
mm | g |
|----------|-----------------|----------------|--------------------|-----|
| SL03 | 3 | 120 | 118 | 900 |

MAGNETIC ANGLE BLOCKS

- Ideal for holding sheet metal, pipes and tubes when welding
- Use to hold the pieces prior to and during welding
- Holds the material at 45° or 90° to ensure an exact
- Can be used on flat or round surfaces of ferrous materials



| ITEM ID: | Holding Area
mm | Max Width
mm | Height
mm | Magnetic Force |
|----------|--------------------|-----------------|--------------|----------------|
| MH75 | 75 | 120 | 82 | 27 |
| MH90 | 90 | 160 | 100 | 27 |



AUTOMOTIVE SOCKET SET







- All the most commonly used specialist automotive sockets in one handy set
- Includes sockets for removing and installing injectors, oil sender and vacuum switches as well as various oxygen sensors

| 3/8" Drive Sockets: | | | | | |
|---------------------|---------------|--|--|--|--|
| 22 mm | Length: 90 mm | Oxygen sensor socket for Mitsubishi, Nissan, Opel, Vauxhall & VW | | | |
| 7/8" | Length: 80 mm | Vacuum switch socket | | | |
| 1-11/16" | Length: 74 mm | Oil sender socket | | | |
| 7/8" | Length: 30 mm | Offset oxygen sensor socket | | | |
| 1/2" Drive Sockets: | | | | | |
| 29 mm | Length: 90 mm | Oxygen sensor socket for GM | | | |
| 27 mm | Length: 85 mm | Injector socket for M24 | | | |
| 7/8" | Length: 50 mm | Heated oxygen sensor socket | | | |

Item ID: TTSS07



Get organised **TENGIOOLS** 429



SPECIALIST AUTOMOTIVE SOCKETS



| ITEM ID: | Drive | Size | Length
mm | Application |
|----------|-------|----------|--------------|-----------------------------|
| AT350 | 1/2" | 29mm | 90 | Oxygen sensor socket |
| AT355 | 3/8" | 22mm | 90 | Oxygen sensor socket |
| AT360 | 1/2" | 27mm | 85 | Injector socket |
| AT365 | 3/8" | 7/8" | 80 | Vacuum switch socket |
| AT370 | 3/8" | 11/16" | 74 | Oil sender socket |
| AT375 | 1/2" | 7/8" | 50 | Heated oxygen sensor socket |
| AT380 | 3/8" | 7/8" | 30 | Offset Oxygen sensor socket |
| 920242 | 1/2" | 1-5/16" | 78 | Wheel nuts |
| 920248 | 1/2" | 1-1/2" | 78 | Ball Joints |
| 920624N | 1/2" | 24mm | 78 | Oil pressure switch |
| 920627N | 1/2" | 27mm | 78 | Injectors |
| 920628N | 1/2" | 28mm | 78 | Diesel Injectors |
| 920629N | 1/2" | 29mm | 78 | Thermostat switch |
| 920630N | 1/2" | 30mm | 78 | Hub nuts |
| 920632N | 1/2" | 32mm | 78 | Hub nuts/drive shafts |
| 920635N | 1/2" | 35mm | 78 | Hub nuts |
| 920636N | 1/2" | 36mm | 78 | Hub nuts |
| 940641-C | 3/4" | 41mm | 58 | Hub nuts |
| 940258 | 3/4" | 1-13/16" | 58 | Deep ball joint socket |
| 120955-C | 1/2" | TX55 | 100 | Cylinder head bolts |
| 120970-C | 1/2" | TX70 | 125 | Cylinder head bolts |



PROTECTIVE WING COVER

- Full length magnetic strip to hold the cover in place on the vehicle bodywork
- Protects the paintwork from scratching when working on the vehicle
 - Heavy duty red PVC with a cloth backing
- Includes the Teng Tools eyes logo in full colour
- Measures 40 x 107cm to provide a good area of protection

Item ID: FC01

GREASE GUN

- Lever style grease gun for use with 400g cartridges or up to 500cc bulk grease
- Grease is fed to the high pressure
- mechanism by fully opening the lever Supplied with pipe and hydraulic coupling (thread G(R) 1/8")




12 Pieces

Item ID: AT500



NEEDLE FILE SET



Removable lid and dove tail joints

Needle Files:

Hand, half round, three square, square, round, flat point, knife type, barrette, crossing, oval, feather edge, round edge flat

Item ID: TTNF12







Auto Service Tools TengTools.com **NEEDLE FILE** NEEDLE FILE 160mm long with a plastic handle for use 160mm long with a plastic handle for use with more detailed work with more detailed work Hand file type Needle knife file type IENGIOOLS TTHE 12-07 Item ID: TTNF12-01 Item ID: TTNF12-07 **NEEDLE FILE NEEDLE FILE** 160mm long with a plastic handle for use 160mm long with a plastic handle for use with more detailed work with more detailed work Half round file type Barrette file type Item ID: TTNF12-02 Item ID: TTNF12-08 **NEEDLE FILE** NEEDLE FILE 160mm long with a plastic handle for use 160mm long with a plastic handle for use with more detailed work with more detailed work Three square triangular file type Crossing file type Item ID: TTNF12-03 Item ID: TTNF12-09 **NEEDLE FILE NEEDLE FILE** 160mm long with a plastic handle for use 160mm long with a plastic handle for use with more detailed work with more detailed work Square file type Oval file type Item ID: TTNF12-04 Item ID: TTNF12-10 **NEEDLE FILE NEEDLE FILE** 160mm long with a plastic handle for use 160mm long with a plastic handle for use with more detailed work with more detailed work Round file type Feather edge file type TENG/OOLS TINE 12-11 Item ID: TTNF12-05 Item ID: TTNF12-11

NEEDLE FILE

- 160mm long with a plastic handle for use with more detailed work
- Flat point file type



Item ID: TTNF12-06

NEEDLE FILE

- 160mm long with a plastic handle for use
- with more detailed work

Round edge file type

Item ID: TTNF12-12

Get organised







HAND FILE SET



- 10" high carbon steel hand files
- Bi-material handle for a more comfortable grip
- 2nd cut to create a diamond pattern cutting surface for smoother filing
- Cut on both edges of the flat files for filing grooves, etc

10" File

Flat, Hand, Half Round, Round, Three square

Item ID: TTXF05



HAND FILE SET

- 10" high carbon steel hand files
- Bi-material handle for a more comfortable grip
- 2nd cut to create a diamond pattern cutting surface for smoother filing
- Cut on both edges of the flat files for filing grooves, etc
- Supplied with a wall rack for fixing to the wall or a workbench

10" Files:

Flat, Hand, Half Round, Round, Three square

Item ID: WRFL05

HAND FILE - FLAT

- 10" hand file
- High carbon steel for durability and strength
- Bi-material handle for a more comfortable grip
- 2nd cut to create a diamond pattern cutting surface for smoother filing
- · Cut on both edges for filing grooves, etc



Item ID: FLFT10

HAND FILE - FLAT

- 10" hand file
- High carbon steel for durability and strength
- Bi-material handle for a more comfortable grip
- 2nd cut to create a diamond pattern cutting surface for smoother filing
- Cut on both edges for filing grooves, etc



N

Item ID: FLHF10

HAND FILE - HALF ROUND

- 10" hand file
- High carbon steel for durability and strength
- Bi-material handle for a more comfortable grip
- 2nd cut to create a diamond pattern cutting surface for smoother filing





Item ID: FLHR10



HAND FILE - ROUND

- 10" hand file
- High carbon steel for durability and strength
- Bi-material handle for a more comfortable grip
- 2nd cut to create a diamond pattern cutting surface for smoother filing











UNIVERSAL PULLER SET



- Three legged combination puller
- Supplied with an extra yoke for switching to two legged pulling
- Reversible legs for internal or external grip

Combination twin/triple 6" leg puller with 4" capacity

Item ID: TT804



Item ID: FLRD10

HAND FILE - TRIANGULAR

- 10" hand file
- High carbon steel for durability and strength
- Bi-material handle for a more comfortable grip
- 2nd cut to create a diamond pattern cutting surface for smoother filing





Item ID: FLTR10



- 10" hand file
- High carbon steel for durability and strength
- Bi-material handle for a more comfortable grip
- 2nd cut to create a diamond pattern cutting surface for smoother filing









Item ID: FLSQ10



2 ARM UNIVERSAL PULLER SET

- A set of 5 two arm pullers complete with stand
- Strong, drop forged design for fast removal of pulleys, wheels and bearings
- Use as a set in a workshop giving a range of spreads from 90 to 250mm internal or 133 to 325mm external pullers
- Easily interchangeable between internal or external

2 Arm Pullers:

90/133mm spread, 130/170mm spread, 158/209mm spread, 200/256mm spread, 250/325mm spread.

Item ID: DIS-SP05



Get organised





2 ARM QUICK ACTION UNIVERSAL PULLER SET

- A set of 5 two arm pullers complete with stand
- Strong, drop forged design for fast removal of pulleys, wheels and bearings
- Quick lock action on the legs for fast adjustment
- Use as a set in a workshop giving a range of spreads from 90 to 250mm internal or 133 to 325mm external pullers
- Easily interchangeable between internal or external

2 Arm Quick Action Pullers:

90/133mm spread, 130/170mm spread, 158/209mm spread, 200/256mm spread, 250/325mm spread.

Item ID: DIS-SP05Q



TWIN/TRIPLE LEG PULLERS

- Simple to use three legged puller for the fast removal of pulleys, wheels and bearings
- Designed for internal or external pulling with easily reversible legs
- The special yoke can also be used to convert from three legged to two legged pulling

| ITEM ID: | Clamping Depth
mm | Span Width
mm | g |
|----------|----------------------|------------------|------|
| SPA11 | 100 | 50-100 | 1080 |
| SPA22 | 170 | 60-150 | 2600 |

4" GEAR PULLER

- Simple to use three legged puller for the fast removal of pulleys, wheels and bearings
- Spread of 76mm to 102mm and a maximum reach of 89mm
- The special yoke can also be used to convert from three legged to two legged pulling



Item ID: SP11

7" GEAR PULLER

- Simple to use three legged puller for the fast removal of pulleys, wheels and bearings
- Spread of 75mm to 175mm and a maximum reach of 137mm
- The special yoke can also be used to convert from three legged to two legged pulling



Item ID: SP22




2 ARM UNIVERSAL PULLERS

- Simple to use two legged puller for the fast removal of pulleys, wheels and bearings
- Designed for internal or external pulling with easily reversible legs Strong drop forged construction for strength and durability

| ITEM ID: | al
mm | a2
mm | b
mm | Spindle
Thread | Spindle
Length
mm | c
mm | d
mm | e
mm | g |
|----------|----------|----------|---------|-------------------|-------------------------|---------|---------|---------|------|
| SP1410 | 90 | 133 | 100 | M14 x 1.5 | 140 | 17 | 12 | 3.4 | 1100 |
| SP1810 | 130 | 170 | 100 | M14 x 1.5 | 140 | 17 | 12 | 3.4 | 1300 |
| SP2215 | 160 | 220 | 150 | M20 x 2.0 | 210 | 22 | 20 | 3.8 | 3200 |
| SP2615 | 200 | 256 | 150 | M20 x 2.0 | 210 | 22 | 20 | 3.8 | 3600 |
| SP3320 | 250 | 325 | 200 | M26 x 2.0 | 280 | 27 | 27 | 6.2 | 7800 |






2 ARM QUICK ACTION UNIVERSAL PULLERS

- Simple to use two legged puller for the fast removal of pulleys, wheels and bearings
- · Quick lock action on the legs for fast adjustment
- Designed for internal or external pulling with easily reversible legs
- Strong drop forged construction for strength and durability


| ITEM ID: | al
mm | a2
mm | b
mm | Spindle
Thread | Spindle
Length
mm | c
mm | d
mm | e
mm | g |
|----------|----------|----------|---------|-------------------|-------------------------|---------|---------|---------|------|
| SP1410Q | 90 | 130 | 100 | M14 x 1.5 | 140 | 17 | 12 | 3.4 | 1100 |
| SP1810Q | 130 | 170 | 100 | M14 x 1.5 | 140 | 17 | 12 | 3.4 | 1200 |
| SP2215Q | 158 | 209 | 150 | M20 x 2.0 | 210 | 22 | 20 | 3.8 | 3000 |
| SP2615Q | 200 | 256 | 150 | M20 x 2.0 | 210 | 22 | 20 | 3.8 | 3400 |
| SP3320Q | 250 | 325 | 205 | M26 x 2.0 | 280 | 27 | 27 | 6.2 | 7000 |



3 ARM UNIVERSAL PULLERS

- Simple to use three legged puller for the fast removal of pulleys, wheels and bearings
- Designed for internal or external pulling with easily reversible legs
- Strong drop forged construction for strength and durability

| ITEM ID: | al
mm | a2
mm | b
mm | Spindle
Thread | Spindle
Length
mm | c
mm | d
mm | e
mm | g |
|----------|----------|----------|---------|-------------------|-------------------------|---------|---------|---------|------|
| SP31410 | 90 | 140 | 100 | M14 x 1.5 | 140 | 17 | 12 | 3.4 | 1400 |
| SP31810 | 130 | 180 | 100 | M14 x 1.5 | 140 | 17 | 12 | 3.4 | 1600 |
| SP32215 | 160 | 220 | 150 | M20 x 2.0 | 210 | 22 | 20 | 3.8 | 3500 |
| SP32615 | 205 | 260 | 150 | M20 x 2.0 | 210 | 22 | 20 | 3.8 | 4200 |
| SP33320 | 252 | 330 | 200 | M26 x 2.0 | 280 | 27 | 27 | 6.2 | 8800 |



3 ARM QUICK ACTION UNIVERSAL PULLERS

- Simple to use three legged puller for the fast removal of pulleys, wheels and bearings
- Quick lock action on the legs for fast adjustment
- Designed for internal or external pulling with easily reversible legs
- Strong drop forged construction for strength and durability

| ITEM ID: | al
mm | a2
mm | b
mm | Spindle
Thread | Spindle
Length
mm | c
mm | d
mm | e
mm | g |
|----------|----------|----------|---------|-------------------|-------------------------|---------|---------|---------|------|
| SP31410Q | 90 | 130 | 100 | M14 x 1.5 | 140 | 17 | 12 | 3.4 | 1500 |
| SP31810Q | 130 | 170 | 100 | M14 x 1.5 | 140 | 17 | 12 | 3.4 | 1600 |
| SP32215Q | 160 | 210 | 150 | M20 x 2.0 | 210 | 22 | 20 | 3.8 | 3900 |
| SP32615Q | 205 | 260 | 150 | M20 x 2.0 | 210 | 22 | 20 | 3.8 | 4200 |
| SP33320Q | 252 | 330 | 205 | M26 x 2.0 | 280 | 27 | 27 | 6.2 | 8600 |



CRIMPING PLIER SET

- Multi function 9" crimping plier and wire stripper
- Use on insulated, non insulated terminals and connectors
- Wire stripping capacity from 0.75 to 6mm
- Cutting function for M2 to M5 bolt sizes
- Includes a range of insulated, non insulated terminals and connectors

| Crimping Tool: |
|---------------------------------------|
| Multi function CP50 crimping tool |
| Terminals/connectors: |
| Red #6 ring terminals x 20 |
| Blue #8 spade terminals x 20 |
| Red butt connectors x 20 |
| Blue butt connectors x 20 |
| Blue 6.3x0.8mm female connectors x 20 |
| Blue 6.3x0.8mm male connectors x 20 |

Item ID: TTCP121

**

Get organised IFNG OOLS 435





CRIMPING PLIER SET

- Interchangeable ratchet crimping tool
- Automatic locking mechanism to ensure a consistent and correct crimping action
- Cutting function for M2 to M5 bolt sizes
- Includes a range of interchangeable heads
- Use on insulated, non insulated terminals and connectors

Crimping Tool:

Changeable ratchet crimping tool for insulated terminals 22-10 AWG

Terminals/connectors:

Die for non-insulated open barrel connector, commercial type 22-12 AWG (0.324 square mm - 3.31 square mm)

Die for non-insulated terminals 22-8 AWG (0.3 square mm - 8 square mm)

Other Tools:

Hex hey wrench 2.5mm

Item ID: TTCP04

RATCHET ACTION CRIMPING PLIER

- Interchangeable ratchet crimping tool
- Automatic locking mechanism to ensure a consistent and correct crimping action
- Cutting function for M2 to M5 bolt
- Use on insulated, non insulated terminals and connectors



Item ID: CP52

SPARE HEADS FOR CP52

| ITEM ID: | Insulated Terminals
mm² | Non-Insulated Terminals
mm² |
|----------|----------------------------|--------------------------------|
| CP04RK1 | 0.324 - 5.261 | |
| CP04RK2 | | 0.324 - 3.31 |
| CP04RK3 | 0.3 - 8.0 | |

RATCHET ACTION CRIMPING PLIER

- Compound ratchet action giving 30% extra strength
- Suitable for use with red, blue and vellow insulated terminals and connectors
- Wire stripping capacity from 0.75 to 6mm
- Automatic locking mechanism to ensure a consistent and correct crimping action
- Cutting function for M2 to M5 bolt sizes



Item ID: CP58

9" CRIMPING PLIER AND WIRE STRIPPER

- Use on insulated, non insulated terminals and connectors
- Wire stripping capacity from 0.75 to 6mm
- Cutting function for M2 to M5 bolt sizes
- Plastic grips for more comfortable use



Item ID: CP50

9" CRIMPING PLIER AND WIRE STRIPPER

- Use on insulated, non insulated terminals and connectors
- Wire stripping capacity from 0.75 to 6mm
- Cutting function for M2 to M5 bolt sizes Plastic grips for more comfortable use



Item ID: CP51

CRIMPING PLIER AND WIRE STRIPPER

- Use on insulated, non insulated terminals and connectors
- Wire stripping capacity from 0.8 to 3.2mm
- Cutting capacity 1.0mm copper cable
- Return spring for repeated use Locking action for easier storage



Item ID: CP53

Item ID: CP60



CABLE TIE GUN

- Ideal for repeated actions
- Works with plastic cable ties from 2.2 to 4.8mm width
- Adjustable tensile strength to avoid over tightening

Item ID: CTG01

WIRE STRIPPING TOOL

- Includes wire cutting and crimping functions
- Easily strips cable between 0.13 and 8.0mm
- Suitable for crimping insulated and non insulated terminals and connectors
- Return spring action for easier repeated use



CIRCUIT TESTER

- Brass with steel probe and screw on cover
- Suitable for use between 6 and 24 volts
- 850mm cable with simple alligator grip
 Replacement bulb widely available (24 vol
- Replacement bulb widely available (24 volt,
 5 watt festoon type bulb)
- Simple to use to check if circuits are live
 and intact



Item ID: 9850



WIRE STRIPPING TOOL

- Easy to use pistol grip action
- Hardened SK5 steel blade for fast accurate wire stripping
- Wire stripping capacity 24-10AWG or 0.2 to 6mm
- Built in wire cutter cuts up to 2mm diameter electrical wire

Item ID: CP55

VOLTAGE TESTER

- Insulated voltage tester for use from 100 to 250 volts
- Overall length 145mm, blade length 70mm



Item ID: MDV9855



Get organised





EXTRACTOR SET



- Includes screw extractors, stud extractors and nut splitters
- Ideal for use with broken nuts, bolts, studs or screws

| 1/2" Drive Stud Extractors: |
|-----------------------------------|
| 6, 8, 10, 12 mm |
| Screw Extractors: |
| 7/64", 9/64", 5/32", 1/4", 19/64" |
| Nut Splitters: |
| 5 to 20mm, 14 to 27mm |

Item ID: TTSN11



SCREW EXTRACTOR SET

- Spiral design for removing damaged screws
- A quick and easy way to remove broken screws, pipes, bolts
 and stude
- Use with drill sizes 7/64", 9/64", 5/32", 1/4" and 19/64"
- Use with the Teng Tools tap handle (TAP-HNDL)
- Supplied in a handy storage case

Item ID: SE05



SCREW EXTRACTOR SET

- Tapered designed for removing damaged screws
- Suitable for both clockwise and anti-clockwise threads
 Square shank and manufactured in CR-V 6150 steel hardened to HRC50-52
- Use with drill sizes 3, 4, 5, 7 and 9mm
- Use with the Teng Tools tap handle (TAP-HNDL)

Item ID: TMSE05S

SCREW EXTRACTORS

- Screw extractor
- Tapered designed for removing damaged screws
- Suitable for both clockwise and anticlockwise threads
- Square shank and manufactured in CR-V 6150 steel hardened to HRC50-52

| ITEM ID: | For Drill Hole
mm | g |
|----------|----------------------|-----|
| SEL01S | 3mm (1/8") | 13 |
| SEL02S | 4mm (3/16") | 22 |
| SEL03S | 5mm (15/64") | 36 |
| SEL04S | 7mm (5/16") | 52 |
| SEL05S | 9mm (3/8") | 148 |

ENG TOOLS

IMPACT SCREW EXTRATORS

- 1/4" hex drive impact screw extractors
- For use with a 1/4" drive impact driver
- Spiral design for removing damaged screws

NEW

ITEM ID:

SE141

SE142

SE143

5 Pieces

5 Pieces







NUT SPLITTER SET

- Simply tighten the thread to engage the blade and split stubborn nuts
- Capacities 5 to 20mm and 14 to 27mm

Item ID: NS02



SERVICE KITS FOR NUT SPLITTERS

| ITEM ID: | Description |
|----------|-------------|
| NSO2RKS | Small |
| NS02RKL | Large |



STUD EXTRACTORS

- Designed for removing rounded or damaged bolts and studs
- Reversible enabling use on clockwise and anti-clockwise threads
- Use together with a 1/2" drive ratchet and accessories
- Chrome vanadium, satin finish

| ITEM ID: | Drive | Size
mm |
|-----------|-------|------------|
| ST12506-C | 1/2" | 6 |
| ST12508-C | 1/2" | 8 |
| ST12510-C | 1/2" | 10 |
| ST12512-C | 1/2" | 12 |





STUD EXTRACTOR SET





- Includes all the most commonly used sizes from 6mm (5/16") to 25mm (1")
- Designed for removing rounded or damaged bolt heads or nuts
- 4mm parallel pin punch included for clearing debris from the
- Chrome vanadium satin finish
- Designed and manufactured to DIN3120/3124 and ISO2725

| 3/8" Drive Stud Extractors: |
|---------------------------------------|
| 6, 8, 10, 11, 12, 13, 14, 16, 17 mm |
| 5/16", 3/8", 7/16", 1/2", 9/16", 5/8" |
| 1/2" Drive Stud Extractors: |
| 19, 21, 22, 24, 25 mm |
| 3/4", 13/16", 7/8", 15/16", 1" |
| Parallel Pin Punch: |
| 4mm (150mm length) |

Item ID: TTBE18



STUD EXTRACTORS

- Designed for removing rounded or damaged bolt heads, nuts and studs
- Use together with a ratchet and accessories
- Chrome vanadium, satin finish

| ITEM ID: | Drive | Size
mm | Size
AF | L
mm | T
mm | D1
mm | D2
mm | g |
|----------|-------|------------|------------|---------|---------|----------|----------|-----|
| ST38306 | 3/8" | 6 | 1/4" | 27 | 11 | 15.9 | 9.9 | 21 |
| ST38308 | 3/8" | 8 | 5/16" | 27 | 11 | 15.9 | 12 | 23 |
| ST38112 | 3/8" | - | 3/8" | 27 | 11 | 15.9 | 14.2 | 22 |
| ST38310 | 3/8" | 10 | - | 27 | 11 | 19 | 15.3 | 33 |
| ST38311 | 3/8" | 11 | 7/16" | 27 | 11 | 19 | 15.6 | 33 |
| ST38312 | 3/8" | 12 | - | 27 | 11 | 19 | 17.4 | 33 |
| ST38116 | 3/8" | - | 1/2" | 27 | 11 | 19 | 17.7 | 34 |
| ST38313 | 3/8" | 13 | - | 27 | 11 | 19 | 18.7 | 35 |
| ST38314 | 3/8" | 14 | 9/16" | 27 | 11 | 22.2 | 20.7 | 50 |
| ST38316 | 3/8" | 16 | 5/8" | 27 | 11 | 22.2 | 22.1 | 50 |
| ST38317 | 3/8" | 17 | - | 27 | 11 | 25.4 | 24.8 | 74 |
| ST38122 | 3/8" | - | 11/16" | 27 | 11 | 25.4 | 24.8 | 74 |
| ST12319 | 1/2" | 19 | 3/4" | 44.5 | 11 | 27 | 26.6 | 167 |
| ST12321 | 1/2" | 21 | 13/16" | 44.5 | 12.5 | 32 | 28 | 199 |
| ST12322 | 1/2" | 22 | 7/8" | 44.5 | 12.5 | 35 | 30.7 | 210 |
| ST12324 | 1/2" | 24 | 15/16" | 44.5 | 12.5 | 36 | 32.4 | 210 |
| ST12325 | 1/2" | 25 | 1" | 44.5 | 12.5 | 36 | 33.4 | 214 |

STUD EXTRACTOR

- For inserting and extracting stud bolts
- One eccentric knurled contact wheel grips the stud against an internal fluting
- Suitable for use with stud bolts from 5.5 to 19mm diameter thread



Item ID: **2300**



Get organised[™] 439








PRY BAR SET

Includes roll/heel bars in three sizes to suit different applications



Item ID: TTXPB3





PRY BAR SET





- Includes 3 roll/heel bars and a 20" tyre lever
- Tools are held in place using three colour pre-cut EVA foam

| Roll heel bars: |
|-----------------|
| 12", 16", 20" |
| Tyre Lever: |
| 20" |

Item ID: TEXPB4

PRY BARS

- Roll or heel type design for opening and separating
- Tapered podger style handle for aligning holes prior to fixing
- Designed for use in construction such as scaffolding, pallet racking, shelving systems and metal panel erection

Size

mm

300

400

500







PRY BAR SET



Includes pry bars in three sizes and shapes to suit different applications

| Roll heel bars: |
|-----------------|
| 12", 18", 22" |

Item ID: TTXPB3A

PRY BARS

- Heavy duty with a power thru handle for use with a hammer
- Straight handle with a forked tip also suitable for use on nails, etc



| ITEM ID: | Size
AF | Size
mm |
|----------|------------|------------|
| PB12A | 12" | 300 |
| PB18A | 18" | 450 |
| PB22A | 22" | 550 |

WRECKING BARS

- Three functions in one handy tool
- Use as a lever for removing nails, etc.
- Ideal for use in confined spaces
- Sturdy steel construction (1045 medium carbon steel)



| ITEM ID: | Overall
Length |
|----------|-------------------|
| PF190 | 190mm (7-1/2") |
| PF380 | 380mm (15") |





SAFETY WIRE

- · For securing tools when working at a height
- Locking wire with a spring clip hook at each end plus a fixing wire
- Plastic covered (3mm diameter) stainless steel spiral wire (1mm diameter) with a maximum load of 3 kilos
- Stretches from 430mm to 1.6 meters

Item ID: SSH01



SAFETY WIRE

- · For securing tools when working at a height
- Locking wire with a spring clip hook at each end plus a fixing wire
- High strength nylon webbing with an elastic inner core with a maximum load of 3 kilos
- Stretches from 750mm to 1.35 meters

Item ID: SSH02



SAFETY WIRE

- For securing tools when working at a height
- Locking wire with a spring clip hook at each end plus a fixing wire
 - High strength nylon webbing with an elastic inner core with a maximum load of 4.5 kilos
- Stretches from 800mm to 1.35 meters

Item ID: SSH03



SAFETY WIRE

- · For securing tools when working at a height
- Locking wire with a carabiner style hook at one end and an adjustable rope lock on the other
- High strength nylon webbing with an elastic inner core with a maximum load of 4.5 kilos
- Stretches from 860mm to 1.45 meters

Item ID: SSH04



MAGNETIC BITS TRAY

- 6" (150mm) diameter
- Stainless steel for longer life
- Plastic enclosed magnet to avoid damage to paintwork, etc
- Use for screws, nuts, washers, etc when disassembling
- Can be secured on it's side as well as upside down

Item ID: 580



LARGE MAGNETIC BITS TRAY

- Square to hold more bulky items
- Stainless steel for longer life
- 4 plastic enclosed magnets to avoid damage to paintwork, etc
- Use for screws, nuts, washers, etc when disassembling
- Can be secured on it's side as well as upside down
- Ideal for use as a parts washing tray

Item ID: 580S



Get organised* IFNG OOLS 441





LARGE MAGNETIC BITS TRAY

- Deep and rectangular to hold more bulky items
- Stainless steel for longer life
- 2 plastic enclosed magnets to avoid damage to paintwork, etc
- Use for screws, nuts, washers, etc when disassembling
- Can be secured on it's side as well as upside down

Item ID: 580A

3 IN 1 INSPECTION TOOL

- Combines a magnet with a mirror and a scribe
- Telescopic with a strong magnet extending
- Fully adjustable polished mirror to help locate dropped items
- Screw cap to reveal a handy etching scribe
- Complete with pocket clip for easy storage while working



Item ID: 582MI

2 IN 1 MAGNETIC PICK UP AND PEN

- Combines a magnet with a pen for making notes Telescopic with a very strong magnet extending
- Screw cap to reveal a handy pen
- Complete with pocket clip for easy storage while working



Item ID: 585MP



CLAW PICK UP TOOL

- Excellent for reaching small items lost in hidden areas
- Flexible wire with non magnetic claws for minimal interference
- Press action to expand and contract the jaws to easily grip items
- Overall length 600mm

Item ID: AT135

CLAW PICK UP TOOL

- Excellent for reaching small items lost in hidden areas
- Flexible wire for minimal interference
- Magnetic collar to retrieve ferrous material items
 - Press action to expand and contract the jaws to easily grip items
- Overall length 600mm



Item ID: AT135M



INSPECTION SET

- Ideal set for finding and retrieving lost nuts and bolts, etc.
- An extending mirror and magnifier with adjustable heads
- The extending magnetic pick up tool helps retrieve items up to 4,500g
- Each tool extends up to 85cm and includes a pocket clip

Inspection Tools:

Telescopic magnifying glass Telescopic inspection mirror Telescopic magnetic pick up tool

Item ID: TTTM03



INSPECTION SET

- Ideal set for finding and retrieving lost nuts and bolts, etc.
- Includes telescopic magnetic pick up, magnifying glass, inspection mirror, a flexible claw pick up and even an LED torch

| Inspection | Tool | s: |
|------------|------|----|
|------------|------|----|

LED flashlight

Flexible magnetic pick up length 310mm Telescopic magnetic pick up length 160-480mm 38mm magnifying glass 1:3 with magnetic adaptor 38mm inspection mirror with magnetic adaptor 230mm flexible claw pick up tool

Batteries AAA (2 pieces)

Item ID: TTTM08

TELESCOPIC MAGNIFYING GLASS

- Adjustable head to help find items
- Ideal for finding lost nuts and bolts
- Extends to 85cm
- Includes a pocket clip



Item ID: 581TMG

TELESCOPIC INSPECTION MIRROR

- Adjustable head to help find items
- Ideal for finding lost nuts and bolts Extends to 85cm with 57mm diameter mirror
- Includes a pocket clip



Item ID: 581TMI

TELESCOPIC MAGNETIC PICK UP TOOL

- Extra strong magnet with a 4,500g lifting force
- Ideal for retrieving lost nuts and bolts
- Extends to 85cm
- Includes a pocket clip



Item ID: 581TMP

TELESCOPIC MAGNETIC PICK UP TOOL

- Strong magnet with a 200g lifting force
- Ideal for retrieving lost nuts and bolts
- Extends to 55cm



Item ID: SD501

MAGNETIC TOOL RAIL

- 6 individual magnets each with a capacity of 450g
- Designed to fix to the side of Teng Tools roller cabinets
- Also suitable for wall mounting
- Ideal for hanging up tools while working



Item ID: TC-MAG



Get organised **TENGIOOLS** 443

*

MAGNETIC BRACELET

- An adjustable 340mm length bracelet
- Magnetic disc for holding metal items while working
- Ideal for use with nails, screws, nuts and bolts
- Holds items within easy reach while working



Item ID: 583M



FLEXIBLE LED LIGHT

- 3 LED diodes give a good strong light
- Fully flexible neck to give a wide range of adjustment
- Magnetic attachment for fixing quickly and simply with no drilling required
- Can be easily fitted to any flat ferrous material surface
- Requires 3 LR44 batteries (not included)

| ITEM ID: | Length
mm | Diameter
mm | Light
Lumen | Power
W | g |
|----------|--------------|----------------|----------------|------------|----|
| 587M | 370 | 25 | 76.5 | 0.0009 | 67 |

LED LIGHT BAR

- 255mm wide light bar with 9 built in white LED lights
- 120° light distribution angle to illuminate a wide area
- Magnetic attachment for fixing with no drilling required
- Can be easily fitted to any flat ferrous material surface
 Requires 3 AA batteries (not included)
- Ideal for use with workbenches as a light source



| Specification: | | |
|----------------|-------|------------------|
| Length | mm | 255 |
| Width | mm | 40 |
| Height | mm | 29 |
| Light | lumen | 20 |
| Magnetic pull | Nm | 30 x 2 (approx.) |
| Weight | g | 188 |

Item ID: 587J

FLEXIBLE LIGHT

- Flexible and adjustable to illuminate work areas
- Magnet on the end makes it ideal for seeing and then retrieving items from confined spaces
- Requires 2 AA batteries (not included)



| Specification: | | |
|------------------------|----|-----|
| Total length | mm | 595 |
| Flexible length | mm | 400 |
| Outside diameter | mm | 10 |
| Maximum magnetic force | g | 750 |

Item ID: 586



MAGNIFYING GLASS

- Hand held magnifying glass
- 14 LED bulbs in a ring around the glass to illuminate the subject being viewed
- Requires 2 AAA batteries (not included)
- Mains adaptors available

| ITEM ID: | Magnification | Diameter
mm | LED Output
W | Lumens | |
|----------|---------------|----------------|-----------------|--------|--|
| 587H | 3 | 100 | 1.3 | 72 | |

MAINS ADAPTORS

| ITEM ID: | Region |
|----------|----------|
| 587AE | Europe |
| 587AU | UK |
| 587AA | Aus / NZ |







LED HEAD LAMP

- Adjustable head band for a comfortable fit
- CREE technology to create a brighter, long lasting LED light
- Choice of two modes steady or flashing
- Requires 3 AA batteries (not included)
- Ideal for illuminating the work area while keeping the hands free

| Specification: | | |
|----------------|-------|-----|
| Width | mm | 50 |
| Height | mm | 50 |
| Length | mm | 55 |
| Luminous flux | lumen | 250 |
| Weight | g | 110 |

Item ID: 586A



LED HEAD LAMP

- Adjustable head band for a comfortable fit
- CREE technology to create a brighter, long lasting LED light
- Choice of two modes high beam or low beam
- Requires 3 AA batteries (not included)
- · Ideal for illuminating the work area while keeping the hands free

| Specification: | | |
|----------------|-------|-----|
| Width | mm | 50 |
| Height | mm | 50 |
| Length | mm | 55 |
| Luminous flux | lumen | 250 |
| Weight | g | 110 |

Item ID: 586C

LED TORCH

- Satin, chrome plated brass body for a better grip
- Pocket clip for easy storage when working
- 25-30 lumen gives a bright light
- 45 degree light distribution illuminates a wider area
- Requires 2 AA batteries (not included) typically giving 5.5 hours average usage



Item ID: 585

1 WATT LED TORCH

- CREE technology to create long lasting 100 lumens LED light
- Slide focus to adjust the beam width
- Beam illuminates up to 60 meters
- Shockproof body and water resistant to IPX6
- Pocket clip and pocket sized (135mm length) for easy storage
- Requires 2 x AAA batteries (not included) for up to 12 hours usage



Item ID: 581 N

1 TO 3 WATT LED TORCH

- CREE technology to create long lasting 250 lumens LED light
- Slide focus to adjust the beam width
- Beam illuminates up to 150 meters
- Shockproof body and water resistant to IPX6
- Low battery indicator when battery strength falls below 15%
- Pocket sized (138mm length) for easy storage
- Requires 3 x AAA batteries (not included) for up to 5 hours usage



Item ID: 582N



Get organised* ING OOLS 445



3 TO 5 WATT LED TORCH

- CREE technology to create long lasting 550 lumens LED light
- Slide focus to adjust the beam width
- Beam illuminates up to 250 meters
- Shockproof body and water resistant to IPX6
- Low battery indicator when battery strength falls below 15%
- Compact size (195mm length) for easy storage
- Requires 6 x AAA batteries (not included) for up to 15 hours usage



Item ID: 583N



KNEELING PAD

- Handy kneeling pad made from hard wearing EVA
- 30.5mm thick EVA provides a good cushion area for the knees
- · Ideal for use when working on a hard floor surface
- 450x210mm

Item ID: KP01



KNEELING PAD

- Handy kneeling pad made from hard wearing EVA
- 30.5mm thick EVA provides a good cushion area for the knees
- Ideal for use when working on a hard floor surface
- 880x300mm

Item ID: KP02



KNEELING PAD

- Handy kneeling pad made from hard wearing EVA
- 30.5mm thick EVA provides a good cushion area for the knees
- Ideal for use when working on a hard floor surface
- Individual cut out areas create storage spaces for small components
- 480x320mm

Item ID: KP03



MECHANICS STOOL

- Adjustable height to ensure a comfortable working position
- Padded seat with the Teng Tools logo
- Swivel castors to move around easily
- Handy storage shelf in the bottom of the stool keeping components
 elected band.

| Specification: | | |
|-----------------------|----|---------|
| Seat cushion diameter | mm | 360 |
| Storage area | mm | 310x310 |
| Adjustable height | mm | 420-500 |
| Weight | kg | 6.3 |

Item ID: TCA06





MECHANICS CREEPER

- Six sturdy wheels and a strong construction
- Padded cushion with the Teng Tools logo
- Recesses in the frame for the elbows make the creeper more comfortable to use

| Specification: | | | | | | | |
|----------------|----|-------|--|--|--|--|--|
| Width | mm | 500 | | | | | |
| Height | mm | 155 | | | | | |
| Length | mm | 1,050 | | | | | |
| Weight | kg | 8.5 | | | | | |

Item ID: TCA07

BALL PEIN HAMMERS

- Double headed with a round pein and ball head
- Fibre glass shafted handle for reduced weight and durability
- A comfortable rubber type handle for a more secure grip

| ITEM ID: | Head
Weight
oz | Overall
Weight
g | Head
Diameter
mm | Overall
Length
mm |
|----------|----------------------|------------------------|------------------------|-------------------------|
| HMBP12 | 12 | 550 | 28 | 280 |
| HMBP16 | 16 | 600 | 30 | 320 |
| HMBP24 | 24 | 1040 | 35 | 380 |
| HMBP32 | 32 | 1280 | 39 | 380 |



ENGINEERS STYLE HAMMER

- Double headed with a square pein and a pointed head
- Fibre glass shaft with a comfortable, rubber type handle

| ITEM ID: | Head
Weight
g | Overall
Weight
g | Head
Diameter
mm |
|----------|---------------------|------------------------|------------------------|
| HMEG300 | 300 | 420 | 300 |
| HMEG500 | 500 | 650 | 320 |
| HMEG800 | 800 | 1000 | 350 |



CLAW HAMMERS

- Double headed with a round pein
- Claw for removing nails, etc
- Hanging hole which can be used together with a safety wire
- Steel handle for extra strength when levering with the claw
- A comfortable, perforated rubber type handle

| ITEM ID: | Head
Weight
oz | Overall
Weight
g | Head
Diameter
mm | Overall
Length
mm |
|----------|----------------------|------------------------|------------------------|-------------------------|
| HMCH08A | 8 | 394 | 21.6 | 290 |
| HMCH13A | 13 | 552 | 27 | 335 |
| HMCH16A | 16 | 700 | 27 | 312 |
| HMCH20A | 20 | 765 | 30 | 340 |



SHOCK ABSORBING CLAW HAMMER


- Double headed with a round pein and a claw for removing nails, etc
- Hanging hole which can be used together with a safety wire
- One piece forg strength Shock absorbe
- vibration when

| ged stee | el handle f | or extra | |
|------------------------|------------------------|-------------------------|----------|
| ent grip
i strikin | to reduce
g | impact | |
| Overall
Weight
g | Head
Diameter
mm | Overall
Length
mm | Studies— |
| 723 | 29 | 333 | |
| | | | |

| ITEM ID: | Head
Weight
oz | Overall
Weight
g | Head
Diameter
mm | Overall
Length
mm |
|----------|----------------------|------------------------|------------------------|-------------------------|
| НМСНМ16 | 16 | 723 | 29 | 333 |

CARBON FIBRE CLAW HAMMER

- Double headed with a round pein and a claw for removing nails, etc
- Hanging hole which can be used together with a safety wire
- Carbon fibre handle gives extra force on
- A comfortable rubber type handle








Get organised **TENGIOOLS**



4 Pieces

CLAW HAMMER WITH MAGNETIC NAIL HOLDER

- Double headed with a round pein and a claw for removing nails, etc
- Magnetic nail holder in the head for positioning nails on the first strike
- Hanging hole which can be used together with a safety wire
- Steel handle for extra strength when levering with the claw
- A comfortable, perforated rubber type handle



| ITEM ID: | Head | Overall | Head | Overall |
|----------|--------|---------|----------|---------|
| | Weight | Weight | Diameter | Length |
| | oz | g | mm | mm |
| HMCH16M | 16 | 678 | 27.5 | 341 |



SOFT FACE HAMMER

- Double headed with a nylon and a softer rubber type head
- Tubular steel shaft for extra strength
- A comfortable, perforated rubber type handle
- Soft face heads to reduce marking on the surface being hit



| ITEM ID: | Kg | Length
mm | | | | |
|----------|------------------|--------------|--|--|--|--|
| HMSF | 0.67 | 320 | | | | |
| HMSFRK | Replacement Head | | | | | |

BRICK LAYERS MASONRY HAMMER

- Double headed with a square pein and a pick
- Ideal for cutting, cleaning and setting bricks, stonework or masonry
- A comfortable, perforated rubber type handle
- Hanging hole which can be used together with a safety wire




| ITEM ID: | Head | Overall | Head | Overall |
|----------|--------|---------|----------|---------|
| | Weight | Weight | Diameter | Length |
| | oz | g | mm | mm |
| HMBH16 | 16 | 733 | 23 | 291 |

LUMP HAMMER

ITEM ID:

HMS1250

- For heavy duty striking
- Ideal for when extra force is needed
- Hanging hole which can be used together with a safety wire







- Includes 6, 12, 18 and 25mm blade sizes
- Finely ground and lacquer protected for corrosion protection
- Impact resistant soft grip handle with a percussion cap for striking
- Each chisel is supplied with a plastic blade cover for safer storage
- Supplied in a handy carrying case

Item ID: WCS04L



WOOD CHISEL SET

- Includes 10, 16, 18 and 20mm blade sizes
- Finely ground and lacquer protected for corrosion protection
- Impact resistant soft grip handle with a percussion cap for striking
- Each chisel is supplied with a plastic blade cover for safer storage
- Supplied in a handy carrying case

Item ID: WCS04S







WOOD CHISEL SET



- Finely ground and lacquer protected for corrosion protection
- Impact resistant soft grip handle with a percussion cap for striking
- Each chisel is supplied with a plastic blade cover for safer storage
- Supplied with a wall rack for fixing to the wall or a workbench

| Wood Chisels: | | | | | | | | | | | | | |
|---------------|-------|----|-----|-----|-----|----|---|----|----|--|--|--|--|
| 6 | 5, 10 |), | 12, | 16, | 18, | 20 | & | 25 | mm | | | | |

Item ID: WRWC07

WOOD CHISELS

- Professional quality
- Finely ground and lacquer protected for corrosion protection
- Impact resistant soft grip handle with a percussion cap for striking
- Supplied with a plastic blade cover for safer storage

| | | | 0 |
|----------|-------------------|----------------------|-----|
| ITEM ID: | Blade Width
mm | Overall Length
mm | g |
| WCC06 | 6 | 276 | 157 |
| WCC08 | 8 | 276 | 159 |
| WCC10 | 10 | 276 | 171 |
| WCC12 | 12 | 276 | 183 |
| WCC14 | 14 | 276 | 179 |
| WCC16 | 16 | 276 | 195 |
| WCC18 | 18 | 276 | 200 |
| WCC20 | 20 | 276 | 212 |
| WCC22 | 22 | 276 | 224 |
| WCC25 | 25 | 281 | 229 |
| WCC32 | 32 | 291 | 289 |
| | | | |

340

WCC38



PUNCH AND CHISEL SET

7 Pieces

- Parallel pin punches, flat cold chisels and centre punches
- High carbon steel hardened to HRC42 and tempered strike ends (HRC40 +/-5) for use with a hammer

| Punches: | | | |
|---------------------|----------------|---------------------|--|
| Centre | Length: 150 mm | 5 mm | |
| Parallel | Length: 150 mm | 3, 4, 5, 6, 7, 8 mm | |
| Flat cold chisels:: | | | |
| 150 mm | Width: 19 mm | | |
| 200 mm | | Width: 25 mm | |

Item ID: TTPC09



PUNCH AND CHISEL SET





- Parallel pin punches, flat cold chisels and centre punches
- High carbon steel hardened to HRC42 and tempered strike ends (HRC40 +/-5) for use with a hammer
- Automatic centre punch with spring loaded stroke for marking points quickly
- Tools are held in place using three colour pre-cut EVA foam

| Punches: | | | | |
|---------------------|----------------|------------------------------------|--|--|
| Centre | Length: 150 mm | 4, 5, 8 mm, Automatic centre punch | | |
| Parallel | Length: 150 mm | 3, 4, 5, 6, 7, 8 mm | | |
| Flat cold chisels:: | | | | |
| 150 mm | | Width: 19 mm | | |
| 200 mm | | Width: 25 mm | | |
| 240 mm | | Width: 26 mm | | |
| 250 mm | | Width: 25 mm | | |

Item ID: TEDPC14



Get organised" TENGIOOLS 449



6 Pieces



PUNCH AND CHISEL SET

- Parallel pin punches, flat cold chisels and centre punches
- High carbon steel hardened to HRC42 and tempered strike ends (HRC40 +/-5) for use with a hammer
- Supplied with a wall rack for fixing to the wall or a workbench

| Punches: | | | |
|---------------------|----------------|---------------------|--|
| Centre | Length: 150 mm | 5 mm | |
| Parallel | Length: 150 mm | 3, 4, 5, 6, 7, 8 mm | |
| Flat cold chisels:: | | | |
| 150 mm | Width: 19 mm | | |
| 200 mm | Width: 25 mm | | |
| 250 mm | Width: 25 mm | | |

Item ID: WRPC10



PUNCH AND CHISEL SET

- Includes a cold chisel, centre punch and 3 parallel pin punches
- Special tempered steel construction with hardened cutting edges and points for longer life
- Supplied in a handy storage holder

| Punches: | | |
|---------------------|----------------|--------------|
| Centre | Length: 150 mm | 5 mm |
| Parallel | Length: 150 mm | 3, 4, 5 mm |
| Flat cold chisels:: | | |
| 150 mm | | Width: 19 mm |

Item ID: PCX05



PARALLEL PIN PUNCH SET

- Special tempered steel construction with hardened point for longer life
- Overall length 150mm with hexagon grip and rounded shaft area
- Supplied with a handy storage holder

| Punches: | | |
|----------|----------------|---------------------|
| Parallel | Length: 150 mm | 3, 4, 5, 6, 7, 8 mm |

Item ID: PPS06

10 Pieces

COLD CHISELS

- Special tempered steel construction with hardened 18mm cutting edge for longer life
- For shaping, cutting and chipping hard materials such as metal, stone and concrete



| ITEM ID: | Туре | Size
mm | Length
mm |
|----------|------------------|------------|--------------|
| CC150F | Flat cold chisel | 18 | 150 |
| CC200F | Flat cold chisel | 25 | 200 |
| CC250F | Flat cold chisel | 25 | 250 |
| CC240F | Flat cold chisel | 26 | 240 |

SAFETY HAND GRIP

- Heavy moulded impact absorbing hand grip
- For protection when striking with a hammer
- Protective plate improves safety against accidental impact
- Ergonomic design to help avoid injuries to the hand
- For use with Teng Tools 200, 240 and 250mm cold chisels



5 Pieces

| ITEM ID: | Length
mm | Width
mm | g |
|----------|--------------|-------------|----|
| PCCAP | 120 | 56 | 45 |



PARALLEL PIN PUNCHES

- Special tempered steel construction with hardened point for longer life
- Overall length 150mm with hexagon grip and rounded shaft area

| ITEM ID: | Туре | Size
mm | Length
mm |
|----------|--------------------|------------|--------------|
| PP03 | Parallel pin punch | 3 | 150 |
| PP04 | Parallel pin punch | 4 | 150 |
| PP05 | Parallel pin punch | 5 | 150 |
| PP06 | Parallel pin punch | 6 | 150 |
| PP07 | Parallel pin punch | 7 | 150 |
| PP08 | Parallel pin punch | 8 | 150 |



CENTRE PUNCHES

- Special tempered steel construction with hardened point for longer life
- Strike with a hammer for marking hard materials such as metal, etc.

| ITEM ID: | Size
mm | Length
mm |
|----------|------------|--------------|
| CP04 | 4 | 150 |
| CP05 | 5 | 150 |
| CP08 | 8 | 150 |



AUTOMATIC CENTRE PUNCH

- Spring is compressed and then released when the tip is pushed down
- Use to create an indentation in the material to be marked
- 1 mm diameter tip
- Handy pocket clip for storing while being used



Item ID: SCP01

SCRIBER

- Knurled handle to give a better grip when scribing or marking materials
- Handy pocket clip for storing while being used



| ITEM ID: | Length
mm | Diameter
mm |
|----------|--------------|----------------|
| SCR01 | 135 | 7 |

SCRIBER

- Hard tungsten carbide tip (K20 grade) for durability and clear marks when scribing
- Handy pocket clip for storing while being used



| ITEM ID: | Length
mm | Diameter
mm | |
|----------|--------------|----------------|---|
| SCR02 | 150 | 6 | l |



Get organised TENGIOOLS 451







RIVET GUN SET

- Aluminium alloy, forged steel upper handle with heat treated jaws for durability
- Suitable for aluminium and steel rivets from 2.4 to 4.8mm and stainless steel rivets up to 4.0mm
- Includes 75 assorted rivets in individual storage compartments

4 nozzles to suit aluminium/steel blind rivets (2.4, 3.2, 4.0, 4.8 mm)

Aluminium rivets:

2.4mm (3/32") x 20 black

3.2mm (1/8") x 20 black

4.0mm (5/32") x 20 black

4.8mm (3/16") x 15 black

Accessories:

Nozzle wrench

Item ID: TTHR81



RIVET GUN SET

Aluminium alloy and forged steel construction

EVA

- Light weight design for more comfortable use
- PVC grip for added comfort
- Suitable for use with 2.4, 3.2, 4.0 and 4.8mm rivets
- Selection of rivets included
- Tools are held in place using three colour pre-cut EVA foam

Hand rivetter:

4 nozzles to suit aluminium/steel blind rivets (2.4, 3.2, 4.0, 4.8 mm)

Aluminium rivets:

2.4mm (3/32") x 20 black

3.2mm (1/8") x 20 black

4.0mm (5/32") x 20 black

4.8mm (3/16") x 15 black

Accessories:

Nozzle wrench

Item ID: TEAHR81





HAND RIVET GUN

- For professional use in metal work, industry and construction
- Comfortable PVC grip



| ITEM ID: | Aluminium
mm | Steel
mm | Stainless
Steel
mm | Length
mm | g |
|----------|-----------------|-----------------|--------------------------|--------------|-----|
| HR12 | 2.4/3.2/4.0/4.8 | 2.4/3.2/4.0/4.8 | 2.4/3.2/4.0 | 250 | 560 |
| HR12RK | Spare parts set | | | | |

HAND RIVET GUN

- Heavy duty steel plate construction
- Jaw and case made from heat treated steel alloy
- Comfortable PVC grip



| ITEM ID: | Aluminium
mm | Steel
mm | Length
mm | g |
|----------|-----------------|-----------------|--------------|-----|
| HR14 | 2.4/3.0/3.2 | 2.4/3.0/3.2 | 270 | 627 |
| HR14RK | | Spare parts set | | |

HAND RIVET GUN

- For professional use in metal work, industry and construction
- Comfortable PVC grip



| ITEM ID: | Aluminium
mm | Steel
mm | Stainless
Steel
mm | Length
mm | g |
|-----------|---------------------------------------|-------------------------|--------------------------|--------------|-----|
| HR30R | 2.4/3.0/3.2/
4.0/4.8 | 2.4/3.0/3.2/
4.0/4.8 | 2.4/3.0/3.2/
4.0/4.8 | 270 | 560 |
| HR30RRK-1 | Service Kit - Replacement nose pieces | | | | |
| HR30RRK-2 | Service Kit - Jaw pusher assembly | | | | |

HAND RIVET GUN

- Aluminium alloy, forged steel upper handle with heat treated jaws for durability and easier use
- Comfortable PVC grip



| ITEM ID: | Aluminium
mm | Steel
mm | Length
mm | g | |
|----------|-----------------|-----------------|--------------|-----|--|
| HR01 | 2.4/3.2/4.0/4.8 | 2.4/3.2/4.0/4.8 | 250 | 560 | |
| HR01RK | Spare parts set | | | | |

HAND RIVET GUN WITH SWIVEL HEAD

- Swivel head function to enable use at an angle or in confined spaces
- For professional use in metal work, industry and construction
- Comfortable PVC grip



| ITEM ID: | Aluminium
mm | Steel
mm | Stainless
Steel
mm | Length
mm | g |
|----------|-----------------------------|---------------------|--------------------------|--------------|-----|
| HR360R | 2.4/3.0/3.2/
4.0/4.8/5.0 | 2.4/3.0/
3.2/4.0 | 2.4/3.0/3.2 | 295 | 712 |
| HR12RK | | Spare parts set | | | |

LAZY TONGUE RIVET GUN

- For professional use in construction and industrial applications
- Lazy tongue design and function gives an increased riveting force
- Suitable for use in confined spaces
- 3 jaw sizes included
- Nose bushes for rivet diameter 3.2, 4.0, 4.8, 6.0 and 6.4mm



| ITE | M ID: | Description |
|-----|--------|-----------------|
| HR | LT01 | Rivet Gun |
| HR | LT01RK | Spare parts set |



Get organised TENGIOUS 453







- For professional use in construction and industrial applications
- Two handed grips gives a much higher capacity

LONG HANDLED RIVET GUN

- 3 jaw sizes included
- Plastic container collects the spent mandrels
- Nose bushes for rivet diameter 3.2, 4.0, 4.8, 6.0 and 6.4mm



| ITEM ID: | Description |
|------------|---------------------------------------|
| HRLR01 | Rivet Gun |
| HRLR01RK-2 | Service Kit - Replacement nose pieces |
| HRLR01RK-3 | Service Kit - Jaw pusher assembly |



NUTSERT GUN SET

- Aluminium alloy, forged steel upper handle with heat treated jaws for durability
- Quick change, lockable threaded mandrels
- Mandrels for M3, M4, M5 and M6 included
- Includes 75 assorted nutserts in individual storage compartments

| Nutsert Tool: |
|--|
| 4 quick change mandrels (M3 x 0.5, M4 x 0.7, M5 x 0.8, M6 x 1.0) |
| Aluminium rivets: |
| M3 x 20 pieces
M4 x 20 pieces
M5 x 20 pieces
M6 x 15 pieces |
| Accessories: |
| Nose piece wrench |

Item ID: TTNR81

- Aluminium alloy, forged steel upper handle with heat treated jaws
- Quick change, lockable threaded mandrels
- Mandrels for M3, M4, M5 and M6 included
- Comfortable PVC grip



| ITEM ID: | Aluminium
mm | Length
mm | g |
|----------|--|--------------|-----|
| HN02 | M3 x 0.5, M4 x 0.7, M5 x 0.8, M6 x 1.0 | 250 | 800 |
| HN02RK | Spare parts set | | |


LONG HANDLED NUTSERT GUN

- For professional use in construction and industrial applications
- Two handed grips gives a much higher capacity
- Draw rod compound action for quick loading and unloading
- Mandrels for M5, M6, M8 and M10 included
- Supplied in a metal case for storage and safe keeping



| ITEM ID: | Aluminium
mm | Length
mm | g | |
|-------------|-----------------|--------------|------|--|
| HRLN65N | M5, M6, M8, M10 | 530 | 1800 | |
| HRLN65NRK-1 | Spare parts set | | | |





| Lens Colour | CE
scale
no. | Visible Light
380-780nm | General Features |
|-------------|--------------------|----------------------------|---|
| Clear | 2-1.2
2C-1.2 | 90%
(UV385) | ◇ General purpose that provides maximum visibility. Indoor lens, good for mechanical work, or dusk dawn and night time activities For shooting indoors when no contrast is needed An excellent safety lens while hand loading |
| Amber | 2-1.2 | 89%
(UV385) | Maximum enhancement of contrast in low ligh environments is, warehouse Blocks out 87% of blue light with unparalleled level of detail definition & colour recognition Offers brighter view in early morning or late evening, on cloudy, foggy, or hazy days. Suitable for night shift workers, surface inspection and mechanical work. Recommended for shooting and indoor racque sports. |
| Smoke | 5-2.5 | 18%
(UV385) | Transmits all colours at the same level. Protects eyes from excessive glare and high levels of hazardous vasible light and ultraviole radiation without distorting colour perception. Ideal for outdoors, for use on bright days & brigh sunlight, but does not enhance target. General purpose safety lens / the most popula tinted lons. |



SAFETY GLASSES

- Optically neutral lenses with anti-fog and anti-scratch
- resistance (HC/AF) Clear polycarbonate lenses
- Shaped to give a large panorama view and integrated side protection
- Suitable for work wear or for visitor protection wear
- In accordance with EN166 class 1FT

| ITEM ID: | Lens | Scratch
Resistant | Anti
Fog |
|----------|-------|----------------------|-------------|
| SG960 | Clear | Υ | γ |



SAFETY GLASSES



- Optically neutral lenses with anti-fog and anti-scratch resistance (HC/AF)
- Grey/smoke polycarbonate lenses for protection against
- Shaped to give a large panorama view and integrated side protection
- Suitable for work wear or for visitor protection wear
 - In accordance with EN166 class 1FT and EN172

| ITEM ID: | Lens | Scratch
Resistant | Anti
Fog |
|----------|------------|----------------------|-------------|
| SG960G | Grey/Smoke | Υ | Υ |





Get organised" **TENGIOOLS**



Clear





Clear

SAFETY GLASSES

- Optically neutral lenses with anti- fog and anti-scratch resistance (HC/AF)
- Yellow polycarbonate lenses for protection in low light environments
- Shaped to give a large panorama view and integrated side protection
- Suitable for work wear or for visitor protection wear
- In accordance with EN166 class 1FT and EN170

| ITEM ID: | Lens | Scratch
Resistant | Anti
Fog |
|----------|-------|----------------------|-------------|
| SG960Y | Amber | γ | γ |





- Optically neutral lenses with anti-scratch resistance (HC)
- Clear polycarbonate lenses
- Shaped to give a large panorama view and integrated side protection.
- Suitable for work wear or for visitor protection wear
- In accordance with EN166 class 1FT

| ITEM ID: | Lens | Scratch
Resistant | Anti
Fog |
|----------|-------|----------------------|-------------|
| SG960A | Clear | Υ | |



SAFETY GLASSES



- Optically neutral lenses with anti- fog and anti-scratch resistance (HC/AF)
- Soft bridge nose and side pieces for a more comfortable fit
- Clear polycarbonate lenses
- Shaped to give a large panorama view and integrated side protection
- Suitable for work wear or for visitor protection wear
 - In accordance with EN166 class 1FT

| ITEM ID: | Lens | Scratch
Resistant | Anti
Fog |
|----------|-------|----------------------|-------------|
| SG713 | Clear | Υ | Υ |



SAFETY GLASSES

- Sports inspired design for a more stylish pair of protective glasses
- Optically neutral lenses with anti-fog and anti-scratch resistance
 (HC/AF)
- Soft bridge nose and side pieces for a more comfortable fit
- Grey/smoke polycarbonate lenses for protection against bright

 | Compared to the compared
- Shaped to give a large panorama view and integrated side protection
- Suitable for work wear or for visitor protection wear
- In accordance with EN166 class 1FT and EN172

| ITEM ID: | Lens | Scratch
Resistant | Anti
Fog |
|----------|------------|----------------------|-------------|
| SG713G | Grey/Smoke | Υ | Y |





PROTECTIVE GLASSES

- Red frames with straight arms
- Light and comfortable work wear glasses that give stylish protection
- Impact resistant, clear lenses with high optical clarity
- Conform to EN166, AS/NZS1067

| ITEM ID: | Style | Arm Type |
|----------|------------|----------|
| SG001 | Red Frames | Straight |



PROTECTIVE GLASSES

- · Red frames with straight arms
- Tinted glasses to protect against sunlight and bright lights
- Light and comfortable work wear glasses that give stylish protection
- Impact resistant with high optical clarity
- Conform to EN166, AS/NZS1067

| ITEM ID: | Style | Arm Type |
|----------|------------|----------|
| P-SG01 | Red Frames | Straight |




PROTECTIVE GLASSES

- Black frames with straight arms
- Light and comfortable work wear glasses that give stylish protection
- Impact resistant, clear lenses with high optical clarity
- Conform to EN166, AS/NZS1067

| ITEM ID: | Style | Arm Type |
|----------|-------------------|----------|
| SG002 | Black/Grey Frames | Straight |



PROTECTIVE GLASSES



- Tinted glasses to protect against sunlight and bright lights
- Light and comfortable work wear glasses that give stylish protection
- Impact resistant with high optical clarity
- Conform to EN166, AS/NZS1067

| ITEM ID: | Style | Arm Type |
|----------|-------------------|----------|
| P-SG02 | Black/Grey Frames | Straight |



PROTECTIVE GLASSES

- Black frames with curved arms
- Light and comfortable work wear glasses that give stylish protection
- Impact resistant, clear lenses with high optical clarity
- Conform to EN166, AS/NZS1067

| ITEM ID: | Style | Arm Type |
|----------|--------------|----------|
| SG003 | Black Frames | Curved |



PROTECTIVE GLASSES

- Black frames with curved arms
 - Mirror effect glasses to protect against sunlight and bright lights
- Light and comfortable work wear glasses that give stylish protection
- Impact resistant with high optical clarity
- Conform to EN166, AS/NZS1067

| ITEM ID: | Style | Arm Type |
|----------|--------------|----------|
| P-SG03 | Black Frames | Curved |



Get organised[™]

AIR TOOLS

Air is a powerful and versatile resource that can help you get the job done quickly! If you need to cut through steel or machine-tighten a bolt, you will need a certain amount of torque. Choosing a tool for its convenience or cost really won't do any good if it isn't strong enough to get the job done. This range of air tools pack a real punch and have been developed to exceed the demands of a professional auto workshop.















AIR IMPACT WRENCH

- Three forward steps up to 465Nm
- Reversible for tightening or loosening
- Forward/reverse button for one handed operation
- High torque action
- Hard wearing, lightweight aluminium housing
- Twin hammer mechanism for increased torque and reduced vibration
- Handle design insulates against cold air and vibration

| SPECIFICATION: | | |
|------------------------------|-------|-------------|
| Square drive | 3/8" | |
| Bolt capacity | mm | M13 |
| Free speed | rpm | 9000 |
| Max torque (3 steps) | Nm | 115/285/465 |
| Max torque (3 steps) | ft-lb | 85/210/342 |
| Max reverse torque | Nm | 490 |
| Max reverse torque | ft-lb | 361 |
| Hammer mechanism | type | Twin hammer |
| Sound level * | dB | 95.4 |
| Vibration ** | m/s² | 4.96 |
| Minimum hose size | inch | 3/8" |
| Air inlet | inch | 1/4" |
| Air consumption at 100% int. | l/min | 105 |
| Air consumption at 100% int. | cfm | 3.7 |
| Air consumption at 15% int. | l/min | 16 |
| Air consumption at 15% int. | cfm | 0.6 |
| Length | mm | 159.4 |
| Weight | kg | 1.5 |

^{*} A weighted sound pressure level at work station in accordance with EN ISO 15744

Item ID: ARWM38





AIR IMPACT WRENCH

- Three forward steps up to 930Nm
- Reversible for tightening or loosening
- Forward/reverse button for one handed operation
- High torque action
- Hard wearing, lightweight aluminium housing
- Twin hammer mechanism for increased torque and reduced vibration
 - Handle design insulates against cold air and vibration

| SPECIFICATION: | | |
|------------------------------|-------|-------------|
| Square drive | | 1/2" |
| Bolt capacity | mm | M16 |
| Free speed | rpm | 6,800 |
| Max torque (3 steps) | Nm | 385/530/930 |
| Max torque (3 steps) | ft-lb | 285/390/685 |
| Max reverse torque | Nm | 950 |
| Max reverse torque | ft-lb | 700 |
| Hammer mechanism | type | Twin hammer |
| Sound level * | dB | 92.5 |
| Vibration ** | m/s² | 22.45 |
| Minimum hose size | inch | 3/8" |
| Air inlet | inch | 1/4" |
| Air consumption at 100% int. | l/min | 162 |
| Air consumption at 100% int. | cfm | 5.3 |
| Air consumption at 15% int. | l/min | 24.3 |
| Air consumption at 15% int. | cfm | 0.8 |
| Length | mm | 183.1 |
| Weight | kg | 2.5 |

 $^{^{}st}$ A weighted sound pressure level at work station with muffler in accordance with EN ISO 15744

Item ID: ARWM12



^{**} Vibration value according to EN ISO 28927-2

^{**} Vibration value according to EN ISO 28927-2







AIR IMPACT WRENCH

- Three forward steps up to 1,790Nm
- Reversible for tightening or loosening
- Forward/reverse button for one handed operation
- High torque action
- Hard wearing, lightweight aluminium housing
- Twin hammer mechanism for increased torque and reduced vibration
- Handle design insulates against cold air and vibration

| SPECIFICATION: | | |
|------------------------------|-------|-------------------|
| Square drive | | 3/4" |
| Bolt capacity | mm | M32 |
| Free speed | rpm | 5,000 |
| Max torque (3 steps) | Nm | 1,084/1,300/1,790 |
| Max torque (3 steps) | ft-lb | 800/960/1,320 |
| Max reverse torque | Nm | 1,830 |
| Max reverse torque | ft-lb | 1,349 |
| Hammer mechanism | type | Twin hammer |
| Sound level * | dB | 95.1 |
| Vibration ** | m/s² | 11.88 |
| Minimum hose size | inch | 1/2" |
| Air inlet | inch | 3/8" |
| Air consumption at 100% int. | l/min | 181 |
| Air consumption at 100% int. | cfm | 6.4 |
| Air consumption at 15% int. | l/min | 27.2 |
| Air consumption at 15% int. | cfm | 1 |
| Length | mm | 218.8 |
| Weight | kg | 3.9 |

^{*} A weighted sound pressure level at work station in accordance with EN ISO 15744

Item ID: ARWM34





COMPOSITE AIR IMPACT WRENCH

- Three forward steps up to 450Nm
- Reversible for tightening or loosening
- Forward/reverse button for one handed operation
- High torque action
- Extra lightweight composite housing
- Sound absorbent housing for noise reduction
- Twin hammer mechanism for increased torque and reduced vibration
 - Handle design insulates against cold air and vibration

| SPECIFICATION: | | |
|------------------------------|-------|-------------|
| Square drive | | 3/8" |
| Bolt capacity | mm | M13 |
| Free speed | rpm | 9,000 |
| Max torque (3 steps) | Nm | 163/244/450 |
| Max torque (3 steps) | ft-lb | 120/180/331 |
| Max reverse torque | Nm | 470 |
| Max reverse torque | ft-lb | 346 |
| Hammer mechanism | type | Twin hammer |
| Sound level * | dB | 94 |
| Vibration ** | m/s² | 3.8 |
| Minimum hose size | inch | 3/8" |
| Air inlet | inch | 1/4" |
| Air consumption at 100% int. | l/min | 128 |
| Air consumption at 100% int. | cfm | 4.5 |
| Air consumption at 15% int. | l/min | 19 |
| Air consumption at 15% int. | cfm | 0.7 |
| Length | mm | 161 |
| Weight | kg | 1.3 |

^{*} A weighted sound pressure level at work station in accordance with EN ISO 15744

Item ID: ARWC38



Get organised* TENGIOOLS 461

^{**} Vibration value according to EN ISO 28927-2

^{**} Vibration value according to EN ISO 28927-2









- Three forward steps up to 930Nm
- Reversible for tightening or loosening
- Forward/reverse button for one handed operation
- High torque action
- Extra lightweight composite housing
- Sound absorbent housing for noise reduction
- Twin hammer mechanism for increased torque, greater reliability and reduced vibration
- Handle design insulates against cold air and vibration

| SPECIFICATION: | | |
|------------------------------|-------|-------------|
| Square drive | | 1/2" |
| Bolt capacity | mm | M16 |
| Free speed | rpm | 6,800 |
| Max torque (3 steps) | Nm | 258/461/930 |
| Max torque (3 steps) | ft-lb | 190/340/685 |
| Max reverse torque | Nm | 960 |
| Max reverse torque | ft-lb | 708 |
| Hammer mechanism | type | Twin hammer |
| Sound level * | dB | 96 |
| Vibration ** | m/s² | 3.6 |
| Minimum hose size | inch | 3/8" |
| Air inlet | inch | 1/4" |
| Air consumption at 100% int. | l/min | 144 |
| Air consumption at 100% int. | cfm | 5.1 |
| Air consumption at 15% int. | l/min | 22 |
| Air consumption at 15% int. | cfm | 0.8 |
| Length | mm | 186 |
| Weight | kg | 2 |

^{*} A weighted sound pressure level at work station in accordance with EN ISO 15744

Item ID: ARWC12





COMPOSITE AIR IMPACT WRENCH

- Three forward steps up to 1,790Nm
- Reversible for tightening or loosening
- Forward/reverse button for one handed operation
- High torque action
- Extra lightweight composite housing
- Sound absorbent housing for noise reduction
- Twin hammer mechanism for increased torque and reduced vibration
- Handle design insulates against cold air and vibration

| SPECIFICATION: | | |
|------------------------------|-------|-------------------|
| Square drive | | 3/4" |
| Bolt capacity | mm | M32 |
| Free speed | rpm | 6,000 |
| Max torque (3 steps) | Nm | 1,084/1,300/1,790 |
| Max torque (3 steps) | ft-lb | 800/960/1,320 |
| Max reverse torque | Nm | 1,830 |
| Max reverse torque | ft-lb | 1,349 |
| Hammer mechanism | type | Twin hammer |
| Sound level * | dB | 100 |
| Vibration ** | m/s² | 19 |
| Minimum hose size | inch | 1/2" |
| Air inlet | inch | 3/8" |
| Air consumption at 100% int. | l/min | 195 |
| Air consumption at 100% int. | cfm | 6.9 |
| Air consumption at 15% int. | l/min | 29 |
| Air consumption at 15% int. | cfm | 1 |
| Length | mm | 218.8 |
| Weight | kg | 3.5 |

^{*} A weighted sound pressure level at work station in accordance with EN ISO 15744

Item ID: ARWC34



^{**} Vibration value according to EN ISO 28927-2

^{**} Vibration value according to EN ISO 28927-2







AIR IMPACT WRENCH SET





- Compact and lightweight 1/2" drive impact wrench
- For use in confined spaces
- Supplied with stubby 1/2" drive impact sockets
- Supplied in the unique Teng Tools tray to be used within the Get Organised System

| IMPACT SOCKETS - 1/2" STUBBY: | | |
|---|-------|--------------|
| 10, 12, 13, 14, 15, 16, 17, 18, 19, 21, 22, 24 mm | | |
| COMPACT IMPACT WRENCH SPECIFICATION | ON: | |
| Square drive | | 1/2" |
| Bolt capacity | mm | M16 |
| Free speed | rpm | 8,000 |
| Max torque (3 steps) | Nm | 285/380/680 |
| Max torque (3 steps) | ft-lb | 210/280/501 |
| Max reverse torque | Nm | 770 |
| Max reverse torque | ft-lb | 568 |
| Hammer mechanism | type | Jumbo hammer |
| Sound level * | dB | 102 |
| Vibration ** | m/s² | 7.5 |
| Minimum hose size | inch | 3/8" |
| Air inlet | inch | 1/4" |
| Air consumption at 100% int. | l/min | 121 |
| Air consumption at 100% int. | cfm | 4.23 |
| Air consumption at 15% int. | l/min | 18 |
| Air consumption at 15% int. | cfm | 0.6 |
| Length | mm | 113 |
| Weight | kg | 1.3 |

^{*} A weighted sound pressure level at work station in accordance with EN ISO 15744

Item ID: TTDAWM13M



MINI AIR IMPACT WRENCH



- Compact and lightweight for use in confined spaces
- Extra high torque capacity for the size and weight
- Jumbo clutch mechanism
- Reversible for tightening or loosening
- Forward/reverse button for one handed operation Extra lightweight composite housing
- Sound absorbent housing for noise reduction

| SPECIFICATION: | | |
|------------------------------|-------|--------------|
| Square drive | | 1/2" |
| Bolt capacity | mm | M16 |
| Free speed | rpm | 8,000 |
| Max torque (3 steps) | Nm | 285/380/680 |
| Max torque (3 steps) | ft-lb | 210/280/501 |
| Max reverse torque | Nm | 770 |
| Max reverse torque | ft-lb | 568 |
| Hammer mechanism | type | Jumbo hammer |
| Sound level * | dB | 102 |
| Vibration ** | m/s² | 7.5 |
| Minimum hose size | inch | 3/8" |
| Air inlet | inch | 1/4" |
| Air consumption at 100% int. | l/min | 121 |
| Air consumption at 100% int. | cfm | 4.23 |
| Air consumption at 15% int. | l/min | 18 |
| Air consumption at 15% int. | cfm | 0.6 |
| Length | mm | 113 |
| Weight | kg | 1.3 |

A weighted sound pressure level at work station in accordance with EN ISO 15744

Item ID: ARWM12M



Get organised **TENGIOOLS** 463



^{**} Vibration value according to EN ISO 28927-2

^{**} Vibration value according to EN ISO 28927-2









STRAIGHT AIR IMPACT WRENCH

- Four forward steps up to 2,712Nm
- Extra lightweight composite housing
- Straight design with long anvil
- Reversible for tightening or loosening
- Forward/reverse button for one handed operation
- High torque action
- Sound absorbent housing for noise reduction
- Twin hammer mechanism for increased torque and reduced vibration
- Handle design insulates against cold air and vibration

| SPECIFICATION: | | |
|------------------------------|-------|-----------------------|
| Square drive | | 1" |
| Bolt capacity | mm | M36 |
| Free speed | rpm | 5,500 |
| Max torque (4 steps) | Nm | 976/1,300/1,735/2,712 |
| Max torque (4 steps) | ft-lb | 720/960/1,280/2,000 |
| Max reverse torque | Nm | 2,730 |
| Max reverse torque | ft-lb | 2,013 |
| Hammer mechanism | type | Twin hammer |
| Sound level * | dB | 104.5 |
| Vibration ** | m/s² | 12.88 |
| Minimum hose size | inch | 3/4" |
| Air inlet | inch | 1/2" |
| Air consumption at 100% int. | l/min | 271 |
| Air consumption at 100% int. | cfm | 9.6 |
| Air consumption at 15% int. | l/min | 41 |
| Air consumption at 15% int. | cfm | 1.4 |
| Length | mm | 504.5 |
| Weight | kg | 8.1 |

A weighted sound pressure level at work station in accordance with EN ISO 15744

Item ID: ARWM11S





AIR RATCHET

- Reversible for tightening or loosening
- Designed for working in confined areas
- High torque forward and reverse action
- Simple single clutch operation for greater control
- Metal "squeeze action" trigger for easier use
- Handle design insulates against cold air and vibration

| SPECIFICATION: | | |
|------------------------------|-------|-------|
| Square drive | | 3/8" |
| Bolt capacity | mm | M10 |
| Free speed | rpm | 220 |
| Forward/reverse torque | Nm | 41 |
| Forward/reverse torque | ft-lb | 30 |
| Sound level * | dB | 88 |
| Vibration ** | m/s² | 10 |
| Minimum hose size | inch | 3/8" |
| Air inlet | inch | 1/4" |
| Air consumption at 100% int. | l/min | 90.6 |
| Air consumption at 100% int. | cfm | 3.2 |
| Air consumption at 15% int. | l/min | 14 |
| Air consumption at 15% int. | cfm | 0.5 |
| Length | mm | 173.9 |
| Weight | kg | 0.6 |

^{*} A weighted sound pressure level at work station in accordance with EN ISO 15744

Item ID: ARRM38



^{**} Vibration value according to EN ISO 28927-2

^{**} Vibration value according to EN ISO 28927-2







AIR RATCHET

- Reversible for tightening or loosening
- Designed for working in confined areas
- High torque forward and reverse action
- Simple single clutch operation for greater control
- Metal "squeeze action" trigger for easier use
- Handle design insulates against cold air and vibration

| SPECIFICATION: | | |
|------------------------------|-------|-------|
| Square drive | | 1/2" |
| Bolt capacity | mm | M13 |
| Free speed | rpm | 160 |
| Forward/reverse torque | Nm | 95 |
| Forward/reverse torque | ft-lb | 70 |
| Sound level * | dB | 92 |
| Vibration ** | m/s² | 6 |
| Minimum hose size | inch | 3/8" |
| Air inlet | inch | 1/4" |
| Air consumption at 100% int. | l/min | 113.2 |
| Air consumption at 100% int. | cfm | 4 |
| Air consumption at 15% int. | l/min | 17 |
| Air consumption at 15% int. | cfm | 0.6 |
| Length | mm | 277 |
| Weight | kg | 1.3 |

^{*} A weighted sound pressure level at work station in accordance with EN ISO 15744

Item ID: ARR12



AIR DRILL

- Air drill with 10mm chuck
- Pistol style for easier use
- Suitable for left or right handed use
- Simple to use thumb switch lever for switching between forward and reverse
- Quick chuck mechanism for fast and easy changing of drill bits
- Composite grip protects against cold air

| SPECIFICATION: | | |
|------------------------------|-------|-------|
| Chuck size | mm | 10 |
| Free speed | rpm | 1,800 |
| Minimum hose size | inch | 3/8" |
| Air inlet | inch | 1/4" |
| Sound level * | dB | 88 |
| Vibration ** | m/s² | 3 |
| Air consumption at 100% int. | l/min | 121 |
| Air consumption at 100% int. | cfm | 4 |
| Air consumption at 15% int. | l/min | 18 |
| Air consumption at 15% int. | cfm | 0.7 |
| Length | mm | 206.2 |
| Weight | kg | 1.2 |

^{*} A weighted sound pressure level at work station in accordance with EN ISO 15744

Item ID: ARD10



Get organised** TENG COLS 465

^{**} Vibration value according to EN ISO 28927-2

^{**} Vibration value according to EN ISO 28927-2







AIR DRILL

- Air drill with 13mm chuck
- Pistol style for easier use
- Supplied with a support handle
- Suitable for left or right handed use
- Simple to use thumb switch lever for switching between forward and reverse
- Quick chuck mechanism for fast and easy changing of drill bits
- Composite grip protects against cold air

| SPECIFICATION: | | |
|------------------------------|-------|-------|
| Chuck size | mm | 13 |
| Free speed | rpm | 450 |
| Minimum hose size | inch | 3/8" |
| Air inlet | inch | 1/4" |
| Sound level * | dB | 89 |
| Vibration ** | m/s² | 2 |
| Air consumption at 100% int. | l/min | 140 |
| Air consumption at 100% int. | cfm | 5 |
| Air consumption at 15% int. | l/min | 21 |
| Air consumption at 15% int. | cfm | 0.8 |
| Length | mm | 249.5 |
| Weight | kg | 1.9 |

- * A weighted sound pressure level at work station in accordance with EN ISO 15744
- ** Vibration value according to EN ISO 28927-2

Item ID: ARD13



AIR SAW

- Air Saw with key hole saw function
- Small and easy to operate with low vibration and high cutting capacity
- Suitable for cutting steel plate, aluminium, copper, plastic, wood, etc.
 Compatible with standard saw blades
- Straight design with lever arm throttle for easier use
- Handle design insulates against cold air and vibration

| SPECIFICATION: | | |
|------------------------------|-------|-------|
| Stroke length | mm | 10 |
| Strokes per minute | bpm | 9000 |
| Cutting capacity — steel | mm | 3 |
| Cutting capacity — aluminium | mm | 3 |
| Cutting capacity — wood | mm | 4 |
| Sound level * | dB | 84 |
| Vibration ** | m/s² | <2.4 |
| Minimum hose size | inch | 3/8" |
| Air inlet | inch | 1/4" |
| Air consumption at 100% int. | l/min | 31 |
| Air consumption at 100% int. | cfm | 1.08 |
| Air consumption at 15% int. | l/min | 4.7 |
| Air consumption at 15% int. | cfm | 0.2 |
| Length | mm | 245.1 |
| Weight | kg | 0.7 |
| | | |

- * A weighted sound pressure level at work station in accordance with EN ISO 15744
- ** Vibration value according to EN ISO 28927-2

Item ID: ARSO1





NEW



AIR SAW

- · Air Saw with key hole saw function
- Small and easy to operate with low vibration and high cutting capacity
- Suitable for cutting steel plate, aluminium, copper, plastic, wood, etc.
- Compatible with standard saw blades
- Straight design with lever arm throttle for easier use
- Handle design insulates against cold air and vibration

| SPECIFICATION: | | | |
|------------------------------|-------|-------|--|
| Stroke length | mm | 10 | |
| Strokes per minute | bpm | 9000 | |
| Cutting capacity — steel | mm | 3 | |
| Cutting capacity — aluminium | mm | 3.4 | |
| Cutting capacity — wood | mm | 4 | |
| Sound level * | dB | 84.4 | |
| Vibration ** | m/s² | 5.26 | |
| Minimum hose size | inch | 3/8" | |
| Air inlet | inch | 1/4" | |
| Air consumption at 100% int. | l/min | 22.94 | |
| Air consumption at 100% int. | cfm | 0.81 | |
| Air consumption at 40% int. | l/min | 9.18 | |
| Air consumption at 40% int. | cfm | 0.32 | |
| Length | mm | 170 | |
| Weight | kg | 0.45 | |

^{*} A weighted sound pressure level at work station in accordance with EN ISO 15744

Item ID: ARS02

NEW



AIR CUT OFF TOOL

- For use with 3" / 76mm cut off discs
- Hole size is 3/8" / 10mm
- Reversible direction for better control of spark direction
- Suitable for left or right handed users
- Ergonomically designed trigger with safety throttle and speed control
- Handle design insulates against cold air and vibration
- Air exhaust in the handle to protect against cold air
- Safety guard above the cut off disc

| SPECIFICATION: | | |
|------------------------------|-------|---------|
| For cutting discs | mm | 76 x 10 |
| Speed | rpm | 18000 |
| Sound Level * | dB | 97.6 |
| Vibration ** | m/s² | 2.3 |
| Minimum hose size | inch | 3/8" |
| Connection thread | inch | 1/4" |
| Air consumption at 100% int. | l/min | 113 |
| Air consumption at 100% int. | cfm | 4 |
| Air consumption at 40% int. | l/min | 45 |
| Air consumption at 40% int. | cfm | 1.6 |
| Weight | kg | 0.9 |

- * A weighted sound pressure level at work station in accordance with EN ISO 15744
- ** Vibration value according to EN ISO 28927-2

Item ID: ARC80

DEVELOPED TO EXCEED THE DEMANDS OF A PROFESSIONAL AUTO WORKSHOP



^{**} Vibration value according to EN ISO 28927-2







AIR DIE GRINDER STRAIGHT

- Composite grip for added comfort
- Air exhaust in the handle to protect against cold air
- Silencer for noise reduction ands quieter operation Safety throttle lever to avoid accidental operation

| SPECIFICATION: | | |
|------------------------------|-------|----------|
| Angle | | straight |
| Collet | mm | 6 |
| Free speed | rpm | 25,000 |
| Sound level * | dB(A) | 82 |
| Vibration ** | m/s² | 5 |
| Minimum hose size | inch | 3/8 |
| Air inlet | inch | 1/4 |
| Air consumption at 100% int. | l/min | 113 |
| Air consumption at 15% int. | l/min | 16.9 |
| Air consumption at 100% int. | cfm | 4 |
| Air consumption at 15% int. | cfm | 0.6 |
| Length | mm | 161 |
| Weight | g | 400 |

^{*} A weighted sound pressure level at work station in accordance with EN ISO 15744

Item ID: ARG01



AIR DIE GRINDER ANGLED

- Angled at 90° for use from above Air exhaust in the handle to protect against cold air
- Silencer for noise reduction ands quieter operation
- Safety throttle lever to avoid accidental operation

| SPECIFICATION: | | |
|------------------------------|-------|--------|
| Angle | | 90° |
| Collet | mm | 6 |
| Free speed | rpm | 25,000 |
| Sound level * | dB(A) | 82 |
| Vibration ** | m/s² | 5 |
| Minimum hose size | inch | 3/8 |
| Air inlet | inch | 1/4 |
| Air consumption at 100% int. | l/min | 113 |
| Air consumption at 15% int. | l/min | 16.9 |
| Air consumption at 100% int. | cfm | 4 |
| Air consumption at 15% int. | cfm | 0.6 |
| Length | mm | 165 |
| Weight | g | 400 |

^{*} A weighted sound pressure level at work station in accordance with EN ISO 15744

Item ID: ARG02



^{**} Vibration value according to EN ISO 28927-2

^{**} Vibration value according to EN ISO 28927-2







AIR ENGRAVING PEN

- With hardened metal stylus
- Suitable for use on plastic as well as metals including hardened steel
- Steel body with knurled grip and on/off control
- Supplied with 1.5 meter connection cable with 360° swivelling air inlet

| SPECIFICATION: | | |
|------------------------------|-------|--------|
| Working pressure | bar | 6.2 |
| Stroke speed | bpm | 13,000 |
| Sound Level * | dB | 78 |
| Sound power level | dB | 90 |
| Vibration ** | m/s² | 2.5 |
| Air inlet | inch | 1/4" |
| Air consumption at 100% int. | l/min | 30 |
| Air consumption at 50% int. | l/min | 15 |
| Air consumption at 100% int. | cfm | 1.1 |
| Air consumption at 50% int. | cfm | 0.6 |
| Weight | kg | 0.22 |

^{*} A weighted sound pressure level at work station in accordance with EN ISO 15744

Item ID: AREP25



*Grinding wheel not included

AIR ANGLE GRINDER

- For use with 5" (125mm) grinding wheels
- Fully adjustable guard with 9 different positions
- Side handle dampens against vibration for more comfortable use
- M14 flange washer and spindle locking for easier change of wheels
- Ergonomically designed trigger with safety throttle and speed control
 Handle design insulates against cold air and vibration
- SPECIFICATION: For grinding disc 125 x 22 mm Spindle thread M14 mm 12,000 Rotating speed rpm Sound level * dB 90.2 Sound power level dB 101.2 Vibration ** 5.7 m/s² Measurement uncertainty (Standard) m/s² 1.06 inch 3/8" Min. hose size 1/4" Air inlet inch Air consumption at 100% int. I/min 113 Air consumption at 50% int. I/min 56.5 4 Air consumption at 100% int. cfm Air consumption at 50% int. 2 cfm W 670 Power 2 Weight kg

Item ID: ARAG 125



^{**} Vibration value according to EN ISO 28927-2

^{*} A weighted sound pressure level at work station in accordance with EN ISO 15744

^{**} Vibration value according to EN ISO 28927-2









AIR RIVET GUN

- For use with 2.4, 3.0, 3.2, 4.0, 4.8 or 5.0mm rivets
- For use with aluminium, copper, steel and stainless steel blind rivets
- Ergonomically designed to reduce fatigue from vibration
- Patented rivet size hole gauge to ensure the correct size rivet and nose piece are selected
- Spent mandrel container automatically collects spent mandrels
- Complete with hanging bracket for easier storage

| SPECIFICATION: | | |
|--------------------------------|---------|------------|
| Traction force | N | 9000 |
| Compressed air pressure stroke | mm | 16 |
| Sound pressure level * | dB | 85.8 |
| Sound power level | dB | 96.8 |
| Vibration ** | m/s² | 2.5 |
| Air inlet | inch | 1/4" PT-19 |
| Min. hose size | inch | 3/8" |
| Working Temperature | °C | 0-40 |
| Air consumption at 100% int. | l/rivet | 2.1 |
| Weight | g | 1710 |

- * A weighted sound pressure level at work station in accordance with EN ISO 15744
- ** Vibration value according to EN ISO 28927-2

Item ID: ARRG80



SERVICE KITS FOR AIR RIVET GUN

| ITEM ID: | Description |
|------------|-----------------------|
| ARRG80-1RK | Nosepieces (4 Pieces) |
| ARRG80-3RK | Jaw Case Assembly |

NFW



AIR BELT SANDER

- For use with 6 and 10mm wide abrasive belts
- Fully adjustable grinding arm with 360° rotation
- Suitable for grinding metal, plastic or wood
- Ergonomically designed trigger with safety throttle and speed control
- Handle design insulates against cold air and vibration
- Supplied with grinding arms for 6mm and 10mm wide 330mm length belts
- 4 belts included

| SPECIFICATION: | | |
|------------------------------------|-------|-------------------|
| For sanding belt | mm | 6 x 330, 10 x 330 |
| Free speed | rpm | 20,000 |
| Sound pressure level * | dB | 85.5 |
| Sound power level | dB | 96.5 |
| Vibration ** | m/s² | 0.66 |
| Measurement uncertainty (Standard) | m/s² | 0.56 |
| Min. hose size | inch | 3/8" |
| Air inlet | inch | 1/4" |
| Air consumption at 100% int. | l/min | 119 |
| Air consumption at 50% int. | l/min | 59.5 |
| Air consumption at 100% int. | cfm | 4.2 |
| Air consumption at 50% int. | cfm | 2.1 |
| Length | mm | 331 |
| Weight | kg | 0.85 |

- * A weighted sound pressure level at work station in accordance with EN ISO 15744
- ** Vibration value according to EN ISO 28927-2

Item ID: ARBS10







AIR NEEDLE SCALER

- For cleaning and descaling work
- Straight design with lever arm throttle
- Air exhaust in the handle to protect against cold air
- Supplied complete with needle equipment
- For use with 3mm diameter, 126mm length needles

| SPECIFICATION: | | |
|--------------------------------|-------|---------|
| Stroke speed | bpm | 4000 |
| No. of needles | pcs | 12 |
| Needle stroke | mm | 24 |
| Needle diameter x length (AXB) | mm | 3 x 126 |
| Sound pressure level * | dB | 88.7 |
| Vibration ** | m/s² | 3.8 |
| Min. hose size | inch | 3/8" |
| Air inlet | inch | 1/4" |
| Air consumption at 100% int. | l/min | 170 |
| Air consumption at 20% int. | l/min | 34 |
| Air consumption at 100% int. | cfm | 6 |
| Air consumption at 20% int. | cfm | 1.2 |
| Total length | mm | 310 |
| Weight | kg | 1.14 |

^{*} A weighted sound pressure level at work station in accordance with EN ISO 15744

Item ID: ARN12



AIR BLOW GUN

- Pistol grip with 100 mm nozzle and 1/4" air inlet
- Suitable for left or right handed use
- Low effort trigger mechanism for easier operation
- Metal thread insert for reliability
- Hole in the handle for hanging or for use with a fall protection wire

| SPECIFICATION: | | |
|----------------|------|------|
| Nozzle length | mm | 100 |
| Air inlet | inch | 1/4" |
| Length | mm | 212 |
| Weight | g | 106 |

Item ID: ARBO1



- Low effort trigger mechanism for easier operation
- Metal thread insert for reliability
- Hole in the handle for hanging or for use with a fall protection wire

| SPECIFICATION: | | |
|----------------|------|------|
| Nozzle length | mm | 270 |
| Air inlet | inch | 1/4" |
| Length | mm | 360 |
| Weight | g | 130 |

Item ID: ARBO2



AIR BLOW GUN

- Relief slot conforms to OSHA Occupational Safety and Health Administration safety standards
- Pistol grip with 100 mm nozzle and 1/4" air inlet
- Suitable for left or right handed use
- Low effort trigger mechanism for easier operation
- Metal thread insert for reliability
- Hole in the handle for hanging or for use with a fall protection wire

| SPECIFICATION: | | |
|----------------|------|------|
| Nozzle length | mm | 100 |
| Air inlet | inch | 1/4" |
| Length | mm | 212 |
| Weight | g | 160 |

Item ID: ARBO3



^{**} Vibration value according to EN ISO 28927-2

MEASURING TOOLS



WHEN ACCURACY IS KEY Make the professional choice

Our range of Measuring Tools have been developed by focusing on Teng Tools users requirements across the automotive & industrial sectors. All tools are available individually but are also available in the unique Teng Tools TT trays so you can add them to your existing tool kit or include them when you are building your ultimate tool kit.



All tools developed to exceed the demands of professional users













MEASURING TOOL SET

- Ideal for engineers and technicians
- Includes a 4 function vernier caliper, steel rule, scriber and base square

| Measuring Tools: | | |
|-------------------|---------|----------|
| Vernier caliper | mm/inch | 150 / 6" |
| Steel rule | mm | 150 |
| Base square | mm | 100 x 70 |
| Scriber TC tipped | mm | 150 |

Item ID: TTBM



MEASURING TOOL SET

- Ideal for mechanics and technicians
- Includes a 4 function digital caliper, CAT II multimeter, thread gauge and feeler gauge sets

| Measuring Tools: | | |
|------------------|---------------------------------------|--------------------------|
| Digital caliper | mm/inch | 150 / 6" |
| Thread gauge set | mm/UNC | 0.25-6.0 / 4-42 |
| Feeler gauge set | mm | 100mm blades 0.05 to 1.0 |
| Multimeter | AC, DC, voltage, current, resistance, | |
| | temperature, CATI 600 | |

Item ID: TTDAM



MEASURING TOOL SET





- Ideal for machinists and technicians
- Includes a digital 4 function caliper, micrometer and a dial indicator complete with a magnetic stand
- Tools are held in place using three colour pre-cut EVA foam

| Measuring Tools: | | |
|--|---------------|--|
| Digital caliper
Micrometer
Dial Indicator with stand | mm/inch
mm | 150 / 6"
0-25
0-25mm measuring range |
| Magnetic stand with central locking | 9 | |

Item ID: TEDIMM

4 Pieces



DIGITAL MULTIMETER

- Ideal for automotive or industrial maintenance
- 13mm digital display and fold out stand
- Use to measure voltage in DC or AC and DC current
- Includes a diode and continuity tester
- Measure temperature with the temperature probe
- Supplied with test leads
- Uses a 9 volt battery (supplied)
- CAT I 600 volts, CAT II 300 volts, IEC61010

| Specifications: | | |
|-----------------|-----------|--|
| DC Voltage | Volts | 200-200mV - 20-200-250V |
| AC voltage | Volts | 200-250V |
| Resistance | Ohms | 200 Ω - 2-20-200 K Ω -20M Ω |
| Temperature | ° Celsius | -40 to +1,000 |

Item ID: DM500

Measuring Tools





DIGITAL MULTIMETER

- Ideal for automotive or industrial maintenance
- Extra large digital display with 16mm digits
- Fold out stand for easier use
- Use to measure voltage in DC or AC and DC current
- Includes a diode and continuity tester
- Measure temperature with the temperature probe
- Supplied with test leads
- Uses 2 AAA batteries (supplied)
- CAT I 600 volts, CAT II 300 volts, IEC61010

| Specifications: | | |
|-----------------|-----------|--------------------------|
| DC Voltage | Volts | 250V |
| AC voltage | Volts | 250V |
| Resistance | Ohms | 200Ω - 2-20-200 KΩ -20MΩ |
| Temperature | ° Celsius | -40 to +1.000 |

Item ID: DM550



DIGITAL CALIPER

- 4 function caliper to measure height, width, depth and step
- Adjustable between mm and inches
- Reset button and zero set in any position
- Automatic switch off to conserve batteries
- $0.01\,\mathrm{mm}$ reading scale with $8\,\mathrm{mm}$ high figures
- Uses CR2032 batteries (supplied)
- Supplied with a plastic storage case
- Designed and manufactured to DIN862

| Specifications: | | | |
|-----------------------|----|------|--|
| Length of measurement | mm | 150 | |
| Jaw length | mm | 40 | |
| Height of figures | mm | 8 | |
| Resolution | mm | 0.01 | |

Item ID: CALD 150



VERNIER CALIPER

- 4 function caliper to measure height, width, depth and step
- Metric and inch scales with 0.05mm and 1/16" scales
- Frosted chrome plated scale for easier reading
- Stainless steel construction with lapped edges
- Supplied with a plastic storage case Designed and manufactured to DIN862

| Specifications: | | |
|-----------------------|----|-----|
| Length of measurement | mm | 150 |
| Jaw length | mm | 40 |

Item ID: CALV150



MICROMETER

- Friction thimble and locking nut for easy operation
- Forged frame with hardened steel and polished measuring
- Matt chrome plated scale for easy reading Designed and manufactured to DIN863
- Supplied with a plastic storage case

| Specifications: | | |
|-----------------|----|------|
| Moncuring rango | mm | 0-25 |

Precision

Item ID: MIR25

Reading

DIAL INDICATOR WITH MEASURING STAND

mm

0.01

0.004

- Aluminium dial indicator
- 58mm diameter dial with a turnable scale and two tolerance indexes
- An extra pointer indicates whole millimetres to make measurements simple
- The stand has central locking
- A strong magnet in the base to hold the stand in place when in use

| Specifications: | | |
|-------------------|-------|-------|
| Measuring range | mm | 0-25 |
| Reading | mm | 0.01 |
| Maximum height | mm | 330 |
| Base plate length | mm | 55 |
| Base plate width | mm | 50 |
| Base plate height | mm | 58 |
| Weight | kilos | 1.625 |

Item ID: DGMM



Get organised





MEASURING TAPES



- mm and inches for international use
- ABS case for durability
- · Rubberised grip for a more secure grip especially when wet or oily
 - Tape lock and belt clip for secure storage when being used
- Power return tape for automatic rewinding
- Aligning hook for internal/external measurements
- Designed and manufactured to Cat II

| ITEM ID: | Length
m | Length
ft | Width
mm |
|----------|-------------|--------------|-------------|
| MT03 | 3 | 10 | 13 |
| MT05 | 5 | 16 | 19 |
| MT08 | 8 | 26 | 25 |

MEASURING TAPES



- Graduated in mm only
- ABS case for durability
- Rubberised grip for a more secure grip especially when wet or oily
- Tape lock and belt clip for secure storage when being used
- Power return tape for automatic rewinding
- Aligning hook for internal/external measurements
- Designed and manufactured to Cat II

| ITEM ID: | Length
m | Width
mm |
|----------|-------------|-------------|
| MT03MM | 3 | 13 |
| MT05MM | 5 | 19 |
| MM80TM | 8 | 25 |

MEASURING TAPES



- mm and inches for international use
- High impact plastic case for durability
- Rubberised grip for a more secure grip especially when wet or oily
- Tape lock and belt clip for secure storage when being used
- Steel roller cage prevents damage to the case
- Aligning hook for internal / external measurements
- Designed and manufactured to Cat II

| ITEM ID: | Length
m | Width
mm |
|----------|-------------|-------------|
| MT10 | 10 | 10 |
| MT15 | 15 | 10 |
| MT30 | 30 | 10 |

MEASURING TAPES



- mm and inches for international use
- High impact plastic case for durability
- Rubberised grip for a more secure grip especially when wet or oily
- Tape lock for secure storage when being used
- Steel roller cage prevents damage to the case when the nylon tape is retracted
- Designed and manufactured to Cat II

| ITEM ID: | Length
m | Width
mm |
|----------|-------------|-------------|
| MTS30 | 30 | 12.7 |
| MTS50 | 50 | 12.7 |






STEEL RULES

- Stainless steel to avoid corrosion
- Hanging hole for easy storage

| ITEM ID: | Length
mm | Width x Thickness
mm | Scale |
|----------|--------------|-------------------------|---------|
| ST150 | 150 | 20 x 0.8 | mm |
| ST200 | 200 | 20 x 0.8 | mm / AF |



COMBINATION SQUARE

- For measuring and checking angles
- · Graduated in mm and inches for universal use
- 300mm steel rule with a reversible protractor, adjustable angle ledge and centre head
- Angle ledge and protractor both include a spirit level

| Specifications: | | |
|--------------------|----|--------|
| Protractor reading | | 0-180° |
| Steel rule length | mm | 300 |
| Square head length | mm | 110 |
| Centre head length | mm | 63 |

Item ID: SQAC300



ALUMINIUM TRY SQUARES

- Stainless steel blade with an anodised aluminium stock
- Blade measures 1.5 x 45mm with the stock being 18mm wide
- Milled working surface with deep etched markings
- Highly resistant to wear

| ITEM ID: | Blade Length
mm | Accuracy | g |
|----------|--------------------|----------|-----|
| SQAA200 | 200 | ±0.03 | 240 |
| SQAA250 | 250 | ±0.03 | 275 |
| SQAA300 | 100 | ±0.03 | 300 |



PLASTIC TRY SQUARES

- Stainless steel blade with a fibre glass framed plastic stock
- Blade measures 1.0 x 45mm with the stock being 18mm wide
- Milled working surface with deep etched markings Highly resistant to wear

| ITEM ID: | Blade Length
mm | Accuracy | g |
|----------|--------------------|----------|-----|
| SQAP250 | 250 | ±0.06 | 150 |
| SQAP300 | 300 | ±0.06 | 160 |





SLIDING BEVEL

- Check edges for consistency by sliding the edge over the material
- Duplicate angles for marking by setting the adjustable blade
- Straight and true stainless steel blade for accuracy
- Plastic stock for reduced weight and a better grip

| ITEM ID: | Blade Length
mm | Width
mm | g |
|----------|--------------------|-------------|-----|
| AB200 | 200 | 25 | 100 |









BASE SQUARES

- Zinc plated for corrosion resistance
- Base square design enables the square to be sat on a work surface
- Level 3 accuracy

| ITEM ID: | Length
mm | Blade Length
mm |
|------------|--------------|--------------------|
| SQAB10070 | 100 | 70 |
| SQAB150100 | 150 | 100 |
| SQAB200130 | 200 | 130 |
| SQAB300175 | 300 | 175 |



FEELER GAUGES

- Blades for measuring from 0.05mm to 1.0mm
- Hardened rolled steel for durability and accuracy
- Fold up case with tightening screw for easy storage

| ITEM ID: | No. of Blades | Blade Length
mm |
|----------|---------------|--------------------|
| FG13100 | 13 | 100 |
| FG20100 | 20 | 100 |
| FG20200 | 20 | 200 |



THREAD GAUGE

- 55 blades in a handy holder with tightening screws
- Suitable for measuring metric and UNC threads
- 60 thread angles
- Manufactured from #45 steel for a long lasting gauge

Metric thread gauges:

0.25, 0.3, 0.35, 0.4, 0.45, 0.5, 0.6, 0.7, 0.75, 0.8, 0.9, 1.0, 1.25, 1.5, 1.75, 2.0, 2.5, 3.0, 3.5, 4.0, 4.5, 5.0, 5.5, 6.0

UNC thread gauges:

4, 4 ½, 5, 5 ½, 6, 7, 8, 9, 10, 11, 11 ½, 12, 13, 14, 15, 16, 18, 20, 22, 24, 26, 27, 28, 30, 32, 34, 36, 38, 40, 42

Item ID: TGMMUNC



ALUMINIUM SPIRT LEVEL



- 400mm long
- One horizontal and two vertical vials (90° and 45°)
- The vials are designed for easy, all round reading
- Impact resistant end caps to reduce the risk of damage
- Measurement accuracy of 1.0mm per meter

Item ID: SLA040



ALUMINIUM SPIRIT LEVELS



- Crush proof, durable vials with high transparency for easy reading
- Highly resistant to ultra violet light and fluctuations in temperature
- Shock absorbent end protectors to reduce the risk of damage
- Temperature proof vial mountings to reduce the risk of distortion

| ITEM ID: | Length
mm | Width
mm | Height
mm | Tolerance
Normal | Tolerance
Inverted | g |
|----------|--------------|-------------|--------------|---------------------|-----------------------|------|
| SLA0300 | 300 | 24 | 50 | ±0.5mm/m | ±0.75mm/m | 210 |
| SLA0400 | 400 | 24 | 50 | ±0.5mm/m | ±0.75mm/m | 280 |
| SLA0600 | 600 | 24 | 50 | ±0.5mm/m | ±0.75mm/m | 420 |
| SLA1000 | 1000 | 24 | 50 | ±0.5mm/m | ±0.75mm/m | 690 |
| SLA1200 | 1200 | 24 | 50 | ±0.5mm/m | ±0.75mm/m | 840 |
| SLA1500 | 1500 | 24 | 50 | ±0.5mm/m | ±0.75mm/m | 1050 |
| SLA1800 | 1800 | 24 | 50 | ±0.5mm/m | ±0.75mm/m | 1260 |
| SLA2000 | 2000 | 24 | 50 | ±0.5mm/m | ±0.75mm/m | 1400 |





MAGNETIC ALUMINIUM SPIRIT LEVELS





- Magnets on the underside help fix the level to ferrous work pieces
- Crush proof, durable vials with high transparency for easy reading
- Highly resistant to ultra violet light and fluctuations in temperature
- Shock absorbent end protectors to reduce the risk of damage
- Temperature proof vial mountings to reduce the risk of distortion

| ITEM ID: | Length
mm | Width
mm | Height
mm | Tolerance
Normal | Tolerance
Inverted | g |
|----------|--------------|-------------|--------------|---------------------|-----------------------|-----|
| SLM0300 | 300 | 24 | 50 | ±0.75mm/m | ±0.75mm/m | 240 |
| SLM0400 | 400 | 24 | 50 | ±0.75mm/m | ±0.75mm/m | 310 |
| SLM0600 | 600 | 24 | 50 | ±0.75mm/m | ±0.75mm/m | 450 |
| SLM1000 | 1000 | 24 | 50 | ±0.75mm/m | ±0.75mm/m | 750 |
| SLM1200 | 1200 | 24 | 50 | ±0.75mm/m | ±0.75mm/m | 900 |



MAGNETIC ALUMINIUM SPIRIT LEVELS





- Magnetic aluminium "torpedo" spirit level
- 3 magnets on the underside help fix the level to ferrous work pieces
- One horizontal, one vertical and one 45° angled vials
- Crush proof, durable vials with high transparency for easy reading
- Highly resistant to ultra violet light and fluctuations in temperature
- Shock absorbent end protectors to reduce the risk of damage
- Temperature proof vial mountings to reduce the risk of distortion

| ITEM ID: | Material | Length
mm | Width
mm | Height
mm | Tolerance
Normal | g | |
|----------|-------------|--------------|-------------|--------------|---------------------|-----|--|
| SLT01 | Aluminium | 230 | 16 | 38 | ±1.0mm/m | 190 | |
| SLT02 | ABS Plastic | 230 | 16 | 40 | ±1.5mm/m | 160 | |









| Item ID | Page No. | Item ID | Page No. | Item ID | Page No. |
|--------------|----------|-----------|----------|-------------|----------|
| 1200-72N | 212 | 1474 | 301 | 220820 | 365 |
| 1200-72NRK | 214 | 1475 | 301 | 220825 | 365 |
| 1200-72SN | 213 | 1476NAF | 303 | 220827 | 365 |
| 1200F | 213 | 1476NMM | 302 | 220830 | 365 |
| 1200FRK | 214 | 1476NMM1 | 302 | 220840 | 365 |
| 1200FRP | 213 | 1476NTX | 311 | 220845 | 365 |
| 1200FRPRK | 214 | 1476NTX1 | 311 | 220850 | 365 |
| 1200L | 213 | 1476NTX2 | 311 | 220855 | 365 |
| 1201 | 218 | 1477NX | 313, 345 | 220860 | 365 |
| 1201 A | 218 | 1479AF | 302 | 220870 | 365 |
| 1201 ARK | 218, 214 | 1479MM | 301 | 2300 | 439 |
| 1201 RK | 218, 214 | | 301 | 2912512 | 344 |
| 1202 | 427 | 1479MMA | 300 | | 344 |
| | | 1479MMR | | 2912513 | |
| 1202A | 427 | 1479MMRL | 301 | 2912514 | 344 |
| 120955-C | 430 | 1479TX | 310 | 2912520 | 344 |
| 120970-C | 430 | 1479TX1 | 310 | 2912535 | 344 |
| 1292AG-090 | 320 | 1486 | 353 | 2912537 | 344 |
| 1292AG-110 | 320 | 1487 | 311 | 2912539 | 344 |
| 1292AG-120 | 320 | 1488 | 354 | 310102 | 304 |
| 1292AG-140 | 320 | 1492AG-CT | 316 | 3101025 | 304 |
| 1292AG4-CT | 318 | 1492AG-E | 316 | 3101025BL | 305 |
| 1292AG4R-CT | 319 | 1492AGERK | 320 | 310103 | 304 |
| 1292AG4RK | 320 | 1492SD | 316 | 3101035 | 304 |
| 1292AG4RRK | 320 | 1492SD-CT | 316 | 310103BL | 305 |
| 1292AG-E4 | 318 | 1499AF | 302 | 310104 | 304 |
| 1292AG-E4R | 319 | 1499MM | 302 | 3101045 | 304 |
| 1292AG-EP | 318 | 1499TX | 310 | 310104BL | 305 |
| 1292AG-ER | 319 | 210705 | 362 | 310105 | 304 |
| 1292AGERK | 320 | 210706 | 362 | 310105BL | 305 |
| 1292AGERRK | 320 | 210707 | 362 | 310106 | 304 |
| 1292AGP-CT | 318 | 210708 | 362 | 310106BL | 305 |
| 1292AGR-CT | 319 | 210709 | 362 | 310107 | 304 |
| 1292D200 | 319 | 210710 | 362 | 310107BL | 305 |
| 1292D200-CT | 319 | 210712 | 362 | 310108 | 304 |
| 1292P100 | 319 | 210714 | 362 | 310108BL | 305 |
| 1292P100-CT | 319 | 210717 | 362 | 310110 | 304 |
| 1292P100RK-1 | 320 | 210719 | 362 | 310110BL | 305 |
| 1292P200 | 319 | 210805 | 363 | 310112 | 304 |
| 1292P200-CT | 319 | 210806 | 363 | 310112BL | 305 |
| 1292P200RK-1 | 320 | 210807 | 363 | 310114 | 304 |
| 1292P320 | 319 | 210808 | 363 | | 304 |
| 1292P320-CT | 319 | | | 310116 | 304 |
| | | 210809 | 363 | 3105007 | |
| 1400-72MN | 212 | 210810 | 363 | 3105009 | 304 |
| 1400-72N | 212 | 210812 | 363 | 3105013 | 304 |
| 1400-72NRK | 214 | 210814 | 363 | 3105015 | 304 |
| 1400-72SN | 213 | 210817 | 363 | 3105015BL-C | 305 |
| 1400B | 212, 356 | 210819 | 363 | 310502 | 304 |
| 1400FRP | 213 | 220720 | 365 | 3105025 | 304 |
| 1400FRPRK | 214 | 220725 | 365 | 3105025BL-C | 305 |
| 1400M | 212 | 220727 | 365 | 310502BL-C | 305 |
| 1424 | 300 | 220730 | 365 | 310503 | 304 |
| 1425 | 300 | 220740 | 365 | 310503BL-C | 305 |
| 1471 AF | 303 | 220745 | 365 | 310504 | 304 |
| 1471 AFA | 303 | 220750 | 365 | 3105045 | 304 |
| 1471 MM | 303 | 220755 | 365 | 310504BL-C | 305 |
| 1471 MMA | 303 | 220760 | 365 | 310505 | 304 |
| 1473 | 313 | 220770 | 365 | 3105055 | 304 |



| Item ID | Page No. | Item ID | Page No. | Item ID | Page No. |
|------------|----------|-------------------------|----------|--------------|----------|
| 310505BL-C | 305 | 3492AGERRK | 320 | 4002WT | 287 |
| 310506 | 304 | 3492AGR-CT | 321 | 4002WTRK | 287 |
| 310506BL-C | 305 | 3492P500 | 321 | 4003 | 286 |
| 310507 | 304 | 3492P500-CT | 321 | 4003IQ | 287 |
| 310507BL-C | 305 | 3492P500RK-1 | 320 | 4003IQRK | 287 |
| 310508 | 304 | 3800-72N | 212 | 4003J | 288 |
| 310508BL-C | 305 | 3800-72NRK | 214 | 4003JRK | 288 |
| 310509 | 304 | 3800-72SN | 213 | 4003RK | 286 |
| 310510 | 304 | 3800FRP | 213 | 4003WT | 287 |
| 310510BL-C | 305 | 3800FRPRK | 214 | 4003WTRK | 287 |
| 310512 | 304 | 3892AG1-CT | 317 | 4004 | 286 |
| 310514 | 304 | 3892AG1RK | 320 | 4004IQ | 287 |
| 310517 | 304 | 3892AG3-CT | 317 | 4004IQRK | 287 |
| 310519 | 304 | 3892AG3RK | 320 | 4004RK | 286 |
| 310522 | 304 | 3892AG-E1 | 317 | 4004WT | 287 |
| 310527 | 304 | 3892AG-E3 | 317 | 4004WTRK | 287 |
| 310532 | 304 | 3892CQ100R | 322 | 4005 | 286 |
| | 304 | | 318 | | |
| 310536 | | 3892D100
3892D100-CT | | 4005IQ | 287 |
| 320008 | 311 | | 318 | 4005IQRK | 287 |
| 320008BL | 312 | 3892P060 | 317 | 4005RK | 286 |
| 320009 | 311 | 3892P060-CT | 317 | 4005WT | 287 |
| 320009BL | 312 | 3892P060RK-1 | 320 | 4005WTRK | 287 |
| 320010 | 311 | 3892P100 | 317 | 4006 | 286 |
| 320010BL | 312 | 3892P100-CT | 317 | 4006IQ | 287 |
| 320015 | 311 | 3901025BL | 306 | 4006IQRK | 287 |
| 320015BL | 312 | 390103BL | 306 | 4006RK | 286 |
| 320020 | 311 | 390104BL | 306 | 4007 | 286 |
| 320020BL | 312 | 390105BL | 306 | 4007RK | 286 |
| 320025 | 311 | 390106BL | 306 | 4008 | 286 |
| 320025BL | 312 | 390107BL | 306 | 4008RK | 286 |
| 320027 | 311 | 390108BL | 306 | 401-10 | 399 |
| 320027BL | 312 | 390110BL | 306 | 401-10F | 399 |
| 320030 | 311 | 390112BL | 306 | 401-12 | 399 |
| 320030BL | 312 | 3905015BL | 305 | 401-12F | 399 |
| 320040 | 311 | 3905025BL | 305 | 401-4 | 399 |
| 320040BL | 312 | 390502BL | 305 | 401-5 | 399 |
| 320045 | 311 | 390503BL | 305 | 401-7 | 399 |
| 320045BL | 312 | 390504BL | 305 | 402 | 399 |
| 320050 | 311 | 390505BL | 305 | 404-4 | 399 |
| 320050BL | 312 | 390506BL | 305 | 404-6 | 399 |
| 3205015 | 305 | 390508BL | 305 | 404-6S | 399 |
| 320502 | 305 | 390510BL | 305 | 404-9 | 399 |
| 3205025 | 305 | 390908BL | 312 | 406 | 400 |
| 320503 | 305 | 390909BL | 312 | 406-6 | 400 |
| 320504 | 305 | 390910BL | 312 | 406-6P | 401 |
| 320505 | 305 | 390915BL | 312 | 406-6\$ | 400 |
| 320506 | 305 | 390920BL | 312 | 406-6SP | 401 |
| 320508 | 305 | 390925BL | 312 | 406P | 400 |
| 320510 | 305 | 390927BL | 312 | 406\$ | 400 |
| 3492AG1-CT | 320 | 390930BL | 312 | 406SP | 401 |
| 3492AG2-CT | 320 | 390940BL | 312 | 407 | 401 |
| 3492AG2-CT | 320 | 4001 | 286 | 407
407AS | 401 |
| | 320 | 4001 RK | 286 | 407A3
408 | 401 |
| 3492AG-E | | | | | |
| 3492AG-E1 | 320 | 4002 | 286 | 409 | 399, 423 |
| 3492AG-E2 | 320 | 4002IQ | 287 | 409P | 402 |
| 3492AG-ER | 321 | 4002IQRK | 287 | 409SP | 402 |
| 3492AGERK | 320 | 4002RK | 286 | 410P | 402 |

Get organised[™] TENGIOOLS 481





| Item ID | Page No. | Item ID | Page No. | Item ID | Page No. |
|---------|----------|---------|----------|------------|----------|
| 410SP | 402 | 580CN | 85 | 600140 | 272 |
| 418\$ | 401 | 580D | 86 | 600142 | 272 |
| 418SP | 401 | 580J | 85 | 600144 | 272 |
| 445W | 380 | 580K | 85 | 600146 | 272 |
| 480 | 393 | 580M | 85 | 600148 | 272 |
| 490 | 406 | 580N | 85 | 600152 | 272 |
| 490W | 407 | 580Q | 86 | 600156 | 272 |
| 491 | 406 | 580R | 86 | 600160 | 272 |
| 491W | 407 | 580\$ | 441 | 6005055 | 271 |
| 492 | 406 | 581N | 445 | 600506 | 271 |
| 492W | 407 | 581TMG | 443 | 600507 | 271 |
| 493 | 406 | 581TMI | 443 | 600507RF | 278 |
| 494 | 407 | 581TMP | 443 | 600508 | 271 |
| 495 | 407 | 582MI | 442 | 60050811RX | 290 |
| 496 | 408 | 582N | 445 | 600508R | 275 |
| 497 | 407 | 583M | 444 | 600508RF | 278 |
| 498-7 | 390 | 583N | 446 | 600508RS | 278 |
| 510103 | 308 | 585 | 445 | 600509 | 271 |
| 510103 | 308 | 585MP | 442 | 600509R | 275 |
| 510104 | 308 | 586 | 444 | 600509RF | 278 |
| | | | | | |
| 510106 | 308 | 586A | 445 | 600509RS | 278 |
| 510107 | 308 | 586C | 445 | 600510 | 271 |
| 510108 | 308 | 587AA | 444 | 600510R | 275 |
| 510110 | 308 | 587AE | 444 | 600510RF | 278 |
| 510502 | 308 | 587AU | 444 | 600510RS | 278 |
| 5105025 | 308 | 587H | 444 | 600511 | 271 |
| 510503 | 308 | 587J | 173, 444 | 600511R | 275 |
| 510504 | 308 | 587M | 444 | 600511RF | 278 |
| 510505 | 308 | 589MA | 173 | 600511RS | 278 |
| 510506 | 308 | 589ME | 173 | 600512 | 271 |
| 510507 | 308 | 589MU | 173 | 60051215RX | 290 |
| 510508 | 308 | 600 | 284 | 600512R | 275 |
| 510510 | 308 | 600108 | 272 | 600512RF | 278 |
| 510512 | 308 | 600110 | 272 | 600512RS | 278 |
| 5106025 | 309 | 600110R | 276 | 600513 | 271 |
| 510603 | 309 | 600112 | 272 | 600513R | 275 |
| 510604 | 309 | 600112R | 276 | 600513RF | 278 |
| 510605 | 309 | 600114 | 272 | 600513RS | 278 |
| 510606 | 309 | 600114R | 276 | 600514 | 271 |
| 510607 | 309 | 600116 | 272 | 600514R | 275 |
| 510608 | 309 | 600116R | 276 | 600514RF | 278 |
| 520009 | 312 | 600118 | 272 | 600514RS | 278 |
| 520010 | 312 | 600118R | 276 | 600515 | 271 |
| 520015 | 312 | 600120 | 272 | 600515R | 275 |
| 520020 | 312 | 600120R | 276 | 600515RF | 278 |
| 520025 | 312 | 600122 | 272 | 600515RS | 278 |
| 520027 | 312 | 600122R | 276 | 600516 | 271 |
| 520030 | 312 | 600124 | 272 | 60051619RX | 290 |
| 520040 | 312 | 600124R | 276 | 600516R | 275 |
| 520045 | 312 | 600126 | 272 | 600516RF | 278 |
| 520050 | 312 | 600126R | 276 | 600516RS | 278 |
| 520055 | 312 | 600128 | 272 | 600517 | 271 |
| 580 | 441 | 600128R | 276 | 600517R | 275 |
| 580A | 442 | 600130 | 272 | 600517RF | 278 |
| | | | | | |
| 580C | 86 | 600132 | 272 | 600517RS | 278 |
| 580CK | 85 | 600134 | 272 | 600518 | 271 |
| 580CM | 85 | 600136 | 272 | 600518R | 275 |



| Item ID | Page No. | Item ID | Page No. | Item ID | Page No. |
|----------|----------|----------|----------|----------|----------|
| 600518RF | 278 | 600830 | 295 | 641922 | 295 |
| 600518RS | 278 | 600832 | 295 | 6503RX | 290 |
| 600519 | 271 | 601013 | 284 | 6507AF | 269 |
| 600519R | 275 | 605908 | 280 | 6507JAF | 270 |
| 600519RF | 278 | 605909 | 280 | 6507JMM | 269 |
| 600519RS | 278 | 605910 | 280 | 6507JMMA | 270 |
| 600520 | 271 | 605911 | 280 | 650809 | 296 |
| 600520RS | 278 | 605912 | 280 | 6508RMM | 274 |
| 600521 | 271 | 605913 | 280 | 6508RSMM | 277 |
| 600521RS | 278 | 605914 | 280 | 6509AF | 269 |
| 600522 | 271 | 605915 | 280 | 651011 | 296 |
| 600522R | 275 | 605916 | 280 | 651013 | 296 |
| 600522RS | 278 | 605917 | 280 | 6510A | 266 |
| 600523 | 271 | 605918 | 280 | 6510MM | 267 |
| 600524 | 271 | 605919 | 280 | 6510RMM | 275 |
| 600524R | 275 | 6059LMP | 279 | 6512 | 267 |
| 600524RS | 278 | 611214 | 296 | 651213 | 296 |
| 600525 | 271 | 611618 | 296 | 6512MM | 268 |
| 600526 | 271 | 612022 | 296 | 6512MM1 | 268 |
| 600527 | 271 | 620607 | | 6512MMA | 270 |
| | | | 284 | | |
| 600527R | 275 | 6208 | 283 | 6512N | 266 |
| 600528 | 271 | 620809 | 284 | 6512RSMM | 277 |
| 600529 | 271 | 621011 | 284 | 651415 | 296 |
| 600530 | 271 | 6211 | 283 | 6515 MM | 268 |
| 600530R | 275 | 6211 MM | 283 | 6515MMA | 270 |
| 600532 | 271 | 621213 | 284 | 651617 | 296 |
| 600532R | 275 | 621415 | 284 | 6517 | 267 |
| 600533 | 271 | 621617 | 284 | 6517MM | 268 |
| 600534 | 271 | 621819 | 284 | 651819 | 296 |
| 600536 | 271 | 622022 | 284 | 6521 | 267 |
| 600538 | 271 | 622123 | 284 | 6526MM | 269 |
| 600541 | 271 | 622427 | 284 | 65RS12 | 276 |
| 600546 | 271 | 623032 | 284 | 661416 | 295 |
| 600550 | 271 | 630607 | 281 | 680607E | 290 |
| 600555 | 271 | 6308 | 281 | 680608 | 290 |
| 600558 | 271 | 630809 | 281 | 680709 | 290 |
| 600560 | 271 | 630810FL | 282 | 680810E | 290 |
| 600565 | 271 | 6308MM | 281 | 681013 | 290 |
| 600570 | 271 | 631011 | 281 | 681112E | 290 |
| 6005M10 | 279 | 6311 | 281 | 681214 | 290 |
| 6005M11 | 279 | 631113FL | 282 | 681416E | 290 |
| 6005M12 | 279 | 631213 | 281 | 681719 | 290 |
| 6005M13 | 279 | 631214FL | 282 | 681820E | 290 |
| 6005M14 | 279 | 631415 | 281 | 682122 | 290 |
| 6005M15 | 279 | 631617 | 281 | 682224E | 290 |
| 6005M16 | 279 | 631618FL | 282 | 690510 | 322 |
| 6005M17 | 279 | 631719FL | 282 | 690511 | 322 |
| 6005M18 | 279 | 631819 | 281 | 690512 | 322 |
| 6005M19 | 279 | 632022 | 281 | 690513 | 322 |
| 600813 | 295 | 632123 | 281 | 690514 | 322 |
| 600814 | 295 | 632224FL | 282 | 690515 | 322 |
| 600814 | 295 | 632427 | 281 | 690516 | 322 |
| 600817 | 295 | 633032 | 281 | 690517 | 322 |
| | 295 | | | | 322 |
| 600819 | | 641011 | 295 | 690518 | |
| 600822 | 295 | 641213 | 295 | 690519 | 322 |
| 600824 | 295 | 641314 | 295 | 690613 | 323 |

Get organised[™] IENGIOOLS 483





| Item ID | Page No. | Item ID | Page No. | Item ID | Page No. |
|------------------|------------|---------------------|-----------------|------------------|------------|
| 690615 | 323 | 701N | 412 | 902075 | 293 |
| 690616 | 323 | 701N1 | 411 | 902080 | 293 |
| 690617 | 323 | 702 | 411, 412 | 902085 | 293 |
| 690618 | 323 | 703 | 412 | 902090 | 293 |
| 690619 | 323 | 703-10 | 412 | 902095 | 293 |
| 690621 | 323 | 703-24 | 412 | 902100 | 293 |
| 690622 | 323 | 704 | 412 | 903024 | 293 |
| 690624 | 323 | 705 | 412 | 903027 | 293 |
| 690626 | 323 | 705-5 | 412 | 903030 | 293 |
| 690627 | 323 | 705A | 412 | 903032 | 293 |
| 690629 | 323 | 705A-5 | 412 | 903036 | 293 |
| 690630 | 323 | 710 | 416 | 903038 | 293 |
| 690632 | 323 | 710-10 | 416, 417 | 903041 | 293 |
| 690634 | 323 | 710-100 | 417 | 903046 | 293 |
| 690636 | 323 | 710-100H | 417 | 903050 | 293 |
| 690638 | 323 | 710-10H | 417 | 903055 | 293 |
| 690640 | 323 | 710A | 415 | 903060 | 293 |
| | | | | | |
| 690641
690642 | 323
323 | 710A-10
710A-100 | 415, 416
416 | 903065
903070 | 293
293 |
| | | | | | |
| 690644 | 323 | 710C | 416 | 903075 | 293 |
| 690646 | 323 | 710F | 416 | 903080 | 293 |
| 690710 | 323 | 710F-10 | 416 | 903085 | 293 |
| 690711 | 323 | 710F-100 | 416 | 903090 | 293 |
| 690712 | 323 | 710G | 416 | 903095 | 293 |
| 690713 | 323 | 710H | 415 | 903100 | 293 |
| 690714 | 323 | 710N | 417 | 910086 | 250 |
| 690715 | 323 | 710S | 415 | 910504 | 244 |
| 690716 | 323 | 710U-10 | 416 | 910505 | 244 |
| 690717 | 323 | 711 | 417 | 910506 | 244 |
| 690718 | 323 | 712 | 417 | 910508 | 244 |
| 690719 | 323 | 800608 | 273 | 910510 | 244 |
| 690813 | 324 | 800609 | 273 | 910524 | 260 |
| 690814 | 324 | 800610 | 273 | 910527 | 260 |
| 690815 | 324 | 800611 | 273 | 910530 | 260 |
| 690816 | 324 | 800612 | 273 | 910532 | 260 |
| 690817 | 324 | 800613 | 273 | 910533 | 260 |
| 690818 | 324 | 800614 | 273 | 910534 | 260 |
| 690819 | 324 | 800615 | 273 | 910536 | 260 |
| 690821 | 324 | 800616 | 273 | 910538 | 260 |
| 690822 | 324 | 800617 | 273 | 910541 | 260 |
| 690824 | 324 | 800618 | 273 | 910546 | 260 |
| 690826 | 324 | 800619 | 273 | 910550 | 260 |
| 690827 | 324 | 8512A | 273 | 910555 | 260 |
| 690829 | 324 | 8512MM | 273 | 910560 | 260 |
| 690830 | 324 | 902024 | 293 | 910565 | 260 |
| 690832 | 324 | 902027 | 293 | 910570 | 260 |
| 690834 | 324 | 902030 | 293 | 910575 | 260 |
| 690836 | 324 | 902032 | 293 | 910580 | 260 |
| 690838 | 324 | 902032 | 293 | 910585 | 260 |
| 690840 | 324 | 902038 | 293 | 910585 | 260 |
| | | | | | |
| 690841 | 324 | 902041 | 293 | 910595 | 260 |
| 690842 | 324 | 902046 | 293 | 910624 | 260 |
| 690844 | 324 | 902050 | 293 | 910627 | 260 |
| 690846 | 324 | 902055 | 293 | 910627R | 260 |
| 691406 | 296 | 902060 | 293 | 910628 | 260 |
| 700-PRO5 | 411 | 902065 | 293 | 910630 | 260 |
| 701 | 412 | 902070 | 293 | 910630R | 260 |



| Item ID | Page No. | Item ID | Page No. | Item ID | Page No. |
|------------------|------------|--------------------|------------|--------------------------|------------|
| 910632 | 260 | 920124 | 254 | 920524N | 252 |
| 910632R | 260 | 920126 | 254 | 920525N | 252 |
| 910633 | 260 | 920128 | 254 | 920526N | 252 |
| 910633R | 260 | 920130 | 254 | 920527N | 252 |
| 910636 | 260 | 920132 | 254 | 920528N | 252 |
| 910732 | 261 | 920134 | 254 | 920529N | 252 |
| 9110 | 424 | 920136 | 254 | 920530N | 252 |
| 9110RK-1 | 424 | 920138 | 254 | 920532N | 252 |
| 9120 | 424 | 920212 | 255 | 920610AN | 255 |
| 912041 | 261 | 920214 | 255 | 920610N | 254 |
| 912046 | 261 | 920216 | 255 | 920611AN | 255 |
| 912050 | 261 | 920218 | 255 | 920611N | 254 |
| 912055 | 261 | 920220 | 255 | 920612AN | 255 |
| 912060 | 261 | 920222 | 255 | 920612N | 254 |
| 912065 | 261 | 920224 | 255 | 920613AN | 255 |
| 912070 | 261 | 920226 | 255 | 920613N | 254 |
| 912075 | 261 | 920228 | 255 | 920614AN | 255 |
| 912080 | 261 | 920230 | 255 | 920614N | 254 |
| 912085 | 261 | 920232 | 255 | 920615AN | 255 |
| 912090 | 261 | 920234 | 255 | 920615N | 254 |
| 912095 | 261 | 920236 | 255 | 920616AN | 255 |
| 9120HD | 424 | 920238 | 255 | 920616N | 254 |
| 9120RK-1 | 424 | 920242 | 255, 430 | 920617AN | 255 |
| 9121 | 236 | 920248 | 255, 430 | 920617N | 254 |
| 912100 | 261 | 9203N | 427 | 920618AN | 255 |
| 912105 | 261 | 9203N1 | 427 | 920618N | 254 |
| | | | | | |
| 912110 | 261 | 920508N | 252 | 920619AN | 255 |
| 912115 | 261 | 920510AN | 253 | 920619N | 254 |
| 912120 | 261 | 920510N | 252 | 920621AN | 255 |
| 912125 | 261 | 920511AN | 253 | 920621N | 254 |
| 912130 | 261 | 920511N | 252 | 920622AN | 255 |
| 9123 | 423 | 920512AN | 253 | 920622N | 254 |
| 9123RK | 423 | 920512N | 252 | 920624AN | 255 |
| 9124 | 423 | 920513AN | 253 | 920624N | 254, 430 |
| 9126 | 237 | 920513N | 252 | 920627N | 254, 430 |
| 920001 | 244 | 920514AN | 253 | 920628N | 254, 430 |
| 920002 | 244 | 920514N | 252 | 920629N | 254, 430 |
| 920003 | 244 | 920515AN | 253 | 920630N | 254, 430 |
| 920020AN | 249 | 920515N | 252 | 920632N | 254, 430 |
| 920020N | 249 | 920516AN | 253 | 920635N | 254, 430 |
| 920021AN | 249 | 920516N | 252 | 920636N | 254, 430 |
| 920021N | 249 | 920517AN | 253 | 920710-C | 253 |
| 920023AN | 249 | 920517N | 427 | 920712-C | 253 |
| 920023N | 249 | 920517N1 | 252 | 920713-C | 253 |
| 920030AN | 249 | 920518AN | 253 | 920714-C | 253 |
| 920030N | 249 | 920518N | 252 | 920715-C | 253 |
| 920036AN | 249 | 920519AN | 253 | 920716-C | 253 |
| 920036N | 249 | 920519N | 427 | 920717-C | 253 |
| 920037AN | 249 | 920519N1 | 252 | 920718-C | 253 |
| 920037N | 249 | 920520N | 252 | 920719-C | 253 |
| 920060-C | 249 | 920521AN | 253 | 920721-C | 253 |
| 920112 | 254 | 920521N | 427 | 920722-C | 253 |
| 920114 | 254 | 920521N1 | 252 | 920724-C | 253 |
| 920116 | 254 | 920522AN | 253 | 9207\$12 | 237 |
| | 204 | | | | |
| 920118 | 254 | 920522N | 252 | 9717101X=0 | 257 |
| 920118
920120 | 254
254 | 920522N
920523N | 252
252 | 921210TX-C
921215TX-C | 257
257 |





| Item ID | Page No. | Item ID | Page No. | Item ID | Page No. |
|------------|----------|------------------|----------|----------------------|----------|
| 921225TX-C | 257 | 940130 | 258 | 940546-C | 257 |
| 921227TX-C | 257 | 940132 | 258 | 940550-C | 257 |
| 921230TX-C | 257 | 940134 | 258 | 940619-C | 258 |
| 921240TX-C | 257 | 940136 | 258 | 940621-C | 258 |
| 921245TX-C | 257 | 940138 | 258 | 940622-C | 258 |
| 921250TX-C | 257 | 940140 | 258 | 940623-C | 258 |
| 921255TX-C | 257 | 940142 | 258 | 940624-C | 258 |
| 921260TX-C | 257 | 940144 | 258 | 940627-C | 258 |
| 921270TX-C | 257 | 940146 | 258 | 940630-C | 258 |
| 921505-C | 256 | 940148 | 258 | 940632-C | 258 |
| 921506-C | 256 | 940150 | 258 | 940633-C | 258 |
| 921508-C | 256 | 940152 | 258 | 940634-C | 258 |
| 921510-C | 256 | 940154 | 258 | 940636-C | 258 |
| 921512-C | 256 | 940156 | 258 | 940638-C | 258 |
| 921514-C | 256 | 940160 | 258 | 940641-C | 258, 430 |
| 921517-C | 256 | 940162 | 258 | 940646-C | 258 |
| 921519-C | 256 | 940164 | 258 | 940650-C | 258 |
| 921606 | 256 | 940166 | 258 | 940732-C | 259 |
| 921608 | 256 | 940168 | 258 | 941519-C | 259 |
| 921610 | 256 | 940170 | 258 | 941522-C | 259 |
| 921612 | 256 | 940172 | 258 | 941524-C | 259 |
| 921614 | 256 | 940174 | 258 | 960506-C | 251 |
| 921616 | 256 | 940176 | 258 | 960507-C | 251 |
| 921618 | 256 | 940224 | 259 | 960508-C | 251 |
| 921620 | 256 | 940226 | 259 | 960510-C | 251 |
| 921622 | 256 | 940228 | 259 | 960513-C | 251 |
| 921624 | 256 | 940230 | 259 | 970030 | 244 |
| 921814 | 256 | 940232 | 259 | 970040 | 244 |
| 921816 | 256 | 940234 | 259 | 970045 | 244 |
| 921818 | 256 | 940236 | 259 | 970050 | 244 |
| 923090 | 249 | 940238 | 259 | 970055 | 244 |
| 923110 | 249 | 940240 | 259 | 980020-C | 249 |
| 923120 | 249 | 940242 | 259 | 980035-C | 249 |
| 923140 | 249 | 940244 | 259 | 980036A-C | 249 |
| 923814 | 256 | 940246 | 259 | 980036-C | 249 |
| 923816 | 256 | 940248 | 259 | 980060-C | 249 |
| 923818 | 256 | 940250 | 259 | 980086 | 249 |
| 9291719 | 253, 427 | 940252 | 259 | 980508-C | 251 |
| 9292122 | 253, 427 | | 259 | | 251 |
| 930001 | 253, 427 | 940254
940256 | 259 | 980510-C
980511-C | 251 |
| 930002 | 244 | 940258 | 259, 430 | 980512-C | 251 |
| 930003 | 244 | 940260 | 257, 450 | 980513-C | 251 |
| 930004 | | 940519-C | 257 | | 251 |
| 930004 | 244 | 940521-C | 257 | 980514-C
980515-C | 251 |
| | | | | | |
| 9386 | 236 | 940522-C | 257 | 980516-C | 251 |
| 940006 | 244 | 940523-C | 257 | 980517-C | 251 |
| 940008 | 244 | 940524-C | 257 | 980519-C | 251 |
| 940010 | 244 | 940527-C | 257 | 980608-C | 251 |
| 940012 | 244 | 940528-C | 257 | 980610-C | 251 |
| 940022-C | 250 | 940530-C | 257 | 980611-C | 251 |
| 940030-C | 250 | 940532-C | 257 | 980612-C | 251 |
| 940037-C | 250 | 940533-C | 257 | 980613-C | 251 |
| 940085-C | 250 | 940534-C | 257 | 980614-C | 251 |
| 940122 | 258 | 940536-C | 257 | 980616-C | 251 |
| 940124 | 258 | 940538-C | 257 | 980617-C | 251 |
| 940126 | 258 | 940540-C | 257 | 980619-C | 251 |
| 940128 | 258 | 940541-C | 257 | 981504-C | 252 |



| Item ID | Page No. | Item ID | Page No. | Item ID | Page No. |
|----------------|----------|---------|----------|---------|----------|
| 981505-C | 252 | AT080 | 421 | CMD30A | 403 |
| 981506-C | 252 | AT085 | 421 | CMD40 | 403 |
| 981507-C | 252 | AT090 | 421 | CMD40A | 403 |
| 981508-C | 252 | AT096 | 388 | CMD50 | 403 |
| 981510-C | 252 | AT097 | 388 | CMD80 | 403 |
| 981512-C | 252 | AT135 | 442 | CMF16 | 403 |
| 9850 | 437 | AT135M | 442 | CMF16T | 403 |
| AB200 | 477 | AT160 | 425 | CMF20 | 403 |
| ABS-TOP | 84 | AT 170 | 425 | CMF20T | 403 |
| ACC300CBH01 | 357 | AT180 | 425 | CMF25 | 403 |
| ACC35CBH01 | 357 | AT180-S | 425 | CMF25T | 403 |
| ACC50CBH01 | 357 | AT186 | 426 | CMF30 | 403 |
| ACC50MBH01 | 357 | AT 191 | 426 | CMF30T | 403 |
| ACC70MBH01 | 357 | AT 192 | 426 | CMF35 | 403 |
| ACCSDA1412 | 357 | AT194 | 426 | CMF35T | 403 |
| ACCSDA1414 | 357 | AT195 | 426 | CMFQ20 | 403 |
| ACCSDA1438 | 357 | AT200 | 426 | CMFQ25 | 403 |
| ACD01 | 324 | AT20512 | 426 | CMFQ30 | 403 |
| ALU1000-1 | 87 | AT20516 | 426 | CMFQ40 | 403 |
| ALU1000-1 | 87 | AT20510 | 426 | CMQ150 | 404 |
| | | | | | 404 |
| ALU12 | 88 | AT20524 | 426 | CMQ300 | |
| ALU14 | 88 | AT330 | 426 | CMQ450 | 404 |
| ALU34 | 88 | AT350 | 430 | CMQ600 | 404 |
| ALU38 | 88 | AT355 | 430 | CMQL150 | 404 |
| ALU430 | 87 | AT360 | 430 | CMQL300 | 404 |
| ALU450 | 87 | AT365 | 430 | CMQL450 | 404 |
| ARAG125 | 469 | AT370 | 430 | CP04 | 451 |
| ARB01 | 471 | AT375 | 430 | CP04RK1 | 436 |
| ARB02 | 471 | AT380 | 430 | CP04RK2 | 436 |
| ARB03 | 471 | AT415 | 428 | CP04RK3 | 436 |
| ARBS10 | 470 | AT420 | 428 | CP05 | 451 |
| ARC80 | 467 | AT500 | 430 | CP08 | 451 |
| ARD10 | 465 | AT605 | 390 | CP50 | 436 |
| ARD13 | 466 | BC408 | 385 | CP51 | 436 |
| AREP25 | 469 | BC408T | 386 | CP52 | 436 |
| ARG01 | 468 | BC414 | 408 | CP53 | 437 |
| ARG02 | 468 | BC414J | 408 | CP55 | 437 |
| ARN12 | 471 | BC418 | 408 | CP58 | 436 |
| ARR12 | 465 | BC418J | 408 | CP60 | 437 |
| ARRG80 | 470 | BC424 | 408 | CTG01 | 437 |
| ARRG80-1RK | 470 | BC424J | 408 | DB028 | 413 |
| ARRG80-3RK | 470 | BC430 | 408 | DB034 | 413 |
| ARRM38 | 464 | BC430J | 408 | DBT35 | 411 |
| ARS01 | 466 | BC436 | 408 | DBT41 | 411 |
| ARS02 | 467 | BC436J | 408 | DBT54 | 411 |
| ARWC12 | 462 | BWT406 | 297 | DBX010 | 413 |
| ARWC34 | 462 | CALD150 | 475 | DBX015 | 413 |
| ARWC38 | 461 | CALV150 | 475 | DBX020 | 413 |
| ARWM11S | 464 | CC150F | 450 | DBX025 | 413 |
| ARWM12 | 460 | CC200F | 450 | DBX030 | 413 |
| ARWM12M | 463 | CC240F | 450 | DBX033 | 413 |
| ARWM34 | 461 | CC250F | 450 | DBX035 | 413 |
| ARWM38 | 460 | CMD12 | 403 | DBX040 | 413 |
| AT005 | 424 | CMD12 | 403 | DBX040 | 413 |
| | 424 | | 403 | | |
| AT020
AT040 | | CMD20 | | DBX045 | 413 |
| | 425 | CMD25 | 403 | DBX050 | 413 |

Get organised[™] TENGIOOLS 487





| Item ID | Page No. | Item ID | Page No. | Item ID | Page No. |
|-----------------------|----------|-------------|---------------|-------------|----------|
| DBX060 | 413 | FLHF10 | 432 | HMDH65 | 428 |
| DBX065 | 413 | FLHR10 | 432 | HMEG300 | 447 |
| DBX068 | 413 | FLRD10 | 433 | HMEG500 | 447 |
| DBX070 | 413 | FLSQ10 | 433 | HMEG800 | 447 |
| DBX075 | 413 | FLTR10 | 433 | HMS1250 | 448 |
| DBX080 | 413 | FTF32406005 | 358 | HMSF | 448 |
| DBX085 | 413 | FTF4055 | 341 | HMSFRK | 448 |
| DBX090 | 413 | GR25002010 | 360 | HN02 | 454 |
| DBX095 | 413 | GR25002100 | 360 | HN02RK | 454 |
| DBX100 | 413 | GRP3000201 | 247, 360 | HP101 | 294 |
| DBX105 | 413 | GRP3000205 | 247, 360 | HP102 | 294 |
| DBX110 | 413 | GRP5000201 | 247, 360 | HP103 | 294 |
| DBX115 | 413 | НВН0303 | 341 | HP2014 | 294 |
| DBX120 | 413 | HBH0404 | 341 | HP2014-P | 294 |
| DBX125 | 413 | HBH0505 | 341 | HP2015 | 294 |
| DBX130 | 413 | HBH0606 | 341 | HP2015-P | 294 |
| DET01 | 411 | HEX2500203 | 361 | HP2025 | 294 |
| DET01RK | 411 | HEX2500303 | 361 | HP2026 | 294 |
| DET02 | 411 | HEX2500403 | 361 | HP2026-P | 294 |
| DGMM | 475 | HEX2500503 | 361 | HP2036 | 294 |
| DHW1300 | 297 | HEX2500603 | 361 | HP2036-P | 294 |
| DHW1417 | 297 | HEX2500803 | 361 | HP2038 | 294 |
| DHW1922 | 297 | HEX5000403 | 362 | HP2038-P | 294 |
| | 414 | HEX5000403 | 362 | HR01 | 453 |
| DIE-HNDL | 433 | | 362 | | 453 |
| DIS-SP05
DIS-SP05Q | 434 | HEX5000603 | 362 | HR01RK | 453 |
| | | HEX5000803 | | HR12 | |
| DM500 | 474 | HEX8900401 | 362 | HR12RK | 453 |
| DM550 | 475 | HEXP3000301 | 247, 362 | HR14 | 453 |
| DP0810 | 424 | HEXP3000305 | 247, 362 | HR14RK | 453 |
| DP0812 | 424 | HEXP3000401 | 247, 362 | HR30R | 453 |
| DP1012 | 424 | HEXP3000405 | 247, 362 | HR30RRK-1 | 453 |
| DP1112 | 424 | HEXP3000501 | 247, 362 | HR30RRK-2 | 453 |
| DP1314 | 424 | HEXP3000505 | 247, 362 | HR360R | 453 |
| DP1716 | 424 | HEXP3000601 | 247, 362 | HRLN65N | 454 |
| FC01 | 430 | HEXP3000605 | 247, 362 | HRLN65NRK-1 | 454 |
| FG13100 | 478 | HEXP5000301 | 247, 362 | HRLR01 | 454 |
| FG20100 | 478 | HEXP5000401 | 247, 362 | HRLR01RK-2 | 454 |
| FG20200 | 478 | HEXP5000501 | 247, 362 | HRLR01RK-3 | 454 |
| FL2506A03 | 358 | HEXP5000601 | 247, 362 | HRLT01 | 453 |
| FL2506B03 | 358 | НМВН01 | 428 | HRLT01RK | 453 |
| FL2508A03 | 358 | HMBH02 | 428 | IBA14 | 246 |
| FL2508B03 | 358 | НМВН03 | 428 | ID506 | 242 |
| FL2510A03 | 358 | HMBH16 | 448 | ID506BIT | 242 |
| FL2512A03 | 358 | HMBP12 | 447 | ID515 | 242 |
| FL2516A03 | 358 | HMBP16 | 447 | ID515BIT | 242 |
| FL5006A03 | 358 | HMBP24 | 447 | IDSE7 | 243 |
| FL5008A03 | 358 | HMBP32 | 447 | KP01 | 446 |
| FL5008B03 | 358 | HMCH08A | 447 | KP02 | 446 |
| FL5010A03 | 358 | HMCH13A | 447 | KP03 | 446 |
| FL5012A03 | 358 | HMCH16A | 447 | M1100 | 214 |
| FL7006A02 | 358 | HMCH16M | 448 | M110010 | 214 |
| FL7008A02 | 358 | HMCH20A | 447 | M110020 | 214 |
| FL7008B02 | 358 | HMCHC16 | 447 | M110030 | 216 |
| FL7010A02 | 358 | НМСНМ16 | 447 | M110040 | 215 |
| FL8905A01 | 359 | HMDH35 | 428 | M110050 | 215 |
| FL8908A01 | 359 | HMDH45 | 428 | M 110070 | 218 |
| FLFT10 | 432 | HMDH55 | 428 | M110070RK | 218 |
| | | | · | | |



| Item ID | Page No. | Item ID | Page No. | Item ID | Page No. |
|------------------------|----------|--------------|------------|-------------|----------|
| M1100-72 | 213 | M120509-C | 227 | M1206166-C | 229 |
| M1100-72RK | 214 | M1205106-C | 227 | M120616-C | 229 |
| M1100RK | 214 | M120510-C | 227 | M1206176-C | 229 |
| M110536 | 234 | M1205116-C | 227 | M120617-C | 229 |
| M110541 | 234 | M120511-C | 227 | M1206186-C | 229 |
| M110546 | 234 | M1205126-C | 227 | M120618-C | 229 |
| M110550 | 234 | M120512-C | 227 | M1206196-C | 229 |
| M110555 | 234 | M1205136-C | 227 | M120619-C | 229 |
| M110558 | 234 | M120513-C | 227 | M120620-C | 229 |
| M110560 | 234 | M1205146-C | 227 | M120621-C | 229 |
| M110565 | 234 | M120514-C | 227 | M120622-C | 229 |
| M110570 | 234 | M1205156-C | 227 | M1206246-C | 229 |
| M110575 | 234 | M120515-C | 227 | M120624-C | 229 |
| M110580 | 234 | M1205166-C | 227 | M120627-C | 229 |
| M1115MM | 204 | M120516-C | 227 | M120630-C | 229 |
| M120010-C | 218 | M1205176-C | 227 | M120632-C | 229 |
| M120010FK | 218 | M120517-C | 227 | M120636-C | 229 |
| M120010KK | 217 | M1205186-C | | M120636-C | 198 |
| M120011-C
M120020-C | 217 | M1205186-C | 227
227 | M120710-C | 232 |
| | | | | | |
| M120020W-C | 215 | M1205196-C | 227 | M120711-C | 232 |
| M120021-C | 215 | M120519-C | 227 | M120712-C | 232 |
| M120021W-C | 215 | M1205206-C | 227 | M120714-C | 232 |
| M120022-C | 215 | M120520-C | 227 | M120716-C | 232 |
| M120022W-C | 215 | M1205216-C | 227 | M120718-C | 232 |
| M120023-C | 215 | M120521-C | 227 | M120720-C | 232 |
| M120024-C | 215 | M1205226-C | 227 | M120722-C | 232 |
| M120030-C | 216 | M120522-C | 227 | M120724-C | 232 |
| M120036-C | 216 | M1205236-C | 227 | M1208-6 | 198 |
| M120037-C | 216 | M120523-C | 227 | M1209AF | 200 |
| M120037M | 217 | M1205246-C | 227 | M1210 | 201 |
| M120040-C | 219 | M120524-C | 227 | M1211 | 201 |
| M120042-C | 219 | M1205256-C | 227 | M121106-C | 231 |
| M120046-C | 219 | M120525-C | 227 | M121107-C | 231 |
| M120050-C | 217 | M1205266-C | 227 | M121108-C | 231 |
| M120060-C | 217, 357 | M120526-C | 227 | M121109-C | 231 |
| M120061-C | 217, 357 | M1205276-C | 227 | M121110-C | 231 |
| M120062-C | 217, 357 | M120527-C | 227 | M121112-C | 231 |
| M120063-C | 217, 357 | M1205286-C | 227 | M121116-C | 231 |
| M120080-C | 219 | M120528-C | 227 | M121118-C | 231 |
| M120112-C | 228 | M1205296-C | 227 | M121120-C | 231 |
| M120114-C | 228 | M120529-C | 227 | M 1212 | 200 |
| M120116-C | 228 | M1205306-C | 227 | M121220-C | 231 |
| M120118-C | 228 | M120530-C | 227 | M121220T-C | 232 |
| M120119-C | 228 | M1205326-C | 227 | M121225-C | 231 |
| M120120-C | 228 | M120532-C | 227 | M 121225T-C | 232 |
| M120122-C | 228 | M1205336-C | 227 | M121227-C | 231 |
| M120124-C | 228 | M1205346-C | 227 | M121227T-C | 232 |
| M120125-C | 228 | M120534-C | 227 | M121230-C | 231 |
| M120126-C | 228 | M120610-C | 229 | M121230T-C | 232 |
| M120128-C | 228 | M120611-C | 229 | M121240-C | 231 |
| M120130-C | 228 | M120612-C | 229 | M121240T-C | 232 |
| M120132-C | 228 | M1206136-C | 229 | M121245-C | 231 |
| M120134-C | 228 | M120613-C | 229 | M121245T-C | 232 |
| M120136-C | 228 | M1206146-C | 229 | M121250-C | 231 |
| M120138-C | 228 | M120614-C | 229 | M121250T-C | 232 |
| M120140-C | 228 | M1206156-C | 229 | M121255-C | 231 |
| 20140-0 | 220 | .111200130-0 | 227 | .111233-6 | 231 |





| Item ID | Page No. | Item ID | Page No. | Item ID | Page No. |
|------------|----------|----------------------|----------|-------------|----------|
| M121260-C | 231 | M140021-C | 215 | M140613-C | 221 |
| M121260T-C | 232 | M140022-C | 215 | M 1407 | 186 |
| M1212N1 | 193 | M140023-C | 215 | M140704-C | 221 |
| M 1213TPX | 201 | M140024-C | 215 | M140705-C | 221 |
| M1213TX | 201 | M140030-C | 216 | M140706-C | 221 |
| M121505-C | 230 | M140036-C | 216 | M140707-C | 221 |
| M121506-C | 230 | M140036M | 217 | M140708-C | 221 |
| M121507-C | 230 | M140037 | 216 | M1408TX | 186 |
| M121508-C | 230 | M140038-C | 215 | M1410T5 | 353 |
| M121509-C | 230 | M140039 | 216 | M 1412 | 185 |
| M121510-C | 230 | M140050-C | 217 | M141210T-C | 222 |
| M121512-C | 230 | M140060-C | 217, 357 | M 141215T-C | 222 |
| M121514-C | 230 | M140070 | 415 | M141220T-C | 222 |
| M121517-C | 230 | M140071 | 415 | M141225T-C | 222 |
| M121519-C | 230 | M140071 RK | 415 | M141227T-C | 222 |
| M1215AF | 198 | M140072 | 415 | M141230T-C | 222 |
| M1215MM | 198 | M140072
M140072RK | 415 | M141240T-C | 222 |
| M122220T-C | 232 | | 220 | | 222 |
| | | M140106-C | | M141300-C | |
| M122225T-C | 232 | M140107-C | 220 | M141301-C | 222 |
| M122227T-C | 232 | M140108-C | 220 | M141302-C | 222 |
| M122230T-C | 232 | M140109-C | 220 | M141303-C | 222 |
| M122240T-C | 232 | M140110-C | 220 | M1413N1 | 182 |
| M122245T-C | 232 | M140111-C | 220 | M141404-C | 222 |
| M122250T-C | 232 | M140112-C | 220 | M1414055-C | 222 |
| M122255T-C | 232 | M140114-C | 220 | M141407-C | 222 |
| M122260T-C | 232 | M140116-C | 220 | M141601-C | 222 |
| M122270T-C | 232 | M140206-C | 221 | M141602-C | 222 |
| M122505-C | 230 | M140207-C | 221 | M141603-C | 222 |
| M122506A-C | 230 | M140208-C | 221 | M340020-C | 215 |
| M122506-C | 230 | M140209-C | 221 | M340020S-C | 215 |
| M122507-C | 230 | M140210-C | 221 | M340021-C | 215 |
| M122508A-C | 230 | M140211-C | 221 | M340021S-C | 215 |
| M122508-C | 230 | M140212-C | 221 | M340022-C | 215 |
| M122510-C | 230 | M140214-C | 221 | M340022S-C | 215 |
| M122510L-C | 230 | M140216-C | 221 | M340030-C | 216 |
| M122512-C | 230 | M1405045-C | 220 | M340050-C | 217 |
| M122514-C | 230 | M140504-C | 220 | M340050S-C | 217 |
| M122517-C | 230 | M1405055-C | 220 | M340070-C | 218 |
| M122704-C | 231 | M140505-C | 220 | M340070RK | 218 |
| M122705-C | 231 | M140506-C | 220 | M340070S-C | 218 |
| M122706-C | 231 | M140507-C | 220 | M340070SRK | 218 |
| M122708-C | 231 | M140508-C | 220 | M3400-72 | 213 |
| M122709-C | 231 | M140509-C | 220 | M3400-72RK | 214 |
| M122710-C | 231 | M140510-C | 220 | M340085-C | 216 |
| M122711-C | 231 | M140511-C | 220 | M340085M | 217 |
| M122712-C | 231 | M140512-C | 220 | M340086-C | 216 |
| M122713-C | 231 | M140513-C | 220 | M340124-C | 233 |
| M122805-C | 231 | M140604-C | 221 | M340128-C | 233 |
| M122806-C | 231 | M1406055-C | 221 | M340130-C | 233 |
| M122808-C | 231 | M140605-C | 221 | M340132-C | 233 |
| M122809-C | 231 | M140606-C | 221 | M340134-C | 233 |
| M122810-C | 231 | M140607-C | 221 | M340136-C | 233 |
| M122812-C | 231 | M140607-C | 221 | M340138-C | 233 |
| | | | 221 | | 233 |
| M122814-C | 231 | M140609-C | | M340140-C | |
| M122816-C | 231 | M140610-C | 221 | M340142-C | 233 |
| M140015-C | 218 | M140611-C | 221 | M340144-C | 233 |
| M140020-C | 215 | M140612-C | 221 | M340146-C | 233 |



| Item ID | Page No. | Item ID | Page No. | Item ID | Page No. |
|------------|----------|------------------------|----------|-------------------------|----------|
| M340148-C | 233 | M380124-C | 223 | M381108-C | 226 |
| M340152-C | 233 | M380126-C | 223 | M381110-C | 226 |
| M340156-C | 233 | M380128-C | 223 | M381112-C | 226 |
| M340158-C | 233 | M380212-C | 225 | M3812 | 192 |
| M340160-C | 233 | M380214-C | 225 | M381210-C | 226 |
| M340164-C | 233 | M380216-C | 225 | M381210T-C | 226 |
| M3405196-C | 233 | M380218-C | 225 | M381215-C | 226 |
| M3405216-C | 233 | M380220-C | 225 | M381215T-C | 226 |
| M3405226-C | 233 | M380222-C | 225 | M381220-C | 226 |
| M3405246-C | 233 | M380224-C | 225 | M381220T-C | 226 |
| M3405266-C | 233 | M380226-C | 225 | M381225-C | 226 |
| M3405276-C | 233 | M380228-C | 225 | M381225T-C | 226 |
| M3405306-C | 233 | M380507-C | 223 | M381227-C | 226 |
| M3405326-C | 233 | M380508-C | 223 | M381227T-C | 226 |
| M3405336-C | 233 | M380509-C | 223 | M381230-C | 226 |
| M3405346-C | 233 | M380510-C | 223 | M381230T-C | 226 |
| M3405366-C | 233 | M380511-C | 223 | M381240-C | 226 |
| M3405386-C | | M380511-C
M380512-C | | M381240-C
M381240T-C | |
| | 233 | | 223 | | 226 |
| M3405416-C | 233 | M380513-C | 223 | M381245-C | 226 |
| M3405466-C | 233 | M380514-C | 223 | M381245T-C | 226 |
| M3405506-C | 233 | M380515-C | 223 | M381250-C | 226 |
| M341514-C | 234 | M380516-C | 223 | M381250T-C | 226 |
| M341517-C | 234 | M380517-C | 223 | M3812N1 | 186 |
| M341519-C | 234 | M380518-C | 223 | M3813TPX | 192 |
| M341522-C | 234 | M380519-C | 223 | M3813TX | 192 |
| M380010A-C | 218 | M380520-C | 223 | M3814 | 192 |
| M380011-C | 217 | M380521-C | 223 | M381503-C | 226 |
| M380015-C | 218 | M380522-C | 223 | M381504-C | 226 |
| M380020-C | 215 | M380607-C | 224 | M3815055-C | 226 |
| M380020W-C | 215 | M380608-C | 224 | M381505-C | 226 |
| M380021-C | 215 | M380609-C | 224 | M381506-C | 226 |
| M380021W-C | 215 | M380610-C | 224 | M381507-C | 226 |
| M380022-C | 215 | M380611-C | 224 | M381508-C | 226 |
| M380022W-C | 215 | M380612-C | 224 | M381510-C | 226 |
| M380023-C | 215 | M380613-C | 224 | M381512-C | 226 |
| M380024-C | 215 | M380614-C | 224 | M3816 | 190 |
| M380030-C | 216 | M380615-C | 224 | M386510-C | 291 |
| M380035-C | 216 | M380616-C | 224 | M386511-C | 291 |
| M380036-C | 216 | M380617-C | 224 | M386512-C | 291 |
| M380036M | 217 | M380618-C | 224 | M386513-C | 291 |
| M380037 | 216 | M380619-C | 224 | M386514-C | 291 |
| M380039-C | 219 | M380620-C | 224 | M386515-C | 291 |
| M380040-C | 219 | M380621-C | 224 | M386516-C | 291 |
| M380041-C | 219 | M380622-C | 224 | M386517-C | 291 |
| M380042-C | 219 | M3807 | 191 | M386518-C | 291 |
| M380046-C | 219 | M380710-C | 225 | M386519-C | 291 |
| M380047-C | 219 | M380712-C | 225 | MB410 | 391 |
| M380050-C | 217 | M380714-C | 225 | MB412 | 391 |
| M380060-C | | | 225 | MB416 | 391 |
| | 217, 357 | M380716-C | | | |
| M380061-C | 217, 357 | M380718-C | 225 | MB441-5 | 383 |
| M380110-C | 223 | M3808MM | 291 | MB441-5T | 383 |
| M380112-C | 223 | M3811 | 192 | MB441-6 | 383 |
| M380114-C | 223 | M381103-C | 226 | MB441-6T | 383 |
| M380116-C | 223 | M381104-C | 226 | MB442-5 | 383 |
| M380118-C | 223 | M381105-C | 226 | MB442-6 | 383 |
| M380120-C | 223 | M381106-C | 226 | MB442-6T | 383 |
| M380122-C | 223 | M381107-C | 226 | MB442-7 | 383 |





| Item ID | Page No. | Item ID | Page No. | Item ID | Page No. |
|------------|----------|-----------|----------|---------|----------|
| MB442-7S | 384 | MB489-8 | 390 | MD906N4 | 332 |
| MB442-8 | 383 | MB499-7T | 390 | MD906TN | 340 |
| MB442-8T | 383 | MB541-5 | 386 | MD907FL | 356 |
| MB442B-8T | 384 | MB541-6 | 386 | MD907TN | 340 |
| MB444-10 | 384 | MB541-7 | 386 | MD908N | 355 |
| MB444-6 | 384 | MBE470-7 | 395 | MD908TN | 340 |
| MB444-8 | 384 | MBE471-7 | 395 | MD909TN | 340 |
| MB444-8T | 384 | MBE472-7 | 395 | MD910N | 330 |
| MB445-10 | 385 | MBE473-7 | 395 | MD910TN | 340 |
| MB448-6 | 390 | MBHI14 | 246, 358 | MD911N | 331 |
| MB448-8 | 390 | MBM441 | 391 | MD912N | 331 |
| MB449-10 | 391 | MBM449 | 392 | MD912N1 | 331, 371 |
| MB449-11 | 391 | MBM461 | 392 | MD914N | 338 |
| MB449-9 | 391 | MBM464 | 392 | MD915N | 338 |
| MB451-7 | 386 | MBM467 | 392 | MD915N1 | 338 |
| MB451-8 | 386 | MBM468 | 392 | MD915TN | 340 |
| MB452-6 | 386 | MBM469 | 392 | MD916N | 338 |
| MB452-6T | 386 | MBV441-6 | 375 | MD916N1 | 338 |
| MB452-7 | 386 | MBV442-8 | 375 | | 338 |
| | | | | MD916N2 | |
| MB452-7T | 386 | MBV451-7 | 375 | MD917N | 338 |
| MB452-8 | 386 | MBV451-8 | 375 | MD917N1 | 338 |
| MB452-8T | 386 | MBV461-8 | 376 | MD917N2 | 338 |
| MB452-9 | 386 | MBV499-7 | 376 | MD920N | 338 |
| MB461-5 | 387 | MD 193 | 356 | MD920N1 | 338 |
| MB461-6 | 387 | MD216 | 356 | MD920TN | 340 |
| MB461-6T | 387 | MD503N | 421 | MD922N | 338 |
| MB461-8 | 387 | MD503NA | 421 | MD923N | 338 |
| MB461-8T | 387 | MD503ND | 421 | MD923N1 | 338 |
| MB463-5 | 387 | MD503RK | 421 | MD925TN | 340 |
| MB463-6 | 387 | MD514L | 218 | MD927TN | 340 |
| MB463-8 | 387 | MD514N | 217 | MD928N | 338 |
| MB463-8T | 387 | MD610TPN | 340 | MD928N1 | 338 |
| MB464-6 | 388 | MD615TPN | 340 | MD928N2 | 338 |
| MB464-6T | 388 | MD620TPN | 340 | MD928N3 | 338 |
| MB465-6 | 388 | MD625TPN | 340 | MD928N4 | 338 |
| MB470-5 | 396 | MD627TPN | 340 | MD928N5 | 338 |
| MB470-7 | 396 | MD630TPN | 340 | MD928N6 | 338 |
| MB470-9 | 396 | MD640TPN | 340 | MD928N7 | 338 |
| MB471-5 | 396 | MD7020HBN | 309 | MD930N | 338 |
| MB471-7 | 396 | MD7020HN | 309 | MD930TN | 340 |
| MB471-9 | 396 | MD7025HBN | 309 | MD931N | 338 |
| MB472-5 | 396 | MD7025HN | 309 | MD932N | 338 |
| MB472-7 | 396 | MD7030HBN | 309 | MD932N1 | 338 |
| MB472-9 | 396 | MD7030HN | 309 | MD932N2 | 338 |
| MB473-5 | 396 | MD7040HBN | 309 | MD934N | 338 |
| MB473-7 | 396 | MD7050HBN | 309 | MD935N | 338 |
| MB473-9 | 396 | MD7060HBN | 309 | MD940N | 339 |
| MB481-10 | 389 | MD7080HBN | 309 | MD940N1 | 339 |
| | | MD801N | | | |
| MB481-10Q | 389 | | 340 | MD940TN | 340 |
| MB481-10T | 389 | MD802N | 340 | MD945TN | 340 |
| MB481-10TQ | 389 | MD803N | 340 | MD947N | 339 |
| MB481-7 | 389 | MD901 | 341 | MD947N1 | 339 |
| MB481-7T | 389 | MD9053N | 330 | MD947N2 | 339 |
| MB482-10Q | 389 | MD906N | 331 | MD948N | 339 |
| MB482-10TQ | 389 | MD906N1 | 332 | MD948N1 | 339 |
| MB482-7Q | 389 | MD906N2 | 332 | MD948N2 | 339 |
| MB489-7 | 390 | MD906N3 | 332 | MD948N3 | 339 |



| Item ID | Page No. | Item ID | Page No. | Item ID | Page No. |
|-----------|----------|----------|----------|-------------|----------|
| MD948N4 | 339 | MDMC718N | 337 | MDV860N | 373 |
| MD948N5 | 339 | MDN405 | 292 | MDV862N | 373 |
| MD948N6 | 339 | MDN4055 | 292 | MDV864N | 373 |
| MD948N8 | 339 | MDN406 | 292 | MDV864NF | 373 |
| MD949N | 339 | MDN407 | 292 | MDV866N | 373 |
| MD950N | 339 | MDN408 | 292 | MDV906N | 371 |
| MD952N | 339 | MDN410 | 292 | MDV9855 | 437 |
| MD952N1 | 339 | MDN411 | 292 | MH75 | 429 |
| MD953N | 339 | MDN412 | 292 | MH90 | 429 |
| MD954N | 339 | MDN413 | 292 | MIR25 | 475 |
| MD960N | 339 | MDNT405 | 292 | MP1400 | 322 |
| MD961N | 339 | MDNT4055 | 292 | MP1400RK-1 | 322 |
| MD961N1 | 339 | MDNT406 | 292 | MP2700 | 322 |
| MD961N2 | 339 | MDNT407 | 292 | MP2700RK-1 | 322 |
| MD962N | 339 | MDNT408 | 292 | MP91500 | 322 |
| MD962N1 | 339 | MDNT409 | 292 | MP91500RK | 322 |
| MD962N2 | 339 | MDNT410 | 292 | MPSL01 | 322 |
| MD962N3 | 339 | MDNT411 | 292 | MPSL02 | 322 |
| MD962N4 | 339 | MDNT412 | 292 | MR500 | 345 |
| MD962N4A | 339 | MDNT413 | 292 | MS1200 | 213 |
| MD962N4C | | | | MS120021-C | |
| | 339 | MDNT414 | 292 | | 215 |
| MD962N4D | 339 | MDP125 | 422 | MS120036-C | 216 |
| MD962N5 | 339 | MDP35 | 422 | MS1200RK | 214 |
| MD963N | 339 | MDP90 | 422 | MS1203 | 199 |
| MD964N | 339 | MDQ147 | 355 | MS1205106-C | 228 |
| MDA180 | 422 | MDQ183 | 355 | MS1205116-C | 228 |
| MDA-R | 420 | MDQ217 | 356 | MS1205126-C | 228 |
| MDA-SQ | 420 | MDR908 | 354 | MS1205136-C | 228 |
| MDBH | 355 | MDR908S | 354 | MS1205146-C | 228 |
| MDH-L | 420 | MDR915 | 354 | MS1205156-C | 228 |
| MDH-S | 420 | MDRQ908 | 355 | MS1205166-C | 228 |
| MDM700 | 344 | MDRT908 | 354 | MS1205176-C | 228 |
| MDM706 | 343 | MD-SCR | 420 | MS1205186-C | 228 |
| MDM706TX | 343 | MDT932N | 342 | MS1205196-C | 228 |
| MDM706TXT | 345 | MDT934N | 342 | MS1205216-C | 228 |
| MDM711 | 344 | MDT935N | 342 | MS1205246-C | 228 |
| MDM712 | 344 | MDT952N | 342 | MS1206176-C | 229 |
| MDM713 | 343 | MDT953N | 342 | MS1206196-C | 229 |
| MDM714 | 343 | MDTHQ | 355 | MS1206216-C | 229 |
| MDM715 | 343 | MDV724N | 372 | MS3800 | 213 |
| MDM716 | 343 | MDV726N | 372 | MS380020-C | 215 |
| MDM717 | 343 | MDV742N | 373 | MS380023-C | 215 |
| MDM718 | 343 | MDV744N | 373 | MS380036-C | 216 |
| MDM806 | 344 | MDV762N | 373 | MS3800RK | 214 |
| MDM806T | 345 | MDV764N | 373 | MS380508-C | 224 |
| MDM807 | 344 | MDV802N | 374 | MS380509-C | 224 |
| MDM807T | 345 | MDV820N | 372 | M\$380510-C | 224 |
| MDM808 | 344 | MDV822N | 372 | MS380511-C | 224 |
| MDM808T | 345 | MDV823N | 372 | MS380512-C | 224 |
| MDM809 | 344 | MDV824N | 372 | MS380513-C | 224 |
| MDM809T | 345 | MDV826N | 372 | MS380514-C | 224 |
| MDM810 | 344 | MDV828N | 372 | MS380515-C | 224 |
| MDM810T | 345 | MDV840N | 372 | MS380516-C | 224 |
| | | | | | |
| MDM815 | 344 | MDV842N | 372 | MS380517-C | 224 |
| MDM815T | 345 | MDV844N | 372 | MS380518-C | 224 |
| MDMC702N | 333 | MDV844NF | 373 | MS380519-C | 224 |
| MDMC715N | 339 | MDV846N | 372 | MS3814 | 191 |





| Item ID | Page No. | Item ID | Page No. | Item ID | Page No. |
|----------|----------|---------------|----------|-------------|----------|
| MT03 | 476 | P90545 | 250 | P-SG03 | 457 |
| MT03MM | 476 | P90551 | 250 | PT3810R | 218 |
| MT05 | 476 | P906110 | 250 | P-UKF | 416 |
| MT05MM | 476 | P90675 | 250 | PWC12 | 288 |
| MT08 | 476 | P92320 | 250 | PWC14 | 288 |
| мтовмм | 476 | P92325 | 250 | PWC18 | 288 |
| MT10 | 476 | PB12 | 440 | PWC24 | 288 |
| MT15 | 476 | PB12A | 440 | PWC36 | 288 |
| MT30 | 476 | PB16 | 440 | PZ2500103 | 360 |
| MTS30 | 476 | PB18A | 440 | PZ2500110 | 360 |
| MTS50 | 476 | PB20 | 440 | PZ2500203 | 360 |
| MX04 | 217 | PB22A | 440 | PZ2500210 | 360 |
| NS02 | 438 | PCCAP | 450 | PZ2500303 | 360 |
| NS02RKL | 438 | PCX05 | 450 | PZ2500310 | 360 |
| NS02RKS | 438 | PF190 | 440 | PZ5000103 | 360 |
| NS45108M | 366 | PF380 | 440 | PZ5000203 | 360 |
| NS45506M | 366 | PGW1719 | 291 | PZ5000303 | 360 |
| NS45507M | 366 | PGW1922 | 291 | PZ7000102 | 361 |
| NS45508M | 366 | PGW2124 | 291 | | 361 |
| | | | | PZ7000202 | |
| NS45508R | 366 | PGW2730 | 291 | PZ8900101 | 361 |
| NSP65108 | 248, 366 | PH2500103 | 359 | PZ8900201 | 361 |
| NSP65507 | 248, 366 | PH2500110 | 359 | PZP3000101 | 247, 361 |
| NSP65508 | 248, 366 | PH2500203 | 359 | PZP3000105 | 247, 361 |
| NSP65510 | 248, 366 | PH2500210 | 359 | PZP3000201 | 247, 361 |
| NSP65513 | 248, 366 | PH2500303 | 359 | PZP3000205 | 247, 361 |
| O9100115 | 250 | PH2500310 | 359 | PZP3000301 | 247, 361 |
| O910075 | 250 | PH5000103 | 359 | PZP3000305 | 247, 361 |
| O92194 | 250 | PH5000203 | 359 | PZP5000101 | 247, 361 |
| O92244 | 250 | PH5000303 | 359 | PZP5000201 | 247, 361 |
| O92416 | 250 | PH7000102 | 359 | PZP5000301 | 247, 361 |
| O92419 | 250 | PH7000202 | 359 | PZP8900201 | 247, 361 |
| O935202 | 250 | PH8900101 | 359 | PZZ0102 | 341 |
| O93525 | 250 | PH8900201 | 359 | PZZ32000305 | 360 |
| O93528 | 250 | PHF0365 | 341 | PZZ32010205 | 360 |
| O93530 | 250 | PHH0102 | 341 | QCI14 | 246, 358 |
| O93532 | 250 | PHH32000305 | 359 | RHA14 | 212, 357 |
| O93534 | 250 | PHH32010205 | 359 | ROB2500103 | 365 |
| O93538 | 250 | PHP3000101 | 247, 360 | ROB2500203 | 365 |
| O93546 | 250 | PHP3000105 | 247, 360 | ROB2500303 | 365 |
| O93548 | 250 | PHP3000201 | 247, 360 | ROBP3000101 | 248, 366 |
| O95034 | 250 | PHP3000205 | 247, 360 | ROBP3000105 | 248, 366 |
| O95036 | 250 | PHP3000301 | 247, 360 | ROBP3000201 | 248, 366 |
| O95046 | 250 | PHP3000305 | 247, 360 | ROBP3000205 | 248, 366 |
| O95775 | 250 | PHP5000101 | 247, 360 | ROBP5000101 | 248, 366 |
| O97043 | 250 | PHP5000201 | 247, 360 | ROBP5000201 | 248, 366 |
| O97045 | 250 | PHP5000301 | 247, 360 | ROBP5000301 | 248, 366 |
| O97051 | 250 | PHP8900201 | 247, 360 | ROBP8900101 | 248, 366 |
| P902515 | 250 | PM14 | 212 | ROBP8900201 | 248, 366 |
| P902518 | 250 | PP03 | 451 | ROBP8900301 | 248, 366 |
| P90324 | 250 | PPO4 | 451 | RS72 | 168 |
| P90328 | 250 | PP05 | 451 | RSC1340450 | 165 |
| P90332 | 250 | PP06 | 451 | RSC700450 | 165 |
| P90433 | 250 | PP07 | 451 | RSC800450 | 165 |
| P90435 | | | 451 | | 165 |
| P90435 | 250 | PP08
PPS06 | | RSCCH800 | |
| | 250 | | 450 | RSCH1340450 | 165 |
| P90445 | 250 | P-SG01 | 457 | RSCH700450 | 165 |
| P90543 | 250 | P-SG02 | 457 | RSCH800450 | 165 |



| Item ID | Page No. | Item ID | Page No. | Item ID | Page No. |
|-------------|----------|----------|----------|------------|----------|
| RSCW1340300 | 165 | RSTKPCC | 167 | SLP2180 | 388 |
| RSCW700300 | 165 | RSTP0700 | 168 | SLP3160 | 388 |
| RSCW800300 | 165 | RSTP0800 | 168 | SLP3180 | 388 |
| RSD070004 | 167 | RSTP1340 | 168 | SLT01 | 479 |
| RSD135004 | 167 | RSTSB | 167 | SLT02 | 479 |
| RSE0700 | 168 | RSWB0700 | 167 | SP11 | 434 |
| RSE0800 | 168 | RSWB0800 | 167 | SP1410 | 434 |
| RSE1340 | 168 | RSWB1340 | 167 | SP1410Q | 435 |
| RSK0700 | 166 | SC01 | 58 | SP1810 | 434 |
| RSK0700A | 166 | SC02 | 58 | SP1810Q | 435 |
| RSK0800 | 166 | SC03 | 59 | SP22 | 434 |
| RSK1350 | 166 | SC04 | 59 | SP2215 | 434 |
| RSK1350A | 166 | SC04E | 60 | SP2215Q | 435 |
| RSKC02 | 166 | SCE1 | 60 | SP2615 | 434 |
| RSMB0700 | 164 | SCE2 | 61 | SP2615Q | 435 |
| RSMB0800 | 164 | SCP01 | 451 | SP31410 | 435 |
| RSMB1340 | 164 | SCPS01 | 97 | SP31410Q | 435 |
| RSMC0700 | 164 | SCPS01E | 97 | SP31810 | 435 |
| RSMC0800 | 164 | SCR01 | 451 | SP31810Q | 435 |
| RSMC1340 | 164 | SCR02 | 451 | SP32215 | 435 |
| RSMFD0700 | 164 | SD501 | 443 | SP32215Q | 435 |
| RSMFD1340 | 164 | SE05 | 438 | SP32615 | 435 |
| RSML | 152 | SE141 | 246, 438 | SP32615Q | 435 |
| RSML1001 | 155 | SE142 | 246, 438 | SP3320 | 434 |
| RSML333 | 163 | SE143 | 246, 438 | SP3320Q | 435 |
| RSML417 | 161 | SEL01S | 438 | SP33320 | 435 |
| RSML569 | 159 | SEL02S | 438 | SP33320Q | 435 |
| RSML715 | 157 | SEL03S | 438 | SPA 11 | 434 |
| RSMM | 153 | SEL04S | 438 | SPA22 | 434 |
| RSMM1001 | 155 | SEL05S | 438 | SPBP20 | 423 |
| RSMM333 | 163 | SG001 | 457 | SQAA200 | 477 |
| RSMM417 | 161 | SG002 | 457 | SQAA250 | 477 |
| RSMM569 | 159 | SG003 | 457 | SQAA300 | 477 |
| RSMM715 | 157 | SG713 | 456 | SQAB10070 | 478 |
| RSMS | 153 | SG713G | 456 | SQAB150100 | 478 |
| RSMS333 | 163 | SG960 | 455 | SQAB200130 | 478 |
| RSMS417 | 161 | SG960A | 456 | SQAB300175 | 478 |
| RSMS569 | 159 | SG960G | 455 | SQAC300 | 477 |
| RSMS715 | 157 | SG960Y | 456 | SQAP250 | 477 |
| RSMSD0700 | 164 | SL01 | 429 | SQAP300 | 477 |
| RSMSD1340 | 164 | SL02 | 429 | SR1160 | 408 |
| RSMXL | 152 | SL03 | 429 | SR1180 | 408 |
| RSMXL1001 | 155 | SLA0300 | 478 | SR2180 | 408 |
| RSMXL333 | 163 | SLA040 | 478 | SR3160 | 408 |
| RSMXL417 | 161 | SLA0400 | 478 | SSH01 | 441 |
| RSMXL569 | 159 | SLA0600 | 478 | SSH02 | 441 |
| RSMXL715 | 157 | SLA1000 | 478 | SSH03 | 441 |
| RSRU01N | 168 | SLA1200 | 478 | SSH04 | 441 |
| RSS0700 | 167 | | 478 | | 439 |
| | 167 | SLA1500 | | ST12319 | 439 |
| RSS0800 | | SLA 1800 | 478 | ST12321 | |
| RSS1350 | 167 | SLA2000 | 478 | ST12322 | 439 |
| RSSC01 | 167 | SLM0300 | 479 | ST12324 | 439 |
| RSSS1350 | 167 | SLM0400 | 479 | ST12325 | 439 |
| RSSS700 | 167 | SLM0600 | 479 | ST12506-C | 439 |
| RSTKP1340 | 167 | SLM1000 | 479 | ST12508-C | 439 |
| RSTKP700 | 167 | SLM1200 | 479 | ST12510-C | 439 |
| RSTKP800 | 167 | SLP1160 | 388 | ST12512-C | 439 |





| Item ID | Page No. | Item ID | Page No. | Item ID | Page No. |
|----------|----------|-------------|----------|-------------|----------|
| ST150 | 477 | TBW10 | 225 | TCF02 | 85 |
| ST200 | 477 | TC103NF | 83 | TCF03 | 85 |
| ST38112 | 439 | TC144D | 62 | TC-FB01 | 170 |
| ST38116 | 439 | TC144E | 63 | TC-FB02 | 170 |
| ST38122 | 439 | TC-160UR | 170 | TC-FB03 | 170 |
| ST38306 | 439 | TC-180CLOCK | 90 | TC-H01 | 170 |
| ST38308 | 439 | TC187 | 63 | TC-H02 | 170 |
| ST38310 | 439 | TC-3 | 82 | TC-H05 | 170 |
| ST38311 | 439 | TC-4 | 82 | TC-LBK | 170 |
| ST38312 | 439 | TC450 | 83 | TC-LEG | 170 |
| ST38313 | 439 | TC-4SBL | 82 | TC-LOCK3 | 89 |
| ST38314 | 439 | TC540 | 83 | TC-LOCK5 | 89 |
| ST38316 | 439 | TC-540W | 83 | TC-MAG | 88, 443 |
| ST38317 | 439 | TC803N | 72 | TC-MAT | 84 |
| | | | | | |
| ST-TTP01 | 89 | TC803NBK | 72 | TCMM1001BK | 18-19 |
| T1220AF | 193 | TC803SV | 73 | TCMM1001N | 16-17 |
| T1221 | 194 | TC805NFX | 70 | TCMM1001P | 18-19 |
| T1221-6 | 194 | TC805SV | 71 | TCMM1055EV | 22-23 |
| T1230 | 194 | TC806NBK | 69 | TCMM1055N | 20-21 |
| T1234 | 194 | TC806NF | 69 | TCMM277EV | 49 |
| T1244 | 195 | TC806NGM | 69 | TCMM479 | 28-29 |
| T1268 | 195 | TC806SV | 70 | TCMM491N | 48 |
| T1272 | 204 | TC810N | 71 | TCMM545N | 44-45 |
| T1408 | 182 | TC8140NF | 54 | TCMM546N | 46-47 |
| T1419 | 182, 351 | TC8140P | 55 | TCMM569EV | 36-37 |
| T1420 | 182, 351 | TC816STACK | 66 | TCMM600 | 26-27 |
| T1422 | 183 | TC816SV | 66 | TCMM622N | 38-39 |
| T1423 | 183 | TC819BK | 67 | TCMM715N | 24-25 |
| T1424 | 183 | TC819NBK | 67 | TCMME09A | 30-31 |
| T1424S | 183 | TC820SV | 54 | ТСММЕ09В | 53 |
| T1435AF | 184 | TC-90CLOCK | 90 | TCMME09C | 51 |
| T1436 | 184 | TCA01 | 86 | TCMME11 A | 50 |
| T1460 | 184 | TCA02 | 86 | TCMME179 | 52 |
| T3418-6 | 202 | TCA05 | 84 | TCMMIND08 | 42-43 |
| T3422S | 202 | TCA06 | 446 | TCMONSTER01 | 12-13 |
| T3834 | 186 | TCA07 | 447 | TCMONSTER02 | 14-15 |
| T3834S | 187 | TCATV | 86 | TCNBC | 88 |
| T3835AF | 187 | TCAV4 | 86 | TCP445C | 82 |
| T3839 | 187 | TCB135 | 172 | TC-PA01 | 170 |
| T3840 | 188 | TCB180 | 172 | TC-PA02 | 170 |
| T3848 | 189 | TCB80 | 171 | TC-PA03 | 170 |
| T3867 | 189 | TCB80A | 171 | TCPRK | 90 |
| | 239 | | 172 | | 88 |
| T9206 | | TCB80C | | TCRFH | |
| TAP-HNDL | 414 | TC-BKEY | 89 | TC-S01 | 169 |
| TBBSI27 | 246, 352 | TCC01 | 173 | TC-S02 | 170 |
| TBNSI5 | 246, 353 | TCC02 | 173 | TC-S03 | 171 |
| TBSKT07 | 225 | TCC03 | 173 | TC-S03AL | 169 |
| TBSKT08 | 225 | TC-COVER | 84 | TC-S03AR | 169 |
| TBSKT10 | 225 | TC-COVER1 | 84 | TC-S04 | 171 |
| TBSKT12 | 225 | TCDIVL | 85 | TCSB | 83 |
| TBSKT13 | 225 | TCDIVS | 85 | TCSB16 | 83 |
| TBSKT14 | 225 | TCDRK | 90 | TC-SC | 82 |
| TBSKT17 | 225 | TCDSH | 88 | TC-SL01 | 169 |
| TBSKT19 | 225 | TCEMM249N | 34-35 | TC-SL02 | 170 |
| TBUSP14 | 219 | TCEMM417N | 32-33 | TC-SL03AL | 169 |
| TBUSP16 | 219 | TCEMM631N | 40-41 | TC-SL03AR | 169 |
| TBUSP21 | 219 | TCF01 | 85 | TCSMC | 89 |



| TCT01 | Item ID | Page No. | Item ID | Page No. | Item ID | Page No. |
|--|-------------|----------|-----------|---------------|------------|----------|
| TCT03 | TCT01 | 172 | TEA01 | 95 | TFA0252RK | 410 |
| Technol | TCT02 | 172 | TEA02 | 95 | TFA10 | 410 |
| ECTIDIO | TCT03 | 172 | TEABS50 | 114, 245, 350 | TFA12 | 410 |
| EC-1802 | TCT04 | 173 | TEAHR81 | 146, 452 | TFA15 | 410 |
| EC-IRGO | TC-TB01 | 88 | TEAMDQ78 | 133, 349 | TFA22 | 410 |
| TCLUPRI | TC-TB02 | 88 | TED00 | 95 | TFP01 | 409 |
| TC-UPRIL 170 TED-189 | TC-TB03 | 88 | TED01 | 96 | TFP01RK | 409 |
| TC-UPRIS 170 | TCTMC | 89 | TED 1227 | 103, 197 | TFP02 | 409 |
| TC-UPRIR 170 TED441-T 137,381 TH8522 353 TC-UPRIS 170 TED6512R 118,274 TH852 245,333 TC-UPRIS 170 TED6512R 118,274 TH852 245,333 TC-UPRIS 170 TED6512R 118,274 TH852 245,333 TC-UPRIS 170 TED6512R 119,276 TH0 219,222 TCW80AN 72 TED6515 115,264 TH001 29,222 TCW80AN 73 TED8012 112,223 TM010 244,352 TCW80AN 74 TED909TKN 128,335 TM028 351 TCW80AN 75 TED611N 128,334 TM029 331 TCW80AN 75 TED611N 128,334 TM029 190 TCW80AN 75 TED612 111,238 TM039NF 62 TCW80AN 75 TED614 122,286 TM079 190 TCW80AN 75 TED614 122,286 TM079 190 TCW80AN 75 TED614 122,286 TM079 190 TCW80BN 76 TEDHEXT 123,306 TM079 190 TCW80BN 76 TEDHEXT 123,306 TM079 205 TCW80BN 76 TEDHEXT 123,306 TM079 205 TCW80BN 77 TEDF14 147,449 TM111 206 TCW81AN 77 TEDF14 147,449 TM12 206 TCW81AN 77 TEDF14 147,449 TM12 206 TCW81AN 77 TEDF14 147,449 TM12 206 TCW81AN 79 TEDF14 130,336 TM12 206 TCW61AN 89 TM12 206 | TC-UPRL | 170 | TED 1489 | 99, 185 | TFP02RK | 410 |
| TC.UPRES 170 | TC-UPRLS | 170 | TED3836 | 100, 188 | TGMMUNC | 478 |
| TCW207PN | TC-UPRR | 170 | TED441-T | 137, 381 | THBS22 | 353 |
| TCW707EV 77 | TC-UPRRS | 170 | TED6512R | 118, 274 | THBSI22 | 245, 353 |
| TCW803N 73 TED8012 114, 272 TM010 244, 352 TCW80AN 74 TED90TNN 129, 335 TM028 331 TCW80AN 74 TED91N 128, 334 TM029 331 TCW80AN 74 TED91N 112, 286 TM03PP 351 TCW80AN 75 TEDD14 122, 286 TM07PF 190 TCW80BN 76 TEDHEX 123, 306 TM095 205 TCW81DN 76 TEDHEX 123, 306 TM095 205 TCW81DN 76 TEDHEX 123, 306 TM095 205 TCW81DN 76 TEDHEX 124, 300 TM100 205 TCW81DN 77 TEDF04 147, 449 TM127 206 TCW81DN 77 TEDF059 113, 243, 316, TM19 422 TCW81DN 48 TEDF059 135, 243, 316, TM19 422 TCW81DN 48 TEDF040 136, 321 TM19 <td>TCW207N</td> <td>78</td> <td>TED6512RS</td> <td>119, 276</td> <td>T-HD</td> <td>219</td> | TCW207N | 78 | TED6512RS | 119, 276 | T-HD | 219 |
| TCW803N 73 TED8012 114,272 TM010 244,352 TCW806N 74 TED907NN 129,335 TM028 331 TCW806N 74 TED911N 128,334 TM029 331 TCW806N1 75 TED4D14 112,286 TM079 190 TCW806NN 75 TED6F7 121,296 TM079 190 TCW806NN 75 TEDHET7 122,300 TM095 205 TCW810N 76 TEDHET42 124,300 TM106 205 TCW810N 76 TEDHEM42 124,300 TM106 205 TCW810N 76 TEDMM 147,474 TM111 206 TCW810N 77 TEDFC14 147,449 TM127 206 TCW810N 77 TEDFC14 147,449 TM129 202 TCW810N 78 TEDW120 133,4316 TM149 422 TCW810N 77 TEDFC14 147,449 TM129 | TCW707EV | 77 | TED6515 | 115, 264 | T-HD01 | 219, 225 |
| TCW804N | TCW803N | 73 | TED8012 | | TM010 | 244, 352 |
| TCW806LN 79 TED91IN 128,334 TM029 351 TCW806N 74 TED9121 111,238 TM035FF 62 CW806N 75 TEDAD/4 122,286 TM079E 190 TCW807N 75 TEDHEY7 121,296 TM079E 190 TCW808N 76 TEDHEY2 122,300 TM055 205 TCW810N 76 TEDHT42 124,300 TM106 205 TCW810N 76 TEDHMM 149,474 TM111 206 TCW810N 76 TEDBMM 149,474 TM111 206 TCW810N 77 TEDFC14 147,449 TM127 206 TCW81MN 79 TEDSD55 113,243,310 TM149 422 TCW81MN 79 TEDSD55 113,243,310 TM170 224,332 TCW81MN 79 TEDSD55 113,337 TM201 245,352 TCW81MN 19 TEDMS09N 135,371 TM1710 | | | | | | |
| TCW806N | | | | | | |
| TCW806N1 75 TEDADI4 122,286 TM079 190 TCW807N 75 TEDDF7 121,296 TM079E 190 TCW808N 75 TEDDF7 121,296 TM079E 190 205 TCW808N 80 TEDHT42 124,300 TM106 205 TCW808N 76 TEDHMM 149,474 TM111 206 205 TCW810N 77 TEDECH4 147,449 TM127 206 TCW810N 79 TEDSD95 113,243,316, TM149 422 TCW816IN 68 TEDTX7 123,310 TM0708 344 TM0700 245,332 TCW819STACK 68 TEDTX7 123,310 TM0708 344 TM0700 245,332 TCW819STACK 68 TEDV440 136,374 TMSE05S 438 TCW907X 78 TEDV909N 135,371 TMTX10 245,332 TCW802N 245,332 TCW802N 245,332 TCW802N 245,332 TMX10 245,332 TCW802N 245,332 TMX10 245,332 TCW802N 245,332 TCW802N 245,332 TMX10 245,332 TMX10 245,332 TCW802N 245,332 TMX10 | | | | | | |
| TCW808N | | | | | | |
| TCW808N 76 TEDHEX7 123,306 TM095 205 TCW809N 80 TEDHT42 124,300 TM106 205 TCW810NBK 77 TEDMCH 149,474 TM111 206 TCW810NBK 77 TEDPCI4 147,449 TM127 206 TCW810NBK 77 TEDPCI4 147,449 TM127 206 TCW810NBK 77 TEDPCI4 147,449 TM127 206 TCW810NBK 77 TEDPCIA 147,449 TM149 422 TCW810NBK 77 TEDPCIA 147,449 TM127 206 TCW810NBK 77 TEDPCIA 136,374 TM140 422 TCW-CABO 81 TEFMD54 133,237 TM1710 | | | | | | |
| TCW809N 80 TEDHT42 124, 300 TM106 205 TCW810N 76 TEDIMM 149, 474 TM111 206 TCW810NBK 77 TEDPCIA 147, 449 TM127 206 TCW810NN 79 TEDSD95 113, 243, 316, TM149 422 206 TCW810STACK 68 TEDV440 136, 374 TMC010 245, 352 TCW819STACK 68 TEDV440 136, 374 TMSE05S 438 TCW907X 78 TEDV909N 135, 371 TMX10 245, 352 TCW-CAB 81 TEFMB7 98 TORROIA 326 TCW-CAB01 81 TEFMB7 98 TORROID 326 TCW-CAB03 81 TEFMD54 130, 336 TORROID 326 TCW-CAB04 81 TEKD2 96 TORRO2D 325 TCW-CAB04 81 TEX23 126, 317 TORRO2D 325 TCW-HK10 87, 173 TEX3403 106, 202 <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> | | | | | | |
| TCW810N 76 TEDIMM 149, 474 TM111 206 TCW810NBK 77 TEDECIA 147, 449 TM127 206 TCW816N 79 TEDSDPS 113, 243, 310 TM127 206 TCW816IN- 68 350 TM708 344 STACK TEDTX7 123, 310 TMC010 245, 352 TCW819STACK 68 TEDY400 136, 374 TMX101 245, 352 TCW907X 78 TEDY090N 135, 371 TMX101 245, 352 TCW-CAB 81 TEFMB7 98 TORP01A 326 TCW-CAB 81 TEFMB7 98 TORP01A 326 TCW-CAB01 81 TEFMB74 130, 335 TORP01A 326 TCW-CAB03 81 TEFMB75 98 TORP01A 326 TCW-CAB04 81 TEXX27 107, 207 TORQ02 325 TCW-AB04 81 TEXX293 120, 317 TORQ02 325 | | | | | | |
| TCW810NBK | | | | | | |
| TCW814N 79 TEDSD95 113, 243, 316, 320 TM149 422 TCW816IAN- STACK 8 350 TM708 344 STACK TEDIX7 123, 310 TMC010 245, 352 TCW819STACK 68 TEDV440 136, 374 TMSE05S 448 TCW907X 78 TEDV909N 135, 371 TMX10 245, 352 TCW-CAB 81 TEFMB7 98 TORP01A 326 TCW-CAB 81 TEFMB7 98 TORP01E 326 TCW-CAB01 81 TEFMD54 130, 336 TORP01U 326 TCW-CAB02 81 TEFMD54 131, 337 TORQ 325 TCW-CAB03 81 TESK57 107, 207 TORQ02 325 TCW-CAB04 81 TEXO2 96 TORQ02A 325 TCW-HKIO 87, 173 TEX2032 116, 264 TORQ02A 325 TCW-HKIO 87, 173 TEX3410 106, 203 TORQ03A 325< | | | | | | |
| TCW816IN- STACK TEDY TED TEDD TEDD TED | | | | | | |
| STACK | | | 1203073 | | | |
| TCW819STACK 68 TEDV440 136, 374 TMSE05S 438 TCW907X 78 TEDV909N 135, 371 TMSE05S 438 TCWC02 84 TEFMB7 98 TORPOIA 326 TCW-CAB 81 TEFMBP7 98 TORPOIA 326 TCW-CAB01 81 TEFMBP7 98 TORPOIA 326 TCW-CAB02 81 TEFMD54 130, 336 TORPOIU 326 TCW-CAB03 81 TEFMC54 131, 337 TORQ 326 TCW-CAB03 81 TEFMC54 131, 337 TORQ 326 TCW-CAB04 81 TEXO2 96 TORROO2 325 TCW-CAB04 81 TEXO2 96 TORROO2 325 TCW-HK02 87, 173 TEX138 126, 317 TORQO2 325 TCW-HK02 87, 173 TEX3403 106, 202 TORQO2 325 TCW-HK10 87, 173 TEX3403 106, 202 TORQO3 325 TCW-HK20 87, 173 TEX3403 106, 202 TORQO3 325 TCW-HK20 87, 173 TEX3408 120, 280 TORQO3 325 TCW-HK90 87, 173 TEX3410 106, 203 TORQO3 325 TCW-HK90 87, 173 TEX3410 106, 203 TORQO3 325 TCW-HK90 87, 173 TEX5408 120, 280 TORQO4 325 TCW-SP 87 TEXESTO 128, 334 TORQO4 325 TCW-SP 87 TEXESTO 128, 334 TORQO4 325 TCW-SP 87 TEXESTO 128, 334 TORQO4 325 TCW-SP 87 TEXESTO 129, 282 TORQO5 325 TDD03050 414 TEXMB02 137, 288, 382 TDR00500 414 TEXMB05 101, 193 TDD03050 414 TEXMB05 101, 193 TORQO9P 325 TDD03050 414 TEXMB05 101, 193 TORQO9P 325 TDD012175 414 TEXMO 409 TD012175 414 TEXMO 409 TD010150 414 TEXMO 410 TD103050 414 TEXM | | 00 | TEDTX7 | 123, 310 | | |
| TCW907X 78 TEDV909N 135, 371 TMTX10 245, 332 TC.WC02 84 TEFMB7 98 TORPOIA 326 TCW-CAB0 81 TEFMB77 98 TORPOIA 326 TCW-CAB01 81 TEFMD54 130, 336 TCW-CAB02 81 TEFMD54 130, 336 TCW-CAB03 81 TEFMD54 131, 337 TORQ 326 TCW-CAB03 81 TEFMS7 107, 207 TCW-CAB03 81 TEFX57 107, 207 TCW-CAB04 81 TEXO2 96 TORQO2 325 TCW-TAB04 81 TEXO2 96 TORQO2 325 TCW-TAB04 81 TEXO2 96 TORQO2 325 TCW-TAB04 87, 173 TEX2032 116, 264 TORQO2 325 TCW-HK10 87, 173 TEX3403 106, 202 TCW-HK20 87, 173 TEX3403 106, 202 TCW-HK20 87, 173 TEX3403 106, 202 TCW-HK45 87, 173 TEX3408 120, 280 TCW-HK90 87, 173 TEX5408 120, 280 TCW-HK90 87, 173 TEX5408 120, 280 TCW-SP1 87 TEXT13 105, 216 TCW-SP1 87 TEXT13 105, 216 TCW-SP1 87 TEXET13 105, 216 TDD03050 414 TEXMD1 132, 341 TDD04070 414 TEXMD1 132, 341 TDD05080 414 TEXMD1 104, 205 TDD0150 414 TEXMD 104, 205 TDD0150 | TCW819STACK | 68 | TEDV440 | 136, 374 | | |
| TC-WC02 84 TEFMB7 98 TORPOIA 326 TCW-CAB 81 TEFMBF7 98 TORPOIE 326 TCW-CABO1 81 TEFMD54 130,336 TORPOIU 326 TCW-CABO2 81 TEFMD54 131,337 TORQ 326 TCW-CABO3 81 TEFKD54 131,337 TORQ 326 TCW-CABO3 81 TEFKD57 107,207 TORQO2 325 TCW-CABO4 81 TEXO2 96 TORQO2A 325 TCW-D3 82 TEXI238 126,317 TORQO2U 325 TCW-HK02 87,173 TEX2032 116,264 TORQO3 325 TCW-HK10 87,173 TEX3403 106,202 TORQO3A 325 TCW-HK10 87,173 TEX3403 106,202 TORQO3A 325 TCW-HK20 87,173 TEX3410 106,203 TORQO3A 325 TCW-HK90 87,173 TEX3410 106,203 TORQO3A 325 TCW-HK90 87,173 TEX3410 106,203 TORQO3A 325 TCW-HK90 87,173 TEX4038 120,280 TORQO4 325 TCW-SP 87 TEXEXT13 105,216 TORQO4 325 TCW-SP 87 TEXEXT13 105,216 TORQO4U 325 TCW-SP 87 TEXEXT13 105,216 TORQO4U 325 TDD03050 414 TEXMB02 137,288,382 TORQO5 325 TDD04070 414 TEXMB02 137,288,382 TORQO5 325 TDD04070 414 TEXMB1 132,341 TORQO5A 325 TDD04070 414 TEXMB1 132,341 TORQO5A 325 TDD04070 414 TEXMB1 132,341 TORQO5A 325 TDD06100 414 TEXMB1 132,341 TORQO5D 325 TDD06100 414 TEXMB1 132,341 TORQO5U 325 TDD06100 414 TEXMB1 134,440 TORQO9E 325 TDD0150 414 TEXMB1 134,440 TORQO9U 325 TDD0150 414 TEXMB1 144,440 TORQO9U 325 TDD0150 414 TEXMB1 144,440 TORQO9 325 TDD0150 414 TEXMB1 144,440 TORQO9U 325 TDD0150 414 TEXMB1 144,440 TORQO9U 325 TDD0150 414 TEXMB1 144,440 TORQO9U 326 TD10150 414 TEXMB 40 TORQO 171 TD106100 414 TEXMB 40 TORQO 171 | TCW907X | 78 | TEDV909N | | | |
| TCW-CAB 8 8 TEFMBP7 98 TORPOIL 326 TCW-CAB01 81 TEFMD54 130,336 TORPOIL 326 TCW-CAB02 81 TEFMD54 131,337 TORQ 326 TCW-CAB03 81 TEFMD54 131,337 TORQ 326 TCW-CAB04 81 TEFMD54 131,337 TORQ 326 TCW-CAB04 81 TEX02 96 TORQO2A 325 TCW-CAB04 87,173 TEX2032 116,264 TORQO2U 325 TCW-HK10 87,173 TEX3410 106,202 TORQO3A 325 TCW-HK20 87,173 TEX3410 106,203 TORQO3U 325 TCW-HK20 87,173 TEX3410 106,203 TORQO3A 325 TCW-HK90 87,173 TEX3410 106,203 TORQO3A 325 TCW-HK90 87,173 TEX3410 105,216 TORQO3A 325 TCW-HK90 87,173 TEX4510 105,216 TORQO3A 325 TCW-SP01 87 TEXETTI3 105,216 TORQO4A 325 TCW-SP01 87 TEXETTI3 105,216 TORQO4A 325 TCW-SP01 87 TEXETTI3 105,216 TORQO4U 325 TDD03050 414 TEXMB02 137,288,382 TORQO5A 325 TDD04070 414 TEXMB02 137,288,382 TORQO5A 325 TDD04070 414 TEXMB02 137,288,382 TORQO5A 325 TDD05080 414 TEXMB01 132,341 TORQO5A 325 TDD05080 414 TEXMB05 101,193 TORQO9A 325 TDD06100 414 TEXMB05 101,193 TORQO9A 325 TDD0150 414 TEXTB05 101,193 TORQO9A 325 TDD10150 414 TEXTB05 101,193 TORQO9A 325 TORQO5A 326 TORQO5A 325 TO | TC-WC02 | 84 | TEFMB7 | | | |
| TCW-CABO1 81 TEFMD54 130, 336 TORPOTU 326 TCW-CABO2 81 TEFMDI54 131, 337 TORQ 326 TCW-CABO3 81 TEFKS57 107, 207 TORQO2 325 TCW-CABO4 81 TEXO2 96 TORQO2A 325 TCW-D3 82 TEX1238 126, 317 TORQO2U 325 TCW-HK02 87, 173 TEX3032 116, 264 TORQO3 325 TCW-HK10 87, 173 TEX3403 106, 202 TORQO3A 325 TCW-HK20 87, 173 TEX3410 106, 203 TORQO3U 325 TCW-HK45 87, 173 TEX915N 128, 334 TORQO4U 325 TCW-HK90 87, 173 TEXFLS06 120, 280 TORQO4U 325 TCW-SP01 87 TEXFLS06 120, 282 TORQO4U 325 TDD04070 414 TEXMD1N 132, 341 TORQO5 325 TDD04070 414 TEXMP12 | TCW-CAB | 81 | TEFMBP7 | 98 | | |
| TCW-CAB02 81 TEFMDI54 131, 337 TORQ 326 TCW-CAB03 81 TEFSK57 107, 207 TORQ02 325 TCW-CAB04 81 TEXO2 96 TORQ02A 325 TCW-D3 82 TEX1238 126, 317 TORQ02U 325 TCW-HK02 87, 173 TEX2032 116, 264 TCW-HK10 87, 173 TEX3410 106, 202 TCW-HK20 87, 173 TEX3410 106, 203 TORQ03U 325 TCW-HK45 87, 173 TEX3410 106, 203 TORQ03U 325 TCW-HK90 87, 173 TEX5410 106, 203 TORQ03U 325 TCW-HK90 87, 173 TEX5410 105, 216 TCW-SP 87 TEXEXT13 105, 216 TCW-SP 87 TEXEXT13 105, 216 TCW-SP01 87 TEXEXT06 120, 282 TCW-SP01 87 TEXEXT06 120, 282 TDD03050 414 TEXMB02 137, 288, 382 TDD04070 414 TEXMB02 137, 288, 382 TDD04070 414 TEXMB01 122, 341 TDD04070 414 TEXMB01 122, 321 TDD05080 414 TEXMB01 127, 321 TDD05080 414 TEXMB05 101, 193 TDD04070 414 TEXMB05 101, 193 TDD04070 414 TEXMB05 101, 193 TDD04070 414 TEXMB05 101, 193 TDD05080 414 TEXMB05 104, 426 TDD1150 414 TEXWO5 144, 426 TDD12175 414 TEXO 409 TDD01000 414 TEXWO5 144, 426 TDD010150 414 TEXWO5 144, 426 TDR03050 414 TEXWO 409 TPM01 171 TDT05080 414 TEXWO 409 TPM01 171 TDT05080 414 TEXON 410 TPT01 171 TDT05080 414 TEXON 410 TPT01 171 TDT05080 414 TEXON 410 TPT01 171 TDT06100 414 TEXON 410 TPT01 177 TDT06100 414 TEXON 410 TPT05000 366 | TCW-CAB01 | 81 | TEFMD54 | 130, 336 | | |
| TCW-CAB03 81 TEFSK57 107, 207 TORG02 3255 TCW-CAB04 81 TEX02 96 TORG02A 3255 TCW-CAB04 81 TEX02 96 TORG02A 3255 TCW-CAB04 81 TEX02 96 TORG02A 3255 TCW-HK02 87, 173 TEX2032 116, 264 TORG03 3255 TCW-HK10 87, 173 TEX3403 106, 202 TORG03A 3255 TCW-HK20 87, 173 TEX3403 106, 202 TORG03A 3255 TCW-HK20 87, 173 TEX3410 106, 203 TORG03A 3255 TCW-HK45 87, 173 TEX6308 120, 280 TORG04 3255 TCW-HK90 87, 173 TEX6308 120, 280 TORG04 3255 TCW-SP 87 TEXEXT13 105, 216 TORG04U 3255 TCW-SP 87 TEXEXT13 105, 216 TORG04U 3255 TCW-SP01 87 TEXEXS06 120, 282 TORG05 3255 TDD03050 414 TEXMB02 137, 288, 382 TORG05A 3255 TDD04070 414 TEXMB02 137, 288, 382 TORG05A 3255 TDD04070 414 TEXMDTN 132, 341 TORG05U 3255 TDD05080 414 TEXMP12 127, 321 TORG09A 3255 TDD06100 414 TEXPB4 144, 440 TORG99E 3255 TDD08125 414 TEXB05 101, 193 TORG99U 3256 TDD10150 414 TEXW05 144, 426 TORGA 326 TDD12175 414 TEX01 96 TORGO5U 326 TDD10150 414 TEXW05 144, 426 TORGA 326 TDD10150 414 TEXW05 144, 426 TORGO 326 TDD10150 414 TEXW05 409 TPM01 171 TD105080 414 TF23 409 TORGU 326 TD1004070 414 TEXU05 409 TPM01 171 TD105080 414 TF300 410 TPM01 171 TD105080 414 TF300 410 TPM01 171 TD105080 414 TF300 410 TPM02 TPX501003 365 | TCW-CAB02 | 81 | TEFMDI54 | | | |
| TCW-CAB04 81 TEX02 96 TORG02A 325 TCW-D3 82 TEX1238 126, 317 TORG02U 325 TCW-HK02 87, 173 TEX2032 116, 264 TORG03 325 TCW-HK10 87, 173 TEX3403 106, 202 TORG03A 325 TCW-HK20 87, 173 TEX3410 106, 203 TORG03U 325 TCW-HK45 87, 173 TEX6308 120, 280 TORG04 325 TCW-HK90 87, 173 TEX915N 128, 334 TORG04A 325 TCW-HK90 87, 173 TEXFLS06 120, 282 TORG04A 325 TCW-SP01 87 TEXFLS06 120, 282 TORG04A 325 TDD03050 414 TEXMB02 137, 288, 382 TORG05A 325 TDD04070 414 TEXMD1X 132, 341 TORG05U 325 TDD06100 414 TEXMD2 127, 321 TORG99A 325 TDD10150 414 TEXM | TCW-CAB03 | 81 | | | | |
| TCW-D3 82 TEX1238 126, 317 TORQ02U 325 TCW-HK02 87, 173 TEX2032 116, 264 TORQ03 325 TCW-HK10 87, 173 TEX3403 106, 202 TORQ03A 325 TCW-HK20 87, 173 TEX3410 106, 203 TORQ03U 325 TCW-HK45 87, 173 TEX6308 120, 280 TORQ04 325 TCW-HK90 87, 173 TEX915N 128, 334 TORQ04A 325 TCW-SP 87 TEXEXT13 105, 216 TORQ04U 325 TCW-SP01 87 TEXEXT13 105, 216 TORQ04U 325 TDD03050 414 TEXMB02 137, 288, 382 TORQ05 325 TDD04070 414 TEXMB01N 132, 341 TDD05080 414 TEXMB 112, 321 TDD06100 414 TEXPE4 144, 440 TORQ09A 325 TDD08125 414 TEXPE5 101, 193 TORQ09U 325 TDD10150 414 TEXWO5 144, 426 TDD12175 414 TEZ01 96 TORQ05U 326 TDT03050 414 TEXWO5 144, 426 TDD103050 414 TEXWO5 144, 426 TDD06100 414 TEXPE4 409 TORQ09U 325 TDD10150 414 TEXPE 409 TORQ05U 326 TDD03050 414 TEXPE 409 TORQ05U 326 TDD03050 414 TEXPE 409 TORQ09U 326 TD03050 414 TEXPE 409 TORQ00 TPM01 T71 TD05080 414 TEXPE 409 TPM02 T71 TD05080 T71 T71 TD05080 414 TEXPE 409 T08080 T71 TD05080 T71 T71 TD05080 T71 T71 TD05080 | TCW-CAB04 | 81 | TEX02 | | | |
| TCW-HK02 87, 173 TEX2032 116, 264 TORQ03 325 TCW-HK10 87, 173 TEX3403 106, 202 TORQ03A 325 TCW-HK20 87, 173 TEX3410 106, 203 TORQ03U 325 TCW-HK45 87, 173 TEX6308 120, 280 TORQ04 325 TCW-HK90 87, 173 TEX915N 128, 334 TORQ04 325 TCW-SP 87 TEXEXT13 105, 216 TORQ04U 325 TCW-SP01 87 TEXFLS06 120, 282 TORQ05 325 TDD03050 414 TEXMB02 137, 288, 382 TORQ05 325 TDD04070 414 TEXMDTN 132, 341 TORQ05U 325 TDD05080 414 TEXMP12 127, 321 TORQ05U 325 TDD06100 414 TEXP12 127, 321 TORQ99A 325 TDD08125 414 TEXB05 101, 193 TORQ99E 325 TDD10150 414 TEXW05 144, 426 TDD12175 414 TEZ01 96 TORQ05U 326 TD103050 414 TEXW05 144, 426 TDD12175 414 TEZ01 96 TORQO5U 326 TD103050 414 TEXW05 144, 426 TDD06100 414 TEXP05 101, 193 TORQ99U 325 TDD10150 414 TEXU05 144, 426 TDD12175 414 TEZ01 96 TORQS0I 326 TD103050 414 TEXU05 444, 426 TDD06100 414 TEXU05 144, 426 TORQO 326 TD103050 414 TEXU05 144, 426 TORQO 326 TD103050 414 TEXU05 144, 426 TORQO 326 TD104070 414 TEXU05 144, 426 TORQO 326 TORQO 3 | | | | | | |
| TCW-HK10 87, 173 TEX3403 106, 202 TORQ03A 325 TCW-HK20 87, 173 TEX3410 106, 203 TORQ03U 325 TCW-HK45 87, 173 TEX6308 120, 280 TORQ04 325 TCW-HK90 87, 173 TEX6308 120, 280 TORQ04 325 TCW-HK90 87, 173 TEX915N 128, 334 TORQ04A 325 TCW-SP 87 TEXEXT13 105, 216 TORQ04U 325 TCW-SP01 87 TEXEXT06 120, 282 TORQ05 325 TDD03050 414 TEXMB02 137, 288, 382 TORQ05A 325 TDD04070 414 TEXMB01 132, 341 TORQ05U 325 TDD05080 414 TEXMP12 127, 321 TORQ05U 325 TDD06100 414 TEXP84 144, 440 TORQ99A 325 TDD08125 414 TEXTB05 101, 193 TORQ99U 325 TDD10150 414 TEXUS 144, 426 TORQ99U 325 TDD10150 414 TEXUS 144, 426 TORQ9 326 TDD102175 414 TEZ01 96 TORQ01 326 TD103050 414 TEXUS 409 TORQU 326 TD103050 414 TEXUS 409 TORQU 326 TD103050 414 TE22 409 TORQU 326 TD103050 414 TE230RK 409 TPM01 171 TD105080 414 TF30 409 TPM02 171 TD105080 414 TF30 409 TPM02 171 TD106100 414 TF30 409 TPM02 365 TD110150 414 TF30 409 TPM02 365 TD110150 414 TF30 409 TPM02 365 | | | | | | |
| TCW-HK20 87, 173 TEX3410 106, 203 TORQ03U 325 TCW-HK45 87, 173 TEX6308 120, 280 TORQ04 325 TCW-HK90 87, 173 TEX915N 128, 334 TORQ04A 325 TCW-SP 87 TEXEXT13 105, 216 TORQ04U 325 TCW-SP01 87 TEXFLS06 120, 282 TORQ05 325 TDD03050 414 TEXMB02 137, 288, 382 TORQ05 325 TDD04070 414 TEXMBD1N 132, 341 TORQ05A 325 TDD05080 414 TEXMP12 127, 321 TORQ05U 325 TDD06100 414 TEXPB4 144, 440 TORQ99A 325 TDD08125 414 TEXTB05 101, 193 TORQ99U 325 TDD10150 414 TEXWO5 144, 426 TORQA 326 TDD12175 414 TEZ01 96 TORQS01 326 TDT03050 414 TEX2 409 TORQS01 326 TDT04070 414 TEXD05 144, 426 TDD12175 414 TEZ01 96 TORQS01 326 TDT04070 414 TF22 409 TORQS01 326 TDT04070 414 TF22 409 TORQS01 326 TDT04070 414 TF22 409 TORQU 326 TDT04070 414 TF22 409 TORQU 326 TDT04070 414 TF300 409 TPM01 171 TDT05080 414 TF300 410 TPM02 171 TDT05080 414 TF300 410 TPM02 171 TDT06100 414 TF300 410 TPM02 171 TDT06100 414 TF300 410 TPM02 171 TDT06100 414 TF300 410 TPX2501503 365 | | | | | | |
| TCW-HK45 87, 173 TEX6308 120, 280 TORQ04 325 TCW-HK90 87, 173 TEX915N 128, 334 TORQ04A 325 TCW-SP 87 TEXEXT13 105, 216 TORQ04U 325 TCW-SP01 87 TEXFLS06 120, 282 TORQ05 325 TDD03050 414 TEXMB02 137, 288, 382 TORQ05A 325 TDD04070 414 TEXMB01 132, 341 TORQ05U 325 TDD05080 414 TEXMP12 127, 321 TORQ05U 325 TDD05080 414 TEXPB4 144, 440 TORQ99E 325 TDD08125 414 TEXB05 101, 193 TORQ99U 325 TDD010150 414 TEXW05 144, 426 TORQA 326 TDD12175 414 TEZ01 96 TORQS01 326 TDT03050 414 TEX201 96 TORQS01 326 TDT04070 414 TE22 409 TDT04070 414 TF2230RK 409 TDT04070 414 TF230RK 409 TDT05080 414 TF300 410 TDT05080 414 TF300 410 TDT06100 414 TF300 410 TDT06100 414 TF300 410 TDT010150 414 TF300 410 TDT010150 414 TF300 410 TDT010150 414 TF300 410 TPT010150 414 TF300 409 TPX2501003 365 TDT10150 414 TF76PV 409 | | | | | | |
| TCW-HK90 87, 173 TEX915N 128, 334 TORQ04A 325 TCW-SP 87 TEXEXT13 105, 216 TORQ04U 325 TCW-SP01 87 TEXFLS06 120, 282 TORQ05 325 TDD03050 414 TEXMB02 137, 288, 382 TORQ05A 325 TDD04070 414 TEXMB01 132, 341 TORQ05U 325 TDD05080 414 TEXMP12 127, 321 TORQ05U 325 TDD06100 414 TEXPB4 144, 440 TORQ99E 325 TDD08125 414 TEXB05 101, 193 TORQ99U 325 TDD10150 414 TEXW05 144, 426 TORQA 326 TDD12175 414 TEZ01 96 TORQA 326 TDT03050 414 TE22 409 TDT03050 414 TE22 409 TDT04070 414 TE230RK 409 TDT04070 414 TF230RK 409 TDT05080 414 TF300 410 TDT05080 414 TF300 410 TDT06100 414 TF300 410 TDT08125 414 TF300RK 410 TDT010150 414 TF36PK 409 TDX12175 414 TF36PK 409 | | | | | | |
| TCW-SP 87 TEXEXT13 105, 216 TORQO4U 325 TCW-SP01 87 TEXFLS06 120, 282 TORQO5 325 TDD03050 414 TEXMB02 137, 288, 382 TORQO5A 325 TDD04070 414 TEXMDTN 132, 341 TORQO5U 325 TDD05080 414 TEXMP12 127, 321 TORQO9A 325 TDD06100 414 TEXPB4 144, 440 TORQO9E 325 TDD08125 414 TEXTB05 101, 193 TORQO9U 325 TDD10150 414 TEXWO5 144, 426 TORQA 326 TDD12175 414 TEZO1 96 TORQO 326 TDT03050 414 TF22 409 TDT04070 414 TF230RK 409 TDT04070 414 TF300 409 TDT06100 414 TF300 410 TDT06100 414 TF300 410 TDT08125 414 TF300RK 410 TDT08125 414 TF300RK 410 TDT010150 414 TF300 410 TPT010150 414 TF300 410 TPT010150 414 TF300RK 410 TPX2501003 365 TDT10150 414 TF76 409 TDX2375 | | | | | | |
| TCW-SP01 87 TEXFLS06 120, 282 TORQ05 325 TDD03050 414 TEXMB02 137, 288, 382 TORQ05A 325 TDD04070 414 TEXMDTN 132, 341 TORQ05U 325 TDD05080 414 TEXMP12 127, 321 TORQ05U 325 TDD06100 414 TEXPB4 144, 440 TORQ99E 325 TDD08125 414 TEXTB05 101, 193 TORQ99U 325 TDD10150 414 TEXUS 144, 426 TORQA 326 TDD12175 414 TEZ01 96 TORQS01 326 TDT03050 414 TF22 409 TORQU 326 TDT04070 414 TF230RK 409 TPM01 171 TDT05080 414 TF300 410 TP101 171 TDT05125 414 TF300 410 TP101 171 TDT08125 414 TF300RK 410 TPX2501003 365 TDT10150 414 TF76K 409 TPX2501503 365 | | | | | | |
| TDD03050 414 TEXMB02 137, 288, 382 TORQ05A 325 TDD04070 414 TEXMDTN 132, 341 TORQ05U 325 TDD05080 414 TEXMP12 127, 321 TORQ99A 325 TDD06100 414 TEXPB4 144, 440 TORQ99E 325 TDD08125 414 TEXTB05 101, 193 TORQ99U 325 TDD10150 414 TEXW05 144, 426 TORQA 326 TDD12175 414 TEZ01 96 TORQS01 326 TDT03050 414 TF22 409 TORQU 326 TDT04070 414 TF230RK 409 TPM01 171 TDT05080 414 TF300 410 TPT01 171 TDT08125 414 TF300RK 410 TPX2501003 365 TDT10150 414 TF76PK 409 TPX2501503 365 | | | | · | | |
| TDD04070 414 TEXMDTN 132, 341 TORQ05U 325 TDD05080 414 TEXMP12 127, 321 TORQ99A 325 TDD06100 414 TEXPB4 144, 440 TORQ99E 325 TDD08125 414 TEXTB05 101, 193 TORQ99U 325 TDD10150 414 TEXW05 144, 426 TORQA 326 TDD12175 414 TEZ01 96 TORQS01 326 TDT03050 414 TF22 409 TORQU 326 TDT04070 414 TF230RK 409 TPM01 171 TDT05080 414 TF300 409 TPM02 171 TDT06100 414 TF300RK 410 TPX2501003 365 TDT10150 414 TF76PK 409 TPX2501503 365 | | | | | | |
| TDD05080 414 TEXMP12 127, 321 TORQ99A 325 TDD06100 414 TEXPB4 144, 440 TORQ99E 325 TDD08125 414 TEXTB05 101, 193 TORQ99U 325 TDD10150 414 TEXW05 144, 426 TORQA 326 TDD12175 414 TEZ01 96 TORQS01 326 TDT03050 414 TF22 409 TORQU 326 TDT04070 414 TF230K 409 TPM01 171 TDT05080 414 TF30 409 TPM02 171 TDT06100 414 TF300RK 410 TPT01 171 TDT08125 414 TF300RK 410 TPX2501003 365 TDT10150 414 TF76 409 TPX2501503 365 | | | | | TORQ05A | 325 |
| TDD06100 | | | | | TORQ05U | 325 |
| TDD08125 414 TEXTB05 101, 193 TORQ99U 325 TDD10150 414 TEXW05 144, 426 TORQA 326 TDD12175 414 TEZ01 96 TORQS01 326 TDT03050 414 TF22 409 TORQU 326 TDT04070 414 TF230RK 409 TPM01 171 TDT05080 414 TF30 409 TPM02 171 TDT06100 414 TF300 410 TPT01 171 TDT08125 414 TF300RK 410 TPX2501003 365 TDT10150 414 TF76 409 TPX2501503 365 | | | | | | 325 |
| TDD10150 414 TEXW05 144, 426 TORQA 326 TDD12175 414 TEZ01 96 TORQS01 326 TDT03050 414 TF22 409 TORQU 326 TDT04070 414 TF2230RK 409 TPM01 171 TDT05080 414 TF30 409 TPM02 171 TDT06100 414 TF300 410 TPT01 171 TDT08125 414 TF300RK 410 TPX2501003 365 TDT10150 414 TF76 409 TPX2501503 365 TDT12175 414 TF76PF 409 TPX2501503 365 | | | | | TORQ99E | 325 |
| TDD12175 414 TEZ01 96 TORQS01 326 TDT03050 414 TF22 409 TORQU 326 TDT04070 414 TF230RK 409 TPM01 171 TDT05080 414 TF30 409 TPM02 171 TDT06100 414 TF300 410 TPT01 171 TDT08125 414 TF300RK 410 TPX2501003 365 TDT10150 414 TF76 409 TPX2501503 365 TDT10175 414 TF76PF 409 TPX2501503 365 | | | | | TORQ99U | 325 |
| TDT03050 414 TF22 409 TORQU 326 TDT04070 414 TF2230RK 409 TPM01 171 TDT05080 414 TF30 409 TPM02 171 TDT06100 414 TF300 410 TPT01 171 TDT08125 414 TF300RK 410 TPX2501003 365 TDT10150 414 TF76 409 TPX2501503 365 TDT10175 414 TF76PF 409 TPX2501503 365 | | | | | TORQA | 326 |
| TDT04070 414 TF2230RK 409 TPM01 171 TDT05080 414 TF30 409 TPM02 171 TDT06100 414 TF300 410 TPT01 171 TDT08125 414 TF300RK 410 TPX2501003 365 TDT10150 414 TF76 409 TPX2501503 365 | | | | | TORQS01 | 326 |
| TDT05080 414 TF30 409 TPM02 171 TDT06100 414 TF300 410 TPT01 171 TDT08125 414 TF300RK 410 TPX2501003 365 TDT10150 414 TF76 409 TPX2501503 365 | | | | | TORQU | 326 |
| TDT06100 414 TF300 410 TPT01 171 TDT08125 414 TF300RK 410 TPX2501003 365 TDT10150 414 TF76 409 TPX2501503 365 | | | | | TPM01 | 171 |
| TDT08125 414 TF300RK 410 TPX2501003 365 TDT10150 414 TF76 409 TPX2501503 365 TDT12175 414 TF76PV 409 | | | | | TPM02 | 171 |
| TDT10150 414 TF76 409 TPX2501503 365 | | | | | TPT01 | 171 |
| TDT10175 414 TE74BV 400 | | | | | TPX2501003 | 365 |
| TDT12175 414 TF76RK 409 | | | | | TPX2501503 | 365 |
| TPX2502003 365 | TDT 12175 | 414 | TF76RK | 409 | TPX2502003 | 365 |





| Item ID | Page No. | Item ID | Page No. | Item ID | Page No. |
|------------|----------------------|-----------|---------------|-----------|-----------------------|
| TPX2502503 | 365 | TTAF32 | 99, 188 | TTMD74 | 134, 349 |
| TPX2502703 | 365 | TTALU | 94 | TTMD74-1 | 357 |
| TPX2503003 | 365 | TTBE18 | 145, 439 | TTMD74-2 | 357 |
| TPX2504003 | 365 | TTBM | 148, 474 | TTMDP | 143, 422 |
| TQAG | 321 | TTBS35 | 101, 191 | TTMDQ38 | 133, 348 |
| TQS018 | 324 | TTBS53 | 114, 244, 350 | TTMDQ49 | 132, 348 |
| TQ\$042 | 324 | TTCP04 | 144, 436 | TTMDQ76 | 132, 349 |
| TQ\$055 | 324 | TTCP121 | 144, 435 | TTMDR84 | 133, 349 |
| TQ\$065 | 324 | TTD00 | 95 | TTMDRT64 | 134, 348 |
| TR070 | 166 | TTD01 | 95 | TTMI16 | 132, 342, 391 |
| TR135 | 166 | TTD02 | 95 | TTNF12 | 141, 430 |
| TRC1012 | 421 | TTD441 | 136, 380 | TTNF12-01 | 431 |
| TRC1418 | 421 | TTD441-T | 137, 381 | TTNF12-02 | 431 |
| TT00 | 94 | TTD912TXN | 128, 334 | TTNF12-03 | 431 |
| TT01 | 94 | TTD914N | 127, 333 | TTNF12-04 | 431 |
| TT02 | 94 | TTD9416 | 112, 240 | TTNF12-05 | 431 |
| TT03 | 94 | TTDAM | 148, 474 | TTNF12-06 | 431 |
| TT04 | 94 | TTDAWM13M | 149, 463 | TTNF12-07 | 431 |
| TT1205 | 101, 196 | TTDB28 | 145, 413 | TTNF12-08 | 431 |
| TT1211 | 102, 196 | TTDCT05 | 141, 406 | TTNF12-09 | 431 |
| TT1215AF | 103, 197 | TTDTD34 | 148, 414 | TTNF12-10 | 431 |
| TT1217 | 102, 196 | TTDV910N | 135, 370 | TTNF12-11 | 431 |
| TT1217-6 | 102, 196 | TTEAF62 | 117, 266 | TTNF12-12 | 431 |
| TT1218 | 102, 196 | TTEISK33 | 113, 240 | TTNR81 | 147, 454 |
| | | | | | |
| TT1218-6 | 102, 197
115, 264 | TTEISK73 | 112, 239 | TTOS16 | 142, 423 |
| TT1236 | | TTEMB 11 | 138, 382 | TTPC09 | 147, 449 |
| TT1435 | 99, 185 | TTEMB 17 | 138, 382 | TTPS09 | 97 |
| TT3592 | 115, 265 | TTEMD122N | 129, 335 | TTPS09E | 97 |
| TT3816 | 100, 189 | TTEMD98N | 130, 336 | TTPSAD | 146, 428 |
| TT3819 | 100, 188 | TTEPS 12 | 98 | TTPSPG | 141, 400 |
| TT440 | 136, 380 | TTEPS25 | 98 | TTPSTQ04 | 126, 176,
320, 319 |
| TT440-T | 136, 380 | TTESK126 | 108, 208 | TTRORS | 121, 288 |
| TT474-5 | 139, 394 | TTESK32 | 106, 203 | TTRS 15 | 105, 200 |
| TT474-7 | 139, 394 | TTESK63 | 103, 197 | TTSD39 | 125, 316 |
| TT474-7E | 139, 394 | TTESK77 | 109, 208 | TTSN11 | 145, 438 |
| TT6010M | 115, 279 | TTESK85 | 109, 209 | TTSR04 | 142, 420 |
| TT6208 | 120, 283 | TTESK86 | 108, 207 | TTSS07 | 142, 429 |
| TT6506 | 120, 295 | TTESP28 | 117, 265 | TTTC06 | 148, 410 |
| TT6508R | 118, 274 | TTESP31 | 116, 265 | TTTD17 | 147, 414 |
| TT6508RAF | 118, 275 | TTESP37 | 119, 274 | TTTF10 | 143, 410 |
| TT6508RF | 118, 278 | TTEVG11 | 140, 398 | TTTHQ62 | |
| TT6508RS | 118, 276 | TTEX 17 | 125 | TTTM03 | 133, 348 |
| TT6511R | 118, 274 | TTEX23 | 124, 292, 307 | | 145, 442 |
| TT6511RS | 119, 276 | TTEX32 | 117, 265 | TTTM08 | 146, 443 |
| TT8012 | 114, 272 | TTHC03 | 143, 421 | TTTS08 | 111, 238, 249 |
| TT804 | 142, 433 | TTHEX16 | 103, 199 | TTTX18 | 104, 199 |
| TT9015HX | 112, 240 | TTHEX23 | 104, 199 | TTTX23 | 104, 200 |
| TT9024 | 110, 236 | TTHEX7 | 122, 306 | TTTX30 | 100, 191 |
| TT9116N | 110, 237 | TTHEX7AF | 123, 307 | TTTX/ | 123, 309 |
| TT9120DN | 111, 238 | TTHEX7S | 122, 306 | TTTXH15 | 104, 200 |
| TT917N | 127, 333 | TTHP08 | 121, 294 | TTV440 | 135, 374 |
| TT917TXN | 128, 334 | TTHR81 | 146, 452 | TTV706N | 134, 370 |
| TT9207 | 110, 237 | TTHT28 | 124, 300 | TTV907N | 135, 370 |
| TT9207A | 110, 237 | TTID19 | 113, 243 | TTVG05 | 140, 398 |
| TT9212TX | 111, 239 | TTID20 | 113, 242 | TTX00 | 96 |
| TTADJ04 | 122, 286 | TTK40 | 141, 415 | TTX01 | 96 |
| TTADP17 | 107, 216 | TTMD12D | 131, 341 | TTX02 | 96 |
| | | | | | |



| Item ID | Page No. | Item ID | Page No. |
|-----------|---------------|-------------|----------|
| TTX03 | 96 | TX5000803 | 363 |
| TTX1292 | 126, 318 | TX5001003 | 363 |
| TTX2032 | 116, 264 | TX5001503 | 363 |
| TTX2640 | 116, 266 | TX5002003 | 363 |
| TTX3404 | 105, 202 | TX5002503 | 363 |
| TTX3404S | 105, 203 | TX5002703 | 363 |
| TTX3414 | 106, 203 | TX5003003 | 363 |
| TTX34AF | 106, 203 | TX7001002 | 364 |
| TTX3892 | 125, 291, 317 | TX7001502 | 364 |
| TTX474-9 | 139, 394 | TX7002002 | 364 |
| TTX6311 | 119, 280 | TX7002502 | 364 |
| TTX918N | 127, 333 | TX8901001 | 364 |
| TTX9415 | 112, 240 | TX8902001 | 364 |
| | | | |
| TTXEXT13 | 105, 215 | TX8902501 | 364 |
| TTXF05 | 141, 432 | TX8903001 | 364 |
| TTXFLS06 | 120, 282 | TXP3001001 | 248, 364 |
| TTXLMP12 | 116, 279 | TXP3001005 | 248, 364 |
| TTXMB02 | 137, 288, 381 | TXP3001501 | 248, 364 |
| TTXMD41N | 134, 350 | TXP3001505 | 248, 364 |
| TTXMDN | 124, 292 | TXP3002001 | 248, 364 |
| TTXMDTN | 131, 341 | TXP3002005 | 248, 364 |
| TTXMP12 | 126, 321 | TXP3002501 | 248, 364 |
| TTXPB3 | 143, 440 | TXP3002505 | 248, 364 |
| TTXPB3A | 144, 440 | TXP3002701 | 248, 364 |
| TTXQRS07 | 121, 295 | TXP3002705 | 248, 364 |
| TTXTB05 | 101, 192 | TXP3003001 | 248, 364 |
| TTXTB09 | 101, 193 | TXP3003005 | 248, 364 |
| TTZ01 | 96 | TXP3004001 | 248, 364 |
| TTZVG03 | 140, 398 | TXP3004005 | 248, 364 |
| TV18N | 370 | TXP5001001 | 248, 364 |
| TW1160 | 393 | TXP5001501 | 248, 364 |
| TW1180 | 393 | | |
| | | TXP5002001 | 248, 364 |
| TW2125 | 393 | TXP5002501 | 248, 364 |
| TW2160 | 393 | TXP5002701 | 248, 364 |
| TW2180 | 393 | TXP5003001 | 248, 364 |
| TWB1500 | 168 | TXP5004001 | 248, 364 |
| TWB-1500A | 168 | TXP8902001 | 248, 364 |
| TWB-15SQ | 168 | TXP8902501 | 248, 364 |
| TWB-15TOP | 168 | TXP8903001 | 248, 364 |
| TWB2000 | 168 | TXX1015 | 341 |
| TWB-2000A | 168 | TXX2025 | 341 |
| TWB-20TOP | 168 | TXX3040 | 341 |
| TWB-4WD | 168 | TXX32101505 | 363 |
| TWB-LEG | 168 | TXX32202505 | 363 |
| TWB-PA | 168 | WCC06 | 449 |
| TWB-UPR | 168 | WCC08 | 449 |
| TX2500603 | 363 | WCC10 | 449 |
| TX2500703 | 363 | WCC12 | 449 |
| TX2500703 | 363 | WCC12 | 449 |
| | | | 449 |
| TX2500903 | 363 | WCC16 | |
| TX2501003 | 363 | WCC18 | 449 |
| TX2501503 | 363 | WCC20 | 449 |
| TX2502003 | 363 | WCC22 | 449 |
| TX2502503 | 363 | WCC25 | 449 |
| TX2502703 | 363 | WCC32 | 449 |
| TX2503003 | 363 | WCC38 | 449 |
| TX2504003 | 363 | WCS04L | 448 |

| Item ID | Page No. |
|-----------|----------|
| WCS04S | 448 |
| WR8012 | 175, 273 |
| WRDF06 | 176, 296 |
| WRFL05 | 179, 432 |
| WRFLS05 | 176, 282 |
| WRHEX07 | 176, 307 |
| WRHEX07AF | 177, 307 |
| WRMB04 | 178, 381 |
| WRMBV04 | 178, 374 |
| WRMD10N | 177, 337 |
| WRMDT05N | 177, 342 |
| WRMDV05N | 178, 371 |
| WRMDV07N | 178, 372 |
| WRPC10 | 179, 450 |
| WRSP12 | 175, 264 |
| WRSP12LMP | 175, 280 |
| WRSP12RS | 175, 277 |
| WRTX07 | 177, 310 |
| WRWC07 | 179, 449 |

Get organised[™] IENGIOOLS 499

| ○ Notes | \bigcirc |
|----------------|------------------------------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| TENCTOOLS® | Teng Tools AB
Sandbergsvägen 3D |

IENGIOOLS

441 39 Alingsås Sweden

hello@tengtools.com +46 322 60 66 00



Email: hello@tengtools.com



www.tengtools.com

